

Qingwei Ji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2119590/publications.pdf>

Version: 2024-02-01

35
papers

988
citations

448610
19
h-index

511568
30
g-index

35
all docs

35
docs citations

35
times ranked

1520
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-37 Expression in Patients with Abdominal Aortic Aneurysm and Its Role in the Necroptosis of Vascular Smooth Muscle Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-14.	1.9	3
2	Circulating IL-37 levels are elevated in patients with hypertension. <i>Experimental and Therapeutic Medicine</i> , 2021, 21, 558.	0.8	8
3	Multidisciplinary pulmonary embolism response team in China: A nationwide survey. <i>Respirology</i> , 2021, 26, 392-393.	1.3	3
4	IL-19 as a Biomarker for the Severity of Acute Myocardial Infarction. <i>Archives of Medical Research</i> , 2020, 51, 160-166.	1.5	3
5	Expression of Sfrp5/Wnt5a in human epicardial adipose tissue and their relationship with coronary artery disease. <i>Life Sciences</i> , 2020, 245, 117338.	2.0	20
6	Interleukin-12p35 deficiency enhances mitochondrial dysfunction and aggravates cardiac remodeling in aging mice. <i>Aging</i> , 2020, 12, 193-203.	1.4	15
7	Thrombospondin-2 is upregulated in patients with aortic dissection and enhances angiotensin II-induced smooth muscle cell apoptosis. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 150.	0.8	7
8	Increased Interleukin-11 Levels Are Correlated with Cardiac Events in Patients with Chronic Heart Failure. <i>Mediators of Inflammation</i> , 2019, 2019, 1-8.	1.4	34
9	IL-37 inhibits the maturation of dendritic cells through the IL-1R8-TLR4-NF- κ B pathway. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1338-1349.	1.2	34
10	Comparison of long-term outcomes of young patients after a coronary event associated with familial hypercholesterolemia. <i>Lipids in Health and Disease</i> , 2019, 18, 131.	1.2	15
11	Sfrp5/Wnt Pathway: A Protective Regulatory System in Atherosclerotic Cardiovascular Disease. <i>Journal of Interferon and Cytokine Research</i> , 2019, 39, 472-482.	0.5	36
12	High Serum Secreted Frizzled-Related Protein 5 Levels Associates with Early Improvement of Cardiac Function Following ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 868-878.	0.9	17
13	Effects of circulating levels of Th17 cells on the outcomes of acute Stanford B aortic dissection patients after thoracic endovascular aortic repair. <i>Medicine (United States)</i> , 2019, 98, e18241.	0.4	6
14	Sestrin2 increases in aortas and plasma from aortic dissection patients and alleviates angiotensin II-induced smooth muscle cell apoptosis via the Nrf2 pathway. <i>Life Sciences</i> , 2019, 218, 132-138.	2.0	41
15	Interleukin-12p35 knockout promotes macrophage differentiation, aggravates vascular dysfunction, and elevates blood pressure in angiotensin II-infused mice. <i>Cardiovascular Research</i> , 2019, 115, 1102-1113.	1.8	39
16	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. <i>Angiology</i> , 2019, 70, 423-430.	0.8	6
17	Increased interleukin-11 levels in thoracic aorta and plasma from patients with acute thoracic aortic dissection. <i>Clinica Chimica Acta</i> , 2018, 481, 193-199.	0.5	30
18	Increased levels of interleukin-22 in thoracic aorta and plasma from patients with acute thoracic aortic dissection. <i>Clinica Chimica Acta</i> , 2018, 486, 395-401.	0.5	27

#	ARTICLE	IF	CITATIONS
19	Circulating Th1, Th2, Th9, Th17, Th22, and Treg Levels in Aortic Dissection Patients. <i>Mediators of Inflammation</i> , 2018, 2018, 1-10.	1.4	51
20	Interleukin-12p35 Knock Out Aggravates Doxorubicin-Induced Cardiac Injury and Dysfunction by Aggravating the Inflammatory Response, Oxidative Stress, Apoptosis and Autophagy in Mice. <i>EBioMedicine</i> , 2018, 35, 29-39.	2.7	64
21	The clinical potential of IL-12/IL-35 in treating chemotherapy drug-induced cardiac injury – Authors' reply. <i>EBioMedicine</i> , 2018, 35, 4-5.	2.7	1
22	Cytokines in aortic dissection. <i>Clinica Chimica Acta</i> , 2018, 486, 177-182.	0.5	33
23	Exogenous interleukin 37 ameliorates atherosclerosis via inducing the Treg response in ApoE-deficient mice. <i>Scientific Reports</i> , 2017, 7, 3310.	1.6	57
24	Circulating Th1, Th2, and Th17 Levels in Hypertensive Patients. <i>Disease Markers</i> , 2017, 2017, 1-12.	0.6	50
25	Human epicardial adipose tissue-derived and circulating secreted frizzled-related protein 4 (SFRP4) levels are increased in patients with coronary artery disease. <i>Cardiovascular Diabetology</i> , 2017, 16, 133.	2.7	30
26	Circulating Omentin-1 Levels Are Decreased in Dilated Cardiomyopathy Patients with Overt Heart Failure. <i>Disease Markers</i> , 2016, 2016, 1-7.	0.6	15
27	Association between omentin-1 expression in human epicardial adipose tissue and coronary atherosclerosis. <i>Cardiovascular Diabetology</i> , 2016, 15, 90.	2.7	91
28	Increased IL-37 concentrations in patients with arterial calcification. <i>Clinica Chimica Acta</i> , 2016, 461, 19-24.	0.5	18
29	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , 2016, 67, 12-20.	0.8	1
30	Chemerin-15-Ameliorated Cardiac Ischemia-Reperfusion Injury Is Associated with the Induction of Alternatively Activated Macrophages. <i>Mediators of Inflammation</i> , 2015, 2015, 1-9.	1.4	26
31	Elevated Plasma IL-38 Concentrations in Patients with Acute ST-Segment Elevation Myocardial Infarction and Their Dynamics after Reperfusion Treatment. <i>Mediators of Inflammation</i> , 2015, 2015, 1-10.	1.4	35
32	Disruption of the TSLP-TSLPR-LAP signaling between epithelial and dendritic cells through hyperlipidemia contributes to regulatory T-Cell defects in atherosclerotic mice. <i>Atherosclerosis</i> , 2015, 238, 278-288.	0.4	17
33	The Protective Effect of Interleukin-37 on Vascular Calcification and Atherosclerosis in Apolipoprotein E-Deficient Mice with Diabetes. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 530-539.	0.5	45
34	Circulating chemerin levels elevated in dilated cardiomyopathy patients with overt heart failure. <i>Clinica Chimica Acta</i> , 2015, 448, 27-32.	0.5	29
35	Elevated Plasma IL-37, IL-18, and IL-18BP Concentrations in Patients with Acute Coronary Syndrome. <i>Mediators of Inflammation</i> , 2014, 2014, 1-9.	1.4	81