

Itaru Dekio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2120901/publications.pdf>

Version: 2024-02-01

38
papers

898
citations

567281

15
h-index

477307

29
g-index

40
all docs

40
docs citations

40
times ranked

1088
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of potentially novel bacterial components of the human skin microbiota using culture-independent molecular profiling. <i>Journal of Medical Microbiology</i> , 2005, 54, 1231-1238.	1.8	119
2	Characterization of skin microbiota in patients with atopic dermatitis and in normal subjects using 16S rRNA gene-based comprehensive analysis. <i>Journal of Medical Microbiology</i> , 2007, 56, 1675-1683.	1.8	87
3	Pilot study on novel skin care method by augmentation with <i>Staphylococcus epidermidis</i> , an autologous skin microbe – A blinded randomized clinical trial. <i>Journal of Dermatological Science</i> , 2015, 79, 119-126.	1.9	75
4	Stratum corneum TARC level is a new indicator of lesional skin inflammation in atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 1166-1172.	5.7	71
5	Dissecting the taxonomic heterogeneity within <i>Propionibacterium acnes</i> : proposal for <i>Propionibacterium acnes</i> subsp. <i>acnes</i> subsp. nov. and <i>Propionibacterium acnes</i> subsp. <i>elongatum</i> subsp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4776-4787.	1.7	64
6	Interleukin-8 Content in the Stratum Corneum as an Indicator of the Severity of Inflammation in the Lesions of Atopic Dermatitis. <i>International Archives of Allergy and Immunology</i> , 2013, 160, 63-74.	2.1	57
7	Abnormal keratin expression in circumscribed palmar hypokeratosis. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 285-291.	1.2	55
8	CD203c expression–based basophil activation test for diagnosis of wheat-dependent exercise-induced anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 1404-1406.	2.9	47
9	Proposal of new combination, <i>Cutibacterium acnes</i> subsp. <i>elongatum</i> comb. nov., and emended descriptions of the genus <i>Cutibacterium</i> , <i>Cutibacterium acnes</i> subsp. <i>acnes</i> and <i>Cutibacterium acnes</i> subsp. <i>defendens</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1087-1092.	1.7	39
10	Higher allergenicity of high molecular weight hydrolysed wheat protein in cosmetics for percutaneous sensitization. <i>Contact Dermatitis</i> , 2013, 68, 86-93.	1.4	36
11	Content of Vascular Endothelial Growth Factor in Stratum Corneum Well Correlates to Local Severity of Acute Inflammation in Patients with Atopic Dermatitis. <i>International Archives of Allergy and Immunology</i> , 2012, 157, 251-258.	2.1	30
12	Why we continue to use the name <i>Propionibacterium acnes</i> . <i>British Journal of Dermatology</i> , 2018, 179, 1227-1227.	1.5	24
13	Sequence analysis of filaggrin gene by novel shotgun method in Japanese atopic dermatitis. <i>Journal of Dermatological Science</i> , 2008, 51, 113-120.	1.9	22
14	<i>Cutibacterium modestum</i> sp. nov., isolated from meibum of human meibomian glands, and emended descriptions of <i>Cutibacterium granulosum</i> and <i>Cutibacterium namnetense</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2457-2462.	1.7	20
15	Unravelling the eco-specificity and pathophysiological properties of <i>Cutibacterium</i> species in the light of recent taxonomic changes. <i>Anaerobe</i> , 2021, 71, 102411.	2.1	17
16	Usefulness and economic evaluation of ADSL-based live interactive tele dermatology in areas with shortage of dermatologists. <i>International Journal of Dermatology</i> , 2010, 49, 1272-1275.	1.0	16
17	Correlation between Phylogroups and Intracellular Proteomes of <i>Propionibacterium acnes</i> and Differences in the Protein Expression Profiles between Anaerobically and Aerobically Grown Cells. <i>BioMed Research International</i> , 2013, 2013, 1-9.	1.9	16
18	Genetic diversity of <i>Propionibacterium acnes</i> strains isolated from human skin in Japan and comparison with their distribution in Europe. <i>Journal of Medical Microbiology</i> , 2012, 61, 622-630.	1.8	14

#	ARTICLE	IF	CITATIONS
19	Actinic lichen planus in a Japanese man: first case in the East Asian population. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 333-335.	1.5	12
20	<i>Thermaurantimonas aggregans</i> gen. nov., sp. nov., a moderately thermophilic heterotrophic aggregating bacterium isolated from microbial mats at a terrestrial hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1117-1121.	1.7	11
21	Dermoscopic features of a case of transient acantholytic dermatosis. <i>Australasian Journal of Dermatology</i> , 2017, 58, 50-52.	0.7	9
22	The weight of a finger-tip unit of ointment in 5-gram tubes. <i>Journal of Dermatological Treatment</i> , 2011, 22, 302-303.	2.2	8
23	Recurrent Kaposi's varicelliform eruption successfully controlled by low-dose oral valaciclovir. <i>Journal of Dermatology</i> , 2012, 39, 197-199.	1.2	8
24	Aleukaemic leukaemia cutis as an initial manifestation of myeloid/NK cell precursor acute leukaemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 453-456.	2.4	6
25	Sparing of the bulge area could preserve intact lower portion of hair follicles in a case of tufted folliculitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 87-89.	2.4	5
26	Common Features and Intra-Species Variation of <i>Cutibacterium modestum</i> Strains, and Emended Description of the Species. <i>Microorganisms</i> , 2021, 9, 2343.	3.6	5
27	High carriage rate of <i>Staphylococcus aureus</i> and <i>Streptococcus agalactiae</i> in nine cases of fungus-free intertrigo of the toe cleft. <i>International Journal of Dermatology</i> , 2014, 53, 484-486.	1.0	4
28	The contribution of dermoscopy to early excision of basal cell carcinoma: A study on the tumor sizes acquired between 1998 and 2013 at a university hospital in Japan. <i>Journal of Dermatological Science</i> , 2016, 84, 360.	1.9	4
29	Microorganisms and Atopic Dermatitis. , 0, , .		4
30	Coccygeal pad. <i>Contact Dermatitis</i> , 2003, 48, 234-235.	1.4	3
31	N1 component reflects difference of terminal chords in three-chord sequences. <i>NeuroReport</i> , 2009, 20, 251-256.	1.2	2
32	Lichen scrofulosorum caused by pulmonary <i>Mycobacterium avium</i> complex (MAC) infection. <i>European Journal of Dermatology</i> , 2011, 21, 619-620.	0.6	2
33	Questionnaire-based Study on the Skill of Medical Personnel with Regard to Providing Directives to Outpatients with Atopic Dermatitis. <i>Nishinohon Journal of Dermatology</i> , 2011, 73, 614-618.	0.0	2
34	What Do We See in Spectra?: Assignment of High-Intensity Peaks of <i>Cutibacterium</i> and <i>Staphylococcus</i> Spectra of MALDI-TOF Mass Spectrometry by Interspecies Comparative Proteogenomics. <i>Microorganisms</i> , 2021, 9, 1243.	3.6	1
35	Follicular spicules associated with <i>Propionibacterium acnes</i> with response to erythromycin: Lack of evidence for the species?. <i>Journal of Dermatology</i> , 2012, 39, 585-585.	1.2	0
36	Comment on <i>Staphylococcus</i> cell number discrepancy between culture-based and non-culture-based analyses: Quantitative effect of face washing on cutaneous resident microbiota in female subjects who wear makeup. <i>Journal of Dermatology</i> , 2013, 40, 584-585.	1.2	0

#	ARTICLE	IF	CITATIONS
37	Dermoscopic features of a case of external dental fistula. Australasian Journal of Dermatology, 2018, 59, e146-e148.	0.7	0
38	Clinical Efficacy of Loratadine for Chronic Urticaria Refractory to Other Antihistamines. Nishinohon Journal of Dermatology, 2012, 74, 293-300.	0.0	0