

Shu-Qiang Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2125419/publications.pdf>

Version: 2024-02-01

178
papers

1,992
citations

361388

20
h-index

395678

33
g-index

205
all docs

205
docs citations

205
times ranked

1395
citing authors

#	ARTICLE	IF	CITATIONS
1	A molecular phylogeny of the genus <i>Gammarus</i> (Crustacea: Amphipoda) based on mitochondrial and nuclear gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 596-611.	2.7	167
2	Eocene habitat shift from saline to freshwater promoted Tethyan amphipod diversification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 14533-14538.	7.1	150
3	Tethyan changes shaped aquatic diversification. <i>Biological Reviews</i> , 2018, 93, 874-896.	10.4	84
4	Phylogenetic analyses of <i>Gammaridae</i> crustacean reveal different diversification patterns among sister lineages in the Tethyan region. <i>Cladistics</i> , 2014, 30, 352-365.	3.3	78
5	Extinction vs. Rapid Radiation: The Juxtaposed Evolutionary Histories of Coelotine Spiders Support the Eocene–Oligocene Orogenesis of the Tibetan Plateau. <i>Systematic Biology</i> , 2017, 66, 988-1006.	5.6	39
6	Early Cretaceous greenhouse pumped higher taxa diversification in spiders. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 146-155.	2.7	38
7	Tip of the iceberg: species diversity of <i>Pholcus</i> spiders (Araneae, Pholcidae) in the Changbai Mountains, Northeast China. <i>Zoological Research</i> , 2021, 42, 267-271.	2.1	38
8	A Two-Component Female-Produced Pheromone of the Spider <i>Pholcus beijingensis</i> . <i>Journal of Chemical Ecology</i> , 2009, 35, 769-778.	1.8	34
9	<i>Pholcid</i> spiders (Araneae: Pholcidae) from northern Vietnam, with descriptions of nineteen new species. <i>Zootaxa</i> , 2015, 3909, 1-82.	0.5	34
10	Paleocene–Eocene and Pliocene–Pleistocene sea-level changes as ‘species pumps’ in Southeast Asia: Evidence from <i>Altheus</i> spiders. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 545-555.	2.7	33
11	Ancient lineage, young troglobites: recent colonization of caves by <i>Nesticella</i> spiders. <i>BMC Evolutionary Biology</i> , 2013, 13, 183.	3.2	32
12	Diversification of low dispersal crustaceans through mountain uplift: a case study of <i>Gammarus</i> (Amphipoda: Gammaridae) with descriptions of four novel species. <i>Zoological Journal of the Linnean Society</i> , 2014, 170, 591-633.	2.3	32
13	Identifying Chinese species of <i>Gammarus</i> (Crustacea: Amphipoda) using DNA barcoding. <i>Environmental Epigenetics</i> , 2009, 55, 158-164.	1.8	31
14	Challenging Wallacean and Linnean shortfalls: <i>Ectatosticta</i> spiders (Araneae, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	2.1	30
15	Taxonomy is the cornerstone of biodiversity conservation-SEABRI reports on biological surveys in Southeast Asia. <i>Zoological Research</i> , 2017, 38, 213-214.	2.1	29
16	Diversification in tropics and subtropics following the mid-Miocene climate change: A case study of the spider genus <i>Nesticella</i> . <i>Global Change Biology</i> , 2018, 24, e577-e591.	9.5	28
17	Toward understanding the distribution of Laurasian frogs: A test of Savage’s biogeographical hypothesis using the genus <i>Bombina</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 70-83.	2.7	26
18	Male-specific (Z)-9-tricosene stimulates female mating behaviour in the spider <i>Pholcus beijingensis</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 3009-3018.	2.6	26

#	ARTICLE	IF	CITATIONS
19	A spider species complex revealed high cryptic diversity in South China caves. <i>Molecular Phylogenetics and Evolution</i> , 2014, 79, 353-358.	2.7	25
20	Spider diversity in canopies of Xishuangbanna rainforest (China) indicates an alarming juggernaut effect of rubber plantations. <i>Forest Ecology and Management</i> , 2015, 338, 200-207.	3.2	25
21	Cenozoic Tethyan changes dominated Eurasian animal evolution and diversity patterns. <i>Zoological Research</i> , 2022, 43, 3-13.	2.1	24
22	High endemism at cave entrances: a case study of spiders of the genus <i>Uthina</i> . <i>Scientific Reports</i> , 2016, 6, 35757.	3.3	23
23	Marine incursion into East Asia: a forgotten driving force of biodiversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122892.	2.6	22
24	Unknown species from China: The case of phrurolithid spiders (Araneae, Phrurolithidae). <i>Zoological Research</i> , 2022, 43, 352-355.	2.1	21
25	Intraspecific or interspecific variation: delimitation of species boundaries within the genus <i>Gammarus</i> (Crustacea, Amphipoda, Gammaridae), with description of four new species. <i>Zoological Journal of the Linnean Society</i> , 0, 160, 215-253.	2.3	19
26	New and little known pholcid spiders (Araneae: Pholcidae) from Yunnan, China. <i>Zootaxa</i> , 2019, 460, 1-19.	0.5	19
27	Terrestrial talitrid amphipods (Crustacea: Amphipoda) from China and Vietnam: studies on the collection of IZCAS. <i>Journal of Natural History</i> , 2003, 37, 2441-2460.	0.5	18
28	Is <i>Gammarus tigrinus</i> (Crustacea, Amphipoda) becoming cosmopolitan through shipping? Predicting its potential invasive range using ecological niche modeling. <i>Hydrobiologia</i> , 2010, 649, 183-194.	2.0	18
29	Tethyan closure drove tropical marine biodiversity: Vicariant diversification of intertidal crustaceans. <i>Journal of Biogeography</i> , 2018, 45, 941-951.	3.0	18
30	Biogeographical patterns of Chinese spiders (Arachnida: Araneae) based on a parsimony analysis of endemism. <i>Journal of Biogeography</i> , 2008, 35, 1241-1249.	3.0	17
31	A survey of linyphiid spiders from Xishuangbanna, Yunnan Province, China (Araneae, Linyphiidae). <i>ZooKeys</i> , 2014, 460, 1-181.	1.1	17
32	Crab spiders from Xishuangbanna, Yunnan Province, China (Araneae, Thomisidae). <i>Zootaxa</i> , 2010, 2703, 1-17.	0.5	17
33	Six new species of the spider family Ochyroceratidae (Arachnida: Araneae) from Southeast Asia. <i>Zootaxa</i> , 2014, 3768, 119.	0.5	16
34	Six new <i>Orchestina</i> species from Hainan Island, China (Araneae, Oonopidae). <i>Zootaxa</i> , 2011, 3061, 36.	0.5	14
35	New Species of the Spider Genus <i>Pholcus</i> (Araneae: Pholcidae) from China. <i>Zootaxa</i> , 2012, 3289, 1.	0.5	14
36	Two new species of the spider genus <i>Pholcus</i> (Araneae: Pholcidae) from China. <i>Zoological Research</i> , 2017, 38, 321-448.	2.1	14

#	ARTICLE	IF	CITATIONS
37	Taxonomic notes on Leptonetidae (Arachnida, Araneae) from China, with descriptions of one new genus and eight new species. <i>Zoological Research</i> , 2020, 41, 684-704.	2.1	14
38	<i>Papiliocoelotes</i> gen. n., a new genus of Coelotinae (Araneae, Agelenidae) spiders from the Wuling Mountains, China. <i>ZooKeys</i> , 2016, 585, 33-50.	1.1	13
39	Cave <i>Stedocys</i> spitting spiders illuminate the history of the Himalayas and southeast Asia. <i>Ecography</i> , 2018, 41, 414-423.	4.5	12
40	Tropical Niche Conservatism Explains the Eocene Migration from India to Southeast Asia in Ochyroceratid Spiders. <i>Systematic Biology</i> , 2020, 69, 987-998.	5.6	12
41	The jumping spiders from Xishuangbanna, Yunnan, China (Araneae, Salticidae). <i>ZooKeys</i> , 2016, 630, 43-104.	1.1	12
42	Comb-tailed spiders from Xishuangbanna, Yunnan Province, China (Araneae, Hahniidae). <i>Zootaxa</i> , 2011, 2912, 1.	0.5	11
43	New cave-dwelling armored spiders (Araneae, Tetrablemmidae) from Southwest China. <i>ZooKeys</i> , 2014, 388, 35-76.	1.1	11
44	<i>Nuconarius</i> gen. n. and <i>Hengconarius</i> gen. n., two new genera of Coelotinae (Araneae, Agelenidae) spiders from Southwest China. <i>Zootaxa</i> , 2018, 4457, 237.	0.5	11
45	<i>Troglocoelotes</i> gen. n., a new genus of Coelotinae spiders (Araneae, Agelenidae) from caves in South China. <i>Zootaxa</i> , 2019, 4554, 219-238.	0.5	11
46	Two new genera and eight new species of jumping spiders (Araneae, Salticidae) from Xishuangbanna, Yunnan, China. <i>ZooKeys</i> , 2020, 952, 95-128.	1.1	11
47	Long-legged cave spiders (Araneae, Telemidae) from Yunnan-Guizhou Plateau, southwestern China. <i>Zootaxa</i> , 2010, 2445, 1.	0.5	10
48	A further study on the species of the spider genus <i>Leptonetela</i> (Araneae: Leptonetidae). <i>Zootaxa</i> , 2011, 2841, 1.	0.5	10
49	On the identity of the type species of the genus <i>Telema</i> (Araneae, Telemidae). <i>ZooKeys</i> , 2012, 251, 11-19.	1.1	10
50	Four new species of pholcine spiders (Araneae: Pholcidae) from Southeast Asia. <i>Zootaxa</i> , 2014, 3793, 331.	0.5	10
51	A survey of oonopid spiders in Taiwan with descriptions of three new species. <i>ZooKeys</i> , 2014, 396, 67-86.	1.1	10
52	Morphological and molecular taxonomic analysis of <i>Pseudopoda</i> Jäger, 2000 (Araneae: Sparassidae: Heteropodinae) in Sichuan Province, China. <i>Zootaxa</i> , 2015, 3999, 363.	0.5	10
53	Diversity and assemblage structure of bark-dwelling spiders in tropical rainforest and plantations under different management intensities in Xishuangbanna, China. <i>Insect Conservation and Diversity</i> , 2017, 10, 224-235.	3.0	10
54	Eight new species of the genus <i>Clubiona</i> Latreille, 1804 from Xishuangbanna Rainforest, southwestern China (Araneae, Clubionidae). <i>Zootaxa</i> , 2019, 4545, 151.	0.5	10

#	ARTICLE	IF	CITATIONS
55	Taxonomic studies on the sac spider genus <i>Clubiona</i> (Araneae, Clubionidae) from Xishuangbanna Rainforest, China. <i>ZooKeys</i> , 2021, 1034, 1-163.	1.1	10
56	New cave-dwelling huntsman spider species of the genus <i>Sinopoda</i> (Araneae: Sparassidae) from southern China. <i>Zootaxa</i> , 2008, 1857, 1.	0.5	10
57	Past climate cooling promoted global dispersal of amphipods from Tian Shan montane lakes to circumboreal lakes. <i>Global Change Biology</i> , 2022, 28, 3830-3845.	9.5	10
58	Chromosomal-level genome of a sheet- <i>web</i> spider provides insight into the composition and evolution of venom. <i>Molecular Ecology Resources</i> , 2022, 22, 2333-2348.	4.8	10
59	New cave-dwelling spiders of the family Nesticidae (Arachnida, Araneae) from China. <i>Zootaxa</i> , 2013, 3613, 501-47.	0.5	9
60	Fifteen new species of the spider genus <i>Pholcus</i> (Araneae: Pholcidae) from Southeast Asia. <i>Zootaxa</i> , 2016, 4136, 201-46.	0.5	9
61	A new genus of Coelotinae (Araneae, Agelenidae) from southern China. <i>ZooKeys</i> , 2015, 541, 41-56.	1.1	9
62	<i>Sinocoelotes</i> gen. n., a new genus of the subfamily Coelotinae (Araneae, Agelenidae) from Southeast Asia. <i>ZooKeys</i> , 2016, 614, 51-86.	1.1	9
63	<i>Guilotes</i> , a new genus of Coelotinae spiders from Guangxi Zhuang Autonomous Region, China (Araneae, Agelenidae). <i>ZooKeys</i> , 2018, 802, 1-17.	1.1	9
64	Three new species of <i>Pinelema</i> from caves in Guangxi, China (Araneae, Telemidae). <i>ZooKeys</i> , 2017, 692, 83-101.	1.1	9
65	Four new species of the subfamily Psilodercinae (Araneae: Ochyroceratidae) from Southwest China. <i>Zootaxa</i> , 2013, 3718, 39.	0.5	8
66	Thirteen new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae: Pholcidae) from China. <i>Zootaxa</i> , 2016, 4170, 1.	0.5	8
67	The <i>Belisana</i> spiders (Araneae: Pholcidae) from Xishuangbanna Tropical Botanical Garden, Yunnan, China. <i>Zootaxa</i> , 2018, 4425, 243-262.	0.5	8
68	Tectonic evolution of the Tethyan region created the Eurasian extratropical biodiversity hotspots: tracing <i>Pireneitega</i> spiders' diversification history. <i>Ecography</i> , 2020, 43, 1400-1411.	4.5	8
69	First described Patu spiders (Araneae, Symphytognathidae) from Asia. <i>Zootaxa</i> , 2009, 2154, 47-68.	0.5	8
70	On ten species of jumping spiders from Xishuangbanna, China (Araneae, Salticidae). <i>ZooKeys</i> , 2021, 1062, 123-155.	1.1	8
71	Tetramblemmidae (Arachnida, Araneae), a spider family newly recorded from China. <i>Organisms Diversity and Evolution</i> , 2008, 8, 84-98.	1.6	7
72	Eight new spider species of the genus <i>Pholcus</i> (Araneae, Pholcidae) from China. <i>Zootaxa</i> , 2010, 2355, 35.	0.5	7

#	ARTICLE	IF	CITATIONS
73	Two new species of the genera <i>Mysmena</i> and <i>Trogloneta</i> (Mysmenidae, Araneae) from Southwestern China. <i>ZooKeys</i> , 2013, 303, 33-51.	1.1	7
74	Six new species of oonopid spiders from Champasak, Laos (Araneae, Oonopidae). <i>Zootaxa</i> , 2013, 3709, 71.	0.5	7
75	On further species of the spider genus <i>Clubiona</i> Latreille, 1804 (Araneae, Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	7
76	<i>Vappolotes</i> , a new genus of coelotine spiders (Araneae, Agelenidae) from Guizhou, China. <i>Zootaxa</i> , 2019, 4701, 434-442.	0.5	7
77	Five new <i>Platocoelotes</i> species (Araneae, Agelenidae) from caves in southern China. <i>ZooKeys</i> , 2015, 512, 1-18.	1.1	7
78	A survey of the spider family <i>Nesticidae</i> (Arachnida, Araneae) in Asia and Madagascar, with the description of forty-three new species. <i>ZooKeys</i> , 2016, 627, 1-168.	1.1	7
79	<i>Sinodraconarius</i> gen. n., a new genus of Coelotinae spiders from Southwest China (Araneae, Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.1	7
80	On eight species of jumping spiders from Xishuangbanna, Yunnan, China (Araneae, Salticidae). <i>ZooKeys</i> , 2020, 909, 25-57.	1.1	7
81	Ancient volcanos as species pumps: A case study of freshwater amphipods in Northeast Asia. <i>Molecular Ecology</i> , 2022, 31, 343-355.	3.9	7
82	Seven new species of jumping spiders (Araneae, Salticidae) from Xishuangbanna, China. <i>ZooKeys</i> , 2020, 968, 43-69.	1.1	7
83	Ten new <i>Gammarus</i> species (Crustacea: Amphipoda: Gammaridae) from Yunnan-Guizhou Plateau, China. <i>Zootaxa</i> , 2013, 3687, 1-95.	0.5	6
84	Five new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae: Pholcidae) from China and Thailand. <i>Zootaxa</i> , 2018, 4377, 235.	0.5	6
85	New species of the spider genus <i>Telema</i> (Araneae, Telemidae) from caves in Guangxi, China. <i>Zootaxa</i> , 2010, 2632, .	0.5	6
86	Four new species of the genus <i>Ischnothyreus</i> from Hainan Island, China (Araneae, Oonopidae). <i>Zootaxa</i> , 2012, 3352, 25.	0.5	6
87	A new genus of oonopid spiders from Myanmar (Araneae, Oonopidae). <i>ZooKeys</i> , 2018, 794, 31-43.	1.1	6
88	The stepwise Indian-Eurasian collision and uplift of the Himalayan-Tibetan plateau drove the diversification of high-elevation <i>Scytodes</i> spiders. <i>Cladistics</i> , 2022, 38, 582-594.	3.3	6
89	Three New Species of the Genus <i>Gammarus</i> (Crustacea, Amphipoda, Gammaridae) from Yunnan, China. <i>Zoological Science</i> , 2002, 19, 939-960.	0.7	5
90	Amphipod crustaceans (Gammaridea) from Beijing, P. R. China. <i>Journal of Natural History</i> , 2005, 39, 3255-3274.	0.5	5

#	ARTICLE	IF	CITATIONS
91	Five new minute orb-weaving spiders of the family Mysmenidae from China (Araneae). Zootaxa, 2013, 3670, 449.	0.5	5
92	First description of comb-tailed spiders (Araneae: Hahniidae) from Vietnam. Zootaxa, 2013, 3613, 343-56.	0.5	5
93	Four new spider species of the family Theridiosomatidae (Arachnida, Araneae) from caves in Laos. ZooKeys, 2014, 391, 75-102.	1.1	5
94	Six new species of the genus <i>Opopaea</i> Simon, 1891 from Xishuangbanna & Rainforest, southwestern China (Araneae: Oonopidae). Zootaxa, 2015, 3931, 41-62.	0.5	5
95	Ten new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae, Pholcidae) from Southeast Asia. Zootaxa, 2017, 4306, 339.	0.5	5
96	Eleven new species of the spider genus <i>Altheopus</i> Thorell, 1898 (Araneae, Ochyroceratidae) from Thailand. Zootaxa, 2017, 4350, 469.	0.5	5
97	Checklist of the spiders (Araneae) of Kenya. African Invertebrates, 2021, 62, 47-229.	0.5	5
98	Three new pimoid spiders from Sichuan Province, China (Araneae: Pimoidae).	0.5	5
99	The coelotine spiders from three national parks in Northern Vietnam (Araneae, Amaurobiidae). Zootaxa, 2010, 2377, 1.	0.5	5
100	FOUR NEW SPECIES OF THE SPIDER GENUS <i>PINELEMA</i> (ARANEAE, TELEMIDAE) FROM CAVES IN SOUTH CHINA. Ecologica Montenegrina, 0, 7, 546-566.	0.5	5
101	A review of the genus <i>Epeus</i> Peckham & Peckham (Araneae: Salticidae) from China. Oriental Insects, 2002, 36, 385-392.	0.3	4
102	A new subterranean amphipod of the genus <i>Procrangonyx</i> from Beijing, China. Crustaceana, 2003, 76, 1179-1188.	0.3	4
103	Six new cave-dwelling pholcid spiders (Araneae: Pholcidae) from Hainan Island, with two newly recorded genera from China. Zootaxa, 2009, 1988, 17-32.	0.5	4
104	Description of <i>Gammarus Preciosus</i> , a New Species of Freshwater Amphipod from Henan, China (Amphipoda, Gammaridae). Crustaceana, 2009, 82, 99-109.	0.3	4
105	Huntsman spiders (Araneae: Sparassidae) from Xishuangbanna Rainforest, China. Zootaxa, 2010, 2508, .	0.5	4
106	The first goblin spiders of the genus <i>Trilacuna</i> from Vietnam (Araneae, Oonopidae).	0.5	4
107	Taxonomic notes on the armored spiders of the families Pacullidae and Tetrablemmidae (Arachnida, Tetrablemmidae). Zootaxa, 2013, 3709, 277.	1.1	4
108	Five new species of the genera <i>Falcileptoneta</i> and <i>Longileptoneta</i> (Araneae, Leptonetidae) from South Korea. ZooKeys, 2021, 1010, 97-116.	1.1	4

#	ARTICLE	IF	CITATIONS
109	On nine species of the spider genus <i>Eriovixia</i> (Araneae, Araneidae) from Xishuangbanna, China. <i>ZooKeys</i> , 2021, 1034, 199-236.	1.1	4
110	Comparative transcriptomics highlights convergent evolution of energy metabolic pathways in group-living spiders. <i>Zoological Research</i> , 2021, 42, 195-206.	2.1	4
111	Description of a new genus and three new species of the family <i>Palpimanidae</i> (Arachnida, Araneae) from Kenya. <i>African Invertebrates</i> , 2020, 61, 93-106.	0.5	4
112	Nine new species of the spider genus <i>Pireneitega</i> Kishida, 1955 (Agelenidae, Coelotinae) from Xinjiang, China. <i>ZooKeys</i> , 2016, 601, 49-74.	1.1	4
113	Four new <i>Gammarus</i> species from Tibetan Plateau with a key to Tibetan freshwater gammarids (Crustacea, Amphipoda, Gammaridae). <i>ZooKeys</i> , 2018, 747, 1-40.	1.1	4
114	On three species of the spider genus <i>Pimoa</i> (Araneae, Pimoidae) from China. <i>ZooKeys</i> , 2019, 855, 1-13.	1.1	4
115	Three new species of the genus <i>Falcileptoneta</i> Komatsu, 1970 (Araneae, Leptonetidae) from Korea. <i>ZooKeys</i> , 2019, 872, 1-12.	1.1	4
116	Six new species of the spider genus <i>Spiricoelotes</i> species (Araneae, Agelenidae) from caves in Jiangxi, China. <i>ZooKeys</i> , 2016, 561, 1-19.	1.1	4
117	ï»¿Taxonomic notes on the genus <i>Phrynarachne</i> from China (Araneae, Thomisidae). <i>ZooKeys</i> , 2022, 1085, 69-99.	1.1	4
118	New Coelotine spiders from Xishuangbanna Rainforest, Southwestern China (Araneae: Amaurobiidae). <i>Zootaxa</i> , 2010, 2442, 1.	0.5	3
119	Notes on four pholcid spiders (Araneae: Pholcidae) described by T. Thorell from Southeast Asia. <i>Zootaxa</i> , 2013, 3609, 302-310.	0.5	3
120	Anapidae (Arachnida: Araneae), a spider family newly recorded from Laos. <i>Zootaxa</i> , 2013, 3608, 511-20.	0.5	3
121	<p>Mysmenidae (Arachnida, Araneae), a spider family newly recorded from Vietnam</p>. <i>Zootaxa</i> , 2014, 3826, 169.	0.5	3
122	Sixteen new species of the spider genus <i>Althepus</i> Thorell, 1898 (Araneae: Ochyroceratidae) from Southeast Asia. <i>Zootaxa</i> , 2018, 4471, 401.	0.5	3
123	Eoceneâ€“Oligocene seaâ€“level fall drove amphipod habitat shift from marine to freshwater in the Far East. <i>Zoologica Scripta</i> , 2020, 49, 357-365.	1.7	3
124	One new species of the genus <i>Ischnothyreus</i> Simon, 1893 and re-description of <i>I. yueluensis</i> Yin & Wang, 1984 from China (Araneae, Oonopidae). <i>Biodiversity Data Journal</i> , 2021, 9, e66843.	0.8	3
125	Four new species of the spider genus <i>Telema</i> (Araneae, Telemidae) from Southeast Asia. <i>Zootaxa</i> , 2010, 2719, .	0.5	3
126	A further study of the spider genus <i>Notiocoelotes</i> (Araneae, Agelenidae) from Hainan Island, China. <i>ZooKeys</i> , 2016, 601, 75-87.	1.1	3

#	ARTICLE	IF	CITATIONS
127	Five new species of the genus <i>Ischnothyreus</i> Simon, 1893 from Singapore. <i>ZooKeys</i> , 2016, 618, 39-66.	1.1	3
128	<i>Asianopis</i> gen. nov., a new genus of the spider family <i>Deinopidae</i> from Asia. <i>ZooKeys</i> , 2020, 911, 67-99.	1.1	3
129	Taxonomic study of the genus <i>Ischnothyreus</i> Simon, 1893 from Myanmar (Araneae, Oonopidae). <i>ZooKeys</i> , 2020, 993, 1-26.	1.1	3
130	Sixteen new species of the genus <i>Pseudopoda</i> Jäger, 2000 from China, Myanmar, and Thailand (<i>Sparassidae</i> , <i>Heteropodinae</i>). <i>ZooKeys</i> , 2018, 791, 107-161.	1.1	3
131	Taxonomic studies on the genus <i>Ectatosticta</i> (Araneae, Hypochilidae) from China, with descriptions of two new species. <i>ZooKeys</i> , 2020, 954, 17-29.	1.1	3
132	A review of <i>Crassignatha</i> (Araneae, Symphytognathidae). <i>ZooKeys</i> , 2020, 988, 63-128.	1.1	3
133	Nine new species of the spider family <i>Araneidae</i> (Arachnida, Araneae) from Xishuangbanna, Yunnan, China. <i>ZooKeys</i> , 2021, 1072, 49-81.	1.1	3
134	A survey of ctenid spiders (Araneae, Ctenidae) from Xishuangbanna Tropical Botanical Garden, Yunnan, China. <i>Biodiversity Data Journal</i> , 0, 10, .	0.8	3
135	A review of the genus <i>Spartaeus</i> Thorell (Araneae: Salticidae) from China. <i>Oriental Insects</i> , 2002, 36, 393-404.	0.3	2
136	The <i>Notiocoelotes</i> spiders (Araneae: Agelenidae) from Hainan Island, China. <i>Zootaxa</i> , 2010, 2561, 30.	0.5	2
137	<i>Gammarus liuruiyui</i> sp. nov. (Amphipoda, Gammaridae), a new blind species from Tian Shan, China. <i>Crustaceana</i> , 2020, 93, 1485-1501.	0.3	2
138	Three new species of the spider genus <i>Belisana</i> Thorell, 1898 (Araneae: Pholcidae) from Xishuangbanna, Yunnan, China. <i>Zootaxa</i> , 2020, 4742, zootaxa.4742.2.6.	0.5	2
139	Two new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae: Pholcidae) from Guizhou and Guangxi, China. <i>Zootaxa</i> , 2020, 4758, zootaxa.4758.2.9.	0.5	2
140	A checklist of spiders from Yongxing Island, South China Sea, with taxonomic notes on four species of goblin spiders. <i>Biodiversity Data Journal</i> , 2021, 9, e67087.	0.8	2
141	Five new leptonetid spiders from China (Araneae: Leptonetidae). <i>Zootaxa</i> , 2021, 4984, 281299.	0.5	2
142	Five new species of <i>Macrothele</i> Ausserer, 1871 from China (Araneae, Macrothelidae). <i>ZooKeys</i> , 2021, 1052, 1-23.	1.1	2
143	On four species of the genus <i>Mistaria</i> Lehtinen, 1967 (Araneae, Agelenidae) from Kenya. <i>African Invertebrates</i> , 2018, 59, 111-126.	0.5	2
144	The first record of <i>Telemidae</i> from Kenya, with the description of two new species (Arachnida,) <i>Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 62</i>	1.1	2

#	ARTICLE	IF	CITATIONS
145	Thirty-one new species of the spider genus <i>Leclercera</i> from Southeast Asia (Araneae, Psilodercidae). <i>ZooKeys</i> , 2020, 913, 1-87.	1.1	2
146	On the clubionid spiders (Araneae, Clubionidae) from Xishuangbanna, China, with descriptions of two new genera and seven new species. <i>ZooKeys</i> , 2021, 1062, 73-122.	1.1	2
147	Eight new species of the spider genera <i>Raveniola</i> and <i>Sinopesa</i> from China and Vietnam (Araneae, Tj ETQq1 1 0.784314 rgBT ₂ /Overlock 10 Tf 50 382 T	1.1	2
148	A survey of five <i>Pireneitega</i> species (Agelenidae, Coelotinae) from China. <i>ZooKeys</i> , 2017, 663, 45-64.	1.1	2
149	Seven new freshwater species of <i>Gammarus</i> from southern China (Crustacea, Amphipoda, Gammaridae). <i>ZooKeys</i> , 2018, 749, 1-79.	1.1	2
150	Description on two species of genus <i>Platythomisus</i> (Araneae, Thomisidae) from China and Singapore. <i>ZooKeys</i> , 2019, 852, 73-84.	1.1	2
151	Taxonomic study on fourteen symphytognathid species from Asia (Araneae, Symphytognathidae). <i>ZooKeys</i> , 2021, 1072, 1-47.	1.1	2
152	Two new species of the genus <i>Chilobrachys</i> (Araneae, Theraphosidae) from China. <i>ZooKeys</i> , 2022, 1081, 99-109.	1.1	2
153	<i>Bogdiella pingxiangensis</i> , a new species of subterranean Amphipoda from southern China (Bogdiellidae). <i>ZooKeys</i> , 2018, 790, 63-75.	1.1	1
154	Ten new species of the spider genus <i>Althepus</i> Thorell, 1898 from Southeast Asia (Araneae, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T	1.1	1
155	Six new species of the spider genus <i>Belisana</i> Thorell, 1898 (Araneae: Pholcidae) from southern China. <i>Zootaxa</i> , 2020, 4810, zootaxa.4810.1.12.	0.5	1
156	Thirty-five new species of the spider genus <i>Pimoa</i> (Araneae, Pimoidae) from Pan-Himalaya. <i>ZooKeys</i> , 2021, 1029, 1-92.	1.1	1
157	<i>Floresorchestia xueli</i> , a new terrestrial crustacean (Amphipoda, Talitridae) from Yunnan, China. <i>Zootaxa</i> , 2021, 4991, 318-330.	0.5	1
158	A new genus and two new species of oonopid spiders from Tibet, China (Araneae, Oonopidae). <i>ZooKeys</i> , 2021, 1052, 55-69.	1.1	1
159	Diversification of low dispersal crustaceans through mountain uplift: a case study of <i>Gammarus</i> (Amphipoda: Gammaridae) with descriptions of four novel species. <i>Zoological Journal of the Linnean Society</i> , 0, , .	2.3	1
160	Three new species of the genus <i>Leptonetela</i> from Greece (Araneae, Leptonetidae). <i>ZooKeys</i> , 2016, 569, 23-35.	1.1	1
161	Fourteen new species of the spider genus <i>Psiloderces</i> Simon, 1892 from Southeast Asia (Araneae, Tj ETQq1 1 0.784314 rgBT ₁ /Overlock 10 Tf 50 382 T	1.1	1
162	Mysmenidae, a spider family newly recorded from Tibet (Arachnida, Araneae). <i>ZooKeys</i> , 2016, 549, 51-69.	1.1	1

#	ARTICLE	IF	CITATIONS
163	On the species of the genus <i>Mistaria</i> Lehtinen, 1967 studied by Roewer (1955) from Africa (Araneae,) Tj ETQq1 1 0.784314 rgBT /Over	0.5	0
164	Two new species of the spider genus <i>Sinamma</i> Lin & Li, 2014 (Araneae, Tetrablemmidae) from Guangdong Province, China. <i>Zootaxa</i> , 2022, 5091, 51-62.	0.5	1
165	First description of the male of <i>Cyclocosmia ricketti</i> (Araneae, Halonoproctidae) from China. <i>Biodiversity Data Journal</i> , 2022, 10, e79205.	0.8	1
166	Taxonomic study of the genus <i>Gammarus</i> (Amphipoda, Gammaridae) from Xinjiang, China, with description of a new species. <i>Zootaxa</i> , 2022, 5120, 97-110.	0.5	1
167	Five new species of the spider genus <i>Khorata</i> Huber, 2005 (Araneae: Pholcidae) from Vietnam. <i>Zootaxa</i> , 2018, 4486, 480.	0.5	0
168	<p>Eight new species of the spider genus Khorata Huber, 2005 (Araneae: Pholcidae) from China</p>. <i>Zootaxa</i> , 2019, 4683, 336-360.	0.5	0
169	<p>Two new species of the spider genus Pholcus Walckenaer, 1805 (Araneae:) Tj ETQq1 1 0.784314 rgBT /Over	0.5	0
170	<p>Five new species of the spider genus Savarna Huber, 2005 (Araneae: Pholcidae) from Thailand</p>. <i>Zootaxa</i> , 2020, 4778, 311-328.	0.5	0
171	<p>The Belisana spiders (Araneae: Pholcidae) from Tibet, China</p>. <i>Zootaxa</i> , 2020, 4802, 111-128.	0.5	0
172	Two new species of the spider genus Wanniyala Huber & Benjamin, 2005 (Araneae: Pholcidae) from Sri Lanka. <i>Zootaxa</i> , 2020, 4759, 566-574.	0.5	0
173	Three new species of the extinct spider genus <i>Furcembolus</i> (Araneae: Pacullidae) from Late Cretaceous Burmese amber. <i>Zootaxa</i> , 2021, 4984, 258273.	0.5	0
174	Resurrection of the spider genus <i>Bucliona</i> Benoit, 1977, with a description of a new species from Kenya (Araneae, Clubionidae). <i>Zootaxa</i> , 2021, 5006, 195-207.	0.5	0
175	The oonopid spiders from mid-Cretaceous Burmese amber of northern Myanmar, with descriptions of three new species. <i>Cretaceous Research</i> , 2021, 127, 104917.	1.4	0
176	Fourteen new species of the spider genus <i>Thaiderces</i> from Southeast Asia (Araneae, Psilodercidae). <i>ZooKeys</i> , 2019, 869, 103-146.	1.1	0
177	<i>Changminia</i> gen. nov., a new genus of daddy-long-leg spiders (Araneae: Pholcidae) from karst caves in Southeast Asia. <i>Zootaxa</i> , 2022, 5092, 238-246.	0.5	0
178	<i>Raveniola yangren</i> sp. n., a new troglobiontic spider from Hunan, China (Araneae, Nemesiidae). <i>Biodiversity Data Journal</i> , 0, 10, .	0.8	0