

Shu-Qiang Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2125419/publications.pdf>

Version: 2024-02-01

178
papers

1,992
citations

411340

20
h-index

445137

33
g-index

205
all docs

205
docs citations

205
times ranked

1558
citing authors

#	ARTICLE	IF	CITATIONS
1	Ancient volcanos as species pumps: A case study of freshwater amphipods in Northeast Asia. <i>Molecular Ecology</i> , 2022, 31, 343-355.	2.0	7
2	Cenozoic Tethyan changes dominated Eurasian animal evolution and diversity patterns. <i>Zoological Research</i> , 2022, 43, 3-13.	0.9	24
3	Two new species of the spider genus <i>Sinamma</i> Lin & Li, 2014 (Araneae, Tetrablemmidae) from Guangdong Province, China. <i>Zootaxa</i> , 2022, 5091, 51-62.	0.2	1
4	First description of the male of <i>Cyclocosmia ricketti</i> (Araneae, Halonoproctidae) from China. <i>Biodiversity Data Journal</i> , 2022, 10, e79205.	0.4	1
5	<i>Changminia</i> gen. nov., a new genus of daddy-long-leg spiders (Araneae: Pholcidae) from karst caves in Southeast Asia. <i>Zootaxa</i> , 2022, 5092, 238-246.	0.2	0
6	Two new species of the genus <i>Chilobrachys</i> (Araneae, Theraphosidae) from China. <i>ZooKeys</i> , 2022, 1081, 99-109.	0.5	2
7	Taxonomic notes on the genus <i>Phrynarachne</i> from China (Araneae, Thomisidae). <i>ZooKeys</i> , 2022, 1085, 69-99.	0.5	4
8	Unknown species from China: The case of phrurolithid spiders (Araneae, Phrurolithidae). <i>Zoological Research</i> , 2022, 43, 352-355.	0.9	21
9	Past climate cooling promoted global dispersal of amphipods from Tian Shan montane lakes to circumboreal lakes. <i>Global Change Biology</i> , 2022, 28, 3830-3845.	4.2	10
10	Chromosomal-level genome of a sheet-web spider provides insight into the composition and evolution of venom. <i>Molecular Ecology Resources</i> , 2022, 22, 2333-2348.	2.2	10
11	Taxonomic study of the genus <i>Gammarus</i> (Amphipoda, Gammaridae) from Xinjiang, China, with description of a new species. <i>Zootaxa</i> , 2022, 5120, 97-110.	0.2	1
12	The stepwise Indian-Eurasian collision and uplift of the Himalayan-Tibetan plateau drove the diversification of high-elevation <i>Scytodes</i> spiders. <i>Cladistics</i> , 2022, 38, 582-594.	1.5	6
13	Five new species of the genera <i>Falcileptoneta</i> and <i>Longileptoneta</i> (Araneae, Leptonetidae) from South Korea. <i>ZooKeys</i> , 2021, 1010, 97-116.	0.5	4
14	Checklist of the spiders (Araneae) of Kenya. <i>African Invertebrates</i> , 2021, 62, 47-229.	0.5	5
15	On nine species of the spider genus <i>Eriovixia</i> (Araneae, Araneidae) from Xishuangbanna, China. <i>ZooKeys</i> , 2021, 1034, 199-236.	0.5	4
16	Thirty-five new species of the spider genus <i>Pimoida</i> (Araneae, Pimoidae) from Pan-Himalaya. <i>ZooKeys</i> , 2021, 1029, 1-92.	0.5	1
17	Taxonomic studies on the sac spider genus <i>Clubiona</i> (Araneae, Clubionidae) from Xishuangbanna Rainforest, China. <i>ZooKeys</i> , 2021, 1034, 1-163.	0.5	10
18	One new species of the genus <i>Ischnothyreus</i> Simon, 1893 and re-description of <i>I. yueluensis</i> Yin & Wang, 1984 from China (Araneae, Oonopidae). <i>Biodiversity Data Journal</i> , 2021, 9, e66843.	0.4	3

#	ARTICLE	IF	CITATIONS
19	A checklist of spiders from Yongxing Island, South China Sea, with taxonomic notes on four species of goblin spiders. <i>Biodiversity Data Journal</i> , 2021, 9, e67087.	0.4	2
20	Five new leptonetid spiders from China (Araneae: Leptonetidae). <i>Zootaxa</i> , 2021, 4984, 281299.	0.2	2
21	Three new species of the extinct spider genus <i>Furcembolus</i> (Araneae: Pacullidae) from Late Cretaceous Burmese amber. <i>Zootaxa</i> , 2021, 4984, 258273.	0.2	0
22	<i>Floresorchestia xueli</i> , a new terrestrial crustacean (Amphipoda, Talitridae) from Yunnan, China. <i>Zootaxa</i> , 2021, 4991, 318-330.	0.2	1
23	Resurrection of the spider genus <i>Bucliona</i> Benoit, 1977, with a description of a new species from Kenya (Araneae, Clubionidae). <i>Zootaxa</i> , 2021, 5006, 195-207.	0.2	0
24	Five new species of <i>Macrothele</i> Ausserer, 1871 from China (Araneae, Macrothelidae). <i>ZooKeys</i> , 2021, 1052, 1-23.	0.5	2
25	A new genus and two new species of oonopid spiders from Tibet, China (Araneae, Oonopidae). <i>ZooKeys</i> , 2021, 1052, 55-69.	0.5	1
26	The oonopid spiders from mid-Cretaceous Burmese amber of northern Myanmar, with descriptions of three new species. <i>Cretaceous Research</i> , 2021, 127, 104917.	0.6	0
27	Tip of the iceberg: species diversity of <i>Pholcus</i> spiders (Araneae, Pholcidae) in the Changbai Mountains, Northeast China. <i>Zoological Research</i> , 2021, 42, 267-271.	0.9	38
28	Comparative transcriptomics highlights convergent evolution of energy metabolic pathways in group-living spiders. <i>Zoological Research</i> , 2021, 42, 195-206.	0.9	4
29	Challenging Wallacean and Linnean shortfalls: <i>Ectatosticta</i> spiders (Araneae, Tj ETQq1 1 0.784314, rgBT /Overlock 10	0.9	30
30	On the clubionid spiders (Araneae, Clubionidae) from Xishuangbanna, China, with descriptions of two new genera and seven new species. <i>ZooKeys</i> , 2021, 1062, 73-122.	0.5	2
31	On ten species of jumping spiders from Xishuangbanna, China (Araneae, Salticidae). <i>ZooKeys</i> , 2021, 1062, 123-155.	0.5	8
32	Nine new species of the spider family Araneidae (Arachnida, Araneae) from Xishuangbanna, Yunnan, China. <i>ZooKeys</i> , 2021, 1072, 49-81.	0.5	3
33	Taxonomic study on fourteen symphytognathid species from Asia (Araneae, Symphytognathidae). <i>ZooKeys</i> , 2021, 1072, 1-47.	0.5	2
34	Six new species of the spider genus <i>Belisana</i> Thorell, 1898 (Araneae: Pholcidae) from southern China. <i>Zootaxa</i> , 2020, 4810, zootaxa.4810.1.12.	0.2	1
35	<i>Gammarus liuruiyui</i> sp. nov. (Amphipoda, Gammaridae), a new blind species from Tian Shan, China. <i>Crustaceana</i> , 2020, 93, 1485-1501.	0.1	2
36	<p>Two new species of the spider genus Pholcus Walckenaer, 1805 (Araneae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.2	0

#	ARTICLE	IF	CITATIONS
37	Tectonic evolution of the Tethyan region created the Eurasian extratropical biodiversity hotspots: tracing <i>Pireneitega</i> spiders' diversification history. <i>Ecography</i> , 2020, 43, 1400-1411.	2.1	8
38	Five new species of the spider genus <i>Savarna</i> Huber, 2005 (Araneae: Pholcidae) from Thailand . <i>Zootaxa</i> , 2020, 4778, 311-328.	0.2	0
39	The <i>Belisana</i> spiders (Araneae: Pholcidae) from Tibet, China . <i>Zootaxa</i> , 2020, 4802, 111-128.	0.2	0
40	Three new species of the spider genus <i>Belisana</i> Thorell, 1898 (Araneae: Pholcidae) from Xishuangbanna, Yunnan, China. <i>Zootaxa</i> , 2020, 4742, zootaxa.4742.2.6.	0.2	2
41	Two new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae: Pholcidae) from Guizhou and Guangxi, China. <i>Zootaxa</i> , 2020, 4758, zootaxa.4758.2.9.	0.2	2
42	Eocene–Oligocene sea-level fall drove amphipod habitat shift from marine to freshwater in the Far East. <i>Zoologica Scripta</i> , 2020, 49, 357-365.	0.7	3
43	Tropical Niche Conservatism Explains the Eocene Migration from India to Southeast Asia in Ochyroceratid Spiders. <i>Systematic Biology</i> , 2020, 69, 987-998.	2.7	12
44	Two new species of the spider genus <i>Wanniyala</i> Huber & Benjamin, 2005 (Araneae: Pholcidae) from Sri Lanka . <i>Zootaxa</i> , 2020, 4759, 566-574.	0.2	0
45	Taxonomic notes on Leptonetidae (Arachnida, Araneae) from China, with descriptions of one new genus and eight new species. <i>Zoological Research</i> , 2020, 41, 684-704.	0.9	14
46	Description of a new genus and three new species of the family Palpimanidae (Arachnida, Araneae) from Kenya. <i>African Invertebrates</i> , 2020, 61, 93-106.	0.5	4
47	Fourteen new species of the spider genus <i>Psilodermes</i> Simon, 1892 from Southeast Asia (Araneae, Tj ETQq1 1 0.784314 rgBT /Overlock	0.5	1
48	On eight species of jumping spiders from Xishuangbanna, Yunnan, China (Araneae, Salticidae). <i>ZooKeys</i> , 2020, 909, 25-57.	0.5	7
49	<i>Asianopis</i> gen. nov., a new genus of the spider family Deinopidae from Asia. <i>ZooKeys</i> , 2020, 911, 67-99.	0.5	3
50	Thirty-one new species of the spider genus <i>Leclercera</i> from Southeast Asia (Araneae, Psilodercidae). <i>ZooKeys</i> , 2020, 913, 1-87.	0.5	2
51	Taxonomic study of the genus <i>Ischnothyreus</i> Simon, 1893 from Myanmar (Araneae, Oonopidae). <i>ZooKeys</i> , 2020, 993, 1-26.	0.5	3
52	Taxonomic studies on the genus <i>Ectatosticta</i> (Araneae, Hypochilidae) from China, with descriptions of two new species. <i>ZooKeys</i> , 2020, 954, 17-29.	0.5	3
53	Two new genera and eight new species of jumping spiders (Araneae, Salticidae) from Xishuangbanna, Yunnan, China. <i>ZooKeys</i> , 2020, 952, 95-128.	0.5	11
54	Seven new species of jumping spiders (Araneae, Salticidae) from Xishuangbanna, China. <i>ZooKeys</i> , 2020, 968, 43-69.	0.5	7

#	ARTICLE	IF	CITATIONS
55	A review of Crassignatha (Araneae, Symphytognathidae). ZooKeys, 2020, 988, 63-128.	0.5	3
56	<p>Eight new species of the spider genus Khorata Huber, 2005 (Araneae: Pholcidae) from China</p>. Zootaxa, 2019, 4683, 336-360.	0.2	0
57	<p>On further species of the spider genus Clubiona Latreille, 1804 (Araneae,) Tj ETQq1 1 0.784314 rgBT /Overl</p>. Zootaxa, 2019, 4554, 219-238.	0.2	7
58	Eight new species of the genus Clubiona Latreille, 1804 from Xishuangbanna Rainforest, southwestern China (Araneae, Clubionidae). Zootaxa, 2019, 4545, 151.	0.2	10
59	Troglocoelotes gen. n., a new genus of Coelotinae spiders (Araneae, Agelenidae) from caves in South China. Zootaxa, 2019, 4554, 219-238.	0.2	11
60	<p>Vappolotes, a new genus of coelotine spiders (Araneae, Agelenidae) from Guizhou, China</p>. Zootaxa, 2019, 4701, 434-442.	0.2	7
61	On three species of the spider genus Pimoa (Araneae, Pimoidae) from China. ZooKeys, 2019, 855, 1-13.	0.5	4
62	Three new species of the genus Falcileptoneta Komatsu, 1970 (Araneae, Leptonetidae) from Korea. ZooKeys, 2019, 872, 1-12.	0.5	4
63	On the species of the genus Mistaria Lehtinen, 1967 studied by Roewer (1955) from Africa (Araneae,) Tj ETQq1 1 0.784314 rgBT /Overl</p>. Zootaxa, 2019, 4554, 219-238.	0.5	1
64	Description on two species of genus Platythomisus (Araneae, Thomisidae) from China and Singapore. ZooKeys, 2019, 852, 73-84.	0.5	2
65	Fourteen new species of the spider genus Thaiderces from Southeast Asia (Araneae, Psilodercidae). ZooKeys, 2019, 869, 103-146.	0.5	0
66	Tethyan closure drove tropical marine biodiversity: Vicariant diversification of intertidal crustaceans. Journal of Biogeography, 2018, 45, 941-951.	1.4	18
67	Cave <i>Stedocys</i> spitting spiders illuminate the history of the Himalayas and southeast Asia. Ecography, 2018, 41, 414-423.	2.1	12
68	Diversification in tropics and subtropics following the midâ€Miocene climate change: A case study of the spider genus <i>Nesticella</i>. Global Change Biology, 2018, 24, e577-e591.	4.2	28
69	Tethyan changes shaped aquatic diversification. Biological Reviews, 2018, 93, 874-896.	4.7	84
70	Bogidiella pingxiangensis, a new species of subterranean Amphipoda from southern China (Bogidiellidae). ZooKeys, 2018, 790, 63-75.	0.5	1
71	Five new species of the spider genus Khorata Huber, 2005 (Araneae: Pholcidae) from Vietnam. Zootaxa, 2018, 4486, 480.	0.2	0
72	Sixteen new species of the spider genus Althepus Thorell, 1898 (Araneae: Ochyroceratidae) from Southeast Asia. Zootaxa, 2018, 4471, 401.	0.2	3

#	ARTICLE	IF	CITATIONS
73	Ten new species of the spider genus <i>Althebus</i> Thorell, 1898 from Southeast Asia (Araneae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	0.5	1
74	Paleocene–Eocene and Pliocene–Pleistocene sea-level changes as a species pumps in Southeast Asia: Evidence from <i>Althebus</i> spiders. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 545-555.	1.2	33
75	Early Cretaceous greenhouse pumped higher taxa diversification in spiders. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 146-155.	1.2	38
76	The <i>Belisana</i> spiders (Araneae: Pholcidae) from Xishuangbanna Tropical Botanical Garden, Yunnan, China. <i>Zootaxa</i> , 2018, 4425, 243-262.	0.2	8
77	Five new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae: Pholcidae) from China and Thailand. <i>Zootaxa</i> , 2018, 4377, 235.	0.2	6
78	<i>Nuconarius</i> gen. n. and <i>Hengconarius</i> gen. n., two new genera of Coelotinae (Araneae, Agelenidae) spiders from Southwest China. <i>Zootaxa</i> , 2018, 4457, 237.	0.2	11
79	On four species of the genus <i>Mistaria</i> Lehtinen, 1967 (Araneae, Agelenidae) from Kenya. <i>African Invertebrates</i> , 2018, 59, 111-126.	0.5	2
80	Four new <i>Gammarus</i> species from Tibetan Plateau with a key to Tibetan freshwater gammarids (Crustacea, Amphipoda, Gammaridae). <i>ZooKeys</i> , 2018, 747, 1-40.	0.5	4
81	<i>Sinodraconarius</i> gen. n., a new genus of Coelotinae spiders from Southwest China (Araneae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	0.5	7
82	A new genus of oonopid spiders from Myanmar (Araneae, Oonopidae). <i>ZooKeys</i> , 2018, 794, 31-43.	0.5	6
83	<i>Guilotes</i> , a new genus of Coelotinae spiders from Guangxi Zhuang Autonomous Region, China (Araneae, Agelenidae). <i>ZooKeys</i> , 2018, 802, 1-17.	0.5	9
84	Seven new freshwater species of <i>Gammarus</i> from southern China (Crustacea, Amphipoda, Gammaridae). <i>ZooKeys</i> , 2018, 749, 1-79.	0.5	2
85	Sixteen new species of the genus <i>Pseudopoda</i> Jäger, 2000 from China, Myanmar, and Thailand (Sparassidae, Heteropodinae). <i>ZooKeys</i> , 2018, 791, 107-161.	0.5	3
86	Diversity and assemblage structure of bark-dwelling spiders in tropical rainforest and plantations under different management intensities in Xishuangbanna, China. <i>Insect Conservation and Diversity</i> , 2017, 10, 224-235.	1.4	10
87	Extinction vs. Rapid Radiation: The Juxtaposed Evolutionary Histories of Coelotine Spiders Support the Eocene–Oligocene Orogenesis of the Tibetan Plateau. <i>Systematic Biology</i> , 2017, 66, 988-1006.	2.7	39
88	Ten new species of the spider genus <i>Pholcus</i> Walckenaer, 1805 (Araneae, Pholcidae) from Southeast Asia. <i>Zootaxa</i> , 2017, 4306, 339.	0.2	5
89	Eleven new species of the spider genus <i>Althebus</i> Thorell, 1898 (Araneae, Ochyroceratidae) from Thailand. <i>Zootaxa</i> , 2017, 4350, 469.	0.2	5
90	Taxonomic notes on the armored spiders of the families Pacullidae and Tetrablemmidae (Arachnida,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	4

#	ARTICLE	IF	CITATIONS
91	Taxonomy is the cornerstone of biodiversity conservation-SEABRI reports on biological surveys in Southeast Asia. <i>Zoological Research</i> , 2017, 38, 213-214.	0.9	29
92	á1/4±è»çŠ'á°á1/4±è»á±žçš,,æ•'á°á^†ç±»áš46ä,æ-°ç\$æè¿°. <i>Zoological Research</i> , 2017, 38, 321-448.	0.9	14
93	The first record of Telemidae from Kenya, with the description of two new species (Arachnida,) Tj ETQq1 1 0.784314 rgBT /Overlock 1 0.5	0.5	2
94	A survey of five Pireneitega species (Agelenidae, Coelotinae) from China. <i>ZooKeys</i> , 2017, 663, 45-64.	0.5	2
95	Three new species of Pinelema from caves in Guangxi, China (Araneae, Telemidae). <i>ZooKeys</i> , 2017, 692, 83-101.	0.5	9
96	High endemism at cave entrances: a case study of spiders of the genus Uthina. <i>Scientific Reports</i> , 2016, 6, 35757.	1.6	23
97	Fifteen new species of the spider genus Pholcus (Araneae: Pholcidae) from Southeast Asia. <i>Zootaxa</i> , 2016, 4136, 201-46.	0.2	9
98	Thirteen new species of the spider genus Pholcus Walckenaer, 1805 (Araneae: Pholcidae) from China. <i>Zootaxa</i> , 2016, 4170, 1.	0.2	8
99	Three new species of the genus Leptonetela from Greece (Araneae, Leptonetidae). <i>ZooKeys</i> , 2016, 569, 23-35.	0.5	1
100	Papiliocoelotes gen. n., a new genus of Coelotinae (Araneae, Agelenidae) spiders from the Wuling Mountains, China. <i>ZooKeys</i> , 2016, 585, 33-50.	0.5	13
101	A further study of the spider genus Notiocoelotes (Araneae, Agelenidae) from Hainan Island, China. <i>ZooKeys</i> , 2016, 601, 75-87.	0.5	3
102	Nine new species of the spider genus Pireneitega Kishida, 1955 (Agelenidae, Coelotinae) from Xinjiang, China. <i>ZooKeys</i> , 2016, 601, 49-74.	0.5	4
103	Sinocoelotes gen. n., a new genus of the subfamily Coelotinae (Araneae, Agelenidae) from Southeast Asia. <i>ZooKeys</i> , 2016, 614, 51-86.	0.5	9
104	Five new species of the genus Ischnothyreus Simon, 1893 from Singapore. <i>ZooKeys</i> , 2016, 618, 39-66.	0.5	3
105	A survey of the spider family Nesticidae (Arachnida, Araneae) in Asia and Madagascar, with the description of forty-three new species. <i>ZooKeys</i> , 2016, 627, 1-168.	0.5	7
106	The jumping spiders from Xishuangbanna, Yunnan, China (Araneae, Salticidae). <i>ZooKeys</i> , 2016, 630, 43-104.	0.5	12
107	Mysmenidae, a spider family newly recorded from Tibet (Arachnida, Araneae). <i>ZooKeys</i> , 2016, 549, 51-69.	0.5	1
108	Six new species of the spider genus Spiricoelotes species (Araneae, Agelenidae) from caves in Jiangxi, China. <i>ZooKeys</i> , 2016, 561, 1-19.	0.5	4

#	ARTICLE	IF	CITATIONS
109	Morphological and molecular taxonomic analysis of Pseudopoda Jäger, 2000 (Araneae: Sparassidae: Heteropodinae) in Sichuan Province, China. Zootaxa, 2015, 3999, 363.	0.2	10
110	Pholcid spiders (Araneae: Pholcidae) from northern Vietnam, with descriptions of nineteen new species. Zootaxa, 2015, 3909, 1-82.	0.2	34
111	Six new species of the genus <i>Opopaea</i> Simon, 1891 from Xishuangbanna Rainforest, southwestern China (Araneae: Oonopidae). Zootaxa, 2015, 3931, 41-62.	0.2	5
112	Spider diversity in canopies of Xishuangbanna rainforest (China) indicates an alarming juggernaut effect of rubber plantations. Forest Ecology and Management, 2015, 338, 200-207.	1.4	25
113	Five new Platocoelotes species (Araneae, Agelenidae) from caves in southern China. ZooKeys, 2015, 512, 1-18.	0.5	7
114	A new genus of Coelotinae (Araneae, Agelenidae) from southern China. ZooKeys, 2015, 541, 41-56.	0.5	9
115	Eight new species of the spider genera <i>Raveniola</i> and <i>Sinopesa</i> from China and Vietnam (Araneae,) Tj ETQq1 1 0.784314 rgBT ₂ /Overlook	0.5	14
116	Four new species of pholcine spiders (Araneae: Pholcidae) from Southeast Asia. Zootaxa, 2014, 3793, 331.	0.2	10
117	<p>Six new species of the spider family Ochyroceratidae Fage 1912 </p>(Arachnida: Araneae) from Southeast Asia</p>. Zootaxa, 2014, 3768, 119.	0.2	16
118	<p>Mysmenidae (Arachnida, Araneae), a spider family newly recorded from Vietnam</p>. Zootaxa, 2014, 3826, 169.	0.2	3
119	New cave-dwelling armored spiders (Araneae, Tetrablemmidae) from Southwest China. ZooKeys, 2014, 388, 35-76.	0.5	11
120	A survey of linyphiid spiders from Xishuangbanna, Yunnan Province, China (Araneae, Linyphiidae). ZooKeys, 2014, 460, 1-181.	0.5	17
121	A survey of oonopid spiders in Taiwan with descriptions of three new species. ZooKeys, 2014, 396, 67-86.	0.5	10
122	Four new spider species of the family Theridiosomatidae (Arachnida, Araneae) from caves in Laos. ZooKeys, 2014, 391, 75-102.	0.5	5
123	Phylogenetic analyses of <sc>G</sc> ammaridae crustacean reveal different diversification patterns among sister lineages in the Tethyan region. Cladistics, 2014, 30, 352-365.	1.5	78
124	Diversification of low dispersal crustaceans through mountain uplift: a case study of <i>Gammarus</i> (Amphipoda: Gammaridae) with descriptions of four novel species. Zoological Journal of the Linnean Society, 2014, 170, 591-633.	1.0	32
125	A spider species complex revealed high cryptic diversity in South China caves. Molecular Phylogenetics and Evolution, 2014, 79, 353-358.	1.2	25
126	Ancient lineage, young troglobites: recent colonization of caves by <i>Nesticella</i> spiders. BMC Evolutionary Biology, 2013, 13, 183.	3.2	32

#	ARTICLE	IF	CITATIONS
127	Two new species of the genera Mysmena and Trogloneta (Mysmenidae, Araneae) from Southwestern China. ZooKeys, 2013, 303, 33-51.	0.5	7
128	Marine incursion into East Asia: a forgotten driving force of biodiversity. Proceedings of the Royal Society B: Biological Sciences, 2013, 280, 20122892.	1.2	22
129	Notes on four pholcid spiders (Araneae: Pholcidae) described by T. Thorell from Southeast Asia. Zootaxa, 2013, 3609, 302-310.	0.2	3
130	Anapidae (Arachnida: Araneae), a spider family newly recorded from Laos. Zootaxa, 2013, 3608, 511-20.	0.2	3
131	Six new species of oonopid spiders from Champasak, Laos (Araneae, Oonopidae). Zootaxa, 2013, 3709, 71.	0.2	7
132	The first goblin spiders of the genus Trilacuna from Vietnam (Araneae, Oonopidae). Zootaxa, 2013, 3709, 277.	0.2	4
133	New cave-dwelling spiders of the family Nesticidae (Arachnida, Araneae) from China. Zootaxa, 2013, 3613, 501-47.	0.2	9
134	Five new minute orb-weaving spiders of the family Mysmenidae from China (Araneae). Zootaxa, 2013, 3670, 449.	0.2	5
135	Ten new Gammarus species (Crustacea: Amphipoda: Gammaridae) from Yunnan-Guizhou Plateau, China. Zootaxa, 2013, 3687, 1-95.	0.2	6
136	New and little known pholcid spiders (Araneae: Pholcidae) from Vietnam. Zootaxa, 2013, 3613, 343-56.	0.2	19
137	First description of comb-tailed spiders (Araneae: Hahniidae) from Vietnam. Zootaxa, 2013, 3613, 343-56.	0.2	5
138	Four new species of the subfamily Psilodercinae (Araneae: Ochyroceratidae) from Southwest China. Zootaxa, 2013, 3718, 39.	0.2	8
139	On the identity of the type species of the genus Telema (Araneae, Telemidae). ZooKeys, 2012, 251, 11-19.	0.5	10
140	New Species of the Spider Genus Pholcus (Araneae: Pholcidae) from China. Zootaxa, 2012, 3289, 1.	0.2	14
141	Four new species of the genus Ischnothyreus from Hainan Island, China (Araneae, Oonopidae). Zootaxa, 2012, 3352, 25.	0.2	6
142	A further study on the species of the spider genus Leptonetela (Araneae: Leptonetidae). Zootaxa, 2011, 2841, 1.	0.2	10
143	Comb-tailed spiders from Xishuangbanna, Yunnan Province, China (Araneae, Hahniidae). Zootaxa, 2011, 2912, 1.	0.2	11
144	Six new Orchestina species from Hainan Island, China (Araneae, Oonopidae). Zootaxa, 2011, 3061, 36.	0.2	14

#	ARTICLE	IF	CITATIONS
145	Eocene habitat shift from saline to freshwater promoted Tethyan amphipod diversification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 14533-14538.	3.3	150
146	Is <i>Gammarus tigrinus</i> (Crustacea, Amphipoda) becoming cosmopolitan through shipping? Predicting its potential invasive range using ecological niche modeling. <i>Hydrobiologia</i> , 2010, 649, 183-194.	1.0	18
147	Eight new spider species of the genus <i>Pholcus</i> (Araneae, Pholcidae) from China. <i>Zootaxa</i> , 2010, 2355, 35.	0.2	7
148	New Coelotine spiders from Xishuangbanna Rainforest, Southwestern China (Araneae: Amaurobiidae). <i>Zootaxa</i> , 2010, 2442, 1.	0.2	3
149	Long-legged cave spiders (Araneae, Telemidae) from Yunnan-Guizhou Plateau, southwestern China. <i>Zootaxa</i> , 2010, 2445, 1.	0.2	10
150	The Notiocelotes spiders (Araneae: Agelenidae) from Hainan Island, China. <i>Zootaxa</i> , 2010, 2561, 30.	0.2	2
151	Huntsman spiders (Araneae: Sparassidae) from Xishuangbanna Rainforest, China. <i>Zootaxa</i> , 2010, 2508, .	0.2	4
152	Male-specific (<i>Z</i>)-9-tricosene stimulates female mating behaviour in the spider <i>Pholcus beijingensis</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 3009-3018.	1.2	26
153	New species of the spider genus <i>Telema</i> (Araneae, Telemidae) from caves in Guangxi, China. <i>Zootaxa</i> , 2010, 2632, .	0.2	6
154	Crab spiders from Xishuangbanna, Yunnan Province, China (Araneae, Thomisidae). <i>Zootaxa</i> , 2010, 2703, .	0.2	17
155	Four new species of the spider genus <i>Telema</i> (Araneae, Telemidae) from Southeast Asia. <i>Zootaxa</i> , 2010, 2719, .	0.2	3
156	The coelotine spiders from three national parks in Northern Vietnam (Araneae, Amaurobiidae). <i>Zootaxa</i> , 2010, 2377, 1.	0.2	5
157	Six new cave-dwelling pholcid spiders (Araneae: Pholcidae) from Hainan Island, with two newly recorded genera from China. <i>Zootaxa</i> , 2009, 1988, 17-32.	0.2	4
158	Identifying Chinese species of <i>Gammarus</i> (Crustacea: Amphipoda) using DNA barcoding. <i>Environmental Epigenetics</i> , 2009, 55, 158-164.	0.9	31
159	Description of <i>Gammarus Preciosus</i> , a New Species of Freshwater Amphipod from Henan, China (Amphipoda, Gammaridae). <i>Crustaceana</i> , 2009, 82, 99-109.	0.1	4
160	A Two-Component Female-Produced Pheromone of the Spider <i>Pholcus beijingensis</i> . <i>Journal of Chemical Ecology</i> , 2009, 35, 769-778.	0.9	34
161	Toward understanding the distribution of Laurasian frogs: A test of Savage's biogeographical hypothesis using the genus <i>Bombina</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 70-83.	1.2	26
162	First described Patu spiders (Araneae, Symphytognathidae) from Asia. <i>Zootaxa</i> , 2009, 2154, 47-68.	0.2	8

#	ARTICLE	IF	CITATIONS
163	Three new pimoid spiders from Sichuan Province, China (Araneae: Pimoidae). Zootaxa, 2009, 2298, 55-63.	0.2	5
164	Biogeographical patterns of Chinese spiders (Arachnida: Araneae) based on a parsimony analysis of endemism. Journal of Biogeography, 2008, 35, 1241-1249.	1.4	17
165	Tetrablemmidae (Arachnida, Araneae), a spider family newly recorded from China. Organisms Diversity and Evolution, 2008, 8, 84-98.	0.7	7
166	New cave-dwelling huntsman spider species of the genus Sinopoda (Araneae: Sparassidae) from southern China. Zootaxa, 2008, 1857, 1.	0.2	10
167	A molecular phylogeny of the genus Gammarus (Crustacea: Amphipoda) based on mitochondrial and nuclear gene sequences. Molecular Phylogenetics and Evolution, 2007, 45, 596-611.	1.2	167
168	Amphipod crustaceans (Gammaridea) from Beijing, P. R. China. Journal of Natural History, 2005, 39, 3255-3274.	0.2	5
169	Terrestrial talitrid amphipods (Crustacea: Amphipoda) from China and Vietnam: studies on the collection of IZCAS. Journal of Natural History, 2003, 37, 2441-2460.	0.2	18
170	A new subterranean amphipod of the genus Procrangonyx from Beijing, China. Crustaceana, 2003, 76, 1179-1188.	0.1	4
171	Three New Species of the Genus Gammarus (Crustacea, Amphipoda, Gammaridae) from Yunnan, China. Zoological Science, 2002, 19, 939-960.	0.3	5
172	A review of the genus <i>Epeus</i> Peckham & Peckham (Araneae: Salticidae) from China. Oriental Insects, 2002, 36, 385-392.	0.1	4
173	A review of the genus <i>Spartaeus</i> Thorell (Araneae: Salticidae) from China. Oriental Insects, 2002, 36, 393-404.	0.1	2
174	Intraspecific or interspecific variation: delimitation of species boundaries within the genus Gammarus (Crustacea, Amphipoda, Gammaridae), with description of four new species. Zoological Journal of the Linnean Society, 0, 160, 215-253.	1.0	19
175	Diversification of low dispersal crustaceans through mountain uplift: a case study of <i>Gammarus</i> (Amphipoda: Gammaridae) with descriptions of four novel species. Zoological Journal of the Linnean Society, 0, , .	1.0	1
176	FOUR NEW SPECIES OF THE SPIDER GENUS PINELEMA (ARANEAE, TELEMIDAE) FROM CAVES IN SOUTH CHINA. Ecologica Montenegrina, 0, 7, 546-566.	0.5	5
177	Raveniola yangren sp. n., a new troglomorphic spider from Hunan, China (Araneae, Nemesiidae). Biodiversity Data Journal, 0, 10, .	0.4	0
178	A survey of ctenid spiders (Araneae, Ctenidae) from Xishuangbanna Tropical Botanical Garden, Yunnan, China. Biodiversity Data Journal, 0, 10, .	0.4	3