

Krista Rombouts

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2126563/krista-rombouts-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

3,544
citations

32
h-index

58
g-index

144
ext. papers

4,070
ext. citations

5.2
avg, IF

5.16
L-index

#	Paper	IF	Citations
79	Macrophage MerTK promotes profibrogenic cross-talk with hepatic stellate cells via soluble mediators.. <i>JHEP Reports</i> , 2022 , 4, 100444	10.3	0
78	Epigenetic mechanisms and metabolic reprogramming in fibrogenesis: dual targeting of G9a and DNMT1 for the inhibition of liver fibrosis. <i>Gut</i> , 2021 , 70, 388-400	19.2	21
77	DNA Damage Response Protein CHK2 Regulates Metabolism in Liver Cancer. <i>Cancer Research</i> , 2021 , 81, 2861-2873	10.1	6
76	AICAR and compound C negatively modulate HCC-induced primary human hepatic stellate cell activation in vitro. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, G543-G556	5.1	4
75	Hexa Histidine-Tagged Recombinant Human Cytoglobin Deactivates Hepatic Stellate Cells and Inhibits Liver Fibrosis by Scavenging Reactive Oxygen Species. <i>Hepatology</i> , 2021 , 73, 2527-2545	11.2	6
74	Transcriptomic Profiling of Tumor-Stromal Cell Paracrine Crosstalk Identifies Involvement of the Integrin Signaling Pathway in the Pathogenesis of Mesenteric Fibrosis in Human Small Intestinal Neuroendocrine Neoplasms. <i>Frontiers in Oncology</i> , 2021 , 11, 629665	5.3	0
73	Optimization and Validation of a Novel Three-Dimensional Co-Culture System in Decellularized Human Liver Scaffold for the Study of Liver Fibrosis and Cancer. <i>Cancers</i> , 2021 , 13,	6.6	3
72	Dual Pharmacological Targeting of HDACs and PDE5 Inhibits Liver Disease Progression in a Mouse Model of Biliary Inflammation and Fibrosis. <i>Cancers</i> , 2020 , 12,	6.6	1
71	Exogenous Liposomal Ceramide-C6 Ameliorates Lipidomic Profile, Energy Homeostasis, and Anti-Oxidant Systems in NASH. <i>Cells</i> , 2020 , 9,	7.9	4
70	TGF- β -driven reduction of cytoglobin leads to oxidative DNA damage in stellate cells during non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2020 , 73, 882-895	13.4	11
69	Inhibiting IRE1 β -endonuclease activity decreases tumor burden in a mouse model for hepatocellular carcinoma. <i>ELife</i> , 2020 , 9,	8.9	11
68	A Microphysiological System for Studying Nonalcoholic Steatohepatitis. <i>Hepatology Communications</i> , 2020 , 4, 77-91	6	23
67	Clinicopathological correlations of mesenteric fibrosis and evaluation of a novel biomarker for fibrosis detection in small bowel neuroendocrine neoplasms. <i>Endocrine</i> , 2020 , 67, 718-726	4	6
66	Ammonia Scavenging Prevents Progression of Fibrosis in Experimental Nonalcoholic Fatty Liver Disease. <i>Hepatology</i> , 2020 , 71, 874-892	11.2	29
65	Design of a Gene Panel to Expose the Versatile Role of Hepatic Stellate Cells in Human Liver Fibrosis. <i>Pharmaceutics</i> , 2020 , 12,	6.4	2
64	Impaired LXR β Phosphorylation Attenuates Progression of Fatty Liver Disease. <i>Cell Reports</i> , 2019 , 26, 984-995.e6	10.6	31
63	Decellularized Human Gut as a Natural 3D Platform for Research in Intestinal Fibrosis. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 1740-1750	4.5	10

62	CXCR7 contributes to the aggressive phenotype of cholangiocarcinoma cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 2246-2256	6.9	7
61	Matrix stiffness modulates the activity of MMP-9 and TIMP-1 in hepatic stellate cells to perpetuate fibrosis. <i>Scientific Reports</i> , 2019 , 9, 7299	4.9	43
60	Dual Targeting of Histone Methyltransferase G9a and DNA-Methyltransferase 1 for the Treatment of Experimental Hepatocellular Carcinoma. <i>Hepatology</i> , 2019 , 69, 587-603	11.2	56
59	Evaluation of NV556, a Novel Cyclophilin Inhibitor, as a Potential Antifibrotic Compound for Liver Fibrosis. <i>Cells</i> , 2019 , 8,	7.9	5
58	Cirrhotic Human Liver Extracellular Matrix 3D Scaffolds Promote Smad-Dependent TGF- β 1 Epithelial Mesenchymal Transition. <i>Cells</i> , 2019 , 9,	7.9	20
57	Tamoxifen mechanically deactivates hepatic stellate cells via the G protein-coupled estrogen receptor. <i>Oncogene</i> , 2019 , 38, 2910-2922	9.2	29
56	Ammonia: A novel target for the treatment of non-alcoholic steatohepatitis. <i>Medical Hypotheses</i> , 2018 , 113, 91-97	3.8	22
55	The adenosine monophosphate-activated protein kinase-vacuolar adenosine triphosphatase-pH axis: A key regulator of the profibrogenic phenotype of human hepatic stellate cells. <i>Hepatology</i> , 2018 , 68, 1140-1153	11.2	13
54	MAIT cells are chronically activated in patients with autoimmune liver disease and promote profibrogenic hepatic stellate cell activation. <i>Hepatology</i> , 2018 , 68, 172-186	11.2	76
53	Liver tissue engineering: From implantable tissue to whole organ engineering. <i>Hepatology Communications</i> , 2018 , 2, 131-141	6	67
52	CHK2 overexpression and mislocalisation within mitotic structures enhances chromosomal instability and hepatocellular carcinoma progression. <i>Gut</i> , 2018 , 67, 348-361	19.2	24
51	FAK controls the mechanical activation of YAP, a transcriptional regulator required for durotaxis. <i>FASEB Journal</i> , 2018 , 32, 1099-1107	0.9	71
50	Urea cycle dysregulation in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018 , 69, 905-915	13.4	66
49	Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. <i>Gut</i> , 2018 , 67, 1517-1524	19.2	28
48	Reactive gamma-ketoaldehydes as novel activators of hepatic stellate cells in vitro. <i>Free Radical Biology and Medicine</i> , 2017 , 102, 162-173	7.8	10
47	Engineering in vitro models of hepatofibrogenesis. <i>Advanced Drug Delivery Reviews</i> , 2017 , 121, 147-157	18.5	32
46	Fibroblast growth factor 2 (FGF2) regulates cytoglobin expression and activation of human hepatic stellate cells via JNK signaling. <i>Journal of Biological Chemistry</i> , 2017 , 292, 18961-18972	5.4	22
45	Early increase in ammonia is a feature of non-alcoholic fatty liver disease and the ammonia lowering drug, ornithine phenylacetate (OCR-002) prevents progression of fibrosis in a rodent model. <i>Journal of Hepatology</i> , 2017 , 66, S170	13.4	4

44	Development of human liver extracellular matrix hydrogel for three dimensional cell culture and cell transplantation. <i>Journal of Hepatology</i> , 2017 , 66, S339	13.4	2
43	Rapid production of human liver scaffolds for functional tissue engineering by high shear stress oscillation-decellularization. <i>Scientific Reports</i> , 2017 , 7, 5534	4.9	55
42	TRAIL regulatory receptors constrain human hepatic stellate cell apoptosis. <i>Scientific Reports</i> , 2017 , 7, 5514	4.9	9
41	Neuroendocrine tumors and fibrosis: An unsolved mystery?. <i>Cancer</i> , 2017 , 123, 4770-4790	6.4	54
40	Ammonia produces pathological changes in human hepatic stellate cells and is a target for therapy of portal hypertension. <i>Journal of Hepatology</i> , 2016 , 64, 823-33	13.4	56
39	Determination and Characterization of Tetraspanin-Associated Phosphoinositide-4 Kinases in Primary and Neoplastic Liver Cells. <i>Methods in Molecular Biology</i> , 2016 , 1376, 203-12	1.4	12
38	Assaying the rigidity guided migration of human tumour stromal myofibroblasts (TSMs) on polyacrylamide substrates mimicking the healthy and fibrotic tissue transition boundary. <i>Convergent Science Physical Oncology</i> , 2016 , 2, 044502		
37	Endoplasmic reticulum stress enhances fibrosis through IRE1α-mediated degradation of miR-150 and XBP-1 splicing. <i>EMBO Molecular Medicine</i> , 2016 , 8, 729-44	12	76
36	Boosting pigment epithelial-derived factor: a promising approach for the treatment of early portal hypertension. <i>Gut</i> , 2015 , 64, 523-4	19.2	4
35	Decellularized human liver as a natural 3D-scaffold for liver bioengineering and transplantation. <i>Scientific Reports</i> , 2015 , 5, 13079	4.9	265
34	Hepatic Stellate Cell Culture Models 2015 , 15-27		4
33	Hepatic stellate cells and extracellular matrix in hepatocellular carcinoma: more complicated than ever. <i>Liver International</i> , 2014 , 34, 834-43	7.9	105
32	The fibrotic microenvironment as a heterogeneity facet of hepatocellular carcinoma. <i>Fibrogenesis and Tissue Repair</i> , 2013 , 6, 17		22
31	Myristoylated Alanine-Rich protein Kinase C Substrate (MARCKS) expression modulates the metastatic phenotype in human and murine colon carcinoma in vitro and in vivo. <i>Cancer Letters</i> , 2013 , 333, 244-52	9.9	38
30	Role of the stromal-derived factor-1 (SDF-1)-CXCR4 axis in the interaction between hepatic stellate cells and cholangiocarcinoma. <i>Journal of Hepatology</i> , 2012 , 57, 813-20	13.4	68
29	MARCKS actin-binding capacity mediates actin filament assembly during mitosis in human hepatic stellate cells. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 303, C357-67	5.4	16
28	Mammalian target of rapamycin mediates the angiogenic effects of leptin in human hepatic stellate cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, G210-9	5.1	33
27	What is new in the liver sinusoids? meeting report, 16th International Symposium on Cells of the Hepatic Sinusoid (ISCHS). <i>Fibrogenesis and Tissue Repair</i> , 2011 , 4, 27		

26	Fibrosis in alcoholic and nonalcoholic steatohepatitis. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2011 , 25, 231-44	2.5	50
25	Molecular mechanisms of hepatic fibrosis in non-alcoholic steatohepatitis. <i>Digestive Diseases</i> , 2010 , 28, 229-35	3.2	42
24	MARCKS is a downstream effector in platelet-derived growth factor-induced cell motility in activated human hepatic stellate cells. <i>Experimental Cell Research</i> , 2008 , 314, 1444-54	4.2	25
23	Activation of p38(MAPK) mediates the angiostatic effect of the chemokine receptor CXCR3-B. <i>International Journal of Biochemistry and Cell Biology</i> , 2008 , 40, 1764-74	5.6	53
22	Nuclear localization of TRK-A in liver cells. <i>Histology and Histopathology</i> , 2008 , 23, 327-40	1.4	18
21	Thrombopoietin stimulates migration and activates multiple signaling pathways in hepatoblastoma cells. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G120-8	5.1	18
20	Fibrosis in chronic liver diseases: diagnosis and management. <i>Journal of Hepatology</i> , 2005 , 42 Suppl, S22-364	181	
19	Somatostatin at nanomolar concentration reduces collagen I and III synthesis by, but not proliferation of activated rat hepatic stellate cells. <i>British Journal of Pharmacology</i> , 2005 , 146, 77-88	8.6	19
18	Upregulation of proinflammatory and proangiogenic cytokines by leptin in human hepatic stellate cells. <i>Hepatology</i> , 2005 , 42, 1339-48	11.2	276
17	Expression of somatostatin receptors in normal and cirrhotic human liver and in hepatocellular carcinoma. <i>Gut</i> , 2004 , 53, 1180-9	19.2	85
16	Differential modulation of rat hepatic stellate phenotype by natural and synthetic retinoids. <i>Hepatology</i> , 2004 , 39, 97-108	11.2	82
15	Erratum to [Liver fibrosis: from the bench to clinical targets] [Dig. Liver Dis. 36 (2004) 231-42]. <i>Digestive and Liver Disease</i> , 2004 , 36, 562-563	3.3	3
14	Liver fibrosis: from the bench to clinical targets. <i>Digestive and Liver Disease</i> , 2004 , 36, 231-42	3.3	249
13	Peroxisome proliferator-activated receptor-beta signaling contributes to enhanced proliferation of hepatic stellate cells. <i>Gastroenterology</i> , 2003 , 124, 184-201	13.3	110
12	Antifibrogenic effects of canrenone, an antialdosteronic drug, on human hepatic stellate cells. <i>Gastroenterology</i> , 2003 , 124, 504-20	13.3	42
11	Effect of HMG-CoA reductase inhibitors on proliferation and protein synthesis by rat hepatic stellate cells. <i>Journal of Hepatology</i> , 2003 , 38, 564-72	13.4	69
10	PPARbeta regulates vitamin A metabolism-related gene expression in hepatic stellate cells undergoing activation. <i>Journal of Lipid Research</i> , 2003 , 44, 280-95	6.3	52
9	Role of Histone Deacetylases in Transcriptional Control of the Hepatic Stellate Cell Phenotype		
	2003 , 189-205		

8	Trichostatin A, a histone deacetylase inhibitor, suppresses collagen synthesis and prevents TGF-beta(1)-induced fibrogenesis in skin fibroblasts. <i>Experimental Cell Research</i> , 2002 , 278, 184-97	4.2	110
7	Actin filament formation, reorganization and migration are impaired in hepatic stellate cells under influence of trichostatin A, a histone deacetylase inhibitor. <i>Journal of Hepatology</i> , 2002 , 37, 788-96	13.4	57
6	Influence of aldosterone on collagen synthesis and proliferation of rat cardiac fibroblasts. <i>British Journal of Pharmacology</i> , 2001 , 134, 224-32	8.6	29
5	Effect of aldosterone on collagen steady state levels in primary and subcultured rat hepatic stellate cells. <i>Journal of Hepatology</i> , 2001 , 34, 230-8	13.4	14
4	Effect of somatostatin-14 on extracellular matrix expression by activated rat hepatic stellate cells. <i>Journal of Hepatology</i> , 2001 , 34, 6	13.4	5
3	All-trans and 9-cis retinoic acid alter rat hepatic stellate cell phenotype differentially. <i>Gut</i> , 1999 , 45, 134-142	12.2	54
2	Glutathione levels discriminate between oxidative stress and transforming growth factor-beta signaling in activated rat hepatic stellate cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 33881-7	5.4	126
1	A histone deacetylase inhibitor, trichostatin A, suppresses myofibroblastic differentiation of rat hepatic stellate cells in primary culture. <i>Hepatology</i> , 1999 , 29, 858-67	11.2	177