

# Ru-Qin Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2126961/publications.pdf>

Version: 2024-02-01

335  
papers

9,018  
citations

46918

47  
h-index

82410

72  
g-index

337  
all docs

337  
docs citations

337  
times ranked

8872  
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Sensitive and Selective Strategy for MicroRNA Detection Based on WS <sub>2</sub> Nanosheet Mediated Fluorescence Quenching and Duplex-Specific Nuclease Signal Amplification. <i>Analytical Chemistry</i> , 2014, 86, 1361-1365.	3.2	348
2	MnO <sub>2</sub> -Nanosheet-Modified Upconversion Nanosystem for Sensitive Turn-On Fluorescence Detection of H <sub>2</sub> O <sub>2</sub> and Glucose in Blood. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 10548-10555.	4.0	315
3	Electrochemical Aptasensor Based on Proximity-Dependent Surface Hybridization Assay for Single-Step, Reusable, Sensitive Protein Detection. <i>Journal of the American Chemical Society</i> , 2007, 129, 15448-15449.	6.6	193
4	A novel trilinear decomposition algorithm for second-order linear calibration. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2000, 52, 75-86.	1.8	185
5	A Targeted, Self-Delivered, and Photocontrolled Molecular Beacon for mRNA Detection in Living Cells. <i>Journal of the American Chemical Society</i> , 2013, 135, 12952-12955.	6.6	185
6	Graphitic Carbon Nitride Nanosheets-Based Ratiometric Fluorescent Probe for Highly Sensitive Detection of H <sub>2</sub> O <sub>2</sub> and Glucose. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 33439-33445.	4.0	159
7	A Highly Sensitive Target-Primed Rolling Circle Amplification (TPRCA) Method for Fluorescent <i>in Situ</i> Hybridization Detection of MicroRNA in Tumor Cells. <i>Analytical Chemistry</i> , 2014, 86, 1808-1815.	3.2	132
8	Alternating penalty trilinear decomposition algorithm for second-order calibration with application to interference-free analysis of excitation-emission matrix fluorescence data. <i>Journal of Chemometrics</i> , 2005, 19, 65-76.	0.7	122
9	A fluorescent graphitic carbon nitride nanosheet biosensor for highly sensitive, label-free detection of alkaline phosphatase. <i>Nanoscale</i> , 2016, 8, 4727-4732.	2.8	97
10	A dual enzyme- <i>inorganic</i> hybrid nanoflower incorporated microfluidic paper-based analytic device (iPAD) biosensor for sensitive visualized detection of glucose. <i>Nanoscale</i> , 2017, 9, 5658-5663.	2.8	95
11	Smart Photonic Crystal Hydrogel Material for Uranyl Ion Monitoring and Removal in Water. <i>Advanced Functional Materials</i> , 2017, 27, 1702147.	7.8	92
12	Recent developments of chemical multiway calibration methodologies with second-order or higher-order advantages. <i>Journal of Chemometrics</i> , 2014, 28, 476-489.	0.7	91
13	Phospholipid-Modified Upconversion Nanoprobe for Ratiometric Fluorescence Detection and Imaging of Phospholipase D in Cell Lysate and in Living Cells. <i>Analytical Chemistry</i> , 2014, 86, 7119-7127.	3.2	90
14	MnO <sub>2</sub> -induced synthesis of fluorescent polydopamine nanoparticles for reduced glutathione sensing in human whole blood. <i>Nanoscale</i> , 2016, 8, 15604-15610.	2.8	87
15	Branched Hybridization Chain Reaction Circuit for Ultrasensitive Localizable Imaging of mRNA in Living Cells. <i>Analytical Chemistry</i> , 2018, 90, 1502-1505.	3.2	83
16	Efficient way to estimate the optimum number of factors for trilinear decomposition. <i>Analytica Chimica Acta</i> , 2001, 444, 295-307.	2.6	75
17	Interference-free determination of Sudan dyes in chilli foods using second-order calibration algorithms coupled with HPLC-DAD. <i>Talanta</i> , 2007, 72, 926-931.	2.9	75
18	Quantitative Spectroscopic Analysis of Heterogeneous Mixtures: The Correction of Multiplicative Effects Caused by Variations in Physical Properties of Samples. <i>Analytical Chemistry</i> , 2012, 84, 320-326.	3.2	75

#	ARTICLE	IF	CITATIONS
19	Highly-sensitive liquid crystal biosensor based on DNA dendrimers-mediated optical reorientation. <i>Biosensors and Bioelectronics</i> , 2014, 62, 84-89.	5.3	74
20	A cobalt oxyhydroxide-modified upconversion nanosystem for sensitive fluorescence sensing of ascorbic acid in human plasma. <i>Nanoscale</i> , 2015, 7, 13951-13957.	2.8	73
21	DNA Encapsulating Liposome Based Rolling Circle Amplification Immunoassay as a Versatile Platform for Ultrasensitive Detection of Protein. <i>Analytical Chemistry</i> , 2009, 81, 9664-9673.	3.2	71
22	A cobalt oxyhydroxide nanoflake-based nanoprobe for the sensitive fluorescence detection of T4 polynucleotide kinase activity and inhibition. <i>Nanoscale</i> , 2016, 8, 8202-8209.	2.8	71
23	A bipedal DNA nanowalker fueled by catalytic assembly for imaging of base-excision repairing in living cells. <i>Chemical Science</i> , 2020, 11, 10361-10366.	3.7	71
24	Electrochemical immunosensor based on Pd@Au nanoparticles supported on functionalized PDDA-MWCNT nanocomposites for aflatoxin B1 detection. <i>Analytical Biochemistry</i> , 2016, 494, 10-15.	1.1	70
25	Rapid identification and quantification of cheaper vegetable oil adulteration in camellia oil by using excitation-emission matrix fluorescence spectroscopy combined with chemometrics. <i>Food Chemistry</i> , 2019, 293, 348-357.	4.2	70
26	Melanin-Like Nanoquencher on Graphitic Carbon Nitride Nanosheets for Tyrosinase Activity and Inhibitor Assay. <i>Analytical Chemistry</i> , 2016, 88, 8355-8358.	3.2	67
27	A ligation-based loop-mediated isothermal amplification (ligation-LAMP) strategy for highly selective microRNA detection. <i>Chemical Communications</i> , 2016, 52, 12721-12724.	2.2	65
28	Activatable Two-Photon Fluorescence Nanoprobe for Bioimaging of Glutathione in Living Cells and Tissues. <i>Analytical Chemistry</i> , 2014, 86, 12321-12326.	3.2	64
29	A label-free electrochemical biosensor for highly sensitive and selective detection of DNA via a dual-amplified strategy. <i>Biosensors and Bioelectronics</i> , 2014, 54, 442-447.	5.3	64
30	Core-Shell Multifunctional Nanoplatfor for Intracellular Tumor-Related mRNAs Imaging and Near-Infrared Light Triggered Photodynamic Photothermal Synergistic Therapy. <i>Analytical Chemistry</i> , 2017, 89, 10321-10328.	3.2	63
31	Novel ratiometric surface-enhanced raman spectroscopy aptasensor for sensitive and reproducible sensing of Hg <sup>2+</sup> . <i>Biosensors and Bioelectronics</i> , 2018, 99, 646-652.	5.3	63
32	A Mediator-Free Tyrosinase Biosensor Based on ZnO Sol-Gel Matrix. <i>Electroanalysis</i> , 2005, 17, 1065-1070.	1.5	62
33	Double-strand DNA-templated synthesis of copper nanoclusters as novel fluorescence probe for label-free detection of biothiols. <i>Analytical Methods</i> , 2013, 5, 3577.	1.3	62
34	Quench-Shield Ratiometric Upconversion Luminescence Nanoplatfor for Biosensing. <i>Analytical Chemistry</i> , 2016, 88, 1639-1646.	3.2	59
35	A highly sensitive label-free sensor for Mercury ion (Hg <sup>2+</sup> ) by inhibiting thioflavin T as DNA G-quadruplexes fluorescent inducer. <i>Talanta</i> , 2014, 122, 85-90.	2.9	58
36	Preliminary study on the application of near infrared spectroscopy and pattern recognition methods to classify different types of apple samples. <i>Food Chemistry</i> , 2011, 128, 555-561.	4.2	57

#	ARTICLE	IF	CITATIONS
37	A rapid and efficient strategy for creating super-hydrophobic coatings on various material substrates. <i>Journal of Materials Chemistry</i> , 2008, 18, 4442.	6.7	56
38	Immobilization of Enzymes on the Nano-Au Film Modified Glassy Carbon Electrode for the Determination of Hydrogen Peroxide and Glucose. <i>Electroanalysis</i> , 2004, 16, 736-740.	1.5	55
39	A MgO Nanoparticles Composite Matrix-Based Electrochemical Biosensor for Hydrogen Peroxide with High Sensitivity. <i>Electroanalysis</i> , 2010, 22, 471-477.	1.5	55
40	Fast HPLC-DAD quantification of nine polyphenols in honey by using second-order calibration method based on trilinear decomposition algorithm. <i>Food Chemistry</i> , 2013, 138, 62-69.	4.2	54
41	Fabrication of a LRET-based upconverting hybrid nanocomposite for turn-on sensing of $H_2O_2$ and glucose. <i>Nanoscale</i> , 2016, 8, 8939-8946.	2.8	54
42	Alternating penalty quadrilinear decomposition algorithm for an analysis of four-way data arrays. <i>Journal of Chemometrics</i> , 2007, 21, 133-144.	0.7	53
43	Trilinear decomposition method applied to removal of three-dimensional background drift in comprehensive two-dimensional separation data. <i>Journal of Chromatography A</i> , 2007, 1167, 178-183.	1.8	53
44	Novel Aptasensor Platform Based on Ratiometric Surface-Enhanced Raman Spectroscopy. <i>Analytical Chemistry</i> , 2017, 89, 2852-2858.	3.2	53
45	Recent advances in chemical multi-way calibration with second-order or higher-order advantages: Multilinear models, algorithms, related issues and applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 130, 115954.	5.8	53
46	Fluorescence Spectral Study of Interaction of Water-soluble Metal Complexes of Schiff-base and DNA. <i>Analytical Sciences</i> , 2001, 17, 1031-1036.	0.8	52
47	In Situ Imaging of Individual mRNA Mutation in Single Cells Using Ligation-Mediated Branched Hybridization Chain Reaction (Ligation-bHCR). <i>Analytical Chemistry</i> , 2017, 89, 3445-3451.	3.2	52
48	Robust principal component analysis by projection pursuit. <i>Journal of Chemometrics</i> , 1993, 7, 527-541.	0.7	49
49	A novel fluorescent probe for sensitive detection and imaging of hydrazine in living cells. <i>Talanta</i> , 2017, 162, 225-231.	2.9	49
50	Tumor-Targeted Graphitic Carbon Nitride Nanoassembly for Activatable Two-Photon Fluorescence Imaging. <i>Analytical Chemistry</i> , 2018, 90, 4649-4656.	3.2	49
51	Fast analysis of synthetic antioxidants in edible vegetable oil using trilinear component modeling of liquid chromatography-diode array detection data. <i>Journal of Chromatography A</i> , 2012, 1264, 63-71.	1.8	48
52	A sensitive electrochemical biosensor for microRNA detection based on streptavidin-gold nanoparticles and enzymatic amplification. <i>Analytical Methods</i> , 2014, 6, 2889-2893.	1.3	47
53	Single-Nanoparticle ICPMS DNA Assay Based on Hybridization-Chain-Reaction-Mediated Spherical Nucleic Acid Assembly. <i>Analytical Chemistry</i> , 2020, 92, 2379-2382.	3.2	46
54	Three-way data resolution by alternating slice-wise diagonalization (ASD) method. <i>Journal of Chemometrics</i> , 2000, 14, 15-36.	0.7	45

#	ARTICLE	IF	CITATIONS
55	A novel label-free fluorescence aptamer-based sensor method for cocaine detection based on isothermal circular strand-displacement amplification and graphene oxide absorption. <i>New Journal of Chemistry</i> , 2013, 37, 3998.	1.4	45
56	Multi-targeted interference-free determination of ten $\beta$ -blockers in human urine and plasma samples by alternating trilinear decomposition algorithm-assisted liquid chromatography-mass spectrometry in full scan mode: Comparison with multiple reaction monitoring. <i>Analytica Chimica Acta</i> , 2014, 848, 10-24.	2.6	45
57	Determination of pesticides in vegetable samples using an acetylcholinesterase biosensor based on nanoparticles $ZrO_2$ /chitosan composite film. <i>International Journal of Environmental Analytical Chemistry</i> , 2005, 85, 163-175.	1.8	43
58	Activatable Fluorescence Probe via Self-Immolative Intramolecular Cyclization for Histone Deacetylase Imaging in Live Cells and Tissues. <i>Analytical Chemistry</i> , 2018, 90, 5534-5539.	3.2	43
59	On the self-weighted alternating trilinear decomposition algorithm?the property of being insensitive to excess factors used in calculation. <i>Journal of Chemometrics</i> , 2001, 15, 439-453.	0.7	41
60	Label-Free and Multiplexed Quantification of microRNAs by Mass Spectrometry Based on Duplex-Specific-Nuclease-Assisted Recycling Amplification. <i>Analytical Chemistry</i> , 2019, 91, 2120-2127.	3.2	41
61	Determination of the number of components in mixtures using a new approach incorporating chemical information. <i>Journal of Chemometrics</i> , 1999, 13, 15-30.	0.7	39
62	Simultaneous determination of umbelliferone and scopoletin in Tibetan medicine <i>Saussurea laniceps</i> and traditional Chinese medicine <i>Radix angelicae pubescentis</i> using excitation-emission matrix fluorescence coupled with second-order calibration method. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 170, 104-110.	2.0	39
63	Programmable Self-Assembly of Protein-Scaffolded DNA Nanohydrogels for Tumor-Targeted Imaging and Therapy. <i>Analytical Chemistry</i> , 2019, 91, 2610-2614.	3.2	39
64	Iodide-Selective PVC Membrane Electrodes Based on Five Transitional Metal Chelates of bis-furfural-semi-o-tolidine. <i>Analytical Letters</i> , 1997, 30, 1455-1464.	1.0	38
65	Resolution of two-way data from spectroscopic monitoring of reaction or process systems by parallel vector analysis (PVA) and window factor analysis (WFA): inspection of the effect of mass balance, methods and simulations. <i>Journal of Chemometrics</i> , 2003, 17, 186-197.	0.7	38
66	Amperometric Biosensors for Glucose Based on Layer-by-Layer Assembled Functionalized Carbon Nanotube and Poly (Neutral Red) Multilayer Film. <i>Analytical Letters</i> , 2006, 39, 1785-1799.	1.0	36
67	Simultaneous determination of phenolic antioxidants in edible vegetable oils by HPLC-FLD assisted with second-order calibration based on ATLD algorithm. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 947-948, 32-40.	1.2	36
68	Direct quantitative analysis of aromatic amino acids in human plasma by four-way calibration using intrinsic fluorescence: Exploration of third-order advantages. <i>Talanta</i> , 2014, 122, 293-301.	2.9	36
69	"Light-up" Sensing of human 8-oxoguanine DNA glycosylase activity by target-induced autocatalytic DNAzyme-generated rolling circle amplification. <i>Biosensors and Bioelectronics</i> , 2016, 79, 679-684.	5.3	35
70	Detection of inborn errors of metabolism utilizing GC-MS urinary metabolomics coupled with a modified orthogonal partial least squares discriminant analysis. <i>Talanta</i> , 2017, 165, 545-552.	2.9	35
71	Sensitive inkjet printing paper-based colorimetric strips for acetylcholinesterase inhibitors with indoxyl acetate substrate. <i>Talanta</i> , 2017, 162, 174-179.	2.9	35
72	Multivalent Self-Assembled DNA Polymer for Tumor-Targeted Delivery and Live Cell Imaging of Telomerase Activity. <i>Analytical Chemistry</i> , 2018, 90, 13188-13192.	3.2	35

#	ARTICLE	IF	CITATIONS
73	A Sensitive Electrochemical Immunosensor for $\beta$ -Fetoprotein Detection with Colloidal Gold-Based Dextran Enzyme Complex Amplification. <i>Electroanalysis</i> , 2010, 22, 244-250.	1.5	34
74	Label-Free Electrochemical Biosensor of Mercury Ions Based on DNA Strand Displacement by Thymine-Hg(II)-Thymine Complex. <i>Electroanalysis</i> , 2010, 22, 2110-2116.	1.5	34
75	Background eliminated signal-on electrochemical aptasensing platform for highly sensitive detection of protein. <i>Biosensors and Bioelectronics</i> , 2015, 66, 363-369.	5.3	34
76	Label-Free Photonic Crystal-Based $\beta$ -Lactamase Biosensor for $\beta$ -Lactam Antibiotic and $\beta$ -Lactamase Inhibitor. <i>Analytical Chemistry</i> , 2016, 88, 9207-9212.	3.2	34
77	Photonic crystal enhanced gold-silver nanoclusters fluorescent sensor for Hg <sup>2+</sup> ion. <i>Analytica Chimica Acta</i> , 2020, 1114, 50-57.	2.6	34
78	Direct and interference-free determination of thirteen phenolic compounds in red wines using a chemometrics-assisted HPLC-DAD strategy for authentication of vintage year. <i>Analytical Methods</i> , 2017, 9, 3361-3374.	1.3	33
79	Internal standard-based SERS aptasensor for ultrasensitive quantitative detection of Ag <sup>+</sup> ion. <i>Talanta</i> , 2018, 185, 30-36.	2.9	33
80	Interaction of Metal Complexes of Bis(salicylidene)ethylenediamine with DNA. <i>Analytical Sciences</i> , 2000, 16, 1255-1259.	0.8	32
81	The Electrochemical Properties of Co(TPP), Tetraphenylborate Modified Glassy Carbon Electrode: Application to Dopamine and Uric Acid Analysis. <i>Electroanalysis</i> , 2006, 18, 440-448.	1.5	32
82	A label-free electrochemical impedance immunosensor for the sensitive detection of aflatoxin B <sub>1</sub> . <i>Analytical Methods</i> , 2015, 7, 2354-2359.	1.3	32
83	Label-free liquid crystal biosensor for L-histidine: A DNAzyme-based platform for small molecule assay. <i>Biosensors and Bioelectronics</i> , 2016, 79, 650-655.	5.3	32
84	Fast quantitative analysis of four tyrosine kinase inhibitors in different human plasma samples using three-way calibration-assisted liquid chromatography with diode array detection. <i>Journal of Separation Science</i> , 2015, 38, 2781-2788.	1.3	31
85	A highly selective iodide electrode based on the bis(benzoin)-semiethylenediamine complex of mercury(II) as a carrier. <i>Fresenius' Journal of Analytical Chemistry</i> , 1998, 360, 47-51.	1.5	30
86	Rapid and simultaneous determination of five vinca alkaloids in <i>Catharanthus roseus</i> and human serum using trilinear component modeling of liquid chromatography-diode array detection data. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1026, 114-123.	1.2	30
87	DNA-stabilized silver nanoclusters with guanine-enhanced fluorescence as a novel indicator for enzymatic detection of cholesterol. <i>Analytical Methods</i> , 2013, 5, 2182.	1.3	29
88	Mass Spectrometry Based Ultrasensitive DNA Methylation Profiling Using Target Fragmentation Assay. <i>Analytical Chemistry</i> , 2016, 88, 1083-1087.	3.2	29
89	Mitochondrial-targeted near-infrared fluorescence probe for selective detection of fluoride ions in living cells. <i>Talanta</i> , 2019, 204, 655-662.	2.9	29
90	Analysis of PAHs in air-borne particulates in Hong Kong City by heuristic evolving latent projections. <i>Science in China Series B: Chemistry</i> , 1998, 41, 21-29.	0.8	28

#	ARTICLE	IF	CITATIONS
91	A PARAFAC algorithm using penalty diagonalization error (PDE) for three-way data array resolution. <i>Analyst</i> , The, 2000, 125, 2303-2310.	1.7	28
92	Chemometrics-enhanced liquid chromatography-full scan-mass spectrometry for interference-free analysis of multi-class mycotoxins in complex cereal samples. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017, 160, 125-138.	1.8	28
93	CoOOH-induced synthesis of fluorescent polydopamine nanoparticles for the detection of Ascorbic acid. <i>Analytical Methods</i> , 2017, 9, 5518-5524.	1.3	28
94	A novel DNzyme-based colorimetric assay for the detection of hOGG1 activity with lambda exonuclease cleavage. <i>Analytical Methods</i> , 2013, 5, 164-168.	1.3	27
95	Chemometrics-assisted high performance liquid chromatography-diode array detection strategy to solve varying interfering patterns from different chromatographic columns and sample matrices for beverage analysis. <i>Journal of Chromatography A</i> , 2016, 1435, 75-84.	1.8	27
96	Mitochondrion-Targeting, Environment-Sensitive Red Fluorescent Probe for Highly Sensitive Detection and Imaging of Vicinal Dithiol-Containing Proteins. <i>Analytical Chemistry</i> , 2017, 89, 11203-11207.	3.2	27
97	<i>In vivo</i> mRNA imaging based on tripartite DNA probe mediated catalyzed hairpin assembly. <i>Chemical Communications</i> , 2020, 56, 8782-8785.	2.2	27
98	Network training and architecture optimization by a recursive approach and a modified genetic algorithm. <i>Journal of Chemometrics</i> , 1996, 10, 253-267.	0.7	26
99	Alternating coupled vectors resolution (ACOVER) method for trilinear analysis of three-way data. <i>Journal of Chemometrics</i> , 1999, 13, 557-578.	0.7	26
100	Pseudo alternating least squares algorithm for trilinear decomposition. <i>Journal of Chemometrics</i> , 2001, 15, 149-167.	0.7	26
101	A Sequence-Selective Electrochemical DNA Biosensor Based on HRP-Labeled Probe for Colorectal Cancer DNA Detection. <i>Analytical Letters</i> , 2008, 41, 24-35.	1.0	26
102	An efficient fluorescence turn-on probe for Al <sup>3+</sup> based on aggregation-induced emission. <i>Analytical Methods</i> , 2013, 5, 3909.	1.3	26
103	Simultaneous determination of eight flavonoids in propolis using chemometrics-assisted high performance liquid chromatography-diode array detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 962, 59-67.	1.2	26
104	Light-up RNA aptamer enabled label-free protein detection <i>via</i> a proximity induced transcription assay. <i>Chemical Communications</i> , 2018, 54, 8877-8880.	2.2	26
105	Activatable CRISPR Transcriptional Circuits Generate Functional RNA for mRNA Sensing and Silencing. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 18599-18604.	7.2	26
106	DNzyme cascade circuits in highly integrated DNA nanomachines for sensitive microRNAs imaging in living cells. <i>Biosensors and Bioelectronics</i> , 2021, 177, 112976.	5.3	26
107	Bimetallic gold-silver nanocluster fluorescent probes for Cr(III) and Cr(VI). <i>Analytical Methods</i> , 2016, 8, 7237-7241.	1.3	25
108	Aggregation-Induced Emission-Based Fluorescence Probe for Fast and Sensitive Imaging of Formaldehyde in Living Cells. <i>ACS Omega</i> , 2018, 3, 14417-14422.	1.6	25

#	ARTICLE	IF	CITATIONS
109	Target-based metabolomics for fast and sensitive quantification of eight small molecules in human urine using HPLC-DAD and chemometrics tools resolving of highly overlapping peaks. <i>Talanta</i> , 2019, 201, 174-184.	2.9	25
110	A novel ethacrynic acid sensor based on a lanthanide porphyrin complex in a PVC matrix. <i>Analyst</i> , The, 2000, 125, 867-870.	1.7	24
111	Dry film method with ytterbium as the internal standard for near infrared spectroscopic plasma glucose assay coupled with boosting support vector regression. <i>Journal of Chemometrics</i> , 2006, 20, 13-21.	0.7	24
112	A Reagentless Tyrosinase Biosensor Based on 1,6-Hexanedithiol and Nano-Au Self-Assembled Monolayers. <i>Electroanalysis</i> , 2006, 18, 1572-1577.	1.5	24
113	Chemometrics-enhanced high performance liquid chromatography-diode array detection strategy for simultaneous determination of eight co-eluted compounds in ten kinds of Chinese teas using second-order calibration method based on alternating trilinear decomposition algorithm. <i>Journal of Chromatography A</i> , 2014, 1364, 151-162.	1.8	24
114	Chemometrics-enhanced full scan mode of liquid chromatography-mass spectrometry for the simultaneous determination of six co-eluted sulfonylurea-type oral antidiabetic agents in complex samples. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2016, 155, 62-72.	1.8	24
115	Picric acid sensitive optode based on a fluorescence carrier covalently bound to membrane. <i>Analyst</i> , The, 2001, 126, 349-352.	1.7	23
116	Interference-free determination of abscisic acid and gibberellin in plant samples using excitation-emission matrix fluorescence based on oxidation derivatization coupled with second-order calibration methods. <i>Analytical Methods</i> , 2009, 1, 115.	1.3	23
117	A novel method to handle Rayleigh scattering in three-way excitation-emission fluorescence data. <i>Analytical Methods</i> , 2012, 4, 3987.	1.3	23
118	A label free exonuclease III-aided fluorescence assay for adenosine triphosphate based on graphene oxide and ligation reaction. <i>New Journal of Chemistry</i> , 2013, 37, 927.	1.4	23
119	An electrochemical assay of polynucleotide kinase activity based on streptavidin-gold nanoparticles and enzymatic amplification. <i>RSC Advances</i> , 2013, 3, 18128.	1.7	23
120	Quantitative detection of captopril in tablet and blood plasma samples by the combination of surface-enhanced Raman spectroscopy with multiplicative effects model. <i>Journal of Raman Spectroscopy</i> , 2015, 46, 605-609.	1.2	23
121	Nucleic acid amplification-based methods for microRNA detection. <i>Analytical Methods</i> , 2015, 7, 2258-2263.	1.3	23
122	Sensitive fluorescence sensing of T4 polynucleotide kinase activity and inhibition based on DNA/polydopamine nanospheres platform. <i>Talanta</i> , 2018, 180, 271-276.	2.9	23
123	Mitochondrion-Targeting Fluorescence Probe via Reduction Induced Charge Transfer for Fast Methionine Sulfoxide Reductases Imaging. <i>Analytical Chemistry</i> , 2019, 91, 5489-5493.	3.2	23
124	Rapid and Sensitive Detection of Multi-Class Food Additives in Beverages for Quality Control by Using HPLC-DAD and Chemometrics Methods. <i>Food Analytical Methods</i> , 2019, 12, 381-393.	1.3	23
125	Excitation-emission matrix fluorescence spectroscopy coupled with multi-way chemometric techniques for characterization and classification of Chinese lager beers. <i>Food Chemistry</i> , 2021, 342, 128235.	4.2	23
126	Highly Sensitive and Specific Mass Spectrometric Platform for miRNA Detection Based on the Multiple-Metal-Nanoparticle Tagging Strategy. <i>Analytical Chemistry</i> , 2021, 93, 5839-5848.	3.2	23



#	ARTICLE	IF	CITATIONS
127	Fast identification of the geographical origin of <i>Gastrodia elata</i> using excitation-emission matrix fluorescence and chemometric methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 258, 119798.	2.0	23
128	Simultaneous determination of aromatic amino acids in different systems using three-way calibration based on the PARAFAC-ALS algorithm coupled with EEM fluorescence: exploration of second-order advantages. <i>Analytical Methods</i> , 2014, 6, 6358-6368.	1.3	22
129	Plasmon Coupling Enhanced Raman Scattering Nanobeacon for Single-Step, Ultrasensitive Detection of Cholera Toxin. <i>Analytical Chemistry</i> , 2016, 88, 7447-7452.	3.2	22
130	Rapid and interference-free analysis of nine B-group vitamins in energy drinks using trilinear component modeling of liquid chromatography-mass spectrometry data. <i>Talanta</i> , 2018, 180, 108-119.	2.9	22
131	Highly specific and sensitive detection of microRNAs by tandem signal amplification based on duplex-specific nuclease and strand displacement. <i>Chemical Communications</i> , 2019, 55, 14210-14213.	2.2	22
132	A novel electrochemical immunosensor for ochratoxin A with hapten immobilization on thionine/gold nanoparticle modified glassy carbon electrode. <i>Analytical Methods</i> , 2013, 5, 1481.	1.3	21
133	A novel fourth-order calibration method based on alternating quinquelinear decomposition algorithm for processing high performance liquid chromatography-diode array detection kinetic-pH data of naptalam hydrolysis. <i>Analytica Chimica Acta</i> , 2015, 861, 12-24.	2.6	21
134	Cyclodextrin supramolecular inclusion-enhanced pyrene excimer switching for time-resolved fluorescence detection of biothiols in serum. <i>Biosensors and Bioelectronics</i> , 2015, 68, 253-258.	5.3	21
135	Quantitative fluorescence kinetic analysis of NADH and FAD in human plasma using three- and four-way calibration methods capable of providing the second-order advantage. <i>Analytica Chimica Acta</i> , 2016, 910, 36-44.	2.6	21
136	A novel mitochondrial-targeting near-infrared fluorescent probe for imaging $\hat{1}^3$ -glutamyl transpeptidase activity in living cells. <i>Analyst, The</i> , 2018, 143, 5530-5535.	1.7	21
137	A simple method for direct modeling of second-order liquid chromatographic data with retention time shifts and holding the second-order advantage. <i>Journal of Chromatography A</i> , 2019, 1605, 360360.	1.8	21
138	An intramolecular charge transfer and excited state intramolecular proton transfer based fluorescent probe for highly selective detection and imaging of formaldehyde in living cells. <i>Analyst, The</i> , 2019, 144, 6922-6927.	1.7	21
139	Cascade Circuits on Self-Assembled DNA Polymers for Targeted RNA Imaging In Vivo. <i>Analytical Chemistry</i> , 2020, 92, 15953-15958.	3.2	21
140	Renewable amperometric immunosensor based on paraffin-graphite-transferrin antiserum biocomposite for transferrin assay. <i>Analyst, The</i> , 2000, 125, 1595-1599.	1.7	20
141	Label-Free Detection of DNA Hybridization Based on MnO <sub>2</sub> Nanoparticles. <i>Analytical Letters</i> , 2009, 42, 3046-3057.	1.0	20
142	Colorimetric Sensing of Adenosine Based on Aptamer Binding Inducing Gold Nanoparticle Aggregation. <i>Chinese Journal of Chemistry</i> , 2009, 27, 1855-1859.	2.6	20
143	Setschenow Constant Prediction Based on the IEF-PCM Calculations. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 11182-11188.	1.8	20
144	Improving the quantitative accuracy of surface-enhanced Raman spectroscopy by the combination of microfluidics with a multiplicative effects model. <i>Analytical Methods</i> , 2014, 6, 2363-2370.	1.3	20

#	ARTICLE	IF	CITATIONS
145	A study on the differential strategy of some iterative trilinear decomposition algorithms: PARAFAC-ALS, ATLD, SWATLD, and APTLD. <i>Journal of Chemometrics</i> , 2015, 29, 179-192.	0.7	20
146	A novel, label-free fluorescent aptasensor for cocaine detection based on a G-quadruplex and ruthenium polypyridyl complex molecular light switch. <i>Analytical Methods</i> , 2016, 8, 3740-3746.	1.3	20
147	Surface Enhanced Laser Desorption Ionization of Phospholipids on Gold Nanoparticles for Mass Spectrometric Immunoassay. <i>Analytical Chemistry</i> , 2016, 88, 9881-9884.	3.2	20
148	A chemometrics-assisted excitation-emission matrix fluorescence method for simultaneous determination of arbutin and hydroquinone in cosmetic products. <i>Analytical Methods</i> , 2016, 8, 4941-4948.	1.3	20
149	A label-free and highly sensitive strategy for uracil-DNA glycosylase activity detection based on stem-loop primer-mediated exponential amplification (SPEA). <i>Analytica Chimica Acta</i> , 2017, 991, 127-132.	2.6	20
150	Recombinant Fusion Streptavidin as a Scaffold for DNA Nanotetrads for Nucleic Acid Delivery and Telomerase Activity Imaging in Living Cells. <i>Analytical Chemistry</i> , 2019, 91, 9361-9365.	3.2	20
151	Construction and Research of Multiple Stimuli-Responsive 2D Photonic Crystal DNA Hydrogel Sensing Platform with Double-Network Structure and Signal Self-Expression. <i>Analytical Chemistry</i> , 2022, 94, 5530-5537.	3.2	20
152	A non-linear mapping-based generalized backpropagation network for unsupervised learning. <i>Journal of Chemometrics</i> , 1996, 10, 241-252.	0.7	19
153	Electrochemical Aptasensor Based on Proximity-Dependent Surface Hybridization Assay for Protein Detection. <i>Electroanalysis</i> , 2009, 21, 1327-1333.	1.5	19
154	Self-weighted alternating normalized residue fitting algorithm with application to quantitative analysis of excitation-emission matrix fluorescence data. <i>Analytical Methods</i> , 2010, 2, 1918.	1.3	19
155	New function of exonuclease and highly sensitive label-free colorimetric DNA detection. <i>Biosensors and Bioelectronics</i> , 2016, 77, 879-885.	5.3	19
156	Rapid, simultaneous and interference-free determination of three rhodamine dyes illegally added into chilli samples using excitation-emission matrix fluorescence coupled with second-order calibration method. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 204, 141-149.	2.0	19
157	Three-dimensional DNA nanostructures for dual-color microRNA imaging in living cells <i>via</i> hybridization chain reaction. <i>Chemical Communications</i> , 2020, 56, 6668-6671.	2.2	19
158	A flexible and novel strategy of alternating trilinear decomposition method coupled with two-dimensional linear discriminant analysis for three-way chemical data analysis: Characterization and classification. <i>Analytica Chimica Acta</i> , 2018, 1021, 28-40.	2.6	18
159	DNAzyme activated protein-scaffolded CRISPR-Cas9 nanoassembly for genome editing. <i>Chemical Communications</i> , 2019, 55, 6511-6514.	2.2	18
160	Simultaneous imaging of lysosomal and mitochondrial viscosity during mitophagy using molecular rotors with dual-color emission. <i>Chemical Communications</i> , 2020, 56, 7797-7800.	2.2	18
161	Neutral carrier membrane electrode based on binuclear metalloporphyrin. <i>Fresenius' Journal of Analytical Chemistry</i> , 1995, 351, 484-488.	1.5	17
162	A new third-order calibration method with application for analysis of four-way data arrays. <i>Journal of Chemometrics</i> , 2011, 25, 408-429.	0.7	17

#	ARTICLE	IF	CITATIONS
163	Algorithm combination strategy to obtain the second-order advantage: simultaneous determination of target analytes in plasma using three-dimensional fluorescence spectroscopy. <i>Journal of Chemometrics</i> , 2012, 26, 197-208.	0.7	17
164	Development of a highly sensitive sensing platform for T4 polynucleotide kinase phosphatase and its inhibitors based on WS <sub>2</sub> nanosheets. <i>Analytical Methods</i> , 2014, 6, 7212-7217.	1.3	17
165	A flexible trilinear decomposition algorithm for three-way calibration based on the trilinear component model and a theoretical extension of the algorithm to the multilinear component model. <i>Analytica Chimica Acta</i> , 2015, 878, 63-77.	2.6	17
166	Interference-free spectrofluorometric quantification of aristolochic acid I and aristololactam I in five Chinese herbal medicines using chemical derivatization enhancement and second-order calibration methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 175, 229-238.	2.0	17
167	Quantification of Cadmium in Rice by Surface-enhanced Raman Spectroscopy Based on a Ratiometric Indicator and Conical Holed Enhancing Substrates. <i>Analytical Sciences</i> , 2018, 34, 1405-1410.	0.8	17
168	A single promoter system co-expressing RNA sensor with fluorescent proteins for quantitative mRNA imaging in living tumor cells. <i>Chemical Science</i> , 2019, 10, 4828-4833.	3.7	17
169	Simultaneously quantifying intracellular FAD and FMN using a novel strategy of intrinsic fluorescence four-way calibration. <i>Talanta</i> , 2019, 197, 105-112.	2.9	17
170	Development of large Stokes shift, near-infrared fluorescence probe for rapid and bioorthogonal imaging of nitroxyl (HNO) in living cells. <i>Talanta</i> , 2019, 193, 152-160.	2.9	17
171	Amperometric Biosensor for Glucose Based on Electropolymerized Tetraaminophthalocyanine(II) and Phenol Films. <i>Analytical Letters</i> , 1997, 30, 647-662.	1.0	16
172	Simultaneous determination of pre-emergence herbicides in environmental samples using HPLC-DAD combined with second-order calibration based on self-weighted alternating trilinear decomposition algorithm. <i>Analytical Methods</i> , 2012, 4, 685.	1.3	16
173	Measuring estriol and estrone simultaneously in liquid cosmetic samples using second-order calibration coupled with excitation-emission matrix fluorescence based on region selection. <i>Analytical Methods</i> , 2012, 4, 222-229.	1.3	16
174	Sensitive and selective electrochemical DNA sensor for the analysis of cancer-related single nucleotide polymorphism. <i>New Journal of Chemistry</i> , 2014, 38, 4711-4715.	1.4	16
175	An aptasensor based on cobalt oxyhydroxide nanosheets for the detection of thrombin. <i>Analytical Methods</i> , 2016, 8, 7199-7203.	1.3	16
176	Simultaneous detection of multiple inherited metabolic diseases using GC-MS urinary metabolomics by chemometrics multi-class classification strategies. <i>Talanta</i> , 2018, 186, 489-496.	2.9	16
177	Proximity-induced hybridization chain assembly with small-molecule linked DNA for single-step amplified detection of antibodies. <i>Chemical Communications</i> , 2019, 55, 4387-4390.	2.2	16
178	Simultaneous and fast determination of bisphenol A and diphenyl carbonate in polycarbonate plastics by using excitation-emission matrix fluorescence couples with second-order calibration method. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 216, 283-289.	2.0	16
179	Single-step, high-specificity detection of single nucleotide mutation by primer-activatable loop-mediated isothermal amplification (PA-LAMP). <i>Analytica Chimica Acta</i> , 2019, 1050, 132-138.	2.6	16
180	Single-Nanoparticle ICP-MS for Sensitive Detection of Uracil-DNA Glycosylase Activity. <i>Analytical Chemistry</i> , 2021, 93, 8381-8385.	3.2	16

#	ARTICLE	IF	CITATIONS
181	Second-Order Standard Addition Method Based on Alternating Trilinear Decomposition.. Analytical Sciences, 2000, 16, 217-220.	0.8	15
182	Amplified fluorescence detection of T4 polynucleotide kinase activity and inhibition via a coupled $\hat{\imath}$ exonuclease reaction and exonuclease III-aided trigger DNA recycling. Analytical Methods, 2014, 6, 6009.	1.3	15
183	Chemometrics-assisted liquid chromatography-full scan mass spectrometry for simultaneous determination of multi-class estrogens in infant milk powder. Analytical Methods, 2018, 10, 1459-1471.	1.3	15
184	Chemometrics-assisted HPLC-DAD as a rapid and interference-free strategy for simultaneous determination of 17 polyphenols in raw propolis. Analytical Methods, 2018, 10, 5577-5588.	1.3	15
185	Rapid and simultaneous determination of three fluoroquinolones in animal-derived foods using excitation-emission matrix fluorescence coupled with second-order calibration method. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 224, 117458.	2.0	15
186	A tumour mRNA-triggered nanoassembly for enhanced fluorescence imaging-guided photodynamic therapy. Nanoscale, 2020, 12, 8727-8731.	2.8	15
187	Comparison of three chemometric methods for processing HPLC-DAD data with time shifts: Simultaneous determination of ten molecular targeted anti-tumor drugs in different biological samples. Talanta, 2021, 224, 121798.	2.9	15
188	Coupled Vectors Resolution Method for Chemometric Calibration with Three-Way Data. Analytical Chemistry, 1999, 71, 4254-4262.	3.2	14
189	A ratiometric fluorescent probe for zinc ions based on the quinoline fluorophore. International Journal of Environmental Analytical Chemistry, 2011, 91, 74-86.	1.8	14
190	Conformational switching of G-quadruplexes as a label-free platform for the fluorescence detection of Ag <sup>+</sup> and biothiols. Analytical Methods, 2016, 8, 311-315.	1.3	14
191	Multiplex protein pattern unmixing using a non-linear variable-weighted support vector machine as optimized by a particle swarm optimization algorithm. Talanta, 2016, 147, 609-614.	2.9	14
192	Chemometrics-assisted liquid chromatography with full scan mass spectrometry for the interference-free determination of glucocorticoids illegally added to face masks. Journal of Separation Science, 2018, 41, 3527-3537.	1.3	14
193	Geographical origin traceability of traditional Chinese medicine Atractylodes macrocephala Koidz. by using multi-way fluorescence fingerprint and chemometric methods. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 269, 120737.	2.0	14
194	Discrimination of Vapours of Alcohols and Beverage Samples Using Piezoelectric Crystal Sensor Array. Analytical Letters, 1995, 28, 451-466.	1.0	13
195	Electropolymerization of 1-naphthylamine and the structure of the polymer film. Mikrochimica Acta, 1995, 117, 145-152.	2.5	13
196	Sequential number-theoretic optimization (SNT0) method applied to chemical quantitative analysis. Journal of Chemometrics, 1997, 11, 267-281.	0.7	13
197	Chemical rank estimation for excitation-emission matrices using a morphological approach. Journal of Chemometrics, 1998, 12, 95-104.	0.7	13
198	Robust linear discriminant analysis for chemical pattern recognition. Journal of Chemometrics, 1999, 13, 3-13.	0.7	13

#	ARTICLE	IF	CITATIONS
199	Nano-ZnO/Chitosan Composite Film Modified Electrode for Voltammetric Detection of DNA Hybridization. <i>Analytical Letters</i> , 2008, 41, 1083-1095.	1.0	13
200	A Third-Generation Hydrogen Peroxide Biosensor Based on Horseradish Peroxidase Immobilized in Carbon Nanotubes/SBA-15 Film. <i>Electroanalysis</i> , 2011, 23, 2415-2420.	1.5	13
201	Discovery of the unique self-assembly behavior of terminal suckers-contained dsDNA onto GNP and novel "light-up" colorimetric assay of nucleic acids. <i>Biosensors and Bioelectronics</i> , 2015, 64, 292-299.	5.3	13
202	Graphene oxide-peptide nanoassembly as a general approach for monitoring the activity of histone deacetylases. <i>Analyst</i> , 2016, 141, 3989-3992.	1.7	13
203	Fast and simultaneous determination of 12 polyphenols in apple peel and pulp by using chemometrics-assisted high-performance liquid chromatography with diode array detection. <i>Journal of Separation Science</i> , 2017, 40, 1651-1659.	1.3	13
204	Cyclodextrin supramolecular inclusion-enhanced pyrene excimer switching for highly selective detection of RNase H. <i>Analytica Chimica Acta</i> , 2019, 1088, 137-143.	2.6	13
205	Coupling bootstrap with synergy self-organizing map-based orthogonal partial least squares discriminant analysis: Stable metabolic biomarker selection for inherited metabolic diseases. <i>Talanta</i> , 2020, 219, 121370.	2.9	13
206	Ultrasensitive detection of protein biomarkers by MALDI-TOF mass spectrometry based on ZnFe <sub>2</sub> O <sub>4</sub> nanoparticles and mass tagging signal amplification. <i>Talanta</i> , 2021, 224, 121848.	2.9	13
207	Salicylate-Sensitive Membrane Electrode Based on Copper(II) Tetraaza[14]annulene Macrocylic Complex. <i>Analytical Letters</i> , 1998, 31, 1965-1977.	1.0	12
208	Reagentless Aptamer Based Impedance Biosensor for Monitoring Adenosine. <i>Electroanalysis</i> , 2009, 21, 1781-1785.	1.5	12
209	Chemometrics-assisted determination of amiloride and triamterene in biological fluids with overlapped peaks and unknown interferences. <i>Bioanalysis</i> , 2015, 7, 1685-1697.	0.6	12
210	A new label-free and turn-on fluorescence probe for hydrogen peroxide and glucose detection based on DNA-silver nanoclusters. <i>Analytical Methods</i> , 2015, 7, 7989-7994.	1.3	12
211	Quantitative analysis of hormones in cosmetics by LC-MS/MS combined with an advanced calibration model. <i>Analytical Methods</i> , 2015, 7, 6804-6809.	1.3	12
212	Simultaneous and interference-free determination of eleven non-steroidal anti-inflammatory drugs illegally added into Chinese patent drugs using chemometrics-assisted HPLC-DAD strategy. <i>Science China Chemistry</i> , 2018, 61, 739-749.	4.2	12
213	A novel ratiometric fluorescent sensing method based on MnO <sub>2</sub> nanosheet for sensitive detection of alkaline phosphatase in serum. <i>Talanta</i> , 2020, 209, 120528.	2.9	12
214	DNA-Programmed plasmonic ELISA for the ultrasensitive detection of protein biomarkers. <i>Analyst</i> , 2020, 145, 4860-4866.	1.7	12
215	Simple Multivariate Calibration Method with an Appropriate Number of Principal Components Using Singular Value Decomposition and Cross-Validation Procedure.. <i>Analytical Sciences</i> , 1994, 10, 875-880.	0.8	11
216	A sensitive nicotine sensor based on molecularly imprinted electropolymer of o-aminophenol. <i>Frontiers of Chemistry in China: Selected Publications From Chinese Universities</i> , 2006, 1, 183-187.	0.4	11

#	ARTICLE	IF	CITATIONS
217	Quantitative analysis of fluphenazine hydrochloride in human urine using excitation-emission matrix fluorescence based on oxidation derivatization and combined with second-order calibration methods. <i>Analytical Methods</i> , 2010, 2, 1069.	1.3	11
218	A combined theoretical and experimental study for the chiral discrimination of naproxen enantiomers by molecular modeling and second-order standard addition method. <i>Analytical Methods</i> , 2013, 5, 710.	1.3	11
219	A turn-on upconversion fluorescence resonance energy transfer biosensor for ultrasensitive endonuclease detection. <i>Analytical Methods</i> , 2015, 7, 7474-7479.	1.3	11
220	Solving signal instability to maintain the second-order advantage in the resolution and determination of multi-analytes in complex systems by modeling liquid chromatography-mass spectrometry data using alternating trilinear decomposition method assisted with piecewise direct standardization. <i>Journal of Chromatography A</i> , 2015, 1407, 157-168.	1.8	11
221	Desorption corona beam ionisation (DCBI) mass spectrometry for in-situ analysis of adsorbed phenol in cigarette acetate fiber filter. <i>Talanta</i> , 2015, 131, 499-504.	2.9	11
222	Interference-free analysis of aflatoxin B <sub>1</sub> and G <sub>1</sub> in various foodstuffs using trilinear component modeling of excitation-emission matrix fluorescence data enhanced through photochemical derivatization. <i>RSC Advances</i> , 2016, 6, 25850-25863.	1.7	11
223	Phosphorylation-induced formation of a cytochrome c-peptide complex: a novel fluorescent sensing platform for protein kinase assay. <i>Chemical Communications</i> , 2016, 52, 776-779.	2.2	11
224	Small molecule-linked programmable DNA for washing-free imaging of cell surface biomarkers. <i>Talanta</i> , 2018, 190, 429-435.	2.9	11
225	Simultaneous and rapid screening and determination of twelve azo dyes illegally added into food products by using chemometrics-assisted HPLC-DAD strategy. <i>Microchemical Journal</i> , 2021, 171, 106775.	2.3	11
226	An Amperometric Immunosensor for the Newcastle Disease Antibody Assay. <i>Analytical Letters</i> , 2003, 36, 287-302.	1.0	10
227	Studying the uptake of aniline vapor by active alumina through in-line monitoring a differential adsorption bed with near-infrared diffuse reflectance spectroscopy. <i>Adsorption</i> , 2009, 15, 23-29.	1.4	10
228	Automatic configuration of optimized sample-weighted least-squares support vector machine by particle swarm optimization for multivariate spectral analysis. <i>Analytical Methods</i> , 2010, 2, 282.	1.3	10
229	Graphene-hemin hybrid nanosheets as a label-free colorimetric platform for DNA and small molecule assays. <i>RSC Advances</i> , 2014, 4, 64252-64257.	1.7	10
230	An aggregated perylene-based broad-spectrum, efficient and label-free quencher for multiplexed fluorescent bioassays. <i>Biosensors and Bioelectronics</i> , 2014, 58, 320-325.	5.3	10
231	A simple and highly sensitive DNAzyme-based assay for nicotinamide adenine dinucleotide by ligase-mediated inhibition of strand displacement amplification. <i>Analytica Chimica Acta</i> , 2014, 844, 70-74.	2.6	10
232	Silver nanocluster-lightened hybridization chain reaction. <i>RSC Advances</i> , 2016, 6, 57502-57506.	1.7	10
233	Exploiting second-order advantage from mathematically modeled liquid chromatography-mass spectrometry data for simultaneous determination of polyphenols in Chinese propolis. <i>Microchemical Journal</i> , 2020, 157, 105003.	2.3	10
234	An Optic-Fiber Sensor for Metronidazole Based on the Fluorescence Quenching of a Copolymer Bound Flavone Derivative.. <i>Analytical Sciences</i> , 1998, 14, 547-551.	0.8	9

#	ARTICLE	IF	CITATIONS
235	A Fiber Optode for p -Nitrophenol Based on Covalently Bound 9-Allylaminoacridine. <i>Mikrochimica Acta</i> , 2001, 136, 73-78.	2.5	9
236	A Sensitive Electrochemical Biosensor for Detection of Histone Deacetylase Activity Using an Acetylated Peptide. <i>Electroanalysis</i> , 2012, 24, 2365-2370.	1.5	9
237	A novel molecular logic system based on lead-induced substitution of potassium from a G-quadruplex as a fluorescent lead sensor. <i>Analytical Methods</i> , 2013, 5, 5597.	1.3	9
238	Highly Sensitive Fluorometric Assay Method for Acetylcholinesterase Inhibitor Based on Nile Red Adsorbed Gold Nanoparticles. <i>Chinese Journal of Chemistry</i> , 2013, 31, 1072-1078.	2.6	9
239	Label-free and sensitive detection of micrococcal nuclease activity using DNA-scaffolded silver nanoclusters as a fluorescence indicator. <i>Analytical Methods</i> , 2014, 6, 4090.	1.3	9
240	Generalized multiple internal standard method for quantitative liquid chromatography mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1445, 112-117.	1.8	9
241	Graphene oxide based DNA nanoswitches as a programmable pH-responsive biosensor. <i>Analytical Methods</i> , 2016, 8, 6982-6985.	1.3	9
242	An activatable fluorescent probe with an ultrafast response and large Stokes shift for live cell bioimaging of hypochlorous acid. <i>RSC Advances</i> , 2016, 6, 107910-107915.	1.7	9
243	Determination of benzo[a]pyrene in cigarette mainstream smoke by using mid-infrared spectroscopy associated with a novel chemometric algorithm. <i>Analytica Chimica Acta</i> , 2016, 902, 43-49.	2.6	9
244	Ratiometric sensors with selective fluorescence enhancement effects based on photonic crystals for the determination of acetylcholinesterase and its inhibitor. <i>Journal of Materials Chemistry B</i> , 2020, 8, 11001-11009.	2.9	9
245	Quantitative analysis of carbaryl and thiabendazole in complex matrices using excitation-emission fluorescence matrices with second-order calibration methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 264, 120267.	2.0	9
246	CAPACITIVE IMMUNOSENSOR FOR THE DETERMINATION OF SCHISTOSOMA JAPONICUM ANTIGEN. <i>Analytical Letters</i> , 2002, 35, 1919-1930.	1.0	8
247	Self-assembled monolayers of inositol hexaphosphate on the roughened surface of an iron electrode: investigation by surface-enhanced Raman scattering spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2005, 36, 824-828.	1.2	8
248	Amperometric Biosensors Based on Platinum Nanowires. <i>Analytical Letters</i> , 2007, 40, 875-886.	1.0	8
249	Quantitative Structure-Activity Relationship Studies for the Binding Affinities of Imidazobenzodiazepines for the $\alpha_1$ Benzodiazepine Receptor Isoform Utilizing Optimized Blockwise Variable Combination by Particle Swarm Optimization for Partial Least Squares Modeling. <i>QSAR and Combinatorial Science</i> , 2007, 26, 92-101.	1.5	8
250	Synthesis and Characterization of Poly(toluidine blue) Nanowires and Their Application in Amperometric Biosensors. <i>Electroanalysis</i> , 2009, 21, 1152-1158.	1.5	8
251	Surface-enhanced Raman spectroscopy based on conical holed enhancing substrates. <i>Analytica Chimica Acta</i> , 2015, 887, 45-50.	2.6	8
252	A novel logic gate based on liquid-crystals responding to the DNA conformational transition. <i>Analyst</i> , 2016, 141, 2870-2873.	1.7	8

#	ARTICLE	IF	CITATIONS
253	Development of an electrochemical aptasensor for thrombin based on aptamer/Pd@AuNPs/HRP conjugates. <i>Analytical Methods</i> , 2016, 8, 2150-2155.	1.3	8
254	Application of gold@silver nanocluster based fluorescent sensors for determination of acetylcholinesterase activity and its inhibitor. <i>Materials Research Express</i> , 2018, 5, 065027.	0.8	8
255	Generalized ratiometric fluorescence nanosensors based on carbon dots and an advanced chemometric model. <i>Talanta</i> , 2019, 192, 233-240.	2.9	8
256	Detection of microRNAs by the combination of Exonuclease-III assisted target recycling amplification and repeated-fishing strategy. <i>Analytica Chimica Acta</i> , 2020, 1131, 1-8.	2.6	8
257	Three efficient chemometrics assisted fluorimetric detection methods for interference-free, rapid, and simultaneous determination of ibrutinib and pralatrexate in various complicated biological fluids. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 252, 119419.	2.0	8
258	Control of Liquid Crystal Microarray Optical Signals Using a Microspectral Mode Based on Photonic Crystal Structures. <i>Analytical Chemistry</i> , 2021, 93, 11887-11895.	3.2	8
259	Rapid determination of sulfamethoxazole and trimethoprim illegally added to health products using excitation-emission matrix fluorescence coupled with the second-order calibration method. <i>Analytical Methods</i> , 2021, 13, 5075-5084.	1.3	8
260	Single Molecule-Level Detection via Liposome-Based Signal Amplification Mass Spectrometry Counting Assay. <i>Analytical Chemistry</i> , 2022, 94, 6120-6129.	3.2	8
261	Non-linear discriminant feature extraction using generalized back-propagation network. <i>Journal of Chemometrics</i> , 1996, 10, 281-294.	0.7	7
262	A Novel Potentiometric Sensor for Thiocyanate Based on an Amide-Linked Manganese Diporphyrin Xanthene. <i>Electroanalysis</i> , 2008, 20, 1769-1774.	1.5	7
263	Homogeneous label-free fluorescent assay of small molecule-protein interactions using protein binding-inhibited transcription nanomachine. <i>Science China Chemistry</i> , 2011, 54, 1277-1283.	4.2	7
264	Second-order calibration applied to quantification of two active components of <i>Schisandra chinensis</i> in complex matrix. <i>Journal of Pharmaceutical Analysis</i> , 2012, 2, 241-248.	2.4	7
265	Acetylcholinesterase liquid crystal biosensor for identification of AChE inhibitors by a reactivator. <i>Science China Chemistry</i> , 2014, 57, 1589-1595.	4.2	7
266	Interaction of epicatechin with bovine serum albumin using fluorescence quenching combined with chemometrics. <i>Science China Chemistry</i> , 2014, 57, 748-754.	4.2	7
267	An alternating coupled two-unequal residual functions algorithm for second-order calibration. <i>Analytical Methods</i> , 2014, 6, 6322.	1.3	7
268	A novel electrochemical immunosensor based on dual signal amplification of gold nanoparticles and telomerase extension reaction. <i>Analytical Methods</i> , 2014, 6, 2221-2226.	1.3	7
269	Novel calibration model maintenance strategy for solving the signal instability in quantitative liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1338, 44-50.	1.8	7
270	Adaptive wavelet packet transform for support vector machine modeling as globally optimized by particle swarm optimization algorithm. <i>Analytical Methods</i> , 2015, 7, 5108-5113.	1.3	7



#	ARTICLE	IF	CITATIONS
271	A dual-amplification fluorescent sensing platform for ultrasensitive assay of nuclease and ATP based on rolling circle replication and exonuclease III-aided recycling. <i>RSC Advances</i> , 2015, 5, 75055-75061.	1.7	7
272	Duplex-specific nuclease-mediated target recycling amplification for fluorescence detection of microRNA. <i>Analytical Methods</i> , 2019, 11, 200-204.	1.3	7
273	Exploration advantages of data combination and partition: First chemometric analysis of liquid chromatography-mass spectrometry data in full scan mode with quadrupole fragmentor voltages. <i>Analytica Chimica Acta</i> , 2020, 1110, 158-168.	2.6	7
274	A New Optical Chemical Sensor Based on Benzoxazole and Its Application to the Determination of Ethacrynic Acid. <i>Analytical Letters</i> , 1997, 30, 221-233.	1.0	6
275	Bimetalloporphyrin Complexes as Ionic Carriers for a Salicylate-Sensitive Electrode.. <i>Analytical Sciences</i> , 2000, 16, 1285-1289.	0.8	6
276	PORPHYRIN DIMER AS NEUTRAL IONOPHORE FOR A BERBERINE-SENSITIVE POTENTIOMETRIC SENSOR. <i>Analytical Letters</i> , 2001, 34, 2035-2046.	1.0	6
277	Adsorption of purpald SAMs on silver and gold electrodes: a Raman mapping study. <i>Journal of Raman Spectroscopy</i> , 2007, 38, 295-300.	1.2	6
278	Homogeneous DNA Detection Based on Fluorescence Quenching by Nanoparticles in Single-step Format: Target-induced Configuration Transform. <i>Chinese Journal of Chemistry</i> , 2009, 27, 523-528.	2.6	6
279	Nonlinear Multivariate Calibration of Shelf Life of Preserved Eggs (Pidan) by Near Infrared Spectroscopy: Stacked Least Squares Support Vector Machine with Ensemble Preprocessing. <i>Journal of Spectroscopy</i> , 2013, 2013, 1-7.	0.6	6
280	A novel label-free biosensor based on self-assembled aptamer/GO architecture for sensitive detection of biomolecules. <i>Analytical Methods</i> , 2015, 7, 5606-5610.	1.3	6
281	Quantitative generalized ratiometric fluorescence spectroscopy for turbid media based on probe encapsulated by biologically localized embedding. <i>Analytica Chimica Acta</i> , 2016, 921, 38-45.	2.6	6
282	Loop-mediated isothermal amplification (LAMP): real-time methods for the detection of the survivin gene in cancer cells. <i>Analytical Methods</i> , 2016, 8, 6277-6283.	1.3	6
283	A novel algorithm for second-order calibration of three-way data in fluorescence assays of multiple breast cancer-related DNAs. <i>Talanta</i> , 2019, 195, 433-440.	2.9	6
284	Label-free microRNA detection through analyzing the length distribution pattern of the residual fragments of probe DNA produced during exonuclease III assisted signal amplification by mass spectrometry. <i>Talanta</i> , 2021, 231, 122414.	2.9	6
285	Constrained background bilinearization with a generalized simulated annealing algorithm. <i>Journal of Chemometrics</i> , 1993, 7, 369-379.	0.7	5
286	Maximum sum of binary-coded residuals (MASBR) regression as a robust procedure for treatment of spectral data. <i>Journal of Chemometrics</i> , 1995, 9, 373-387.	0.7	5
287	Bimetalloporphyrin-based ISE sensitive to fluoroborate. <i>Analyst</i> , 2000, 125, 2285-2288.	1.7	5
288	Aminobenzothiazole Schiff Base as a Fluorescence Carrier for Sensor Preparation and Furazolidone Assay. <i>Analytical Letters</i> , 2003, 36, 2609-2622.	1.0	5

#	ARTICLE	IF	CITATIONS
289	An Aptamer-Based Competitive Fluorescence Quenching Assay for IgE. <i>Analytical Letters</i> , 2011, 44, 1301-1309.	1.0	5
290	Rapid Determination of Costunolide and Dehydrocostuslactone in Human Plasma Sample and Chinese Patent Medicine Xiang Sha Yang Wei Capsule Using HPLC-DAD Coupled with Second-Order Calibration. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1137-1143.	2.6	5
291	HPLC-DAD data coupled with second-order calibration method applied to food analysis: Simultaneous determination of six benzoylurea insecticides in various fruit samples by selecting time region of chromatogram. <i>Science China Chemistry</i> , 2013, 56, 1641-1650.	4.2	5
292	Determination of Lead(II) by a Nitrocellulose Membrane Fluorescent Biosensor Based on G-Quadruplex Conformational Changes. <i>Analytical Letters</i> , 2014, 47, 2341-2349.	1.0	5
293	Two new algorithms for resolution of two-way data. <i>Journal of Chemometrics</i> , 1996, 10, 63-76.	0.7	4
294	A Simple and Sensitive Piezoelectric Immunosensor for Cholera Toxin Based on GM1-Incorporated Liposome Agglutination. <i>Chinese Journal of Chemistry</i> , 2010, 28, 1678-1684.	2.6	4
295	Terminal Protection of Small Molecule-Linked DNA for Small Molecule-Protein Interaction Assays. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5221-5232.	1.8	4
296	Efficient pattern unmixing of multiplex proteins based on variable weighting of texture descriptors. <i>Analytical Methods</i> , 2016, 8, 8188-8195.	1.3	4
297	A Novel Biosensor Based on Terminal Protection and Fluorescent Copper Nanoparticles for Detecting Potassium Ion. <i>Analytical Sciences</i> , 2017, 33, 1369-1374.	0.8	4
298	A chemometric comparison of different models in fluorescence analysis of dabigatran etexilate and dabigatran. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 246, 118988.	2.0	4
299	Piecewise direct standardization assisted with second-order calibration methods to solve signal instability in high-performance liquid chromatography-diode array detection systems. <i>Journal of Chromatography A</i> , 2022, 1667, 462851.	1.8	4
300	Partial induced reorientation of 5CB in a liquid crystal microarray and a signal-on sensing assay for the detection of aflatoxin B1. <i>Chemical Communications</i> , 2022, 58, 5009-5012.	2.2	4
301	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry combined with chemometrics to identify the origin of Chinese medicinal materials. <i>RSC Advances</i> , 2022, 12, 16886-16892.	1.7	4
302	Relationship between the Potentiometric Response Characteristics of Primary Amine Electrodes Based on Synthetic Polyether Derivatives of 1,10-Phenanthroline and Membrane Transport Characteristics. <i>Analytical Sciences</i> , 1994, 10, 413-418.	0.8	3
303	Detection of linear substructures in calibration model by robust approach: Maximum sum of binary-coded residuals (MASBR) regression. <i>Journal of Chemometrics</i> , 1996, 10, 295-307.	0.7	3
304	A New Fluorescence Optical-Fiber Sensor for Colchicine. <i>Analytical Sciences</i> , 1997, 13, 447-451.	0.8	3
305	An Optical-Fiber Sensor for Colchicine Using Photo-Polymerized N-Vinylcarbazole. <i>Mikrochimica Acta</i> , 2003, 142, 225-230.	2.5	3
306	Aspects of recent developments in analytical chemometrics. <i>Science in China Series B: Chemistry</i> , 2006, 49, 193-203.	0.8	3

#	ARTICLE	IF	CITATIONS
307	Simultaneous Determination of Dextromethorphan and Quinidine Contents in Biological Fluid Samples Using Excitation-Emission Matrix Fluorescence Coupled with Second-Order Calibration Methods. <i>Analytical Letters</i> , 2010, 43, 2739-2750.	1.0	3
308	Quantitative study of state switching in proteins using a single probe combined with trilinear decomposition. <i>New Journal of Chemistry</i> , 2014, 38, 2422-2427.	1.4	3
309	Mass spectrometry based trinucleotide repeat sequence detection using target fragment assay. <i>Analytical Methods</i> , 2016, 8, 5039-5044.	1.3	3
310	A novel calibration strategy based on background correction for quantitative circular dichroism spectroscopy. <i>Talanta</i> , 2017, 174, 320-324.	2.9	3
311	Novel Sensitive Fluorometric Determination of Exonuclease I Using Polydopamine Nanospheres. <i>Analytical Letters</i> , 2018, 51, 998-1012.	1.0	3
312	Quantitation of cobalt in Chinese tea by surface-enhanced Raman spectroscopy in combination with the spectral shape deformation quantitative theory. <i>Journal of Raman Spectroscopy</i> , 2019, 50, 322-329.	1.2	3
313	Fluoroimmunosensing System Using Ferulic Acid as the Substrate for the Determination of Transferrin. <i>Analytical Letters</i> , 2003, 36, 3035-3049.	1.0	2
314	Iridium Oxide Film-Enhanced Impedance Immunosensor for Rapid Detection of Carcinoembryonic Antigen. <i>Chinese Journal of Chemistry</i> , 2007, 25, 1288-1293.	2.6	2
315	A Ligation Triggered Label-Free Fluorescent Assay for Adenosine-Triphosphate Based on Nicking Endonuclease Signal Amplification and Ligand Responsive G-Quadruplex Formation. <i>Analytical Letters</i> , 2013, 46, 1097-1107.	1.0	2
316	Gold Nanoparticle Based Fluorescence Resonance Energy Transfer Immunoassay for the Detection of the Histone Deacetylase Activity using a Fluorescent Peptide Probe. <i>Analytical Letters</i> , 2013, 46, 2029-2039.	1.0	2
317	Prediction of the $Q$ - $e$ parameters from transition state structures. <i>Polymer Engineering and Science</i> , 2013, 53, n/a-n/a.	1.5	2
318	Magnetic separation-enrichment-mediated signal amplification for a simple and sensitive fluorometric assay of biotin. <i>Analytical Methods</i> , 2014, 6, 2091-2095.	1.3	2
319	Fluorescence amplification detection via terminal protection of small molecule-protein interactions. <i>RSC Advances</i> , 2015, 5, 107179-107184.	1.7	2
320	An assumption-free quantitative polymerase chain reaction method with internal standard. <i>Talanta</i> , 2020, 220, 121405.	2.9	2
321	Activatable CRISPR Transcriptional Circuits Generate Functional RNA for mRNA Sensing and Silencing. <i>Angewandte Chemie</i> , 2020, 132, 18758-18763.	1.6	2
322	Simultaneous determination of nine tyrosine kinase inhibitors in three complex biological matrices by using high-performance liquid chromatography-diode array detection combined with a second-order calibration method. <i>Journal of Separation Science</i> , 2021, 44, 3914-3923.	1.3	2
323	Quantification of miRNAs by mass spectrometry based on DNase I-assisted amplification with the aid of a chemometric model. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2022, 227, 104603.	1.8	2
324	Multivariate Calibration in Chemometrics: the Robust Approach.. <i>Analytical Sciences</i> , 1994, 10, 149-153.	0.8	1

#	ARTICLE	IF	CITATIONS
325	Direct determination of reserpine in urine using excitation-emission fluorescence combined with three-way chemometric calibration methodologies. <i>Frontiers of Chemistry in China: Selected Publications From Chinese Universities</i> , 2008, 3, 224-228.	0.4	1
326	Electrochemical Detection of <i>Schistosoma Japonicum</i> Antibody Using Biocatalytic Deposition. <i>Analytical Letters</i> , 2008, 41, 2237-2250.	1.0	1
327	Chemometrics-assisted excitation-emission fluorescence spectroscopy for simultaneous determination of ethoxyquin and tert-butylhydroquinone in biological fluid samples. <i>Science China Chemistry</i> , 2013, 56, 664-671.	4.2	1
328	Chemometrics in China. <i>Journal of Chemometrics</i> , 2018, 32, e3094.	0.7	1
329	Label-free and sensitive microRNA detection method based on the locked nucleic acid assisted fishing amplification strategy. <i>Talanta</i> , 2022, 240, 123169.	2.9	1
330	Data fusion of synchronous fluorescence and surface enhanced Raman scattering spectroscopies for geographical origin traceability of <i>Atractylodes macrocephala</i> Koidz. <i>Spectroscopy Letters</i> , 2022, 55, 290-301.	0.5	1
331	Potentiometric Sensor Based on Modified BLM on Rigid Support. <i>Analytical Letters</i> , 1994, 27, 2249-2259.	1.0	0
332	Immunoaffinity Column Based on Electrostatic Self-Assembly for Flow Immunoassay. <i>Analytical Letters</i> , 2003, 36, 1131-1145.	1.0	0
333	Using Sub-Band Reconstruction in Wavelet Space and Fourier Transform to Extract Local Features from Analytical Signals Exactly and Straightforwardly. <i>Analytical Letters</i> , 2010, 43, 1019-1032.	1.0	0
334	Quantification of enantiomers by mass spectrometry based on chemical derivatization and spectral shape deformation quantitative theory. <i>Journal of Mass Spectrometry</i> , 2019, 54, 250-257.	0.7	0
335	Boronate carbon nanoparticles featuring efficient FRET for activatable two-photon fluorescence imaging of sialic acid surface-abundant tumor cells. <i>Analyst</i> , 2021, 146, 5567-5573.	1.7	0