

Jens Pedersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2128246/publications.pdf>

Version: 2024-02-01

26
papers

1,372
citations

489802

18
h-index

620720

26
g-index

27
all docs

27
docs citations

27
times ranked

1671
citing authors

#	ARTICLE	IF	CITATIONS
1	Bile acidâ€“farnesoid X receptorâ€“fibroblast growth factor 19 axis in patients with short bowel syndrome: The randomized, glepaglutide phase 2 trial. <i>Journal of Parenteral and Enteral Nutrition</i> , 2022, 46, 923-935.	1.3	6
2	Effects of glepaglutide, a longâ€“acting glucagonâ€“like peptideâ€“2 analog, on intestinal morphology and perfusion in patients with short bowel syndrome: Findings from a randomized phase 2 trial.. <i>Journal of Parenteral and Enteral Nutrition</i> , 2022, , .	1.3	5
3	Expression of Cholecystokinin and its Receptors in the Intestinal Tract of Type 2 Diabetes Patients and Healthy Controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 2164-2170.	1.8	10
4	Using a Reporter Mouse to Map Known and Novel Sites of GLP-1 Receptor Expression in Peripheral Tissues of Male Mice. <i>Endocrinology</i> , 2021, 162, .	1.4	33
5	Glucagon acutely regulates hepatic amino acid catabolism and the effect may be disturbed by steatosis. <i>Molecular Metabolism</i> , 2020, 42, 101080.	3.0	66
6	GLP-1-induced renal vasodilation in rodents depends exclusively on the known GLP-1 receptor and is lost in prehypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F1409-F1417.	1.3	16
7	Glucagon receptor signaling is not required for <i>iN</i> -carbamoyl glutamate- and <i>l</i> -citrulline-induced ureagenesis in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, G912-G927.	1.6	4
8	Alanine, arginine, cysteine, and proline, but not glutamine, are substrates for, and acute mediators of, the liver- α -cell axis in female mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 318, E920-E929.	1.8	32
9	Secretion of parathyroid hormone may be coupled to insulin secretion in humans. <i>Endocrine Connections</i> , 2020, 9, 747-754.	0.8	6
10	Glucagon Receptor Signaling and Glucagon Resistance. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3314.	1.8	113
11	The Liverâ€“ α -Cell Axis and Type 2 Diabetes. <i>Endocrine Reviews</i> , 2019, 40, 1353-1366.	8.9	110
12	Paracrine crosstalk between intestinal L- and D-cells controls secretion of glucagon-like peptide-1 in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 317, E1081-E1093.	1.8	32
13	Glepaglutide, a novel long-acting glucagon-like peptide-2 analogue, for patients with short bowel syndrome: a randomised phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 354-363.	3.7	52
14	Glucagon Receptor Signaling and Lipid Metabolism. <i>Frontiers in Physiology</i> , 2019, 10, 413.	1.3	112
15	Glucose and amino acid metabolism in mice depend mutually on glucagon and insulin receptor signaling. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E660-E673.	1.8	26
16	Evidence of a liverâ€“ α cell axis in humans: hepatic insulin resistance attenuates relationship between fasting plasma glucagon and glucagonotropic amino acids. <i>Diabetologia</i> , 2018, 61, 671-680.	2.9	76
17	Disruption of glucagon receptor signaling causes hyperaminoacidemia exposing a possible liver- α -cell axis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 314, E93-E103.	1.8	84
18	Enteroendocrine K and L cells in healthy and type 2 diabetic individuals. <i>Diabetologia</i> , 2018, 61, 284-294.	2.9	107

#	ARTICLE	IF	CITATIONS
19	Glucagon and Amino Acids Are Linked in a Mutual Feedback Cycle: The Liver- α -Cell Axis. <i>Diabetes</i> , 2017, 66, 235-240.	0.3	144
20	The Gut: A Key to the Pathogenesis of Type 2 Diabetes?. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 259-262.	0.5	10
21	Why is it so difficult to measure glucagon-like peptide-1 in a mouse?. <i>Diabetologia</i> , 2017, 60, 2066-2075.	2.9	39
22	The biology of glucagon and the consequences of hyperglucagonemia. <i>Biomarkers in Medicine</i> , 2016, 10, 1141-1151.	0.6	102
23	Neurotensin Is Coexpressed, Coreleased, and Acts Together With GLP-1 and PYY in Enteroendocrine Control of Metabolism. <i>Endocrinology</i> , 2016, 157, 176-194.	1.4	119
24	The glucagon-like peptide 2 receptor is expressed in enteric neurons and not in the epithelium of the intestine. <i>Peptides</i> , 2015, 67, 20-28.	1.2	40
25	A 25-Year-Old Woman with Type 2 Diabetes and Liver Disease. <i>Case Reports in Gastroenterology</i> , 2014, 8, 398-403.	0.3	2
26	Increased expression of glucagon-like peptide-1 receptors in psoriasis plaques. <i>Experimental Dermatology</i> , 2013, 22, 150-152.	1.4	25