

Pavel Barta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/212959/pavel-barta-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23
papers

212
citations

8
h-index

14
g-index

23
ext. papers

239
ext. citations

3
avg, IF

2.68
L-index

#	Paper	IF	Citations
23	Design, synthesis and biological evaluation of substituted 3-amino-N-(thiazol-2-yl)pyrazine-2-carboxamides as inhibitors of mycobacterial methionine aminopeptidase 1. <i>Bioorganic Chemistry</i> , 2022 , 118, 105489	5.1	1
22	Improving Antimicrobial Activity and Physico-Chemical Properties by Isosteric Replacement of 2-Aminothiazole with 2-Aminooxazole. <i>Pharmaceuticals</i> , 2022 , 15, 580	5.2	1
21	Preclinical evaluation of anti-VEGFR2 monoclonal antibody ramucirumab labelled with zirconium-89 for tumour imaging. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2021 , 64, 262-270	1.9	1
20	N-pyridinylbenzamides: an isosteric approach towards new antimycobacterial compounds. <i>Chemical Biology and Drug Design</i> , 2021 , 97, 686-700	2.9	2
19	Synthesis, Biological Evaluation, and In Silico Modeling of -Substituted Quinoxaline-2-Carboxamides. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
18	-Pyrazinoyl Substituted Amino Acids as Potential Antimycobacterial Agents-The Synthesis and Biological Evaluation of Enantiomers. <i>Molecules</i> , 2020 , 25,	4.8	5
17	5-Alkylamino--phenylpyrazine-2-carboxamides: Design, Preparation, and Antimycobacterial Evaluation. <i>Molecules</i> , 2020 , 25,	4.8	6
16	Antiangiogenic Human Monoclonal Antibody Ramucirumab Radiolabelling: Evaluation on VEGFR2-positive Cell Lines. <i>Anticancer Research</i> , 2019 , 39, 735-744	2.3	2
15	Trans-resveratrol, but not other natural stilbenes occurring in food, carries the risk of drug-food interaction via inhibition of cytochrome P450 enzymes or interaction with xenosensor receptors. <i>Toxicology Letters</i> , 2019 , 300, 81-91	4.4	17
14	In vitro evaluation of concentration, labeling effectiveness and stability for I-labeled radioimmunoassay ligand using real-time detection technology. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2017 , 60, 80-86	1.9	1
13	Impact of assay temperature on antibody binding characteristics in living cells: A case study. <i>Biomedical Reports</i> , 2017 , 7, 400-406	1.8	14
12	The involvement of selected membrane transport mechanisms in the cellular uptake of (177)Lu-labeled bombesin, somatostatin and gastrin analogues. <i>Nuclear Medicine and Biology</i> , 2015 , 42, 1-7	2.1	6
11	The in vivo disposition and in vitro transmembrane transport of two model radiometabolites of DOTA-conjugated receptor-specific peptides labelled with (177) Lu. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2015 , 58, 483-9	1.9	1
10	Entecavir Interacts with Influx Transporters hOAT1, hCNT2, hCNT3, but Not with hOCT2: The Potential for Renal Transporter-Mediated Cytotoxicity and Drug-Drug Interactions. <i>Frontiers in Pharmacology</i> , 2015 , 6, 304	5.6	7
9	Determination of receptor protein binding site specificity and relative binding strength using a time-resolved competition assay. <i>Journal of Pharmacological and Toxicological Methods</i> , 2014 , 70, 145-51 ^{1.7}		2
8	The effect of chelator type on in vitro receptor binding and stability in 177Lu-labeled cetuximab and panitumumab. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2014 , 57, 448-52	1.9	4
7	Exploring Time-Resolved Characterization of the Heterogeneity and Dynamics of Ligand-Receptor Interactions on Living Cells. <i>Journal of Analytical Oncology</i> , 2014 , 3, 94-104		8

6	Preclinical evaluation of radiolabelled nimotuzumab, a promising monoclonal antibody targeting the epidermal growth factor receptor. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2013 , 56, 280-8	1.9	6
5	A comparison of in vitro methods for determining the membrane receptor expression in cell lines. <i>Nuclear Medicine and Biology</i> , 2012 , 39, 893-6	2.1	14
4	Protein interactions with HER-family receptors can have different characteristics depending on the hosting cell line. <i>International Journal of Oncology</i> , 2012 , 40, 1677-82	4.4	17
3	Gefitinib induces epidermal growth factor receptor dimers which alters the interaction characteristics with α EGF. <i>PLoS ONE</i> , 2011 , 6, e24739	3.7	67
2	Circumventing the requirement of binding saturation for receptor quantification using interaction kinetic extrapolation. <i>Nuclear Medicine Communications</i> , 2011 , 32, 863-7	1.6	13
1	Preparation of peptide thioesters using Fmoc strategy through hydroxyl side chain anchoring. <i>Tetrahedron Letters</i> , 2008 , 49, 4016-4019	2	15