

De-Quan Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2131090/de-quan-li-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

6,944
citations

44
h-index

83
g-index

92
ext. papers

7,666
ext. citations

4.7
avg, IF

5.48
L-index

#	Paper	IF	Citations
92	Cathepsin S is a novel target for age-related dry eye.. <i>Experimental Eye Research</i> , 2021 , 214, 108895	3.7	1
91	Single-cell transcriptomics identifies limbal stem cell population and cell types mapping its differentiation trajectory in limbal basal epithelium of human cornea. <i>Ocular Surface</i> , 2021 , 20, 20-32	6.5	13
90	Single-Cell Transcriptomics Identifies a Unique Entity and Signature Markers of Transit-Amplifying Cells in Human Corneal Limbus 2021 , 62, 36		3
89	IL-36/IL-36RA/IL-38 signaling mediates inflammation and barrier disruption in human corneal epithelial cells under hyperosmotic stress. <i>Ocular Surface</i> , 2021 , 22, 163-171	6.5	7
88	IL-33/ST2/IL-9/IL-9R signaling disrupts ocular surface barrier in allergic inflammation. <i>Mucosal Immunology</i> , 2020 , 13, 919-930	9.2	5
87	Autophagy Activation Protects Ocular Surface from Inflammation in a Dry Eye Model In Vitro. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
86	Trehalose Induces Autophagy Against Inflammation by Activating TFEB Signaling Pathway in Human Corneal Epithelial Cells Exposed to Hyperosmotic Stress 2020 , 61, 26		15
85	Short ragweed pollen promotes M2 macrophage polarization via TSLP/TSLPR/OX40L signaling in allergic inflammation. <i>Mucosal Immunology</i> , 2019 , 12, 1141-1149	9.2	7
84	IL-27 signaling deficiency develops Th17-enhanced Th2-dominant inflammation in murine allergic conjunctivitis model. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 910-921	9.3	20
83	Goblet cell-produced retinoic acid suppresses CD86 expression and IL-12 production in bone marrow-derived cells. <i>International Immunology</i> , 2018 , 30, 457-470	4.9	19
82	Mitochondrial DNA oxidation induces imbalanced activity of NLRP3/NLRP6 inflammasomes by activation of caspase-8 and BRCC36 in dry eye. <i>Journal of Autoimmunity</i> , 2017 , 80, 65-76	15.5	48
81	Identification for Differential Localization of Putative Corneal Epithelial Stem Cells in Mouse and Human. <i>Scientific Reports</i> , 2017 , 7, 5169	4.9	17
80	Inhibition of NLRP3 Inflammasome Pathway by Butyrate Improves Corneal Wound Healing in Corneal Alkali Burn. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	42
79	Blueberry Component Pterostilbene Protects Corneal Epithelial Cells from Inflammation via Anti-oxidative Pathway. <i>Scientific Reports</i> , 2016 , 6, 19408	4.9	66
78	Pollen/TLR4 Innate Immunity Signaling Initiates IL-33/ST2/Th2 Pathways in Allergic Inflammation. <i>Scientific Reports</i> , 2016 , 6, 36150	4.9	24
77	Differential Effects of Dexamethasone and Doxycycline on Inflammation and MMP Production in Murine Alkali-Burned Corneas Associated with Dry Eye. <i>Ocular Surface</i> , 2016 , 14, 242-54	6.5	43
76	MMP-8 Is Critical for Dexamethasone Therapy in Alkali-Burned Corneas Under Dry Eye Conditions. <i>Journal of Cellular Physiology</i> , 2016 , 231, 2506-16	7	11

75	Effects of azithromycin on gene expression profiles of proinflammatory and anti-inflammatory mediators in the eyelid margin and conjunctiva of patients with meibomian gland disease. <i>JAMA Ophthalmology</i> , 2015 , 133, 1117-23	3.9	41
74	Effects of L-carnitine, erythritol and betaine on pro-inflammatory markers in primary human corneal epithelial cells exposed to hyperosmotic stress. <i>Current Eye Research</i> , 2015 , 40, 657-67	2.9	49
73	Desiccating Stress-Induced MMP Production and Activity Worsens Wound Healing in Alkali-Burned Corneas 2015 , 56, 4908-18		24
72	Protective Effects of L-Carnitine Against Oxidative Injury by Hyperosmolarity in Human Corneal Epithelial Cells 2015 , 56, 5503-11		35
71	Aqueous Tear Deficiency Increases Conjunctival Interferon- γ Expression and Goblet Cell Loss 2015 , 56, 7545-50		84
70	Unique expression pattern and functional role of periostin in human limbal stem cells. <i>PLoS ONE</i> , 2015 , 10, e0117139	3.7	11
69	Oxidative stress markers induced by hyperosmolarity in primary human corneal epithelial cells. <i>PLoS ONE</i> , 2015 , 10, e0126561	3.7	76
68	A Novel Innate Response of Human Corneal Epithelium to Heat-killed <i>Candida albicans</i> by Producing Peptidoglycan Recognition Proteins. <i>PLoS ONE</i> , 2015 , 10, e0128039	3.7	15
67	Topical interferon-gamma neutralization prevents conjunctival goblet cell loss in experimental murine dry eye. <i>Experimental Eye Research</i> , 2014 , 118, 117-24	3.7	54
66	Human corneal epithelial cells produce antimicrobial peptides LL-37 and α -defensins in response to heat-killed <i>Candida albicans</i> . <i>Ophthalmic Research</i> , 2014 , 51, 179-86	2.9	18
65	Ocular surface disease and dacryoadenitis in aging C57BL/6 mice. <i>American Journal of Pathology</i> , 2014 , 184, 631-43	5.8	56
64	A potential link between bacterial pathogens and allergic conjunctivitis by dendritic cells. <i>Experimental Eye Research</i> , 2014 , 120, 118-26	3.7	12
63	Osmoprotectants suppress the production and activity of matrix metalloproteinases induced by hyperosmolarity in primary human corneal epithelial cells. <i>Molecular Vision</i> , 2014 , 20, 1243-52	2.3	20
62	Characterization, isolation, expansion and clinical therapy of human corneal epithelial stem/progenitor cells. <i>Journal of Stem Cells</i> , 2014 , 9, 79-91		19
61	TLR-mediated induction of proinflammatory cytokine IL-32 in corneal epithelium. <i>Current Eye Research</i> , 2013 , 38, 630-8	2.9	12
60	A novel interleukin 33/ST2 signaling regulates inflammatory response in human corneal epithelium. <i>PLoS ONE</i> , 2013 , 8, e60963	3.7	18
59	Transcription factor TCF4 maintains the properties of human corneal epithelial stem cells. <i>Stem Cells</i> , 2012 , 30, 753-61	5.8	47
58	NK cells promote Th-17 mediated corneal barrier disruption in dry eye. <i>PLoS ONE</i> , 2012 , 7, e36822	3.7	62

57	Identification of human fibroblast cell lines as a feeder layer for human corneal epithelial regeneration. <i>PLoS ONE</i> , 2012 , 7, e38825	3.7	20
56	A native-like corneal construct using donor corneal stroma for tissue engineering. <i>PLoS ONE</i> , 2012 , 7, e49571	3.7	12
55	Short ragweed pollen triggers allergic inflammation through Toll-like receptor 4-dependent thymic stromal lymphopoietin/OX40 ligand/OX40 signaling pathways. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 1318-1325.e2	11.5	92
54	The Eatenin/Tcf4/survivin signaling maintains a less differentiated phenotype and high proliferative capacity of human corneal epithelial progenitor cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2011 , 43, 751-9	5.6	33
53	TLR-mediated induction of pro-allergic cytokine IL-33 in ocular mucosal epithelium. <i>International Journal of Biochemistry and Cell Biology</i> , 2011 , 43, 1383-91	5.6	64
52	Disruption of TGF- β signaling improves ocular surface epithelial disease in experimental autoimmune keratoconjunctivitis sicca. <i>PLoS ONE</i> , 2011 , 6, e29017	3.7	37
51	Entrapment of conjunctival goblet cells by desiccation-induced cornification 2011 , 52, 3492-9		41
50	A Novel Epithelial Proallergic Cytokine IL-33 Serves As A Biomarker For Ocular Allergic Inflammation. <i>FASEB Journal</i> , 2011 , 25, lb345	0.9	
49	Suppressive effects of azithromycin on zymosan-induced production of proinflammatory mediators by human corneal epithelial cells 2010 , 51, 5623-9		58
48	Desiccating stress promotion of Th17 differentiation by ocular surface tissues through a dendritic cell-mediated pathway 2010 , 51, 3083-91		71
47	TSLP and downstream molecules in experimental mouse allergic conjunctivitis 2010 , 51, 3076-82		42
46	Age-related T-cell cytokine profile parallels corneal disease severity in Sjogren's syndrome-like keratoconjunctivitis sicca in CD25KO mice. <i>Rheumatology</i> , 2010 , 49, 246-58	3.9	81
45	Molecular signatures and biological pathway profiles of human corneal epithelial progenitor cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1142-53	5.6	30
44	Toll-like receptors mediate induction of peptidoglycan recognition proteins in human corneal epithelial cells. <i>Experimental Eye Research</i> , 2010 , 90, 130-6	3.7	28
43	Evaluation of the transforming growth factor-beta activity in normal and dry eye human tears by CCL-185 cell bioassay. <i>Cornea</i> , 2010 , 29, 1048-54	3.1	28
42	Induction of Th17 differentiation by corneal epithelial-derived cytokines. <i>Journal of Cellular Physiology</i> , 2010 , 222, 95-102	7	39
41	Potential localization of putative stem/progenitor cells in human bulbar conjunctival epithelium. <i>Journal of Cellular Physiology</i> , 2010 , 225, 180-5	7	24
40	An immunoprotective privilege of corneal epithelial stem cells against Th17 inflammatory stress by producing glial cell-derived neurotrophic factor. <i>Stem Cells</i> , 2010 , 28, 2172-81	5.8	27

39	Human corneal epithelium-derived thymic stromal lymphopoietin links the innate and adaptive immune responses via TLRs and Th2 cytokines 2009 , 50, 2702-9		53
38	Nerve growth factor and its receptor TrkA serve as potential markers for human corneal epithelial progenitor cells. <i>Experimental Eye Research</i> , 2008 , 86, 34-40	3.7	71
37	Glial cell-derived neurotrophic factor gene delivery enhances survival of human corneal epithelium in culture and the overexpression of GDNF in bioengineered constructs. <i>Experimental Eye Research</i> , 2008 , 87, 580-6	3.7	10
36	Effects of contact lens multipurpose solutions on human corneal epithelial survival and barrier function. <i>Eye and Contact Lens</i> , 2008 , 34, 281-6	3.2	36
35	Hyperosmolarity-induced cornification of human corneal epithelial cells is regulated by JNK MAPK. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 539-49		64
34	A putative role for RHAMM/HMMR as a negative marker of stem cell-containing population of human limbal epithelial cells. <i>Stem Cells</i> , 2008 , 26, 1609-19	5.8	36
33	Dry eye-induced conjunctival epithelial squamous metaplasia is modulated by interferon-gamma. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 2553-60		232
32	Expression of Th-1 chemokines and chemokine receptors on the ocular surface of C57BL/6 mice: effects of desiccating stress. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 2561-9		138
31	Patterned expression of neurotrophic factors and receptors in human limbal and corneal regions. <i>Molecular Vision</i> , 2007 , 13, 1934-41	2.3	52
30	Desiccating stress stimulates expression of matrix metalloproteinases by the corneal epithelium. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 3293-302		138
29	JNK and ERK MAP kinases mediate induction of IL-1beta, TNF-alpha and IL-8 following hyperosmolar stress in human limbal epithelial cells. <i>Experimental Eye Research</i> , 2006 , 82, 588-96	3.7	265
28	Corticosteroid and doxycycline suppress MMP-9 and inflammatory cytokine expression, MAPK activation in the corneal epithelium in experimental dry eye. <i>Experimental Eye Research</i> , 2006 , 83, 526-35	3.7	298
27	Improved transduction of human corneal epithelial progenitor cells with cell-targeting adenoviral vectors. <i>Experimental Eye Research</i> , 2006 , 83, 798-806	3.7	17
26	Expression and regulation of cornified envelope proteins in human corneal epithelium. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 1938-46		59
25	Apical corneal barrier disruption in experimental murine dry eye is abrogated by methylprednisolone and doxycycline. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 2847-56		141
24	Cell size correlates with phenotype and proliferative capacity in human corneal epithelial cells. <i>Stem Cells</i> , 2006 , 24, 368-75	5.8	102
23	Gap junction protein connexin 43 serves as a negative marker for a stem cell-containing population of human limbal epithelial cells. <i>Stem Cells</i> , 2006 , 24, 1265-73	5.8	80
22	Targeted inhibition of p57 and p15 blocks transforming growth factor beta-inhibited proliferation of primary cultured human limbal epithelial cells. <i>Molecular Vision</i> , 2006 , 12, 983-94	2.3	20

21	Matrix metalloproteinases in corneal inflammation. <i>Ocular Surface</i> , 2005 , 3, S198-202	6.5	29
20	Partial enrichment of a population of human limbal epithelial cells with putative stem cell properties based on collagen type IV adhesiveness. <i>Experimental Eye Research</i> , 2005 , 80, 581-90	3.7	83
19	Matrix metalloproteinase-9 knockout confers resistance to corneal epithelial barrier disruption in experimental dry eye. <i>American Journal of Pathology</i> , 2005 , 166, 61-71	5.8	229
18	Hyperosmolar saline is a proinflammatory stress on the mouse ocular surface. <i>Eye and Contact Lens</i> , 2005 , 31, 186-93	3.2	242
17	ABCG2 transporter identifies a population of clonogenic human limbal epithelial cells. <i>Stem Cells</i> , 2005 , 23, 63-73	5.8	258
16	Doxycycline inhibits TGF-beta1-induced MMP-9 via Smad and MAPK pathways in human corneal epithelial cells. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 840-8		119
15	Stimulation of matrix metalloproteinases by hyperosmolarity via a JNK pathway in human corneal epithelial cells. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 4302-11		290
14	Experimental dry eye stimulates production of inflammatory cytokines and MMP-9 and activates MAPK signaling pathways on the ocular surface. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 4293-301		440
13	Characterization of putative stem cell phenotype in human limbal epithelia. <i>Stem Cells</i> , 2004 , 22, 355-66	5.8	304
12	Phenotypic characterization of human corneal epithelial cells expanded ex vivo from limbal explant and single cell cultures. <i>Experimental Eye Research</i> , 2004 , 79, 41-9	3.7	184
11	TGF-beta1 stimulates production of gelatinase (MMP-9), collagenases (MMP-1, -13) and stromelysins (MMP-3, -10, -11) by human corneal epithelial cells. <i>Experimental Eye Research</i> , 2004 , 79, 263-74	3.7	75
10	Neurturin-deficient mice develop dry eye and keratoconjunctivitis sicca. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 4223-9		94
9	Experimentally induced dry eye produces ocular surface inflammation and epithelial disease. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 506, 647-55	3.6	28
8	Regulation of MMP-9 production by human corneal epithelial cells. <i>Experimental Eye Research</i> , 2001 , 73, 449-59	3.7	207
7	Anticancer Drug-Induced Apoptosis and Cytotoxicity in Prostate Cancer Cells Are Modulated by Organ-Specific Stromal Cell Factors. <i>Scientific World Journal, The</i> , 2001 , 1, 59	2.2	1
6	Suppression of transforming growth factor-beta isoforms, TGF-beta receptor type II, and myofibroblast differentiation in cultured human corneal and limbal fibroblasts by amniotic membrane matrix. <i>Journal of Cellular Physiology</i> , 1999 , 179, 325-35	7	348
5	Differential expression and regulation of TGF-beta1, TGF-beta2, TGF-beta3, TGF-betaRI, TGF-betaRII and TGF-betaRIII in cultured human corneal, limbal, and conjunctival fibroblasts. <i>Current Eye Research</i> , 1999 , 19, 154-61	2.9	47
4	Differential regulation of keratinocyte growth factor and hepatocyte growth factor/scatter factor by different cytokines in human corneal and limbal fibroblasts. <i>Journal of Cellular Physiology</i> , 1997 , 172, 361-72	7	66

3	Differential regulation of keratinocyte growth factor and hepatocyte growth factor/scatter factor by different cytokines in human corneal and limbal fibroblasts 1997 , 172, 361		4
2	Comparison between serum-free and fibroblast-cocultured single-cell clonal culture systems: evidence showing that epithelial anti-apoptotic activity is present in 3T3 fibroblast-conditioned media. <i>Current Eye Research</i> , 1996 , 15, 973-84	2.9	79
1	Three patterns of cytokine expression potentially involved in epithelial-fibroblast interactions of human ocular surface. <i>Journal of Cellular Physiology</i> , 1995 , 163, 61-79	7	275