Arnd Baumann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2134499/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	PaOctβ2R: Identification and Functional Characterization of an Octopamine Receptor Activating Adenylyl Cyclase Activity in the American Cockroach Periplaneta americana. International Journal of Molecular Sciences, 2022, 23, 1677.	1.8	4
2	The Functional Characterization of GCaMP3.0 Variants Specifically Targeted to Subcellular Domains. International Journal of Molecular Sciences, 2022, 23, 6593.	1.8	2
3	AAV-Mediated CRISPRi and RNAi Based Gene Silencing in Mouse Hippocampal Neurons. Cells, 2021, 10, 324.	1.8	5
4	Loss of HCN2 in Dorsal Hippocampus of Young Adult Mice Induces Specific Apoptosis of the CA1 Pyramidal Neuron Layer. International Journal of Molecular Sciences, 2021, 22, 6699.	1.8	3
5	Development and Evaluation of a Versatile Receptor-Ligand Binding Assay Using Cell Membrane Preparations Embedded in an Agarose Gel Matrix and Evaluation with the Human Adenosine A1Receptor. Assay and Drug Development Technologies, 2020, 18, 328-340.	0.6	1
6	Establishing a sensitive fluorescence-based quantification method for cyclic nucleotides. BMC Biotechnology, 2020, 20, 47.	1.7	1
7	AmOctα2R: Functional Characterization of a Honeybee Octopamine Receptor Inhibiting Adenylyl Cyclase Activity. International Journal of Molecular Sciences, 2020, 21, 9334.	1.8	14
8	HCN4 knockdown in dorsal hippocampus promotes anxietyâ€like behavior in mice. Genes, Brain and Behavior, 2019, 18, e12550.	1.1	18
9	Blood glutamate EAAT2-cell grabbing therapy in cerebral ischemia. EBioMedicine, 2019, 39, 118-131.	2.7	21
10	Modulation of thalamocortical oscillations by TRIP8b, an auxiliary subunit for HCN channels. Brain Structure and Function, 2018, 223, 1537-1564.	1.2	36
11	Modulation of Hyperpolarization-Activated Inward Current and Thalamic Activity Modes by Different Cyclic Nucleotides. Frontiers in Cellular Neuroscience, 2018, 12, 369.	1.8	22
12	Dorsal BNST α _{2A} -Adrenergic Receptors Produce HCN-Dependent Excitatory Actions That Initiate Anxiogenic Behaviors. Journal of Neuroscience, 2018, 38, 8922-8942.	1.7	31
13	Full rescue of an inactive olfactory receptor mutant by elimination of an allosteric ligand-gating site. Scientific Reports, 2018, 8, 9631.	1.6	9
14	Caspase-3 and GFAP as early markers for apoptosis and astrogliosis in shRNA-induced hippocampal cytotoxicity. Journal of Experimental Biology, 2017, 220, 1400-1404.	0.8	11
15	AmTAR2: Functional characterization of a honeybee tyramine receptor stimulating adenylyl cyclase activity. Insect Biochemistry and Molecular Biology, 2017, 80, 91-100.	1.2	34
16	Dm5-HT2B: Pharmacological Characterization of the Fifth Serotonin Receptor Subtype of Drosophila melanogaster. Frontiers in Systems Neuroscience, 2017, 11, 28.	1.2	23
17	PeaTAR1B: Characterization of a Second Type 1 Tyramine Receptor of the American Cockroach, Periplaneta americana. International Journal of Molecular Sciences, 2017, 18, 2279.	1.8	12
18	Elimination of a ligand gating site generates a supersensitive olfactory receptor. Scientific Reports, 2016, 6, 28359.	1.6	11

Arnd Baumann

#	Article	IF	CITATIONS
19	High-efficiency transduction and specific expression of ChR2opt for optogenetic manipulation of primary cortical neurons mediated by recombinant adeno-associated viruses. Journal of Biotechnology, 2016, 233, 171-180.	1.9	12
20	Molecular and functional profiling of histamine receptor-mediated calcium ion signals in different cell lines. Analytical Biochemistry, 2015, 486, 96-101.	1.1	6
21	SNSMIL, a real-time single molecule identification and localization algorithm for super-resolution fluorescence microscopy. Scientific Reports, 2015, 5, 11073.	1.6	29
22	Distinct expression patterns of HCN channels in HL-1 cardiomyocytes. BMC Cell Biology, 2015, 16, 18.	3.0	4
23	Cockroach GABAB receptor subtypes: Molecular characterization, pharmacological properties and tissue distribution. Neuropharmacology, 2015, 88, 134-144.	2.0	22
24	Transiently Increasing cAMP Levels Selectively in Hippocampal Excitatory Neurons during Sleep Deprivation Prevents Memory Deficits Caused by Sleep Loss. Journal of Neuroscience, 2014, 34, 15715-15721.	1.7	62
25	Molecular, pharmacological, and signaling properties of octopamine receptors from honeybee (<i>Apis mellifera</i>) brain. Journal of Neurochemistry, 2014, 129, 284-296.	2.1	62
26	Characterization of an Invertebrate-Type Dopamine Receptor of the American Cockroach, Periplaneta americana. International Journal of Molecular Sciences, 2014, 15, 629-653.	1.8	21
27	Recombinant Adeno-associated virus (rAAV)-mediated transduction and optogenetic manipulation of cortical neurons in vitro. Proceedings of SPIE, 2014, , .	0.8	0
28	Choline acetyltransferaseâ€like immunoreactivity in a physiologically distinct subtype of olfactory nonspiking local interneurons in the cockroach (<i>periplaneta americana</i>). Journal of Comparative Neurology, 2013, 521, 3556-3569.	0.9	22
29	Pharmacological Characterization of a 5-HT1-Type Serotonin Receptor in the Red Flour Beetle, Tribolium castaneum. PLoS ONE, 2013, 8, e65052.	1.1	33
30	Function and Distribution of 5-HT2 Receptors in the Honeybee (Apis mellifera). PLoS ONE, 2013, 8, e82407.	1.1	35
31	Functional characterization of transmembrane adenylyl cyclases from the honeybee brain. Insect Biochemistry and Molecular Biology, 2012, 42, 435-445.	1.2	24
32	Adenylyl Cyclases: Expression in the Developing Rat Thalamus and Their Role in Absence Epilepsy. Journal of Molecular Neuroscience, 2012, 48, 45-52.	1.1	4
33	Coumarinâ€Based Octopamine Phototriggers and their Effects on an Insect Octopamine Receptor. ChemBioChem, 2012, 13, 1458-1464.	1.3	7
34	Plant essential oils and formamidines as insecticides/acaricides: what are the molecular targets?. Apidologie, 2012, 43, 334-347.	0.9	85
35	Direct electrochemistry of novel affinity-tag immobilized recombinant horse heart cytochrome c. Biosensors and Bioelectronics, 2012, 34, 171-177.	5.3	24
36	Molecular and Pharmacological Characterization of Serotonin 5-HT2α and 5-HT7 Receptors in the Salivary Glands of the Blowfly Calliphora vicina. PLoS ONE, 2012, 7, e49459.	1.1	38

Arnd Baumann

#	Article	IF	CITATIONS
37	A single amino acid residue controls Ca ²⁺ signaling by an octopamine receptor from <i>Drosophila melanogaster</i> . FASEB Journal, 2011, 25, 2484-2491.	0.2	22
38	Characterization of the 5-HT1A receptor of the honeybee (Apis mellifera) and involvement of serotonin in phototactic behavior. Cellular and Molecular Life Sciences, 2010, 67, 2467-2479.	2.4	90
39	Biochemical properties of heterologously expressed and native adenylyl cyclases from the honeybee brain (Apis mellifera L.). Insect Biochemistry and Molecular Biology, 2010, 40, 573-580.	1.2	4
40	Bidirectional immobilization of affinity-tagged cytochrome c on electrode surfaces. Chemical Communications, 2010, 46, 5295.	2.2	10
41	Biogenic Amines. , 2009, , 80-82.		2
42	Postnatal Expression Pattern of HCN Channel Isoforms in Thalamic Neurons: Relationship to Maturation of Thalamocortical Oscillations. Journal of Neuroscience, 2009, 29, 8847-8857.	1.7	79
43	Bestrophin 2: An anion channel associated with neurogenesis in chemosensory systems. Journal of Comparative Neurology, 2009, 515, 585-599.	0.9	10
44	Molecular identification and functional characterization of an adenylyl cyclase from the honeybee. Journal of Neurochemistry, 2006, 96, 1580-1590.	2.1	36
45	Am5-HT7: molecular and pharmacological characterization of the first serotonin receptor of the honeybee (Apis mellifera). Journal of Neurochemistry, 2006, 98, 1985-1998.	2.1	63
46	The aminergic control of cockroach salivary glands. Archives of Insect Biochemistry and Physiology, 2006, 62, 141-152.	0.6	55
47	Aminergic Control and Modulation of Honeybee Behaviour. Current Neuropharmacology, 2006, 4, 259-276.	1.4	137
48	A family of octapamine receptors that specifically induce cyclic AMP production or Ca2+release inDrosophila melanogaster. Journal of Neurochemistry, 2005, 93, 440-451.	2.1	155
49	A family of octopamine receptors that specifically induce cyclic AMP production or Ca2+ release in Drosophila melanogaster. Journal of Neurochemistry, 2005, 94, 1168-1168.	2.1	3
50	Characterization of the 5′ regulatory region of theDrosophila Dmdop1 dopamine receptor-gene. Archives of Insect Biochemistry and Physiology, 2005, 59, 118-131.	0.6	4
51	Molecular characterization of theebony gene from the American cockroach,Periplaneta americana. Archives of Insect Biochemistry and Physiology, 2005, 59, 184-195.	0.6	10
52	Cell-Transistor Coupling: Investigation of Potassium Currents Recorded with p- and n-Channel FETs. Biophysical Journal, 2005, 89, 3628-3638.	0.2	63
53	Molecular and functional characterization of an octopamine receptor from honeybee (Apis mellifera) brain. Journal of Neurochemistry, 2003, 86, 725-735.	2.1	162
54	A cGMP-gated channel subunit in Limulus photoreceptors. Visual Neuroscience, 2001, 18, 517-526.	0.5	12

#	Article	IF	CITATIONS
55	Molecular and pharmacological properties of insect biogenic amine receptors: Lessons fromDrosophila melanogaster andApis mellifera. Archives of Insect Biochemistry and Physiology, 2001, 48, 13-38.	0.6	336
56	Amtyr1. Journal of Neurochemistry, 2000, 74, 900-908.	2.1	154
57	Individual Subunits Contribute Independently to Slow Gating of Bovine EAG Potassium Channels. Journal of Biological Chemistry, 1999, 274, 5362-5369.	1.6	27
58	Protein phosphatase type-2C isozymes present in vertebrate retinae: Purification, characterization, and localization in photoreceptors. , 1998, 51, 328-338.		22
59	Molecular Determinants of Dofetilide Block of HERG K ⁺ Channels. Circulation Research, 1998, 82, 386-395.	2.0	286
60	Molecular Cloning of Protein Phosphatase Type 2C Isoforms from Retinal cDNA. , 1998, 93, 243-250.		2
61	Characterization of Ether-Ã-go-go Channels Present in Photoreceptors Reveals Similarity to IKx, a K+ Current in Rod Inner Segments. Journal of General Physiology, 1998, 111, 583-599.	0.9	79
62	Characterization of a Dopamine D1 Receptor from <i>Apis mellifera:</i> Cloning, Functional Expression, Pharmacology, and mRNA Localization in the Brain. Journal of Neurochemistry, 1998, 70, 15-23.	2.1	136
63	Functional Properties ofDrosophilaDopamine D1-Receptors Are Not Altered by the Size of the N-Terminus. Biochemical and Biophysical Research Communications, 1996, 222, 121-126.	1.0	15
64	Sequence of Dα2, a novel α-like subunit ofDrosophilanicotinic acetylcholine receptors. Nucleic Acids Research, 1990, 18, 3640-3640.	6.5	23
65	Expression of voltage-gated K+ channels in insulin-producing cells. FEBS Letters, 1990, 263, 121-126.	1.3	31
66	Structure and developmental expression of the Dα2 gene encoding a novel nicotinic acetylcholine receptor protein ofDrosophila melanogaster. FEBS Letters, 1990, 269, 264-268.	1.3	34
67	Potassium channels expressed from rat brain cDNA have delayed rectifier properties. FEBS Letters, 1988, 242, 199-206.	1.3	168