
John J Sim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2134541/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Rates of Biopsy-Proven Pediatric Glomerulopathies in a Large Health System, 2000-2014. American Journal of Kidney Diseases, 2022, 79, 453-455. | 2.1 | 2 |
| 2 | Potentially Harmful Medication Dispenses After a Fall or Hip Fracture: A Mixed Methods Study of a Commonly Used Quality Measure. Joint Commission Journal on Quality and Patient Safety, 2022, , . | 0.4 | 0 |
| 3 | Causes of Death in End-Stage Kidney Disease: Comparison between the United States Renal Data System and a Large Integrated Health Care System. American Journal of Nephrology, 2022, 53, 32-40. | 1.4 | 9 |
| 4 | Antibiotic practice patterns with procalcitonin levels in patients with acute lower respiratory tract infection. American Journal of Managed Care, 2022, 28, e35-e41. | 0.8 | 0 |
| 5 | Statin Use and Mortality among Patients Hospitalized with Sepsis: A Retrospective Cohort Study within Southern California, 2008–2018. Critical Care Research and Practice, 2022, 2022, 1-7. | 0.4 | 1 |
| 6 | COVID-19 and Survival in Maintenance Dialysis. Kidney Medicine, 2021, 3, 132-135. | 1.0 | 27 |
| 7 | β-Blocker Use and Risk of Mortality in Heart Failure Patients Initiating Maintenance Dialysis. American Journal of Kidney Diseases, 2021, 77, 704-712. | 2.1 | 12 |
| 8 | Angiotensinâ€Converting Enzyme Inhibitors or Angiotensin Receptor Blockers Use and COVIDâ€19 Infection Among 824Â650 Patients With Hypertension From a US Integrated Healthcare System. Journal of the American Heart Association, 2021, 10, e019669. | 1.6 | 26 |
| 9 | Statin use and survival among ESKD patients hospitalized with sepsis. CKJ: Clinical Kidney Journal, 2021, 14, 1710-1712. | 1.4 | 3 |
| 10 | COVID-19 morbidity and mortality associated with angiotensin-converting enzyme inhibitors or angiotensin receptor blockers use among 14,129 patients with hypertension from a US integrated healthcare system. International Journal of Cardiology: Hypertension, 2021, 9, 100088. | 2.2 | 4 |
| 11 | Cardiovascular and kidney outcomes of spironolactone or eplerenone in combination with ACEI/ARBs in patients with diabetic kidney disease. Pharmacotherapy, 2021, 41, 998-1008. | 1.2 | 10 |
| 12 | Autosomal Dominant Polycystic Kidney Disease Prevalence among a Racially Diverse United States Population, 2002 through 2018. Kidney360, 2021, 2, 2010-2015. | 0.9 | 18 |
| 13 | Subâ€∎cute hyponatraemia more than chronic hyponatraemia is associated with serious falls and hip fractures. Internal Medicine Journal, 2020, 50, 1100-1108. | 0.5 | 6 |
| 14 | A Comparison of Death Records Between the United States Renal Data System and a Large Integrated Health Care System. Kidney International Reports, 2020, 5, 912-915. | 0.4 | 2 |
| 15 | Apparent treatment-resistant hypertension: characteristics and prevalence in a real-world environment of an integrated health system. Journal of Hypertension, 2020, 38, 1603-1611. | 0.3 | 10 |
| 16 | Association between hypothyroidism and chronic kidney disease observed among an adult population 55 years and older. Medicine (United States), 2020, 99, e19569. | 0.4 | 13 |
| 17 | Identifying Patients with Rare Disease Using Electronic Health Record Data: The Kaiser Permanente Southern California Membranous Nephropathy Cohort. , 2020, 24, . | | 13 |
| 18 | Follow-up of Abnormal Estimated GFR Results Within a Large Integrated Health Care Delivery System: A Mixed-Methods Study. American Journal of Kidney Diseases, 2019, 74, 589-600. | 2.1 | 10 |

Јони Ј Ѕім

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Patients with Idiopathic Membranous Nephropathy: A Real-World Clinical and Economic Analysis of U.S. Claims Data. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 1011-1020. | 0.5 | 9 |
| 20 | The Kaiser Permanente Los Angeles Annual Research Week Abstracts. , 2019, 23, . | | 0 |
| 21 | Betaâ€blocker practice patterns in chronic kidney disease patients with atrial fibrillation transitioning to hemodialysis. Hemodialysis International, 2019, 23, 506-509. | 0.4 | 1 |
| 22 | US Renal Data System 2018 Annual Data Report: Epidemiology of Kidney Disease in the United States. American Journal of Kidney Diseases, 2019, 73, A7-A8. | 2.1 | 680 |
| 23 | Early Mortality Among Peritoneal Dialysis and Hemodialysis Patients Who Transitioned With an Optimal OutpatientÂStart. Kidney International Reports, 2019, 4, 275-284. | 0.4 | 14 |
| 24 | Association of thyroid status prior to transition to end-stage renal disease with early dialysis mortality. Nephrology Dialysis Transplantation, 2019, 34, 2095-2104. | 0.4 | 20 |
| 25 | End-Stage Renal Disease and Mortality Outcomes Across Different Clomerulonephropathies in a Large Diverse US Population. Mayo Clinic Proceedings, 2018, 93, 167-178. | 1.4 | 29 |
| 26 | Disparities in early mortality among chronic kidney disease patients who transition to peritoneal dialysis and hemodialysis with and without catheters. International Urology and Nephrology, 2018, 50, 963-971. | 0.6 | 22 |
| 27 | Intradialytic hypotension, blood pressure changes and mortality risk in incident hemodialysis patients. Nephrology Dialysis Transplantation, 2018, 33, 149-159. | 0.4 | 110 |
| 28 | In Reply—End-Stage Renal Disease Risk in Different Glomerulonephropathies. Mayo Clinic Proceedings, 2018, 93, 959-960. | 1.4 | 0 |
| 29 | Low Systolic Blood Pressure From Treatment and Association With Serious Falls/Syncope. American Journal of Preventive Medicine, 2018, 55, 488-496. | 1.6 | 28 |
| 30 | Blood Pressure Before Initiation of Maintenance Dialysis and Subsequent Mortality. American Journal of Kidney Diseases, 2017, 70, 207-217. | 2.1 | 28 |
| 31 | US Renal Data System 2016 Annual Data Report: Epidemiology of Kidney Disease in the United States. American Journal of Kidney Diseases, 2017, 69, A7-A8. | 2.1 | 716 |
| 32 | Use of Phosphorus Binders among Non-Dialysis Chronic Kidney Disease Patients and Mortality Outcomes. American Journal of Nephrology, 2017, 45, 431-441. | 1.4 | 6 |
| 33 | Transition of care from pre-dialysis prelude to renal replacement therapy: the blueprints of emerging research in advanced chronic kidney disease. Nephrology Dialysis Transplantation, 2017, 32, ii91-ii98. | 0.4 | 71 |
| 34 | Characteristics of patients diagnosed with renal vein thrombosis and glomerulopathy: a case series. International Urology and Nephrology, 2017, 49, 285-293. | 0.6 | 4 |
| 35 | End-Stage Renal Disease Outcomes among the Kaiser Permanente Southern California Creatinine Safety Program (Creatinine SureNet): Opportunities to Reflect and Improve. , 2017, 21, 16-143. | | 11 |
| 36 | Focal Segmental Glomerulosclerosis in a Patient with Ambiguous Genitalia: A Diagnostic Dilemma. , 2017, 21, 16-092. | | 0 |

Јони Ј Ѕім

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Serum sodium and mortality in a national peritoneal dialysis cohort. Nephrology Dialysis Transplantation, 2016, 32, gfw254. | 0.4 | 20 |
| 38 | Short-Term Risk of Serious Fall Injuries in Older Adults Initiating and Intensifying Treatment With Antihypertensive Medication. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 222-229. | 0.9 | 64 |
| 39 | Distribution of Biopsy-Proven Presumed Primary Glomerulonephropathies in 2000-2011 Among a Racially and Ethnically Diverse US Population. American Journal of Kidney Diseases, 2016, 68, 533-544. | 2.1 | 83 |
| 40 | Plasma renin activity and risk of cardiovascular and mortality outcomes among individuals with elevated and nonelevated blood pressure. Kidney Research and Clinical Practice, 2016, 35, 219-228. | 0.9 | 13 |
| 41 | Comparisons of sleep apnoea rate and outcomes among patients with resistant and nonâ€resistant hypertension. Respirology, 2016, 21, 1486-1492. | 1.3 | 12 |
| 42 | Patient-Reported Factors Associated With Poor Phosphorus Control in a Maintenance Hemodialysis Population. , 2016, 26, 141-148. | | 10 |
| 43 | US Renal Data System 2015 Annual Data Report: Epidemiology of Kidney Disease in the United States. American Journal of Kidney Diseases, 2016, 67, A7-A8. | 2.1 | 440 |
| 44 | Serum phosphorus and association with anemia among a large diverse population with and without chronic kidney disease. Nephrology Dialysis Transplantation, 2016, 31, 636-645. | 0.4 | 31 |
| 45 | Changes in Pulse Pressure during Hemodialysis Treatment and Survival in Maintenance Dialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1179-1191. | 2.2 | 22 |
| 46 | Kaiser Permanente Creatinine Safety Program: AÂMechanism to Ensure Widespread Detection andÂCare for Chronic Kidney Disease. American Journal of Medicine, 2015, 128, 1204-1211.e1. | 0.6 | 28 |
| 47 | Comparative risk of renal, cardiovascular, and mortality outcomes in controlled, uncontrolled resistant, and nonresistant hypertension. Kidney International, 2015, 88, 622-632. | 2.6 | 146 |
| 48 | The Utility of Ambulatory Blood Pressure Monitoring for Diagnosing White Coat Hypertension in Older Adults. Current Hypertension Reports, 2015, 17, 86. | 1.5 | 9 |
| 49 | Plasma Renin Activity and Its Association With Ischemic Heart Disease, Congestive Heart Failure, and Cerebrovascular Disease in a Large Hypertensive Cohort. Journal of Clinical Hypertension, 2014, 16, 805-813. | 1.0 | 8 |
| 50 | Impact of Achieved Blood Pressures onÂMortality Risk and End-Stage RenalÂDisease Among a Large, DiverseÂHypertension Population. Journal of the American College of Cardiology, 2014, 64, 588-597. | 1.2 | 138 |
| 51 | Systemic Implementation Strategies to Improve Hypertension: The Kaiser Permanente Southern California Experience. Canadian Journal of Cardiology, 2014, 30, 544-552. | 0.8 | 89 |
| 52 | Blood Pressure and Mortality in U.S. Veterans With Chronic Kidney Disease. Annals of Internal Medicine, 2013, 159, 233. | 2.0 | 182 |
| 53 | Characteristics of Resistant Hypertension in a Large, Ethnically Diverse Hypertension Population of an Integrated Health System. Mayo Clinic Proceedings, 2013, 88, 1099-1107. | 1.4 | 161 |
| 54 | Phosphorus and Risk of Renal Failure in Subjects with Normal Renal Function. American Journal of Medicine, 2013, 126, 311-318. | 0.6 | 65 |

Јони Ј Ѕім

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Hyperphosphatemia is a combined function of high serum PTH and high dietary protein intake in dialysis patients. Kidney International Supplements, 2013, 3, 462-468. | 4.6 | 34 |
| 56 | Plasma Renin Activity (PRA) Levels and Antihypertensive Drug Use in a Large Healthcare System. American Journal of Hypertension, 2012, 25, 379-388. | 1.0 | 24 |
| 57 | Positive relationship of sleep apnea to hyperaldosteronism in an ethnically diverse population. Journal of Hypertension, 2011, 29, 1553-1559. | 0.3 | 48 |
| 58 | Association of plasma renin activity and aldosterone–renin ratio with prevalence of chronic kidney disease. Journal of Hypertension, 2011, 29, 2226-2235. | 0.3 | 25 |
| 59 | 25â€Hydroxyvitamin D Levels and Hypertension Rates. Journal of Clinical Hypertension, 2011, 13, 170-177. | 1.0 | 47 |
| 60 | Dietary Omega-3 Fatty Acid, Ratio of Omega-6 to Omega-3 Intake, Inflammation, and Survival in Long-term Hemodialysis Patients. American Journal of Kidney Diseases, 2011, 58, 248-256. | 2.1 | 59 |
| 61 | Indinavir-induced nephrolithiasis three and one-half years after cessation of indinavir therapy. International Urology and Nephrology, 2011, 43, 571-573. | 0.6 | 14 |
| 62 | Vitamin D deficiency and anemia: a cross-sectional study. Annals of Hematology, 2010, 89, 447-452. | 0.8 | 158 |
| 63 | Review article: Managing sleep apnoea in kidney diseases. Nephrology, 2010, 15, 146-152. | 0.7 | 31 |
| 64 | Sleep Apnea in Early and Advanced Chronic Kidney Disease. Chest, 2009, 135, 710-716. | 0.4 | 81 |
| 65 | Sleep Apnea and Hypertension: Prevalence in Chronic Kidney Disease. Journal of Clinical Hypertension, 2007, 9, 837-341. | 1.0 | 11 |
| 66 | Prevalence of Nondiabetic Renal Disease in Diabetic Patients. American Journal of Nephrology, 2007, 27, 322-328. | 1.4 | 144 |