

Graeme P Young

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2135511/graeme-p-young-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

5,516
citations

42
h-index

71
g-index

154
ext. papers

6,351
ext. citations

4.8
avg, IF

5.56
L-index

#	Paper	IF	Citations
134	Accuracy of blood-based biomarkers for screening precancerous colorectal lesions: a protocol for systematic review and meta-analysis. <i>BMJ Open</i> , 2022 , 12, e060712	3	
133	The Effect of the Variability in Fecal Immunochemical Test Sample Collection Technique on Clinical Performance. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 175-181	4	2
132	"Rescue" of Nonparticipants in Colorectal Cancer Screening: A Randomized Controlled Trial of Three Noninvasive Test Options. <i>Cancer Prevention Research</i> , 2021 , 14, 803-810	3.2	1
131	Features associated with high-risk sessile serrated polyps at index and follow-up colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1620-1626	4	1
130	Evaluation of a panel of tumor-specific differentially-methylated DNA regions in IRF4, IKZF1 and BCAT1 for blood-based detection of colorectal cancer. <i>Clinical Epigenetics</i> , 2021 , 13, 14	7.7	3
129	Variables Associated with Detection of Methylated or in Blood from Patients Without Colonoscopically Evident Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 774-781	4	1
128	The impact of coronavirus disease 2019 on surveillance colonoscopies in South Australia. <i>JGH Open</i> , 2021 , 5, 486-492	1.8	2
127	The influence of the surveillance time interval on the risk of advanced neoplasia after non-advanced adenoma removal. <i>Medical Journal of Australia</i> , 2021 , 215, 465-470	4	0
126	Both Sample Number and Test Positivity Threshold Determine Colonoscopy Efficiency in Detection of Colorectal Cancer With Quantitative Fecal Immunochemical Tests. <i>Gastroenterology</i> , 2020 , 159, 1561-1563.e3	13.2	23
125	Circulating epigenetic biomarkers for detection of recurrent colorectal cancer. <i>Cancer</i> , 2020 , 126, 1460-1469	14.9	18
124	Detection of advanced colorectal neoplasia and relative colonoscopy workloads using quantitative faecal immunochemical tests: an observational study exploring the effects of simultaneous adjustment of both sample number and test positivity threshold. <i>BMJ Open Gastroenterology</i> , 2020 , 7, 1-7	3.9	2
123	Evaluation of Circulating Tumor DNA for Methylated and to Detect Recurrence of Stage II/Stage III Colorectal Cancer (CRC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2702-2709	4	11
122	Reducing the number of surveillance colonoscopies with faecal immunochemical tests. <i>Gut</i> , 2020 , 69, 784-785	19.2	4
121	Resistant Starch is Actively Fermented by Infant Faecal Microbiota and Increases Microbial Diversity. <i>Nutrients</i> , 2019 , 11,	6.7	14
120	Low Sensitivity of Fecal Immunochemical Tests and Blood-Based Markers of DNA Hypermethylation for Detection of Sessile Serrated Adenomas/Polyps. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 2555-2562 ⁴		12
119	The Capacity of the Fecal Microbiota From Malawian Infants to Ferment Resistant Starch. <i>Frontiers in Microbiology</i> , 2019 , 10, 1459	5.7	6
118	Effect of Native and Acetylated Dietary Resistant Starches on Intestinal Fermentative Capacity of Normal and Stunted Children in Southern India. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6

117	A Randomized Controlled Trial Testing Provision of Fecal and Blood Test Options on Participation for Colorectal Cancer Screening. <i>Cancer Prevention Research</i> , 2019 , 12, 631-640	3.2	3
116	The significance of the small adenoma: a longitudinal study of surveillance colonoscopy in an Australian population. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 563-569	2.2	4
115	The Use of Circulating Tumor DNA to Monitor and Predict Response to Treatment in Colorectal Cancer. <i>Frontiers in Genetics</i> , 2019 , 10, 1118	4.5	39
114	Sessile Serrated Polyps with Synchronous Conventional Adenomas Increase Risk of Future Advanced Neoplasia. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 1680-1685	4	15
113	Demand for Colonoscopy in Colorectal Cancer Screening Using a Quantitative Fecal Immunochemical Test and Age/Sex-Specific Thresholds for Test Positivity. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 704-709	4	10
112	Uptake of a colorectal cancer screening blood test in people with elevated risk for cancer who cannot or will not complete a faecal occult blood test. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 425-432	2	5
111	Circulating tumour DNA for monitoring colorectal cancer-a prospective cohort study to assess relationship to tissue methylation, cancer characteristics and surgical resection. <i>Clinical Epigenetics</i> , 2018 , 10, 63	7.7	30
110	Relationship between post-surgery detection of methylated circulating tumor DNA with risk of residual disease and recurrence-free survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1741-1750	4.9	21
109	The Use of Circulating Tumor DNA for Prognosis of Gastrointestinal Cancers. <i>Frontiers in Oncology</i> , 2018 , 8, 275	5.3	19
108	Web-Based Communication Strategies Designed to Improve Intention to Minimize Risk for Colorectal Cancer: Randomized Controlled Trial. <i>JMIR Cancer</i> , 2018 , 4, e2	3.2	2
107	FIT for purpose: enhanced applications for faecal immunochemical tests. <i>Journal of Laboratory and Precision Medicine</i> , 2018 , 3, 28-28	1.1	4
106	The impact of sample type and procedural attributes on relative acceptability of different colorectal cancer screening regimens. <i>Patient Preference and Adherence</i> , 2018 , 12, 1825-1836	2.4	14
105	Effects of Dietary Fibre from the Traditional Indonesian Food, Green Cincau (Merr.) on Preneoplastic Lesions and Short Chain Fatty Acid Production in an Azoxymethane Rat Model of Colon Cancer. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	3
104	Methylation and Gene Expression of and in Colorectal Cancer Tissues. <i>Clinical Medicine Insights: Oncology</i> , 2018 , 12, 1179554918775064	1.8	10
103	Drug-development concepts as guides for optimizing clinical trials of supplemental zinc for populations at risk of deficiency or diarrhea. <i>Nutrition Reviews</i> , 2017 , 75, 147-162	6.4	3
102	Effect of sample storage temperature and buffer formulation on faecal immunochemical test haemoglobin measurements. <i>Journal of Medical Screening</i> , 2017 , 24, 176-181	1.4	13
101	Analysis of the Anti-Cancer Effects of Cincau Extract (Premna oblongifolia Merr) and Other Types of Non-Digestible Fibre Using Faecal Fermentation Supernatants and Caco-2 Cells as a Model of the Human Colon. <i>Nutrients</i> , 2017 , 9,	6.7	10
100	Recommendations for a step-wise comparative approach to the evaluation of new screening tests for colorectal cancer. <i>Cancer</i> , 2016 , 122, 826-39	6.4	13

99	Gender differences in faecal haemoglobin concentration. <i>Journal of Medical Screening</i> , 2016 , 23, 54	1.4	3
98	A Blood Test for Methylated BCAT1 and IKZF1 vs. a Fecal Immunochemical Test for Detection of Colorectal Neoplasia. <i>Clinical and Translational Gastroenterology</i> , 2016 , 7, e137	4.2	59
97	Manipulation of the gut microbiota using resistant starch is associated with protection against colitis-associated colorectal cancer in rats. <i>Carcinogenesis</i> , 2016 , 37, 366-375	4.6	94
96	Evaluation of Methylation Biomarkers for Detection of Circulating Tumor DNA and Application to Colorectal Cancer. <i>Genes</i> , 2016 , 7,	4.2	40
95	A cross-sectional study comparing a blood test for methylated BCAT1 and IKZF1 tumor-derived DNA with CEA for detection of recurrent colorectal cancer. <i>Cancer Medicine</i> , 2016 , 5, 2763-2772	4.8	58
94	Advances in Fecal Occult Blood Tests: the FIT revolution. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 609-22		125
93	Ideal colonoscopic surveillance intervals to reduce incidence of advanced adenoma and colorectal cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1147-54	4	8
92	Evaluation of an assay for methylated BCAT1 and IKZF1 in plasma for detection of colorectal neoplasia. <i>BMC Cancer</i> , 2015 , 15, 654	4.8	67
91	The relevance of the colon to zinc nutrition. <i>Nutrients</i> , 2015 , 7, 572-83	6.7	33
90	The potential for zinc stable isotope techniques and modelling to determine optimal zinc supplementation. <i>Nutrients</i> , 2015 , 7, 4271-95	6.7	9
89	A two-gene blood test for methylated DNA sensitive for colorectal cancer. <i>PLoS ONE</i> , 2015 , 10, e0125041	3.7	47
88	Colorectal cancer screening: a global overview of existing programmes. <i>Gut</i> , 2015 , 64, 1637-49	19.2	632
87	Blood Tests for Colorectal Cancer Screening in the Standard Risk Population. <i>Current Colorectal Cancer Reports</i> , 2015 , 11, 397-407	1	4
86	Factors affecting faecal immunochemical test positive rates: demographic, pathological, behavioural and environmental variables. <i>Journal of Medical Screening</i> , 2015 , 22, 187-93	1.4	42
85	Improving Participation in Colorectal Cancer Screening: a Randomised Controlled Trial of Sequential Offers of Faecal then Blood Based Non-Invasive Tests. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 8455-60	1.7	15
84	Quality Indicators and Benchmarks for Guideline-Recommended Fecal Occult Blood Tests 2015 , 65-79		1
83	Oral rehydration therapy in the second decade of the twenty-first century. <i>Current Gastroenterology Reports</i> , 2014 , 16, 376	5	59
82	A panel of genes methylated with high frequency in colorectal cancer. <i>BMC Cancer</i> , 2014 , 14, 54	4.8	117

81	Dietary manipulation of oncogenic microRNA expression in human rectal mucosa: a randomized trial. <i>Cancer Prevention Research</i> , 2014 , 7, 786-95	3.2	68
80	Population screening for colorectal cancer means getting FIT: the past, present, and future of colorectal cancer screening using the fecal immunochemical test for hemoglobin (FIT). <i>Gut and Liver</i> , 2014 , 8, 117-30	4.8	112
79	A standard for Faecal Immunochemical Tests for haemoglobin evaluation reporting (FITTER). <i>Annals of Clinical Biochemistry</i> , 2014 , 51, 301-2	2.2	24
78	Behavioural and demographic predictors of adherence to three consecutive faecal occult blood test screening opportunities: a population study. <i>BMC Public Health</i> , 2014 , 14, 238	4.1	38
77	Zinc deficiency in children with environmental enteropathy-development of new strategies: report from an expert workshop. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1198-207	7	27
76	Exploring the validity of the continuum of resistance model for discriminating early from late and non-uptake of colorectal cancer screening: implications for the design of invitation and reminder letters. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 572-81	2.6	4
75	Dietary red meat aggravates dextran sulfate sodium-induced colitis in mice whereas resistant starch attenuates inflammation. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 3475-82	4	58
74	Ambivalence and its influence on participation in screening for colorectal cancer. <i>Qualitative Health Research</i> , 2013 , 23, 1188-201	3.9	13
73	Shift to earlier stage at diagnosis as a consequence of the National Bowel Cancer Screening Program. <i>Medical Journal of Australia</i> , 2013 , 198, 327-30	4	61
72	Combination of selenium and green tea improves the efficacy of chemoprevention in a rat colorectal cancer model by modulating genetic and epigenetic biomarkers. <i>PLoS ONE</i> , 2013 , 8, e64362	3.7	38
71	Guaiac based faecal occult blood testing for colorectal cancer screening: an obsolete strategy?. <i>Gut</i> , 2012 , 61, 959-60	19.2	19
70	A proposal to standardize reporting units for fecal immunochemical tests for hemoglobin. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 810-4	9.7	123
69	Screening for colorectal cancer and advanced colorectal neoplasia in kidney transplant recipients: cross sectional prevalence and diagnostic accuracy study of faecal immunochemical testing for haemoglobin and colonoscopy. <i>BMJ, The</i> , 2012 , 345, e4657	5.9	30
68	Butyrate delivered by butyrylated starch increases distal colonic epithelial apoptosis in carcinogen-treated rats. <i>Carcinogenesis</i> , 2012 , 33, 197-202	4.6	60
67	Discovery and validation of molecular biomarkers for colorectal adenomas and cancer with application to blood testing. <i>PLoS ONE</i> , 2012 , 7, e29059	3.7	26
66	Sample preference for colorectal cancer screening tests: Blood or stool?. <i>Open Journal of Preventive Medicine</i> , 2012 , 02, 326-331	0.3	25
65	Predictors of re-participation in faecal occult blood test- based screening for colorectal cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 5989-94	1.7	18
64	DNA methylation in the rectal mucosa is associated with crypt proliferation and fecal short-chain fatty acids. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 387-96	4	19

63	Psychosocial variables associated with colorectal cancer screening in South Australia. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 302-9	2.6	32
62	Fecal Tests: From Blood to Molecular Markers. <i>Current Colorectal Cancer Reports</i> , 2011 , 7, 62-70	1	16
61	Inhibition by resistant starch of red meat-induced promutagenic adducts in mouse colon. <i>Cancer Prevention Research</i> , 2011 , 4, 1920-8	3.2	57
60	Colorectal Neoplasia Differentially Expressed (CRNDE), a Novel Gene with Elevated Expression in Colorectal Adenomas and Adenocarcinomas. <i>Genes and Cancer</i> , 2011 , 2, 829-40	2.9	190
59	Synbiotic intervention of Bifidobacterium lactis and resistant starch protects against colorectal cancer development in rats. <i>Carcinogenesis</i> , 2010 , 31, 246-51	4.6	144
58	Interval fecal immunochemical testing in a colonoscopic surveillance program speeds detection of colorectal neoplasia. <i>Gastroenterology</i> , 2010 , 139, 1918-26	13.3	70
57	A human, double-blind, placebo-controlled, crossover trial of prebiotic, probiotic, and synbiotic supplementation: effects on luminal, inflammatory, epigenetic, and epithelial biomarkers of colorectal cancer. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 578-86	7	108
56	Population-based screening for colorectal cancer: Australian research and implementation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24 Suppl 3, S33-42	4	26
55	Effect of high amylose maize starches on colonic fermentation and apoptotic response to DNA-damage in the colon of rats. <i>Nutrition and Metabolism</i> , 2009 , 6, 11	4.6	73
54	Which fecal occult blood test is best to screen for colorectal cancer?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2009 , 6, 140-1	24.2	18
53	Demographic associations with stage of readiness to screen for colorectal cancer. <i>Health Promotion Journal of Australia</i> , 2009 , 20, 7-12	1.7	14
52	Bioavailability of selenium from selenium-enriched milk assessed in the artificially reared neonatal pig. <i>Nutrition and Dietetics</i> , 2008 , 65, S37-S40	2.5	14
51	Effects of high-amylose maize starch and butyrylated high-amylose maize starch on azoxymethane-induced intestinal cancer in rats. <i>Carcinogenesis</i> , 2008 , 29, 2190-4	4.6	79
50	Map of differential transcript expression in the normal human large intestine. <i>Physiological Genomics</i> , 2008 , 33, 50-64	3.6	64
49	A randomized controlled trial of glucose versus amylase resistant starch hypo-osmolar oral rehydration solution for adult acute dehydrating diarrhea. <i>PLoS ONE</i> , 2008 , 3, e1587	3.7	39
48	Diet and genomic stability. <i>Forum of Nutrition</i> , 2007 , 60, 91-96		6
47	Effect of dietary resistant starch and protein on colonic fermentation and intestinal tumourigenesis in rats. <i>Carcinogenesis</i> , 2007 , 28, 240-5	4.6	91
46	Suppression of azoxymethane-induced colon cancer development in rats by dietary resistant starch. <i>Cancer Biology and Therapy</i> , 2007 , 6, 1621-6	4.6	55

45	Fermentation of starch and protein in the colon: implications for genomic instability. <i>Cancer Biology and Therapy</i> , 2007 , 6, 259-60	4.6	14
44	New stool screening tests for colorectal cancer. <i>Digestion</i> , 2007 , 76, 26-33	3.6	29
43	Molecular approaches to stool screening for colorectal cancer. <i>Current Colorectal Cancer Reports</i> , 2006 , 2, 30-35	1	1
42	Comparison of a brush-sampling fecal immunochemical test for hemoglobin with a sensitive guaiac-based fecal occult blood test in detection of colorectal neoplasia. <i>Cancer</i> , 2006 , 107, 2152-9	6.4	134
41	Amylase-resistant starch as adjunct to oral rehydration therapy in children with diarrhea. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 42, 362-8	2.8	56
40	Evaluation of oral rehydration solution by whole-gut perfusion in rats: effect of osmolarity, sodium concentration and resistant starch. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 43, 568-75	2.8	7
39	A synbiotic combination of resistant starch and Bifidobacterium lactis facilitates apoptotic deletion of carcinogen-damaged cells in rat colon. <i>Journal of Nutrition</i> , 2005 , 135, 996-1001	4.1	150
38	Dietary fibre and colorectal cancer: a model for environment--gene interactions. <i>Molecular Nutrition and Food Research</i> , 2005 , 49, 571-84	5.9	112
37	Resistant Starch and Colorectal Neoplasia. <i>Journal of AOAC INTERNATIONAL</i> , 2004 , 87, 775-786	1.7	34
36	Resistant starch and colorectal neoplasia. <i>Journal of AOAC INTERNATIONAL</i> , 2004 , 87, 775-86	1.7	7
35	Preventing cancer: dietary lifestyle or clinical intervention?. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2002 , 11 Suppl 3, S618-31	1	19
34	Choice of fecal occult blood tests for colorectal cancer screening: recommendations based on performance characteristics in population studies: a WHO (World Health Organization) and OMED (World Organization for Digestive Endoscopy) report. <i>American Journal of Gastroenterology</i> , 2002 ,	0.7	112
33	Choice of fecal occult blood tests for colorectal cancer screening: recommendations based on performance characteristics in population studies a WHO (World Health Organization) and OMED (World Organization for Digestive Endoscopy) report. <i>American Journal of Gastroenterology</i> , 2002 , 97, 2499-2507	0.7	81
32	Applying evidence-based guidelines improves use of colonoscopy resources in patients with a moderate risk of colorectal neoplasia. <i>Medical Journal of Australia</i> , 2002 , 176, 155-7	4	43
31	Effect of dietary restriction on participation in faecal occult blood test screening for colorectal cancer. <i>Medical Journal of Australia</i> , 2001 , 175, 195-8	4	57
30	Folate deficiency diminishes the occurrence of aberrant crypt foci in the rat colon but does not alter global DNA methylation status. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 1158-64	4	32
29	Amylase-resistant starch plus oral rehydration solution for cholera. <i>New England Journal of Medicine</i> , 2000 , 342, 308-13	59.2	197
28	Folate deficiency reduces the development of colorectal cancer in rats. <i>Carcinogenesis</i> , 2000 , 21, 2261-5	4.6	54

27	Interference of Plant Peroxidases with Guaiac-based Fecal Occult Blood Tests Is Avoidable. <i>Clinical Chemistry</i> , 1999 , 45, 123-126	5.5	50
26	A study of laboratory based faecal occult blood testing in Melbourne, Australia. The Faecal Occult Blood Testing Study Group. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998 , 13, 396-400	4	8
25	Screening for colorectal cancer: alternative faecal occult blood tests. <i>European Journal of Gastroenterology and Hepatology</i> , 1998 , 10, 205-12	2.2	17
24	A comparative study of the influence of differing barley brans on DMH-induced intestinal tumours in male Sprague-Dawley rats. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996 , 11, 113-9	4	37
23	Measurement of faecal alpha 1-antitrypsin: methodologies and clinical application. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996 , 11, 311-8	4	2
22	A new approach to fecal occult blood testing based on the detection of haptoglobin. <i>Cancer</i> , 1996 , 78, 48-56	6.4	16
21	DNA repair and inherited cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1995 , 10, 108-9	4	1
20	A controlled trial of cisapride in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 1995 , 17, 347-57	6.3	47
19	Evaluation of new occult blood tests for detection of colorectal neoplasia. <i>Gastroenterology</i> , 1993 , 104, 1661-8	13.3	135
18	Contrasting effects of butyrate on the expression of phenotypic markers of differentiation in neoplastic and non-neoplastic colonic epithelial cells in vitro. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1992 , 7, 165-72	4	61
17	Readability and sensitivity of a new faecal occult blood test in a hospital ward environment. Comparison with an established test. <i>Medical Journal of Australia</i> , 1992 , 156, 420-3	4	16
16	Different fibers have different regional effects on luminal contents of rat colon. <i>Gastroenterology</i> , 1991 , 101, 1274-81	13.3	122
15	Selecting an Occult Blood Test for Use as a Screening Tool for Large Bowel Cancer. <i>Frontiers of Gastrointestinal Research</i> , 1991 , 18, 135-156		21
14	Pathophysiology of Bleeding from Large Bowel Neoplasms. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 1991 , 44, 582-582	0.1	
13	Haem in the gut. Part II. Faecal excretion of haem and haem-derived porphyrins and their detection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1990 , 5, 194-203	4	28
12	Haem in the gut. I. Fate of haemoproteins and the absorption of haem. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1989 , 4, 537-45	4	34
11	A random walk model for evaluating clinical trials involving serial observations. <i>Statistics in Medicine</i> , 1988 , 7, 581-90	2.3	7
10	Catheter sepsis during parenteral nutrition: the safety of long-term OpSite dressings. <i>Journal of Parenteral and Enteral Nutrition</i> , 1988 , 12, 365-70	4.2	30

9	Antibiotic-associated colitis caused by Clostridium difficile: relapse and risk factors. <i>Medical Journal of Australia</i> , 1986 , 144, 303-6	4	22
8	Testing for Clostridium difficile. <i>Medical Journal of Australia</i> , 1986 , 144, 55	4	
7	Parenteral nutrition. <i>Medical Journal of Australia</i> , 1985 , 143, 597-601	4	5
6	Drug-induced hepatic injury. <i>Australian and New Zealand Journal of Medicine</i> , 1977 , 7, 539-40		
5	Neoplastic and Nonneoplastic Polyps of the Colon and Rectum1611-1639		1
4	Approach to the Patient with Occult Gastrointestinal Bleeding152-169		2
3	Approach to Screening for Colorectal Cancer170-182		
2	Lower Gastrointestinal Disorders301-320		
1	Neoplastic and Nonneoplastic Polyps of the Colon and Rectum423-448		1