

Kristian Tambs

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2137877/kristian-tambs-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

5,593
citations

40
h-index

72
g-index

124
ext. papers

6,339
ext. citations

4
avg, IF

5.51
L-index

#	Paper	IF	Citations
123	Measuring the mental health status of the Norwegian population: a comparison of the instruments SCL-25, SCL-10, SCL-5 and MHI-5 (SF-36). <i>Nordic Journal of Psychiatry</i> , 2003 , 57, 113-8	2.3	777
122	Cohort Profile Update: The Norwegian Mother and Child Cohort Study (MoBa). <i>International Journal of Epidemiology</i> , 2016 , 45, 382-8	7.8	375
121	Social support, negative life events and mental health. <i>British Journal of Psychiatry</i> , 1995 , 166, 29-34	5.4	241
120	The structure of genetic and environmental risk factors for DSM-IV personality disorders: a multivariate twin study. <i>Archives of General Psychiatry</i> , 2008 , 65, 1438-46		197
119	Moderate effects of hearing loss on mental health and subjective well-being: results from the Nord-Trøndelag Hearing Loss Study. <i>Psychosomatic Medicine</i> , 2004 , 66, 776-82	3.7	179
118	Occupational noise exposure and hearing: a systematic review. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 351-72	3.2	157
117	Happiness and health: environmental and genetic contributions to the relationship between subjective well-being, perceived health, and somatic illness. <i>Journal of Personality and Social Psychology</i> , 2003 , 85, 1136-46	6.5	137
116	The joint structure of DSM-IV Axis I and Axis II disorders. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 198-209		128
115	Genetic and environmental contributions to the covariance between occupational status, educational attainment, and IQ: a study of twins. <i>Behavior Genetics</i> , 1989 , 19, 209-22	3.2	123
114	Urban environment and mental health. A longitudinal study. <i>British Journal of Psychiatry</i> , 1997 , 171, 530-54	5.4	115
113	Adolescent adjustment and well-being: effects of parental divorce and distress. <i>Scandinavian Journal of Psychology</i> , 2006 , 47, 75-84	2.2	98
112	Subjective well-being. Sex-specific effects of genetic and environmental factors. <i>Personality and Individual Differences</i> , 2002 , 32, 211-223	3.3	98
111	Structure of genetic and environmental risk factors for dimensional representations of DSM-IV anxiety disorders. <i>British Journal of Psychiatry</i> , 2009 , 195, 301-7	5.4	97
110	No evidence for effects of family environment on asthma. A retrospective study of Norwegian twins. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 156, 43-9	10.2	95
109	Psychiatric and medical symptoms in binge eating in the absence of compensatory behaviors. <i>Obesity</i> , 2004 , 12, 1445-54		91
108	Adolescents with a childhood experience of parental divorce: a longitudinal study of mental health and adjustment. <i>Journal of Adolescence</i> , 2005 , 28, 725-39	3.4	89
107	Genetic and environmental influences on binge eating in the absence of compensatory behaviors: a population-based twin study. <i>International Journal of Eating Disorders</i> , 2004 , 36, 307-14	6.3	85

106	The Norwegian Institute of Public Health twin study of mental health: examining recruitment and attrition bias. <i>Twin Research and Human Genetics</i> , 2009 , 12, 158-68	2.2	83
105	The Norwegian Institute of Public Health Twin Panel: a description of the sample and program of research. <i>Twin Research and Human Genetics</i> , 2002 , 5, 415-23		79
104	Hypertension labelling, life events and psychological well-being. <i>Psychological Medicine</i> , 1990 , 20, 635-46	6.9	78
103	Screened and unscreened hearing threshold levels for the adult population: results from the Nord-Trøndelag Hearing Loss Study. <i>International Journal of Audiology</i> , 2005 , 44, 213-30	2.6	77
102	Work factors and psychological distress in nurses: a prospective cohort study. <i>BMC Public Health</i> , 2006 , 6, 290	4.1	75
101	Socioeconomic factors and disability retirement from back pain: a 1983-1993 population-based prospective study in Norway. <i>Spine</i> , 2000 , 25, 2480-7	3.3	73
100	Distribution and heritability of recurrent ear infections. <i>Annals of Otolaryngology and Rhinology</i> , 1997 , 106, 624-32	2.1	72
99	Pedigree analysis of Eysenck Personality Questionnaire (EPQ) scores in monozygotic (MZ) twin families. <i>Behavior Genetics</i> , 1991 , 21, 369-82	3.2	59
98	Alcohol consumption and risk of dementia up to 27 years later in a large, population-based sample: the HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2015 , 30, 1049-56	12.1	58
97	Resolving the Genetic and Environmental Sources of the Correlation Between Height and Intelligence: A Study of Nearly 2600 Norwegian Male Twin Pairs. <i>Twin Research and Human Genetics</i> , 2005 , 8, 307-311	2.2	55
96	A comparison of genetic and environmental variance structures for asthma, hay fever and eczema with symptoms of the same diseases: a study of Norwegian twins. <i>International Journal of Epidemiology</i> , 2005 , 34, 1302-9	7.8	55
95	Left-handedness in twin families: support of an environmental hypothesis. <i>Perceptual and Motor Skills</i> , 1987 , 64, 155-70	2.2	55
94	Genetic and environmental contributions to the correlation between alcohol consumption and symptoms of anxiety and depression. Results from a bivariate analysis of Norwegian twin data. <i>Behavior Genetics</i> , 1997 , 27, 241-50	3.2	52
93	Hearing loss induced by noise, ear infections, and head injuries: results from the Nord-Trøndelag Hearing Loss Study. <i>International Journal of Audiology</i> , 2003 , 42, 89-105	2.6	51
92	Major depression and life satisfaction: a population-based twin study. <i>Journal of Affective Disorders</i> , 2013 , 144, 51-8	6.6	50
91	Association between blood pressure and Alzheimer disease measured up to 27 years prior to diagnosis: the HUNT Study. <i>Alzheimer's Research and Therapy</i> , 2017 , 9, 37	9	47
90	Hearing loss induced by occupational and impulse noise: results on threshold shifts by frequencies, age and gender from the Nord-Trøndelag Hearing Loss Study. <i>International Journal of Audiology</i> , 2006 , 45, 309-17	2.6	45
89	Undue influence of weight on self-evaluation: a population-based twin study of gender differences. <i>International Journal of Eating Disorders</i> , 2004 , 35, 123-32; discussion 133-5	6.3	45

88	Structure of genetic and environmental risk factors for symptoms of DSM-IV borderline personality disorder. <i>JAMA Psychiatry</i> , 2013 , 70, 1206-14	14.5	44
87	Low genetic effect and age-specific family effect for symptoms of anxiety and depression in nuclear families, halfsibs and twins. <i>Journal of Affective Disorders</i> , 1993 , 27, 183-95	6.6	44
86	Cross-cultural comparison of personality: Norway and England. <i>Scandinavian Journal of Psychology</i> , 1990 , 31, 191-197	2.2	44
85	Illicit psychoactive substance use, abuse and dependence in a population-based sample of Norwegian twins. <i>Psychological Medicine</i> , 2006 , 36, 955-62	6.9	43
84	Discordant and concordant alcohol use in spouses as predictors of marital dissolution in the general population: results from the Hunt study. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 877-84 ³⁻⁷	3.7	41
83	A genetic study of the acute anxious response to carbon dioxide stimulation in man. <i>Journal of Psychiatric Research</i> , 2007 , 41, 906-17	5.2	40
82	What mediates the inverse association between education and occupational disability from back pain?--A prospective cohort study from the Nord-Trøndelag health study in Norway. <i>Social Science and Medicine</i> , 2006 , 63, 1267-75	5.1	39
81	A twin study of the common vulnerability between heightened sensitivity to hypercapnia and panic disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 586-93	3.5	37
80	Transmission of symptoms of anxiety and depression in nuclear families. <i>Journal of Affective Disorders</i> , 1991 , 21, 117-26	6.6	36
79	Gene-environment interactions in panic disorder and CO ₂ sensitivity: Effects of events occurring early in life. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 79-88	3.5	35
78	The Flynn effect is partly caused by changing fertility patterns. <i>Intelligence</i> , 2008 , 36, 183-191	3	35
77	Paternal and maternal alcohol abuse and offspring mental distress in the general population: the Nord-Trøndelag health study. <i>BMC Public Health</i> , 2012 , 12, 448	4.1	34
76	Cardiovascular risk factors and hearing loss: The HUNT study. <i>International Journal of Audiology</i> , 2015 , 54, 958-66	2.6	32
75	Dementia and neuropsychiatric symptoms in nursing-home patients in Nord-Trøndelag County. <i>Tidsskrift for Den Norske Lægeforening</i> , 2012 , 132, 1956-9	3.5	32
74	The Norwegian Twin Registry from a public health perspective: a research update. <i>Twin Research and Human Genetics</i> , 2013 , 16, 285-95	2.2	30
73	Sex-specific causal factors and effects of common environment for symptoms of anxiety and depression in twins. <i>Behavior Genetics</i> , 1995 , 25, 33-44	3.2	30
72	Genetic and environmental contributions to depressive personality disorder in a population-based sample of Norwegian twins. <i>Journal of Affective Disorders</i> , 2007 , 99, 181-9	6.6	28
71	Diabetes mellitus and psychological well-being. Results of the Nord-Trøndelag health survey. <i>Scandinavian Journal of Public Health</i> , 1995 , 23, 179-88		27

70	Genetic and environmental contributions to the variance of body height in a sample of first and second degree relatives. <i>American Journal of Physical Anthropology</i> , 1992 , 88, 285-94	2.5	27
69	Self-esteem and relationship satisfaction during the transition to motherhood. <i>Journal of Personality and Social Psychology</i> , 2018 , 114, 973-991	6.5	27
68	Heritability of hearing loss. <i>Epidemiology</i> , 2012 , 23, 328-31	3.1	26
67	Mental disorder and caregiver burden in spouses: the Nord-Trøndelag health study. <i>BMC Public Health</i> , 2010 , 10, 516	4.1	26
66	Genetic and environmental effects on blood pressure in a Norwegian sample. <i>Genetic Epidemiology</i> , 1992 , 9, 11-26	2.6	26
65	The reliability of self-reported childhood otitis media by adults. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 597-602	1.7	23
64	Effect of household size on mental problems in children: results from the Norwegian Mother and Child Cohort study. <i>BMC Psychology</i> , 2016 , 4, 31	2.8	19
63	Otoacoustic emissions, pure-tone audiometry, and self-reported hearing. <i>International Journal of Audiology</i> , 2013 , 52, 74-82	2.6	18
62	Cohort profile: the Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. <i>International Journal of Epidemiology</i> , 2014 , 43, 1759-68	7.8	18
61	Is relatively young age within a school year a risk factor for mental health problems and poor school performance? A population-based cross-sectional study of adolescents in Oslo, Norway. <i>BMC Public Health</i> , 2005 , 5, 102	4.1	18
60	Association of psychological distress late in life and dementia-related mortality. <i>Aging and Mental Health</i> , 2016 , 20, 603-10	3.5	17
59	The association of high sensitivity C-reactive protein and incident Alzheimer disease in patients 60 years and older: The HUNT study, Norway. <i>Immunity and Ageing</i> , 2018 , 15, 4	9.7	17
58	The prevalence of notched audiograms in a cross-sectional study of 12,055 railway workers. <i>Ear and Hearing</i> , 2015 , 36, e86-92	3.4	17
57	Evidence for distinct genetic effects associated with response to 35% CO ₂ . <i>Depression and Anxiety</i> , 2013 , 30, 259-66	8.4	17
56	Intelligence correlations between brothers decrease with increasing age difference: evidence for shared environmental effects in young adults. <i>Psychological Science</i> , 2008 , 19, 843-7	7.9	17
55	Genetic and environmental causes of the interrelationships between self-reported fears. A study of a non-clinical sample of Norwegian identical twins and their families. <i>Scandinavian Journal of Psychology</i> , 2003 , 44, 97-106	2.2	17
54	Subjective Wellbeing and Sleep Problems: A Bivariate Twin Study. <i>Twin Research and Human Genetics</i> , 2005 , 8, 440-449	2.2	17
53	Childhood otitis media is associated with dizziness in adulthood: the HUNT cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 2047-54	3.5	16

52	Age, education and dementia related deaths. The Norwegian Counties Study and The Cohort of Norway. <i>Journal of the Neurological Sciences</i> , 2014 , 345, 75-82	3.2	16
51	A Twin Study of Normative Personality and DSM-IV Personality Disorder Criterion Counts: Evidence for Separate Genetic Influences. <i>American Journal of Psychiatry</i> , 2018 , 175, 649-656	11.9	15
50	A cross-sectional study of hearing thresholds among 4627 Norwegian train and track maintenance workers. <i>BMJ Open</i> , 2014 , 4, e005529	3	15
49	Occupational noise exposure, hearing loss, and notched audiograms in the HUNT Nord-Trøndelag hearing loss study, 1996-1998. <i>Laryngoscope</i> , 2017 , 127, 1442-1450	3.6	14
48	The effect of change in mental disorder status on change in spousal mental health: the HUNT study. <i>Social Science and Medicine</i> , 2011 , 73, 1408-15	5.1	14
47	Psychological well-being of people with epilepsy in Norway. <i>Epilepsy and Behavior</i> , 2007 , 11, 310-5	3.2	14
46	Hearing loss associated with ear infections in Nord-Trøndelag, Norway. <i>Ear and Hearing</i> , 2004 , 25, 388-96	3.4	14
45	Stability and change in etiological factors for alcohol use disorder and major depression. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 812-822	7	14
44	Health, health behaviors, and health dissimilarities predict divorce: results from the HUNT study. <i>BMC Psychology</i> , 2015 , 3, 13	2.8	13
43	Mental distress predicts divorce over 16 years: the HUNT study. <i>BMC Public Health</i> , 2015 , 15, 320	4.1	13
42	The Flynn effect in sibships: Investigating the role of age differences between siblings. <i>Intelligence</i> , 2010 , 38, 38-44	3	13
41	Register data suggest lower intelligence in men born the year after flu pandemic. <i>Annals of Neurology</i> , 2009 , 66, 284-9	9.4	13
40	Strong genetic correlation between interview-assessed internalizing disorders and a brief self-report symptom scale. <i>Twin Research and Human Genetics</i> , 2011 , 14, 64-72	2.2	13
39	Otoacoustic emissions in the general adult population of Nord-Trøndelag, Norway: II. Effects of noise, head injuries, and ear infections. <i>International Journal of Audiology</i> , 2002 , 41, 78-87	2.6	13
38	Impact of hearing impairment on spousal mental health: the Nord-Trøndelag Health Study. <i>European Journal of Public Health</i> , 2010 , 20, 271-5	2.1	11
37	Recurrent otitis media and tonsillitis: common disease predisposition. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 1561-8	1.7	10
36	Interaction between Parental Education and Twin Correlations for Cognitive Ability in a Norwegian Conscript Sample. <i>Behavior Genetics</i> , 2017 , 47, 507-515	3.2	9
35	Childhood sensorineural hearing loss: effects of combined exposure with aging or noise exposure later in life. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 1099-105	3.5	8

34	Mood, anxiety, and alcohol use disorders and later cause-specific sick leave in young adult employees. <i>BMC Public Health</i> , 2016 , 15, 702	4.1	8
33	Personality disorders and long-term sick leave: a population-based study of young adult Norwegian twins. <i>Twin Research and Human Genetics</i> , 2014 , 17, 1-9	2.2	8
32	Association Between Childhood Hearing Disorders and Tinnitus in Adulthood. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2015 , 141, 983-9	3.9	8
31	Subjective well-being before and after the onset of diabetes mellitus: results of the Nord-Trøndelag Health Study. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 88-95	3.2	8
30	Noise-induced hearing loss in a longitudinal study of Norwegian railway workers. <i>BMJ Open</i> , 2016 , 6, e011923	3	8
29	Childhood sensorineural hearing loss and adult mental health up to 43 years later: results from the HUNT study. <i>BMC Public Health</i> , 2019 , 19, 168	4.1	7
28	Socioeconomic status and sick leave granted for mental and somatic disorders: a prospective study of young adult twins. <i>BMC Public Health</i> , 2015 , 15, 134	4.1	7
27	How sociodemographic and hearing related factors were associated with use of hearing aid in a population-based study: The HUNT Study. <i>BMC Ear, Nose and Throat Disorders</i> , 2016 , 16, 8	8	7
26	Birth weight and the risk of overweight in young men born at term. <i>American Journal of Human Biology</i> , 2015 , 27, 564-9	2.7	7
25	Genetic and environmental contributions to the relationship between internalizing disorders and sick leave granted for mental and somatic disorders. <i>Twin Research and Human Genetics</i> , 2014 , 17, 225-35 ^{2.2}	2.2	7
24	Predicting Literacy Skills at 8 Years From Preschool Language Trajectories: A Population-Based Cohort Study. <i>Journal of Speech, Language, and Hearing Research</i> , 2020 , 63, 2752-2762	2.8	7
23	The educational gradient in coronary heart disease: the association with cognition in a cohort of 57,279 male conscripts. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 322-9	5.1	6
22	Sex differences in genetic and environmental influences on educational attainment and income. <i>Twin Research and Human Genetics</i> , 2014 , 17, 516-25	2.2	6
21	Diabetes mellitus and psychological well-being. Change between 1984-1986 and 1995-1997. Results of the Nord-Trøndelag Health Study. <i>Journal of Diabetes and Its Complications</i> , 2004 , 18, 141-7	3.2	6
20	Otoacoustic emissions in the general adult population of Nord-Trøndelag, Norway: III. Relationships with pure-tone hearing thresholds. <i>International Journal of Audiology</i> , 2005 , 44, 15-23	2.6	6
19	Genetic and environmental effects on type A scores in monozygotic twin families. <i>Behavior Genetics</i> , 1992 , 22, 499-513	3.2	6
18	Positive mental health effects of the Coping With Strain (CWS) course on employees: a four-year longitudinal randomized controlled trial. <i>International Journal of Mental Health Promotion</i> , 2016 , 18, 158-175	1.8	5
17	Psychological distress and subjective well-being in partners of somatically ill or physically disabled: the Nord-Trøndelag Health Study. <i>Scandinavian Journal of Psychology</i> , 2012 , 53, 475-82	2.2	5

16	A population based family study of symptoms of anxiety and depression: the HUNT study. <i>Journal of Affective Disorders</i> , 2010 , 125, 355-60	6.6	5
15	Diabetes mellitus and comorbidity. Change between 1984-1986 and 1995-1997: results of the Nord-Trøndelag Health Study. <i>Journal of Diabetes and Its Complications</i> , 2003 , 17, 323-30	3.2	5
14	Genetic and environmental contributions to the co-occurrence of depressive personality disorder and DSM-IV personality disorders. <i>Journal of Personality Disorders</i> , 2012 , 26, 435-51	2.6	4
13	Early prenatal exposure to pandemic influenza A (H1N1) infection and child psychomotor development at 6 months - A population-based cohort study. <i>Early Human Development</i> , 2018 , 122, 1-7	2.2	4
12	Pre-pregnancy mental distress and musculoskeletal pain and sickness absence during pregnancy - a twin cohort study. <i>European Journal of Public Health</i> , 2017 , 27, 477-481	2.1	3
11	Is the twin-singleton difference in BMI related to the difference in birth weight? A register-based birth cohort study of Norwegian males. <i>American Journal of Human Biology</i> , 2016 , 28, 566-73	2.7	3
10	Coping With Strain (CWS) course - its effects on depressive symptoms: A four-year longitudinal randomized controlled trial. <i>Scandinavian Journal of Psychology</i> , 2016 , 57, 321-7	2.2	3
9	No genetic effect on variation in field dependence: a study of rod-and-frame scores in families of monozygotic twins. <i>Behavior Genetics</i> , 1987 , 17, 493-502	3.2	3
8	Associations between parental hearing impairment and children's mental health: Results from the Nord-Trøndelag Health Study. <i>Social Science and Medicine</i> , 2015 , 147, 252-60	5.1	2
7	Otitis Media: Genetic Factors and Sex Differences		2
6	No evidence for X linkage in rod-and-frame test (RFT) scores: an answer to Thomas. <i>Behavior Genetics</i> , 1989 , 19, 469-71	3.2	0
5	P2-311: PREVALENCE OF DEMENTIA AMONGST MEN AND WOMEN IN NORD-TRØNDELAG, NORWAY: THE HUNT STUDY 2014 , 10, P592-P593		
4	No Association Between Time of Onset of Hearing Loss (Childhood Versus Adulthood) and Self-Reported Hearing Handicap in Adults. <i>American Journal of Audiology</i> , 2015 , 24, 549-56	1.8	
3	Reply to Dr. Annett's Comment. <i>Perceptual and Motor Skills</i> , 1987 , 64, 478-478	2.2	
2	Simplified risk assessment of noise induced hearing loss by means of 2 spreadsheet models. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2016 , 29, 991-999	1.5	
1	Genetic and Environmental Contributions to the Co-Occurrence of Depressive Personality Disorder and DSM-IV Personality Disorders. <i>Journal of Personality Disorders</i> , 2011 , 25, 1-17	2.6	