Kristian Tambs

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2137877/kristian-tambs-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers5,593
citations40
h-index72
g-index124
ext. papers6,339
ext. citations4
avg, IF5.51
L-index

#	Paper	IF	Citations
123	Predicting Literacy Skills at 8 Years From Preschool Language Trajectories: A Population-Based Cohort Study. <i>Journal of Speech, Language, and Hearing Research</i> , 2020 , 63, 2752-2762	2.8	7
122	Childhood sensorineural hearing loss and adult mental health up to 43 years later: results from the HUNT study. <i>BMC Public Health</i> , 2019 , 19, 168	4.1	7
121	A Twin Study of Normative Personality and DSM-IV Personality Disorder Criterion Counts: Evidence for Separate Genetic Influences. <i>American Journal of Psychiatry</i> , 2018 , 175, 649-656	11.9	15
120	The association of high sensitivity C-reactive protein and incident Alzheimer disease in patients 60 Jears and older: The HUNT study, Norway. <i>Immunity and Ageing</i> , 2018 , 15, 4	9.7	17
119	Early prenatal exposure to pandemic influenza A (H1N1) infection and child psychomotor development at 6 months - A population-based cohort study. <i>Early Human Development</i> , 2018 , 122, 1-7	2.2	4
118	Self-esteem and relationship satisfaction during the transition to motherhood. <i>Journal of Personality and Social Psychology</i> , 2018 , 114, 973-991	6.5	27
117	Pre-pregnancy mental distress and musculoskeletal pain and sickness absence during pregnancy - a twin cohort study. <i>European Journal of Public Health</i> , 2017 , 27, 477-481	2.1	3
116	Association between blood pressure and Alzheimer disease measured up to 27 years prior to diagnosis: the HUNT Study. <i>Alzheimers Research and Therapy</i> , 2017 , 9, 37	9	47
115	Occupational noise exposure, hearing loss, and notched audiograms in the HUNT Nord-TrEdelag hearing loss study, 1996-1998. <i>Laryngoscope</i> , 2017 , 127, 1442-1450	3.6	14
114	Interaction between Parental Education and Twin Correlations for Cognitive Ability in a Norwegian Conscript Sample. <i>Behavior Genetics</i> , 2017 , 47, 507-515	3.2	9
113	Stability and change in etiological factors for alcohol use disorder and major depression. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 812-822	7	14
112	Childhood otitis media is associated with dizziness in adulthood: the HUNT cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 2047-54	3.5	16
111	Childhood sensorineural hearing loss: effects of combined exposure with aging or noise exposure later in life. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 1099-105	3.5	8
110	Positive mental health effects of the Coping With Strain (CWS) course on employees: a four-year longitudinal randomized controlled trial. <i>International Journal of Mental Health Promotion</i> , 2016 , 18, 158-175	1.8	5
109	How sociodemographic and hearing related factors were associated with use of hearing aid in a population-based study: The HUNT Study. <i>BMC Ear, Nose and Throat Disorders</i> , 2016 , 16, 8	8	7
108	Mood, anxiety, and alcohol use disorders and later cause-specific sick leave in young adult employees. <i>BMC Public Health</i> , 2016 , 15, 702	4.1	8
107	Is the twin-singleton difference in BMI related to the difference in birth weight? A register-based birth cohort study of Norwegian males. <i>American Journal of Human Biology</i> , 2016 , 28, 566-73	2.7	3

(2015-2016)

106	Coping With Strain (CWS) course - its effects on depressive symptoms: A four-year longitudinal randomized controlled trial. <i>Scandinavian Journal of Psychology</i> , 2016 , 57, 321-7	2.2	3
105	Occupational noise exposure and hearing: a systematic review. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 351-72	3.2	157
104	Association of psychological distress late in life and dementia-related mortality. <i>Aging and Mental Health</i> , 2016 , 20, 603-10	3.5	17
103	Simplified risk assessment of noise induced hearing loss by means of 2 spreadsheet models. International Journal of Occupational Medicine and Environmental Health, 2016, 29, 991-999	1.5	
102	Effect of household size on mental problems in children: results from the Norwegian Mother and Child Cohort study. <i>BMC Psychology</i> , 2016 , 4, 31	2.8	19
101	Cohort Profile Update: The Norwegian Mother and Child Cohort Study (MoBa). <i>International Journal of Epidemiology</i> , 2016 , 45, 382-8	7.8	375
100	Noise-induced hearing loss in a longitudinal study of Norwegian railway workers. <i>BMJ Open</i> , 2016 , 6, e011923	3	8
99	The educational gradient in coronary heart disease: the association with cognition in a cohort of 57,279 male conscripts. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 322-9	5.1	6
98	Socioeconomic status and sick leave granted for mental and somatic disorders: a prospective study of young adult twins. <i>BMC Public Health</i> , 2015 , 15, 134	4.1	7
97	Alcohol consumption and risk of dementia up to 27 years later in a large, population-based sample: the HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2015 , 30, 1049-56	12.1	58
96	Health, health behaviors, and health dissimilarities predict divorce: results from the HUNT study. <i>BMC Psychology</i> , 2015 , 3, 13	2.8	13
95	Associations between parental hearing impairment and children's mental health: Results from the Nord-Tr\(\bar{\mathbb{B}}\) delag Health Study. Social Science and Medicine, 2015, 147, 252-60	5.1	2
94	The prevalence of notched audiograms in a cross-sectional study of 12,055 railway workers. <i>Ear and Hearing</i> , 2015 , 36, e86-92	3.4	17
93	No Association Between Time of Onset of Hearing Loss (Childhood Versus Adulthood) and Self-Reported Hearing Handicap in Adults. <i>American Journal of Audiology</i> , 2015 , 24, 549-56	1.8	
92	Birth weight and the risk of overweight in young men born at term. <i>American Journal of Human Biology</i> , 2015 , 27, 564-9	2.7	7
91	Mental distress predicts divorce over 16 years: the HUNT study. <i>BMC Public Health</i> , 2015 , 15, 320	4.1	13
90	Association Between Childhood Hearing Disorders and Tinnitus in Adulthood. <i>JAMA Otolaryngology</i> - Head and Neck Surgery, 2015 , 141, 983-9	3.9	8
89	Cardiovascular risk factors and hearing loss: The HUNT study. <i>International Journal of Audiology</i> , 2015 , 54, 958-66	2.6	32

88	Personality disorders and long-term sick leave: a population-based study of young adult Norwegian twins. <i>Twin Research and Human Genetics</i> , 2014 , 17, 1-9	2.2	8
87	Age, education and dementia related deaths. The Norwegian Counties Study and The Cohort of Norway. <i>Journal of the Neurological Sciences</i> , 2014 , 345, 75-82	3.2	16
86	P2-311: PREVALENCE OF DEMENTIA AMONGST MEN AND WOMEN IN NORD-TRNDELAG, NORWAY: THE HUNT STUDY 2014 , 10, P592-P593		
85	Cohort profile: the Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. <i>International Journal of Epidemiology</i> , 2014 , 43, 1759-68	7.8	18
84	A cross-sectional study of hearing thresholds among 4627 Norwegian train and track maintenance workers. <i>BMJ Open</i> , 2014 , 4, e005529	3	15
83	Genetic and environmental contributions to the relationship between internalizing disorders and sick leave granted for mental and somatic disorders. <i>Twin Research and Human Genetics</i> , 2014 , 17, 225-3	3 ^{2.2}	7
82	Sex differences in genetic and environmental influences on educational attainment and income. <i>Twin Research and Human Genetics</i> , 2014 , 17, 516-25	2.2	6
81	Otoacoustic emissions, pure-tone audiometry, and self-reported hearing. <i>International Journal of Audiology</i> , 2013 , 52, 74-82	2.6	18
80	Major depression and life satisfaction: a population-based twin study. <i>Journal of Affective Disorders</i> , 2013 , 144, 51-8	6.6	50
79	Structure of genetic and environmental risk factors for symptoms of DSM-IV borderline personality disorder. <i>JAMA Psychiatry</i> , 2013 , 70, 1206-14	14.5	44
78	The Norwegian Twin Registry from a public health perspective: a research update. <i>Twin Research and Human Genetics</i> , 2013 , 16, 285-95	2.2	30
77	Discordant and concordant alcohol use in spouses as predictors of marital dissolution in the general population: results from the Hunt study. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 877-8	4 ^{3.7}	41
76	Evidence for distinct genetic effects associated with response to 35% CO\(\textit{Depression and Anxiety}\), 2013 , 30, 259-66	8.4	17
75	Paternal and maternal alcohol abuse and offspring mental distress in the general population: the Nord-TrEdelag health study. <i>BMC Public Health</i> , 2012 , 12, 448	4.1	34
74	Psychological distress and subjective well-being in partners of somatically ill or physically disabled: the Nord-Tr\(\bar{\text{l}}\) delag Health Study. <i>Scandinavian Journal of Psychology</i> , 2012 , 53, 475-82	2.2	5
73	Genetic and environmental contributions to the co-occurrence of depressive personality disorder and DSM-IV personality disorders. <i>Journal of Personality Disorders</i> , 2012 , 26, 435-51	2.6	4
72	Heritability of hearing loss. <i>Epidemiology</i> , 2012 , 23, 328-31	3.1	26
71	Dementia and neuropsychiatric symptoms in nursing-home patients in Nord-TrEdelag County. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012 , 132, 1956-9	3.5	32

(2007-2011)

7º	The effect of change in mental disorder status on change in spousal mental health: the HUNT study. <i>Social Science and Medicine</i> , 2011 , 73, 1408-15	5.1	14
69	Gene-environment interactions in panic disorder and COIsensitivity: Effects of events occurring early in life. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 79-88	3.5	35
68	Strong genetic correlation between interview-assessed internalizing disorders and a brief self-report symptom scale. <i>Twin Research and Human Genetics</i> , 2011 , 14, 64-72	2.2	13
67	The joint structure of DSM-IV Axis I and Axis II disorders. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 19	8 -2 09	128
66	Impact of hearing impairment on spousal mental health: the Nord-Tr\u00eddelag Health Study. European Journal of Public Health, 2010 , 20, 271-5	2.1	11
65	The Flynn effect in sibships: Investigating the role of age differences between siblings. <i>Intelligence</i> , 2010 , 38, 38-44	3	13
64	Mental disorder and caregiver burden in spouses: the Nord-TrEdelag health study. <i>BMC Public Health</i> , 2010 , 10, 516	4.1	26
63	A population based family study of symptoms of anxiety and depression: the HUNT study. <i>Journal of Affective Disorders</i> , 2010 , 125, 355-60	6.6	5
62	The Norwegian Institute of Public Health twin study of mental health: examining recruitment and attrition bias. <i>Twin Research and Human Genetics</i> , 2009 , 12, 158-68	2.2	83
61	Structure of genetic and environmental risk factors for dimensional representations of DSM-IV anxiety disorders. <i>British Journal of Psychiatry</i> , 2009 , 195, 301-7	5.4	97
60	Register data suggest lower intelligence in men born the year after flu pandemic. <i>Annals of Neurology</i> , 2009 , 66, 284-9	9.4	13
59	The Flynn effect is partly caused by changing fertility patterns. <i>Intelligence</i> , 2008 , 36, 183-191	3	35
58	Intelligence correlations between brothers decrease with increasing age difference: evidence for shared environmental effects in young adults. <i>Psychological Science</i> , 2008 , 19, 843-7	7.9	17
57	The structure of genetic and environmental risk factors for DSM-IV personality disorders: a multivariate twin study. <i>Archives of General Psychiatry</i> , 2008 , 65, 1438-46		197
56	A twin study of the common vulnerability between heightened sensitivity to hypercapnia and panic disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 586-93	3.5	37
55	Genetic and environmental contributions to depressive personality disorder in a population-based sample of Norwegian twins. <i>Journal of Affective Disorders</i> , 2007 , 99, 181-9	6.6	28
54	A genetic study of the acute anxious response to carbon dioxide stimulation in man. <i>Journal of Psychiatric Research</i> , 2007 , 41, 906-17	5.2	40
53	Psychological well-being of people with epilepsy in Norway. <i>Epilepsy and Behavior</i> , 2007 , 11, 310-5	3.2	14

52	What mediates the inverse association between education and occupational disability from back pain?A prospective cohort study from the Nord-Tr\(\bar{\text{B}}\)delag health study in Norway. <i>Social Science and Medicine</i> , 2006 , 63, 1267-75	5.1	39
51	Work factors and psychological distress in nursesTaides: a prospective cohort study. <i>BMC Public Health</i> , 2006 , 6, 290	4.1	75
50	Hearing loss induced by occupational and impulse noise: results on threshold shifts by frequencies, age and gender from the Nord-Tr\(\text{lidelag}\) Hearing Loss Study. <i>International Journal of Audiology</i> , 2006 , 45, 309-17	2.6	45
49	The reliability of self-reported childhood otitis media by adults. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 597-602	1.7	23
48	Recurrent otitis media and tonsillitis: common disease predisposition. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 1561-8	1.7	10
47	Illicit psychoactive substance use, abuse and dependence in a population-based sample of Norwegian twins. <i>Psychological Medicine</i> , 2006 , 36, 955-62	6.9	43
46	Adolescent adjustment and well-being: effects of parental divorce and distress. <i>Scandinavian Journal of Psychology</i> , 2006 , 47, 75-84	2.2	98
45	Screened and unscreened hearing threshold levels for the adult population: results from the Nord-TrEdelag Hearing Loss Study. <i>International Journal of Audiology</i> , 2005 , 44, 213-30	2.6	77
44	Adolescents with a childhood experience of parental divorce: a longitudinal study of mental health and adjustment. <i>Journal of Adolescence</i> , 2005 , 28, 725-39	3.4	89
43	Resolving the Genetic and Environmental Sources of the Correlation Between Height and Intelligence: A Study of Nearly 2600 Norwegian Male Twin Pairs. <i>Twin Research and Human Genetics</i> , 2005 , 8, 307-311	2.2	55
42	Subjective Wellbeing and Sleep Problems: A Bivariate Twin Study. <i>Twin Research and Human Genetics</i> , 2005 , 8, 440-449	2.2	17
41	Subjective well-being before and after the onset of diabetes mellitus: results of the Nord-Triidelag Health Study. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 88-95	3.2	8
40	Is relatively young age within a school year a risk factor for mental health problems and poor school performance? A population-based cross-sectional study of adolescents in Oslo, Norway. <i>BMC Public Health</i> , 2005 , 5, 102	4.1	18
39	Otoacoustic emissions in the general adult population of Nord-TrEdelag, Norway: III. Relationships with pure-tone hearing thresholds. <i>International Journal of Audiology</i> , 2005 , 44, 15-23	2.6	6
38	A comparison of genetic and environmental variance structures for asthma, hay fever and eczema with symptoms of the same diseases: a study of Norwegian twins. <i>International Journal of Epidemiology</i> , 2005 , 34, 1302-9	7.8	55
37	Psychiatric and medical symptoms in binge eating in the absence of compensatory behaviors. <i>Obesity</i> , 2004 , 12, 1445-54		91
36	Diabetes mellitus and psychological well-being. Change between 1984-1986 and 1995-1997. Results of the Nord-Tr delag Health Study. <i>Journal of Diabetes and Its Complications</i> , 2004 , 18, 141-7	3.2	6
35	Undue influence of weight on self-evaluation: a population-based twin study of gender differences. <i>International Journal of Eating Disorders</i> , 2004 , 35, 123-32; discussion 133-5	6.3	45

(1995-2004)

34	Genetic and environmental influences on binge eating in the absence of compensatory behaviors: a population-based twin study. <i>International Journal of Eating Disorders</i> , 2004 , 36, 307-14	6.3	85
33	Moderate effects of hearing loss on mental health and subjective well-being: results from the Nord-Trfidelag Hearing Loss Study. <i>Psychosomatic Medicine</i> , 2004 , 66, 776-82	3.7	179
32	Hearing loss associated with ear infections in Nord-Tr\u00eddelag, Norway. Ear and Hearing, 2004, 25, 388-96	5 3.4	14
31	Happiness and health: environmental and genetic contributions to the relationship between subjective well-being, perceived health, and somatic illness. <i>Journal of Personality and Social Psychology</i> , 2003 , 85, 1136-46	6.5	137
30	Diabetes mellitus and comorbidity. Change between 1984-1986 and 1995-1997: results of the Nord-TrEdelag Health Study. <i>Journal of Diabetes and Its Complications</i> , 2003 , 17, 323-30	3.2	5
29	Genetic and environmental causes of the interrelationships between self-reported fears. A study of a non-clinical sample of Norwegian identical twins and their families. <i>Scandinavian Journal of Psychology</i> , 2003 , 44, 97-106	2.2	17
28	Hearing loss induced by noise, ear infections, and head injuries: results from the Nord-Triidelag Hearing Loss Study. <i>International Journal of Audiology</i> , 2003 , 42, 89-105	2.6	51
27	Measuring the mental health status of the Norwegian population: a comparison of the instruments SCL-25, SCL-10, SCL-5 and MHI-5 (SF-36). <i>Nordic Journal of Psychiatry</i> , 2003 , 57, 113-8	2.3	777
26	Subjective well-being. Sex-specific effects of genetic and environmental factors. <i>Personality and Individual Differences</i> , 2002 , 32, 211-223	3.3	98
25	The Norwegian Institute of Public Health Twin Panel: a description of the sample and program of research. <i>Twin Research and Human Genetics</i> , 2002 , 5, 415-23		79
24	Otoacoustic emissions in the general adult population of Nord-Tr\(\bar{1}\)delag, Norway: II. Effects of noise, head injuries, and ear infections. <i>International Journal of Audiology</i> , 2002 , 41, 78-87	2.6	13
23	Socioeconomic factors and disability retirement from back pain: a 1983-1993 population-based prospective study in Norway. <i>Spine</i> , 2000 , 25, 2480-7	3.3	73
22	No evidence for effects of family environment on asthma. A retrospective study of Norwegian twins. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 156, 43-9	10.2	95
21	Distribution and heritability of recurrent ear infections. <i>Annals of Otology, Rhinology and Laryngology</i> , 1997 , 106, 624-32	2.1	72
20	Urban environment and mental health. A longitudinal study. British Journal of Psychiatry, 1997, 171, 530	D -5 .4	115
19	Genetic and environmental contributions to the correlation between alcohol consumption and symptoms of anxiety and depression. Results from a bivariate analysis of Norwegian twin data. <i>Behavior Genetics</i> , 1997 , 27, 241-50	3.2	52
18	Diabetes mellitus and psychological well-being. Results of the Nord-Trādelag health survey. <i>Scandinavian Journal of Public Health</i> , 1995 , 23, 179-88		27
17	Social support, negative life events and mental health. <i>British Journal of Psychiatry</i> , 1995 , 166, 29-34	5.4	241

16	Sex-specific causal factors and effects of common environment for symptoms of anxiety and depression in twins. <i>Behavior Genetics</i> , 1995 , 25, 33-44	3.2	30
15	Low genetic effect and age-specific family effect for symptoms of anxiety and depression in nuclear families, halfsibs and twins. <i>Journal of Affective Disorders</i> , 1993 , 27, 183-95	6.6	44
14	Genetic and environmental effects on type A scores in monozygotic twin families. <i>Behavior Genetics</i> , 1992 , 22, 499-513	3.2	6
13	Genetic and environmental effects on blood pressure in a Norwegian sample. <i>Genetic Epidemiology</i> , 1992 , 9, 11-26	2.6	26
12	Genetic and environmental contributions to the variance of body height in a sample of first and second degree relatives. <i>American Journal of Physical Anthropology</i> , 1992 , 88, 285-94	2.5	27
11	Pedigree analysis of Eysenck Personality Questionnaire (EPQ) scores in monozygotic (MZ) twin families. <i>Behavior Genetics</i> , 1991 , 21, 369-82	3.2	59
10	Transmission of symptoms of anxiety and depression in nuclear families. <i>Journal of Affective Disorders</i> , 1991 , 21, 117-26	6.6	36
9	Hypertension labelling, life events and psychological well-being. <i>Psychological Medicine</i> , 1990 , 20, 635-	46 .9	78
8	Cross-cultural comparison of personality: Norway and England. <i>Scandinavian Journal of Psychology</i> , 1990 , 31, 191-197	2.2	44
7	Genetic and environmental contributions to the covariance between occupational status, educational attainment, and IQ: a study of twins. <i>Behavior Genetics</i> , 1989 , 19, 209-22	3.2	123
6	No evidence for X linkage in rod-and-frame test (RFT) scores: an answer to Thomas. <i>Behavior Genetics</i> , 1989 , 19, 469-71	3.2	О
5	Left-handedness in twin families: support of an environmental hypothesis. <i>Perceptual and Motor Skills</i> , 1987 , 64, 155-70	2.2	55
4	Reply to Dr. Annett's Comment. <i>Perceptual and Motor Skills</i> , 1987 , 64, 478-478	2.2	
3	No genetic effect on variation in field dependence: a study of rod-and-frame scores in families of monozygotic twins. <i>Behavior Genetics</i> , 1987 , 17, 493-502	3.2	3
2	Otitis Media: Genetic Factors and Sex Differences		2
1	Genetic and Environmental Contributions to the Co-Occurrence of Depressive Personality Disorder and DSM-IV Personality Disorders. <i>Journal of Personality Disorders</i> ,1-17	2.6	