Stefano Palmisani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2139060/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Safety and Efficacy of 10 kHz Spinal Cord Stimulation for the Treatment of Refractory Chronic Migraine: A Prospective Long-Term Open-Label Study. Neuromodulation, 2022, 25, 103-113.	0.8	9
2	Comparison of Paresthesia Mapping With Anatomic Placement in Burst Spinal Cord Stimulation: Long-Term Results of the Prospective, Multicenter, Randomized, Double-Blind, Crossover CRISP Study. Neuromodulation, 2022, 25, 85-93.	0.8	9
3	Cascade Programming for 10 kHz Spinal Cord Stimulation: A Single Center Case Series of 114 Patients With Neuropathic Back and Leg Pain. Neuromodulation, 2021, 24, 488-498.	0.8	9
4	Multicentre, clinical trial of burst spinal cord stimulation for neck and upper limb pain NU-BURST: a trial protocol. Neurological Sciences, 2021, 42, 3285-3296.	1.9	3
5	Explant rates of electrical neuromodulation devices in 1177 patients in a single center over an 11-year period. Regional Anesthesia and Pain Medicine, 2020, 45, 883-890.	2.3	24
6	Comparison of Paresthesia Mapping to Anatomical Placement in Burst Spinal Cord Stimulation: Initial Trial Results of the Prospective, Multicenter, Randomized, Double-Blinded, Crossover, CRISP Study. Neuromodulation, 2020, 23, 613-619.	0.8	16
7	Sphenopalatine Ganglion Pulsed Radiofrequency for the Treatment of Refractory Chronic SUNCT and SUNA: A Prospective Case Series. Headache, 2020, 60, 938-945.	3.9	4
8	Multicentre, double-blind, randomised, sham-controlled trial of 10 khz high-frequency spinal cord stimulation for chronic neuropathic low back pain (MODULATE-LBP): a trial protocol. Trials, 2020, 21, 111.	1.6	13
9	Effectiveness of "Transgrade" Epidural Technique for Dorsal Root Ganglion Stimulation. A Retrospective, Single-Center, Case Series for Chronic Focal Neuropathic Pain. Pain Physician, 2019, 22, 601-611.	0.4	6
10	Prospective, Randomized, Sham-Control, Double Blind, Crossover Trial of Subthreshold Spinal Cord Stimulation at Various Kilohertz Frequencies in Subjects Suffering From Failed Back Surgery Syndrome (SCS Frequency Study). Neuromodulation, 2018, 21, 457-465.	0.8	81
11	Long-Term Improvements in Chronic Axial Low Back Pain Patients Without Previous Spinal Surgery: A Cohort Analysis of 10-kHz High-Frequency Spinal Cord Stimulation over 36 Months. Pain Medicine, 2018, 19, 1219-1226.	1.9	81
12	Guideline of guidelines: bladder pain syndrome. BJU International, 2018, 122, 729-743.	2.5	79
13	10 kHz High-Frequency Spinal Cord Stimulation for Chronic Axial Low Back Pain in Patients With No History of Spinal Surgery: A Preliminary, Prospective, Open Label and Proof-of-Concept Study. Neuromodulation, 2017, 20, 63-70.	0.8	58
14	Low-dose buprenorphine infusion to prevent postoperative hyperalgesia in patients undergoing major lung surgery and remifentanil infusion: a double-blind, randomized, active-controlled trial. British Journal of Anaesthesia, 2017, 119, 792-802.	3.4	26
15	Cervical 10ÂkHz spinal cord stimulation in the management of chronic, medically refractory migraine: A prospective, open″abel, exploratory study. European Journal of Pain, 2016, 20, 70-78.	2.8	50
16	Safety and efficacy of cervical 10ÂkHz spinal cord stimulation in chronic refractory primary headaches: a retrospective case series. Journal of Headache and Pain, 2016, 17, 66.	6.0	33
17	Invasive neurostimulation. Journal of Headache and Pain, 2015, 16, A29.	6.0	0
18	The Use of 10-Kilohertz Spinal Cord Stimulation in a Cohort of Patients With Chronic Neuropathic Limb Pain Refractory to Medical Management, Neuromodulation, 2015, 18, 18-23	0.8	61

#	Article	IF	CITATIONS
19	Sustained Effectiveness of 10 kHz High-Frequency Spinal Cord Stimulation for Patients with Chronic, Low Back Pain: 24-Month Results of a Prospective Multicenter Study. Pain Medicine, 2014, 15, 347-354.	1.9	299
20	Subcutaneous Botulinum Toxin for Chronic Postâ€Thoracotomy Pain. Pain Practice, 2013, 13, 231-234.	1.9	27
21	A six year retrospective review of occipital nerve stimulation practice - controversies and challenges of an emerging technique for treating refractory headache syndromes. Journal of Headache and Pain, 2013, 14, 67.	6.0	77
22	High-Frequency Spinal Cord Stimulation for the Treatment of Chronic Back Pain Patients: Results of a Prospective Multicenter European Clinical Study. Neuromodulation, 2013, 16, 59-66.	0.8	292
23	Neuromodulation of chronic headaches: position statement from the European Headache Federation. Journal of Headache and Pain, 2013, 14, 86.	6.0	178
24	The Safety of Magnetic Resonance Imaging in Patients With Programmable Implanted Intrathecal Drug Delivery Systems. Survey of Anesthesiology, 2012, 56, 320-321.	0.1	16
25	Changes in cerebrospinal fluid magnesium levels in patients undergoing spinal anaesthesia for hip arthroplasty: does intravenous infusion of magnesium sulphate make any difference? A prospective, randomized, controlled study. British Journal of Anaesthesia, 2012, 109, 208-215.	3.4	18
26	Emerging treatment for chronic migraine and refractory chronic migraine. Expert Opinion on Emerging Drugs, 2012, 17, 393-406.	2.4	63
27	Which imaging technique for specific interventional procedure. European Journal of Pain Supplements, 2011, 5, 387-393.	0.0	2
28	The Safety of Magnetic Resonance Imaging in Patients with Programmable Implanted Intrathecal Drug Delivery Systems. Anesthesia and Analgesia, 2011, 112, 1124-1129.	2.2	30
29	A Double-Blind, Controlled, Randomized Trial to Evaluate the Efficacy of Botulinum Toxin for the Treatment of Lumbar Myofascial Pain in Humans. Regional Anesthesia and Pain Medicine, 2010, 35, 255-260.	2.3	45
30	Can an Intrathecal, Catheter-tip-associated Inflammatory Mass Reoccur?. Clinical Journal of Pain, 2010, 26, 631-634.	1.9	17
31	Intrathecal Granuloma Formation in a Patient Receiving Long-Term Spinal Infusion of Tramadol. Pain Medicine, 2010, 11, 1059-1062.	1.9	21
32	Tetraplegia following parathyroidectomy in two longâ€ŧerm haemodialysis patients. Anaesthesia, 2009, 64, 1010-1013.	3.8	23
33	Does Local Anesthetic Dilution Influence the Clinical Effectiveness of Multiple-Injection Axillary Brachial Plexus Block?. Regional Anesthesia and Pain Medicine, 2009, 34, 408-413.	2.3	19
34	Ropivacaine and levobupivacaine for bilateral selective ankle block in patients undergoing hallux valgus repair. Acta Anaesthesiologica Scandinavica, 2008, 52, 841-844.	1.6	15
35	Effects of remifentanil-based general anaesthesia with propofol or sevoflurane on muscle microcirculation as assessed by near-infrared spectroscopy. British Journal of Anaesthesia, 2008, 101, 171-177.	3.4	39
36	Lateral popliteal sciatic nerve block: a single injection targeting the tibial branch of the sciatic nerve is as effective as a double-injection technique. Acta Anaesthesiologica Scandinavica, 2007, 51, 115-121.	1.6	26

#	Article	IF	CITATIONS
37	Effects of sternotomy on heart?lung interaction in patients undergoing cardiac surgery receiving pressure-controlled mechanical ventilation. Acta Anaesthesiologica Scandinavica, 2007, 51, 441-446.	1.6	18
38	Combined intrathecal and epidural magnesium sulfate supplementation of spinal anesthesia to reduce post-operative analgesic requirements: a prospective, randomized, double-blind, controlled trial in patients undergoing major orthopedic surgery. Acta Anaesthesiologica Scandinavica, 2007, 51, 482-489.	1.6	117
39	Lateral or Posterior Popliteal Approach for Sciatic Nerve Block: Difference is Related to the Anatomy. Anesthesia and Analgesia, 2007, 105, 286.	2.2	1
40	Microvascular dysfunction and skeletal muscle oxygenation assessed by phase-modulation near-infrared spectroscopy in patients with septic shock. Intensive Care Medicine, 2005, 31, 1661-1668.	8.2	118