

Toshihiro Mitaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2139696/toshihiro-mitaka-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,094
citations

34
h-index

49
g-index

140
ext. papers

3,292
ext. citations

5.1
avg. IF

4.79
L-index

#	Paper	IF	Citations
136	Extracellular vesicles containing miR-146a-5p secreted by bone marrow mesenchymal cells activate hepatocytic progenitors in regenerating rat livers. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 312	8.3	4
135	Generation of functional liver organoids on combining hepatocytes and cholangiocytes with hepatobiliary connections ex vivo. <i>Nature Communications</i> , 2021 , 12, 3390	17.4	10
134	Self-Renewal Capability of Hepatocytic Parental Progenitor Cells Derived From Adult Rat Liver Is Maintained Long Term When Cultured on Laminin 111 in Serum-Free Medium. <i>Hepatology Communications</i> , 2020 , 4, 21-37	6	0
133	Isolation and Expansion of Rat Hepatocytic Progenitor Cells. <i>Methods in Molecular Biology</i> , 2019 , 1905, 29-41	1.4	1
132	Intrahepatic bile ducts guide establishment of the intrahepatic nerve network in developing and regenerating mouse liver. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	9
131	Plasticity of Liver Epithelial Cells in Healthy and Injured Livers 2018 , 35-54		
130	Progressive induction of hepatocyte progenitor cells in chronically injured liver. <i>Scientific Reports</i> , 2017 , 7, 39990	4.9	19
129	Epithelial Morphogenesis during Liver Development. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017 , 9,	10.2	13
128	Hepatocytic parental progenitor cells of rat small hepatocytes maintain self-renewal capability after long-term culture. <i>Scientific Reports</i> , 2017 , 7, 46177	4.9	6
127	Transplantation of Thy1 Cells Accelerates Liver Regeneration by Enhancing the Growth of Small Hepatocyte-Like Progenitor Cells via IL17RB Signaling. <i>Stem Cells</i> , 2017 , 35, 920-931	5.8	11
126	Which is better source for functional hepatocytes?. <i>Stem Cell Investigation</i> , 2017 , 4, 12	5.1	3
125	Pancreatic regeneration: basic research and gene regulation. <i>Surgery Today</i> , 2016 , 46, 633-40	3	7
124	Liver Progenitors Isolated from Adult Healthy Mouse Liver Efficiently Differentiate to Functional Hepatocytes In Vitro and Repopulate Liver Tissue. <i>Stem Cells</i> , 2016 , 34, 2889-2901	5.8	20
123	Intrahepatic bile ducts are developed through formation of homogeneous continuous luminal network and its dynamic rearrangement in mice. <i>Hepatology</i> , 2016 , 64, 175-88	11.2	39
122	Morphogenesis of liver epithelial cells. <i>Hepatology Research</i> , 2016 , 46, 964-76	5.1	9
121	Reconstruction of hepatic stellate cell-incorporated liver capillary structures in small hepatocyte tri-culture using microporous membranes. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015 , 9, 247-56	4.4	7
120	Sry HMG box protein 9-positive (Sox9+) epithelial cell adhesion molecule-negative (EpcAM-) biphenotypic cells derived from hepatocytes are involved in mouse liver regeneration. <i>Journal of Biological Chemistry</i> , 2014 , 289, 7589-98	5.4	75

119	Soluble Lutheran/basal cell adhesion molecule is detectable in plasma of hepatocellular carcinoma patients and modulates cellular interaction with laminin-511 in vitro. <i>Experimental Cell Research</i> , 2014 , 328, 197-206	4.2	4
118	Preoperative hepatocyte transplantation improves the survival of rats with nonalcoholic steatohepatitis-related cirrhosis after partial hepatectomy. <i>Cell Transplantation</i> , 2014 , 23, 1243-54	4	6
117	Re-evaluation of liver stem/progenitor cells. <i>Organogenesis</i> , 2014 , 10, 208-15	1.7	36
116	Downregulation of miR122 by grainyhead-like 2 restricts the hepatocytic differentiation potential of adult liver progenitor cells. <i>Development (Cambridge)</i> , 2014 , 141, 4448-56	6.6	35
115	A three-dimensional microfluidic tumor cell migration assay to screen the effect of anti-migratory drugs and interstitial flow. <i>Microfluidics and Nanofluidics</i> , 2013 , 14, 969-981	2.8	23
114	Hepatic biliary epithelial cells acquire epithelial integrity but lose plasticity to differentiate into hepatocytes in vitro during development. <i>Journal of Cell Science</i> , 2013 , 126, 5239-46	5.3	38
113	Role of grainyhead-like 2 in the formation of functional tight junctions. <i>Tissue Barriers</i> , 2013 , 1, e23495	4.3	14
112	Differentiation capacity of hepatic stem/progenitor cells isolated from D-galactosamine-treated rat livers. <i>Hepatology</i> , 2013 , 57, 1192-202	11.2	19
111	Thy1-positive cell transplantation activates the growth of small hepatocyte-like progenitor cells in rat livers treated with retrorsine and PH. <i>FASEB Journal</i> , 2013 , 27, 257.7	0.9	1
110	Hepatic biliary epithelial cells acquire epithelial integrity but lose plasticity to differentiate into hepatocytes in vitro during development. <i>Development (Cambridge)</i> , 2013 , 140, e2408-e2408	6.6	
109	Reconstruction of 3D stacked hepatocyte tissues using degradable, microporous poly(d,l-lactide-co-glycolide) membranes. <i>Biomaterials</i> , 2012 , 33, 2693-700	15.6	39
108	Proliferation of rat small hepatocytes requires follistatin expression. <i>Journal of Cellular Physiology</i> , 2012 , 227, 2363-70	7	12
107	Spatio-temporal control of hepatic stellate cell-endothelial cell interactions for reconstruction of liver sinusoids in vitro. <i>Tissue Engineering - Part A</i> , 2012 , 18, 1045-56	3.9	18
106	Isolation of hepatic progenitor cells from the galactosamine-treated rat liver. <i>Methods in Molecular Biology</i> , 2012 , 826, 49-58	1.4	
105	Grainyhead-like 2 regulates epithelial morphogenesis by establishing functional tight junctions through the organization of a molecular network among claudin3, claudin4, and Rab25. <i>Molecular Biology of the Cell</i> , 2012 , 23, 2845-55	3.5	69
104	α - and β -containing laminins regulate the development of bile ducts via β integrin signals. <i>Journal of Biological Chemistry</i> , 2012 , 287, 28586-97	5.4	50
103	Growth ability and repopulation efficiency of transplanted hepatic stem cells, progenitor cells, and mature hepatocytes in retrorsine-treated rat livers. <i>Cell Transplantation</i> , 2012 , 21, 11-22	4	15
102	Low-dose steroid pretreatment ameliorates the transient impairment of liver regeneration. <i>World Journal of Gastroenterology</i> , 2012 , 18, 905-14	5.6	2

101	Hepatic stellate cell-mediated three-dimensional hepatocyte and endothelial cell triculture model. <i>Tissue Engineering - Part A</i> , 2011 , 17, 361-70	3.9	42
100	Microfluidic Hydrostatic Deposition Patterning for a confined hepatocyte-biliary epithelial cell co-culture system 2011 ,		1
99	Characterization of hepatic-organoid cultures. <i>Drug Metabolism Reviews</i> , 2010 , 42, 472-81	7	11
98	Proliferation and osteogenic differentiation of rat bone marrow stromal cells on bioapatite with different crystalline facets. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 93, 646-55	5.4	2
97	Thyroid hormone is necessary for expression of constitutive androstane receptor in rat hepatocytes. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1963-9	4	11
96	Impaired liver regeneration with humoral and genetic disturbances in urinary trypsin inhibitor-deficient mice. <i>Liver International</i> , 2009 , 29, 979-87	7.9	6
95	Thy1-positive cells have bipotential ability to differentiate into hepatocytes and biliary epithelial cells in galactosamine-induced rat liver regeneration. <i>American Journal of Pathology</i> , 2009 , 175, 2362-71	5.8	23
94	Laminin alpha 5 mediates ectopic adhesion of hepatocellular carcinoma through integrins and/or Lutheran/basal cell adhesion molecule. <i>Experimental Cell Research</i> , 2008 , 314, 2579-90	4.2	39
93	Ductular network formation by rat biliary epithelial cells in the dynamical culture with collagen gel and dimethylsulfoxide stimulation. <i>American Journal of Pathology</i> , 2008 , 173, 494-506	5.8	21
92	Morphological and Functional Changes of Rat Hepatocytes by Vertical Cell-Cell Adhesion in Three-Dimensional Stacked-Up Culture. <i>Journal of Biomechanical Science and Engineering</i> , 2008 , 3, 235-248	0.8	4
91	The Effect of Micropatterned Pores on the Formation and Movement of Small Hepatocyte Colonies. <i>Journal of Biomechanical Science and Engineering</i> , 2008 , 3, 249-262	0.8	1
90	Proliferation of hepatocyte progenitor cells isolated from adult human livers in serum-free medium. <i>Cell Transplantation</i> , 2008 , 17, 1221-30	4	36
89	In vitro transformation of adult rat hepatic progenitor cells into pancreatic endocrine hormone-producing cells. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2008 , 15, 310-7		7
88	Efficient transformation of small hepatocytes into insulin-expressing cells by forced expression of Pdx1. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2008 , 15, 403-9		3
87	Functional expression of organic anion transporters in hepatic organoids reconstructed by rat small hepatocytes. <i>Journal of Cellular Biochemistry</i> , 2008 , 104, 68-81	4.7	19
86	Selective proliferation of rat hepatocyte progenitor cells in serum-free culture. <i>Nature Protocols</i> , 2007 , 2, 1197-205	18.8	47
85	The LG1-3 tandem of laminin alpha5 harbors the binding sites of Lutheran/basal cell adhesion molecule and alpha3beta1/alpha6beta1 integrins. <i>Journal of Biological Chemistry</i> , 2007 , 282, 14853-60	5.4	53
84	Thermoreversible gelation polymer induces the emergence of hepatic stem cells in the partially injured rat liver. <i>Hepatology</i> , 2006 , 43, 1053-62	11.2	15

83	Liver repopulation and long-term function of rat small hepatocyte transplantation as an alternative cell source for hepatocyte transplantation. <i>Liver Transplantation</i> , 2006 , 12, 78-87	4.5	26
82	Portal blood flow regulates volume recovery of the rat liver after partial hepatectomy: molecular evaluation. <i>European Surgical Research</i> , 2006 , 38, 522-32	1.1	22
81	Coordinated elevation of membrane type 1-matrix metalloproteinase and matrix metalloproteinase-2 expression in rat uterus during postpartum involution. <i>Reproductive Biology and Endocrinology</i> , 2006 , 4, 32	5	21
80	Expression of CD44 in rat hepatic progenitor cells. <i>Journal of Hepatology</i> , 2006 , 45, 90-8	13.4	57
79	Cytochrome p450 expression of cultured rat small hepatocytes after long-term cryopreservation. <i>Drug Metabolism and Disposition</i> , 2006 , 34, 1667-71	4	11
78	239 Reconstruction of Tubular Structure Network by Rat Biliary Epithelial Cells. <i>The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME</i> , 2006 , 2005.18, 137-138	0	
77	237 The Effect of micro-porous membrane on the formation of small hepatocyte colonies. <i>The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME</i> , 2006 , 2005.18, 133-134	0	
76	330 The analysis of cell adhesion in 3D stacked-up culture of rat primary hepatocytes. <i>The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME</i> , 2006 , 2005.18, 197-198	0	
75	Transient expression of laminin alpha1 chain in regenerating murine liver: restricted localization of laminin chains and nidogen-1. <i>Experimental Cell Research</i> , 2005 , 305, 99-109	4.2	30
74	Reconstruction of 3D stacked-up structures by rat small hepatocytes on microporous membranes. <i>FASEB Journal</i> , 2005 , 19, 1695-7	0.9	54
73	Hyperbaric oxygen stimulates cell proliferation and normalizes multidrug resistance protein-2 protein localization in primary rat hepatocytes. <i>Wound Repair and Regeneration</i> , 2005 , 13, 551-7	3.6	11
72	Expression of cytochrome P450 enzymes in hepatic organoid reconstructed by rat small hepatocytes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 865-72	4	14
71	Coordinated movement of bile canalicular networks reconstructed by rat small hepatocytes. <i>Annals of Biomedical Engineering</i> , 2005 , 33, 696-708	4.7	13
70	Hepatocyte transplantation for total liver repopulation. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2005 , 12, 378-85		19
69	Hepatic organoid formation in collagen sponge of cells isolated from human liver tissues. <i>Tissue Engineering</i> , 2005 , 11, 626-33		14
68	223 3D culture of small hepatocytes by piling up microporous membranes. <i>Proceedings of the JSME Bioengineering Conference and Seminar</i> , 2005 , 2004.17, 83-84		
67	Bile canalicular formation in hepatic organoid reconstructed by rat small hepatocytes and nonparenchymal cells. <i>Journal of Cellular Physiology</i> , 2004 , 199, 252-61	7	27
66	In vitro induction of adult hepatic progenitor cells into insulin-producing cells. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 318, 625-30	3.4	59

65	Reconstruction of Ductular Structure by Rat Bile Ductular Epithelial Cells(Micro- and Nano-biomechanics). <i>The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics</i> , 2004 , 2004.1, 219-220		
64	Cellular biomechanics applied to tissue engineering : Reconstruction of vessel network formation in cultured cell structures(Plenary Lectures). <i>The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics</i> , 2004 , 2004.1, 1-2		
63	Accumulation of Hsp70/Hsc70 molecular chaperone regulator BAG-1 on COPI-coated structures in gastric epithelial cells 2003 , 23, 1301		
62	Tumor necrosis factor-alpha and interleukin-6 reduce bile canalicular contractions of rat hepatocytes. <i>Surgery</i> , 2003 , 133, 101-9	3.6	8
61	Rapid formation of hepatic organoid in collagen sponge by rat small hepatocytes and hepatic nonparenchymal cells. <i>Journal of Hepatology</i> , 2003 , 39, 716-23	13.4	34
60	Morphological estimation for the effects of flow to hepatic organoid formed by rat small hepatocytes. <i>The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME</i> , 2003 , 2003.15, 287-288	0	
59	Increased expression of cell adhesion kinase beta in human and rat crescentic glomerulonephritis. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 174-82	7.4	9
58	Morphological changes induced by extracellular matrix are correlated with maturation of rat small hepatocytes. <i>Journal of Cellular Biochemistry</i> , 2002 , 87, 16-28	4.7	47
57	Reconstruction of hepatic organoid by hepatic stem cells. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2002 , 9, 697-703		19
56	The significance of membrane type 1 metalloproteinase in structural involution of human corpora lutea. <i>Molecular Human Reproduction</i> , 2002 , 8, 742-9	4.4	6
55	Long-term culture of primary human hepatocytes with preservation of proliferative capacity and differentiated functions. <i>Journal of Surgical Research</i> , 2002 , 106, 115-23	2.5	53
54	Proliferation of rat small hepatocytes after long-term cryopreservation. <i>Journal of Hepatology</i> , 2002 , 37, 7-14	13.4	30
53	Effects of bone marrow stromal cells on the structural and functional polarity of primary rat hepatocytes. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2002 , 38, 62-5	2.6	10
52	The Effects of A23187 and Endothelin-1 on the Contraction of Reconstructed Bile Canaliculi. <i>The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME</i> , 2002 , 2002.14, 21-22	0	
51	The Effect of Endothelin-1 on the Contraction of Bile Canalicular Network. <i>Proceedings of the JSME Bioengineering Conference and Seminar</i> , 2002 , 2002.13, 97-98		
50	Sepsis and cholestasis: basic findings in the sinusoid and bile canaliculus. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2001 , 8, 20-6		22
49	Expression of carbamoylphosphate synthetase I and glutamine synthetase in hepatic organoids reconstructed by rat small hepatocytes and hepatic nonparenchymal cells. <i>Cell and Tissue Research</i> , 2001 , 306, 467-71	4.2	11
48	Maintenance of connexin 32 and 26 expression in primary cultured rat hepatocytes treated with 3-acetylpyridine. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001 , 16, 806-15	4	2

47	Enhanced proliferation and differentiation of rat hepatocytes cultured with bone marrow stromal cells. <i>Journal of Cellular Physiology</i> , 2001 , 189, 106-19	7	66
46	Hepatic stem cells: from bone marrow cells to hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 281, 1-5	3.4	40
45	Regulation of c-met expression in rats with acute hepatic failure. <i>Journal of Surgical Research</i> , 2001 , 99, 385-96	2.5	20
44	Paper is a compatible bed for rat hepatocytes. <i>Artificial Organs</i> , 2000 , 24, 271-7	2.6	6
43	Small hepatocytes in primary cultures 2000 , 195-208		
42	Effects of nicotinamide-related agents on the growth of primary rat hepatocytes and formation of small hepatocyte colonies. <i>Liver International</i> , 1999 , 19, 481-8	7.9	23
41	BAG-1 accelerates cell motility of human gastric cancer cells. <i>Oncogene</i> , 1999 , 18, 3244-51	9.2	46
40	Spontaneous appearance of circular actin bands in cultured hepatocytes of adult rats. <i>Medical Electron Microscopy: Official Journal of the Clinical Electron Microscopy Society of Japan</i> , 1999 , 32, 114-121		5
39	Reconstruction of hepatic organoid by rat small hepatocytes and hepatic nonparenchymal cells. <i>Hepatology</i> , 1999 , 29, 111-25	11.2	194
38	Alteration of expression of liver-enriched transcription factors in the transition between growth and differentiation of primary cultured rat hepatocytes. <i>Journal of Cellular Physiology</i> , 1998 , 174, 273-84 ⁷		54
37	The current status of primary hepatocyte culture. <i>International Journal of Experimental Pathology</i> , 1998 , 79, 393-409	2.8	81
36	Cell adhesion kinase beta forms a complex with a new member, Hic-5, of proteins localized at focal adhesions. <i>Journal of Biological Chemistry</i> , 1998 , 273, 1003-14	5.4	112
35	Growth and maturation of small hepatocytes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998 , 13, S70-S77	4	39
34	Growth and maturation of small hepatocytes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998 , 13 Suppl, S70-7	4	6
33	Effects of melatonin on proliferation, oxidative stress and Cx32 gap junction protein expression in primary cultures of adult rat hepatocytes. <i>Cell Structure and Function</i> , 1997 , 22, 347-56	2.2	38
32	Different changes in expression and function of connexin 26 and connexin 32 during DNA synthesis and redifferentiation in primary rat hepatocytes using a DMSO culture system. <i>Hepatology</i> , 1997 , 26, 585-597	11.2	47
31	Formation of actin filament networks in cultured rat hepatocytes treated with DMSO and glucagon. <i>Cell Structure and Function</i> , 1997 , 22, 269-78	2.2	9
30	Restricted expression of cell adhesion kinase-beta in rat tissues. <i>American Journal of Pathology</i> , 1997 , 150, 267-81	5.8	16

29	Changes in cellular distribution of connexins 32 and 26 during formation of gap junctions in primary cultures of rat hepatocytes. <i>Experimental Cell Research</i> , 1996 , 223, 314-26	4.2	30
28	Recovery of mRNA expression of tryptophan 2,3-dioxygenase and serine dehydratase in long-term cultures of primary rat hepatocytes. <i>Journal of Biochemistry</i> , 1996 , 120, 511-7	3.1	17
27	Subculture of proliferating adult rat hepatocytes in medium supplemented with nicotinamide and EGF. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1996 , 32, 469-77	2.6	10
26	Effects of oxygen radical scavengers on connexins 32 and 26 expression in primary cultures of adult rat hepatocytes. <i>Carcinogenesis</i> , 1996 , 17, 537-44	4.6	34
25	Aurintricarboxylic acid prevents vascular endothelial cell death. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1995 , 31, 323-5	2.6	2
24	Tumor necrosis factor-induced endothelial cell injury with advancing age in vitro. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1995 , 31, 824-7	2.6	2
23	Growth and maturation of small hepatocytes isolated from adult rat liver. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 214, 310-7	3.4	77
22	Reappearance and long-term maintenance of connexin32 in proliferated adult rat hepatocytes: use of serum-free L-15 medium supplemented with EGF and DMSO. <i>Journal of Cell Science</i> , 1995 , 108 (Pt 4), 1347-57	5.3	11
21	Reappearance and long-term maintenance of connexin32 in proliferated adult rat hepatocytes: use of serum-free L-15 medium supplemented with EGF and DMSO. <i>Journal of Cell Science</i> , 1995 , 108, 1347-57	5.3	43
20	Induction and regulation of connexin26 by glucagon in primary cultures of adult rat hepatocytes. <i>Journal of Cell Science</i> , 1995 , 108, 2771-2780	5.3	38
19	TGF-beta completely blocks the formation of small-cell colonies: effects of mito-inhibitory factors on the proliferation of primary cultured rat hepatocytes. <i>Cell Structure and Function</i> , 1995 , 20, 167-76	2.2	5
18	Interaction of interleukin-1 and interferon-gamma on fibroblast growth factor-induced angiogenesis. <i>Japanese Journal of Cancer Research</i> , 1994 , 85, 522-9		25
17	In vitro invasive potential and type IV collagenolytic activity of human renal cell carcinoma cells derived from primary and metastatic lesions. <i>Journal of Urology</i> , 1993 , 149, 1182-5	2.5	11
16	Effects of mitogens and co-mitogens on the formation of small-cell colonies in primary cultures of rat hepatocytes. <i>Journal of Cellular Physiology</i> , 1993 , 157, 461-8	7	29
15	Redifferentiation of proliferated rat hepatocytes cultured in L15 medium supplemented with EGF and DMSO. <i>In Vitro Cellular & Developmental Biology</i> , 1993 , 29A, 714-22		25
14	Effect of age on the formation of small-cell colonies in cultures of primary rat hepatocytes. <i>Cancer Research</i> , 1993 , 53, 3145-8	10.1	20
13	Characteristics of small cell colonies developing in primary cultures of adult rat hepatocytes. <i>Vigiliae Christianae</i> , 1992 , 62, 329-35	0.2	34
12	Small cell colonies appear in the primary culture of adult rat hepatocytes in the presence of nicotinamide and epidermal growth factor. <i>Hepatology</i> , 1992 , 16, 440-7	11.2	100

11	Gamma-glutamyltranspeptidase-positive (GGT+) hepatocytes from carcinogen-treated rats isolated by magnetic beads. <i>In Vitro Cellular & Developmental Biology</i> , 1991 , 27A, 515-7		3
10	The bicarbonate ion is essential for efficient DNA synthesis by primary cultured rat hepatocytes. <i>In Vitro Cellular & Developmental Biology</i> , 1991 , 27A, 549-56		11
9	Amino acid-rich medium (Leibovitz L-15) enhances and prolongs proliferation of primary cultured rat hepatocytes in the absence of serum. <i>Journal of Cellular Physiology</i> , 1991 , 147, 495-504	7	34
8	Multiple cell cycles occur in rat hepatocytes cultured in the presence of nicotinamide and epidermal growth factor. <i>Hepatology</i> , 1991 , 13, 21-30	11.2	83
7	Multiple cell cycles occur in rat hepatocytes cultured in the presence of nicotinamide and epidermal growth factor. <i>Hepatology</i> , 1991 , 13, 21-30	11.2	22
6	Multiple cell cycles occur in rat hepatocytes cultured in the presence of nicotinamide and epidermal growth factor 1991 , 13, 21		9
5	Decreased sensitivity to phalloidin of normal-looking rat hepatocytes after short-term 2-acetylaminofluorene feeding. <i>Japanese Journal of Cancer Research</i> , 1988 , 79, 329-34		
4	Polygonal networks, "geodomes", of adult rat hepatocytes in primary culture. <i>Cell Biology International Reports</i> , 1988 , 12, 1-7		15
3	Sexual difference in the histochemical characteristics of "altered cell foci" in the liver of aged Fischer 344 rats. <i>Japanese Journal of Cancer Research</i> , 1987 , 78, 785-90		13
2	Decreased sensitivity to phalloidin of aged F344/DuCrj rat hepatocytes. <i>Japanese Journal of Cancer Research</i> , 1987 , 78, 1193-7		1
1	Effects of liver-tumor promoters on phalloidin sensitivity of rat hepatocytes. <i>Carcinogenesis</i> , 1986 , 7, 335-7	4.6	3