List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2140113/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	cis-Aconitic Acid, a Constituent of Echinodorus grandiflorus Leaves, Inhibits Antigen-Induced Arthritis and Gout in Mice. Planta Medica, 2022, 88, 1123-1131.	1.3	5
2	Antiâ€Zika Virus Activity of Plant Extracts Containing Polyphenols and Triterpenes on Vero CCLâ€81 and Human Neuroblastoma SHâ€SY5Y Cells. Chemistry and Biodiversity, 2022, 19, .	2.1	2
3	Study on South African Indigenous Teas—Antioxidant Potential, Nutritional Content, and Hypoxia-Induced Cyclooxygenase Inhibition on U87 MG Cell Line. Molecules, 2022, 27, 3505.	3.8	Ο
4	Influence of the wavelength and intensity of LED lights and cytokinins on the growth rate and the concentration of total cardenolides in Digitalis mariana Boiss. ssp. heywoodii (P. Silva and M. Silva) Hinz cultivated in vitro. Plant Cell, Tissue and Organ Culture, 2022, 151, 93-105.	2.3	3
5	Exploring the bioactivity potential of <i>Leonotis nepetifolia</i> : phytochemical composition, antimicrobial and antileishmanial activities of extracts from different anatomical parts. Natural Product Research, 2021, 35, 3120-3125.	1.8	12
6	Digitoxigenin presents an effective and selective antileishmanial action against Leishmania infantum and is a potential therapeutic agent for visceral leishmaniasis. Parasitology Research, 2021, 120, 321-335.	1.6	11
7	Bioguided chemical characterization of pequi (Caryocar brasiliense) fruit peels towards an anti-diabetic activity. Food Chemistry, 2021, 345, 128734.	8.2	8
8	Cytotoxicity of glucoevatromonoside alone and in combination with chemotherapy drugs and their effects on Na+,K+-ATPase and ion channels on lung cancer cells. Molecular and Cellular Biochemistry, 2021, 476, 1825-1848.	3.1	3
9	Medicinal plants and their potential use in the treatment of rheumatic diseases. , 2021, , 205-234.		0
10	Liposomes co-encapsulating doxorubicin and glucoevatromonoside derivative induce synergic cytotoxic response against breast cancer cell lines. Biomedicine and Pharmacotherapy, 2021, 136, 111123.	5.6	9
11	Polyphenol-rich extract and fractions of Terminalia phaeocarpa Eichler possess hypoglycemic effect, reduce the release of cytokines, and inhibit lipase, î±-glucosidase, and ݱ-amilase enzymes. Journal of Ethnopharmacology, 2021, 271, 113847.	4.1	13
12	TNF-α inhibition, antioxidant effects and chemical analysis of extracts and fraction from Brazilian guaraná seed powder. Food Chemistry, 2021, 355, 129563.	8.2	9
13	Paving New Roads Towards Biodiversity-Based Drug Development in Brazil: Lessons from the Past and Future Perspectives. Revista Brasileira De Farmacognosia, 2021, , 1-14.	1.4	5
14	Effect of Essential Oils on the Release of TNF-α and CCL2 by LPS-Stimulated THP‑1 Cells. Plants, 2021, 10, 50.	3.5	11
15	<i>Panax notoginseng</i> for Cerebral Ischemia: A Systematic Review. The American Journal of Chinese Medicine, 2020, 48, 1331-1351.	3.8	32
16	Determination of l-(+)-bornesitol, the hypotensive constituent of Hancornia speciosa, in rat plasma by LC-MS/MS and its application on a pharmacokinetic study. Biomedicine and Pharmacotherapy, 2020, 132, 110900.	5.6	7
17	Semisynthetic Cardenolides Acting as Antiviral Inhibitors of Influenza A Virus Replication by Preventing Polymerase Complex Formation. Molecules, 2020, 25, 4853.	3.8	3
18	Investigation of the cytotoxic activity of two novel digitoxigenin analogues on H460 lung cancer cells. Anti-Cancer Drugs, 2020, 31, 452-462.	1.4	5

#	Article	IF	CITATIONS
19	(3,3â€3)-Linked Biflavanones from Ouratea spectabilis and Their Effects on the Release of Proinflammatory Cytokines in THP-1 Cells. Journal of Natural Products, 2020, 83, 1891-1898.	3.0	7
20	Elucidation of the mechanism of anti-herpes action of two novel semisynthetic cardenolide derivatives. Archives of Virology, 2020, 165, 1385-1396.	2.1	9
21	Brazilian traditional medicine: Historical basis, features and potentialities for pharmaceutical development. Journal of Traditional Chinese Medical Sciences, 2020, 8, S44-S44.	0.2	3
22	Potential anti-herpes and cytotoxic action of novel semisynthetic digitoxigenin-derivatives. European Journal of Medicinal Chemistry, 2019, 167, 546-561.	5.5	17
23	Inhibition of the sphingosineâ€lâ€phosphate pathway promotes the resolution of neutrophilic inflammation. European Journal of Immunology, 2019, 49, 1038-1051.	2.9	17
24	Effect of the Extract and Constituents From Hancornia speciosa Fruits in Osteoclasts. Planta Medica International Open, 2019, 6, e7-e14.	0.5	2
25	New ^{99m} Tc-Labeled Digitoxigenin Derivative for Cancer Cell Identification. ACS Omega, 2019, 4, 22048-22056.	3.5	0
26	The Cyclitol L-(+)-Bornesitol as an Active Marker for the Cardiovascular Activity of the Brazilian Medicinal Plant <i>Hancornia speciosa</i> . Biological and Pharmaceutical Bulletin, 2019, 42, 2076-2082.	1.4	8
27	Anthelmintic activity of Annona crassiflora leaves against Haemonchus contortus: part 1: in vitro inhibition of the hatchability and larval development. Medicina Veterinaria (Brazil), 2019, 13, 184.	0.1	1
28	Anthelmintic activity of Annona crassiflora leaves against Haemonchus contortus: part 2: efficacy in vivo and blood parameters. Medicina Veterinaria (Brazil), 2019, 13, 192.	0.1	0
29	Encapsulation of trans -aconitic acid in mucoadhesive microspheres prolongs the anti-inflammatory effect in LPS-induced acute arthritis. European Journal of Pharmaceutical Sciences, 2018, 119, 112-120.	4.0	15
30	Esterification of trans-aconitic acid improves its anti-inflammatory activity in LPS-induced acute arthritis. Biomedicine and Pharmacotherapy, 2018, 99, 87-95.	5.6	15
31	A rapid simultaneous determination of methylxanthines and proanthocyanidins in Brazilian guaraná (Paullinia cupana Kunth.). Food Chemistry, 2018, 239, 180-188.	8.2	30
32	Cytotoxic and cytostatic effects of digitoxigenin monodigitoxoside (DGX) in human lung cancer cells and its link to Na,K-ATPase. Biomedicine and Pharmacotherapy, 2018, 97, 684-696.	5.6	34
33	Long-circulating and fusogenic liposomes loaded with a glucoevatromonoside derivative induce potent antitumor response. Biomedicine and Pharmacotherapy, 2018, 108, 1152-1161.	5.6	10
34	Comparative inhibition of MCF-7 breast cancer cell growth, invasion and angiogenesis by Cannabis sativa L. sourced from sixteen different geographic locations. South African Journal of Botany, 2018, 119, 154-162.	2.5	12
35	Forced degradation of l-(+)-bornesitol, a bioactive marker of Hancornia speciosa: Development and validation of stability indicating UHPLC-MS method and effect of degraded products on ACE inhibition. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1093-1094. 31-38.	2.3	4
36	Maltodextrin and Gum Arabic-Based Microencapsulation Methods for Anthocyanin Preservation in Juçara Palm (Euterpe edulis Martius) Fruit Pulp. Plant Foods for Human Nutrition, 2018, 73, 209-215.	3.2	32

#	Article	IF	CITATIONS
37	Cardiac Glycoside Glucoevatromonoside Induces Cancer Type-Specific Cell Death. Frontiers in Pharmacology, 2018, 9, 70.	3.5	28
38	Cytotoxicity of AMANTADIG – a semisynthetic digitoxigenin derivative – alone and in combination with docetaxel in human hormone-refractory prostate cancer cells and its effect on Na+/K+-ATPase inhibition. Biomedicine and Pharmacotherapy, 2018, 107, 464-474.	5.6	13
39	Cytotoxic effects of the cardenolide convallatoxin and its Na,K-ATPase regulation. Molecular and Cellular Biochemistry, 2017, 428, 23-39.	3.1	11
40	Production of the Cytotoxic Cardenolide Glucoevatromonoside by Semisynthesis and Biotransformation of Evatromonoside by a Digitalis lanata Cell Culture. Planta Medica, 2017, 83, 1035-1043.	1.3	14
41	<pre><i>in Vitro</i> INF-<mml:math xmlns:mml="http://www.w3.org/1998/Math/Math/Math/Math/Math/Math/Math/Math</td"><td>1.2</td><td>32</td></mml:math></pre>	1.2	32
42	Evidence-based Complementary and Alternative Wedicine, 2016, 2016, 1-15. In vitro and in vivo action of Piptadenia viridiflora (Kunth) Benth against Haemonchus contortus in sheep. Veterinary Parasitology, 2016, 223, 43-49.	1.8	23
43	<i>Strychnos pseudoquina</i> A. St. Hil.: a Brazilian medicinal plant with promising <i>inÂvitro</i> antiherpes activity. Journal of Applied Microbiology, 2016, 121, 1519-1529.	3.1	30
44	Mansoins C–F, Oligomeric Flavonoid Glucosides Isolated from Mansoa hirsuta Fruits with Potential Anti-inflammatory Activity. Journal of Natural Products, 2016, 79, 2279-2286.	3.0	11
45	Evaluation of Antitumor Activity of Long-Circulating and pH-Sensitive Liposomes Containing Ursolic Acid in Animal Models of Breast Tumor and Gliosarcoma. Integrative Cancer Therapies, 2016, 15, 512-524.	2.0	15
46	Improvement of the liver pathology by the aqueous extract and the n-butanol fraction of Sida pilosa Retz in Schistosoma mansoni-infected mice. Journal of Ethnopharmacology, 2016, 180, 114-123.	4.1	11
47	Potent antihypertensive effect of Hancornia speciosa leaves extract. Phytomedicine, 2016, 23, 214-219.	5.3	28
48	Effect of the Hydroethanolic Extract from Echinodorus grandiflorus Leaves and a Fraction Enriched in Flavone-C-Glycosides on Antigen-Induced Arthritis in Mice. Planta Medica, 2016, 82, 407-413.	1.3	16
49	In Vitro TNF-α Inhibition Elicited by Extracts from Echinodorus grandiflorus Leaves and Correlation with Their Phytochemical Composition. Planta Medica, 2016, 82, 337-343.	1.3	11
50	The catalytic mechanism of the 3-ketosteroid isomerase of Digitalis lanata involves an intramolecular proton transfer and the activity is not associated with the 3β-hydroxysteroid dehydrogenase activity. Tetrahedron Letters, 2016, 57, 1567-1571.	1.4	7
51	Inhibition of cell proliferation, invasion and migration by the cardenolides digitoxigenin monodigitoxoside and convallatoxin in human lung cancer cell line. Natural Product Research, 2016, 30, 1327-1331.	1.8	30
52	Anti-TNF-α Activity of Brazilian Medicinal Plants and Compounds from <i>Ouratea semiserrata</i> . Phytotherapy Research, 2015, 29, 1509-1515.	5.8	17
53	Evaluation of the Wound Healing Properties of <i>Hancornia speciosa</i> Leaves. Phytotherapy Research, 2015, 29, 1887-1893.	5.8	34
54	Evaluation of the Effects of Some Brazilian Medicinal Plants on the Production of TNF- <i>α</i> and CCL2 by THP-1 Cells. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-11.	1.2	14

#	Article	IF	CITATIONS
55	Antinociceptive and anti-inflammatory effects of myricetin 3-O-β-galactoside isolated from Davilla elliptica: involvement of the nitrergic system. Journal of Natural Medicines, 2015, 69, 487-493.	2.3	24
56	Hancornia speciosa Gomes (Apocynaceae) as a potential anti-diabetic drug. Journal of Ethnopharmacology, 2015, 161, 30-35.	4.1	58
57	Plants of the Cerrado naturally selected by grazing sheep may have potential for inhibiting development of Haemonchus contortus larva. Tropical Animal Health and Production, 2015, 47, 1321-1328.	1.4	15
58	Lithothamnion muelleri Treatment Ameliorates Inflammatory and Hypernociceptive Responses in Antigen-Induced Arthritis in Mice. PLoS ONE, 2015, 10, e0118356.	2.5	8
59	In Vitro Evaluation of Sida pilosa Retz (Malvaceae) Aqueous Extract and Derived Fractions on Schistosoma mansoni. Pharmacology & Pharmacy, 2015, 06, 380-390.	0.7	8
60	Cancer chemoprevention activity of labdane diterpenes from rhizomes of Hedychium coronarium. Revista Brasileira De Farmacognosia, 2014, 24, 408-412.	1.4	23
61	Ursolic Acid Incorporation Does Not Prevent the Formation of a Non-lamellar Phase in pH-Sensitive and Long-Circulating Liposomes. Langmuir, 2014, 30, 15083-15090.	3.5	13
62	Chemical characterization and antiherpes activity of sulfated polysaccharides from Lithothamnion muelleri. International Journal of Biological Macromolecules, 2014, 66, 332-337.	7.5	32
63	In vitro and in silico inhibition of angiotensin-converting enzyme by carbohydrates and cyclitols. Chemical Papers, 2014, 68, .	2.2	15
64	Anti-biofilm activity of Marula – A study with the standardized bark extract. Journal of Ethnopharmacology, 2014, 154, 170-175.	4.1	65
65	TNF-α Inhibition Elicited by Mansoins A and B, Heterotrimeric Flavonoids Isolated fromMansoa hirsuta. Journal of Natural Products, 2014, 77, 824-830.	3.0	9
66	Bioguided isolation of myricetin-3-O-β-galactopyranoside with antinociceptive activity from the aerial part of Davilla elliptica StHil. Journal of Ethnopharmacology, 2013, 150, 270-274.	4.1	11
67	Seasonal Variation on the Contents of Coumarin and Kauraneâ€Type Diterpenes in <i>Mikania laevigata</i> and <i>M. glomerata</i> Leaves under Different Shade Levels. Chemistry and Biodiversity, 2013, 10, 288-295.	2.1	21
68	Characterization and cytotoxic activity of sulfated derivatives of polysaccharides from Agaricus brasiliensis. International Journal of Biological Macromolecules, 2013, 57, 265-272.	7.5	43
69	Preparation, Physicochemical Characterization, and Cell Viability Evaluation of Long-Circulating and pH-Sensitive Liposomes Containing Ursolic Acid. BioMed Research International, 2013, 2013, 1-7.	1.9	47
70	Isolation and HPLC quantitation of kaurane-type diterpenes and cinnamic acid derivatives of long-term stored leaves of Mikania laevigata and Mikania glomerata. Anais Da Academia Brasileira De Ciencias, 2013, 85, 473-486.	0.8	9
71	Lithothamnion muelleri Controls Inflammatory Responses, Target Organ Injury and Lethality Associated with Graft-versus-Host Disease in Mice. Marine Drugs, 2013, 11, 2595-2615.	4.6	12
72	Antiadhesive Activity of Polysaccharide-Rich Fractions from Lithothamnion muelleri. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2012, 67, 391-397.	1.4	5

#	Article	IF	CITATIONS
73	Chemical composition and vasodilatation induced by Cuphea carthagenensis preparations. Phytomedicine, 2012, 19, 953-957.	5.3	35
74	Development and validation of an HPLC-DAD method for quantification of bornesitol in extracts from Hancornia speciosa leaves after derivatization with p-toluenesulfonyl chloride. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 887-888, 133-137.	2.3	23
75	Biotransformation of 21-O-acetyl-deoxycorticosterone by cell suspension cultures of Digitalis lanata (strain W.1.4). Steroids, 2012, 77, 1373-1380.	1.8	20
76	Antiadhesive Activity of Polysaccharide-Rich Fractions from Lithothamnion muelleri. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2012, 67, 0391.	1.4	7
77	Hancornia speciosa Gomes induces hypotensive effect through inhibition of ACE and increase on NO. Journal of Ethnopharmacology, 2011, 137, 709-713.	4.1	55
78	Antiherpes activity of glucoevatromonoside, a cardenolide isolated from a Brazilian cultivar of Digitalis lanata. Antiviral Research, 2011, 92, 73-80.	4.1	78
79	ACE inhibition by astilbin isolated from Erythroxylum gonocladum (Mart.) O.E. Schulz. Phytomedicine, 2010, 17, 383-387.	5.3	21
80	Antimicrobial, antiviral and cytotoxic activity of extracts and constituents from Polygonum spectabile Mart Phytomedicine, 2010, 17, 926-929.	5.3	25
81	Antiedematogenic activity and phytochemical composition of preparations from Echinodorus grandiflorus leaves. Phytomedicine, 2010, 18, 80-86.	5.3	27
82	Quercetin-3-sulfate: A chemical marker for Cuphea carthagenensis. Biochemical Systematics and Ecology, 2010, 38, 125-127.	1.3	14
83	Evaluation of Brazilian plants on cancer chemoprevention targets <i>in vitro</i> . Phytotherapy Research, 2010, 24, 928-933.	5.8	37
84	Constituents from Maytenus ilicifolia leaves and bioguided fractionation for gastroprotective activity. Journal of the Brazilian Chemical Society, 2010, 21, 248-254.	0.6	23
85	Cytotoxicity of Wedelia paludosa D.C. extracts and constituents. Revista Brasileira De Farmacognosia, 2009, 19, 36-40.	1.4	10
86	Development and Validation of an RP-HPLC Method for Quantification of Cinnamic Acid Derivatives and Kaurane-Type Diterpenes inMikania laevigataandMikania glomerata. Planta Medica, 2009, 75, 280-285.	1.3	21
87	Endothelium-dependent vasorelaxation in rat thoracic aorta by Mansoa hirsuta D.C Phytomedicine, 2009, 16, 456-461.	5.3	12
88	NF-κB inhibitory activity of cyclitols isolated from Hancornia speciosa. Phytomedicine, 2009, 16, 1064-1069.	5.3	38
89	Antiviral Activity of Solanum paniculatum Extract and Constituents. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2009, 64, 813-818.	1.4	20
90	Plant-derived antimalarial agents: new leads and efficient phythomedicines. Part I. Alkaloids. Anais Da Academia Brasileira De Ciencias, 2009, 81, 715-740.	0.8	110

#	Article	IF	CITATIONS
91	Dihydroisocoumarin from Xyris pterygoblephara active against dermatophyte fungi. Phytochemistry, 2008, 69, 439-444.	2.9	28
92	Selective Inhibition of Aromatase by a Dihydroisocoumarin from <i>Xyris pterygoblephara</i> . Journal of Natural Products, 2008, 71, 1082-1084.	3.0	56
93	Quantitation of genistein and genistin in soy dry extracts by UV-Visible spectrophotometric method. Quimica Nova, 2008, 31, 1933-1936.	0.3	10
94	Seasonal and Intraspecific Variation of Flavonoids and Proanthocyanidins in Cecropia glaziovi Sneth. Leaves from Native and Cultivated Specimens. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2007, 62, 701-709.	1.4	17
95	Nitric oxide-dependent vasodilatation by ethanolic extract of Hancornia speciosa via phosphatidyl-inositol 3-kinase. Journal of Ethnopharmacology, 2007, 109, 161-164.	4.1	51
96	Antinociceptive effect from Davilla elliptica hydroalcoholic extract. Journal of Ethnopharmacology, 2007, 113, 354-356.	4.1	12
97	Determinação de daidzeÃna, genisteÃna e gliciteÃna em cápsulas de isoflavonas por cromatografia em camada delgada (CCD) e cromatografia lÃquida de alta eficiência (CLAE). Revista Brasileira De Farmacognosia, 2007, 17, 616-625.	1.4	11
98	Antimicrobial activity of Trembleya laniflora , Xyris platystachia and Xyris pterygoblephara. Revista Brasileira De Farmacognosia, 2007, 17, 17-22.	1.4	7
99	Biotransformation of digitoxigenin by Cochliobolus lunatus. Journal of the Brazilian Chemical Society, 2007, 18, 1303-1310.	0.6	12
100	L-(+)-Bornesitol. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o1067-o1068.	0.2	17
101	A flavanone and other constituents of the Brazilian endemic species Trembleya laniflora (D. Don) Cogn. (Melastomataceae). Biochemical Systematics and Ecology, 2007, 35, 40-41.	1.3	2
102	Angiotensin-converting enzyme inhibition by Brazilian plants. Fìtoterapìâ, 2007, 78, 353-358.	2.2	53
103	Endothelium-dependent vasodilation induced by Hancornia speciosa in rat superior mesenteric artery. Phytomedicine, 2007, 14, 473-478.	5.3	47
104	Essential Oil Constituents ofPiper vicosanumYunker from the Brazilian Atlantic Forest. Journal of Essential Oil Research, 2006, 18, 392-395.	2.7	6
105	Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 836, 74-78.	2.3	35
106	Validation of a colorimetric assay for the in vitro screening of inhibitors of angiotensin-converting enzyme (ACE) from plant extracts. Phytomedicine, 2005, 12, 424-432.	5.3	51
107	Biotransformation of digitoxigenin by Fusarium ciliatum. Journal of the Brazilian Chemical Society, 2005, 16, 614-619.	0.6	20
108	Epimers of labdane diterpenes from the rhizomes of Hedychium coronarium J. Koenig. Revista Brasileira De Farmacognosia, 2005, 15, 55.	1.4	6

#	Article	IF	CITATIONS
109	Effects of the Brazilian phytopharmaceutical product lerobina \hat{A}^{\circledast} on lipid metabolism and intestinal tonus. Journal of Ethnopharmacology, 2005, 102, 137-142.	4.1	21
110	Quantitative determination by HPLC of ent-kaurenoic and grandiflorenic acids in aerial parts of Wedelia paludosa D.C Revista Brasileira De Farmacognosia, 2005, 15, 119-125.	1.4	16
111	Chemistry and antifungal activity of Xyris species (Xyridaceae): a new anthraquinone from Xyris pilosa. Biochemical Systematics and Ecology, 2004, 32, 391-397.	1.3	9
112	Antifungal constituents ofClytostoma ramentaceum andMansoa hirsuta. Phytotherapy Research, 2004, 18, 463-467.	5.8	41
113	Antimicrobial activity and constituents of Coccoloba acrostichoides. Fìtoterapìâ, 2003, 74, 729-731.	2.2	18
114	Estudo fitoquÃmico de Erythraea centaurium, Jacaranda caroba, Remijia ferruginea e Solanum paniculatum visando identificar marcadores quÃmicos para o fitoterápico Ierobina®. Revista Brasileira De Farmacognosia, 2003, 13, 28-31.	1.4	6
115	Mechanism of Endothelium-Dependent Vasodilation Induced by a Proanthocyanidin-Rich Fraction from Ouratea semiserrata. Planta Medica, 2002, 68, 412-415.	1.3	26
116	Antimicrobial Activity of Plant Species From a Brazilian Hotspot for Conservation Priority. Pharmaceutical Biology, 2002, 40, 542-547.	2.9	7
117	Antibacterial activity of Brazilian propolis and fractions against oral anaerobic bacteria. Journal of Ethnopharmacology, 2002, 80, 1-7.	4.1	143
118	HPLC quantitation of kaurane diterpenes in Xylopia species. Fìtoterapìâ, 2001, 72, 40-45.	2.2	26
119	Screening the Brazilian flora for antihypertensive plant species for in vitro angiotensin-l-converting enzyme inhibiting activity. Phytomedicine, 2000, 7, 245-250.	5.3	39
120	Screening Brazilian plant species for in vitro inhibition of 5-lipoxygenase. Phytomedicine, 2000, 6, 447-452.	5.3	30
121	Effect of Digitalis lanata matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency. Journal of Chromatography A, 1998, 822, 37-44.	3.7	2
122	Avaliação quantitativa de cardenolÃdeos no cultivar experimental de Digitalis lanata do maciço do itatiaia e perspectivas de seu emprego industrial. Quimica Nova, 1997, 20, 481-485.	0.3	1
123	Variation of cardenolides with growth in a Digitalis lanata Brazilian cultivar. Phytochemistry, 1997, 45, 473-476.	2.9	17
124	Complete1H and13C assignments of theDigitalis lanata cardenolides, glucodigifucoside and glucogitoroside by 1D and 2D NMR. , 1997, 35, 899-903.		5
125	Isolation of cardenolides from a Brazilian cultivar of Digitalis lanata by rotation locular counter-current chromatography. Journal of Chromatography A, 1996, 756, 287-291.	3.7	24
126	Acute and chronic toxicological studies of the Brazilian phytopharmaceutical product lerobina. Revista Brasileira De Farmacognosia, 0, 18, 676-682.	1.4	9