

Ching-Lin Hsieh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2140394/publications.pdf>

Version: 2024-02-01

212
papers

7,235
citations

76031

42
h-index

84171

75
g-index

218
all docs

218
docs citations

218
times ranked

7812
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of responsiveness of the Barthel Index and modified Barthel Index in patients with stroke. <i>Disability and Rehabilitation</i> , 2023, 45, 1097-1102.	0.9	11
2	A comparison of test-retest reliability and random measurement error of the Barthel Index and modified Barthel Index in patients with chronic stroke. <i>Disability and Rehabilitation</i> , 2022, 44, 2099-2103.	0.9	29
3	Improving the utility of the European Health Literacy Survey Questionnaire: a computerized adaptive test for patients with stroke. <i>Disability and Rehabilitation</i> , 2022, 44, 3211-3220.	0.9	5
4	Error patterns of facial emotion recognition in patients with schizophrenia. <i>Journal of Affective Disorders</i> , 2022, 300, 441-448.	2.0	10
5	Assessment of Low Back Pain: Reliability and Minimal Detectable Change of the Brief Pain Inventory. <i>American Journal of Occupational Therapy</i> , 2022, 76, .	0.1	1
6	Using Machine Learning to Develop a Short-Form Measure Assessing 5 Functions in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1574-1581.	0.5	5
7	Test-retest reliability and convergent validity of the test of nonverbal intelligence-fourth edition in patients with schizophrenia. <i>BMC Psychiatry</i> , 2021, 21, 39.	1.1	8
8	Cross-Validation of the Factorial Validity of the Stroke Impact Scale 3.0 in Patients With Stroke. <i>American Journal of Occupational Therapy</i> , 2021, 75, 7502205070p1-7502205070p10.	0.1	1
9	A 10-item Fugl-Meyer Motor Scale Based on Machine Learning. <i>Physical Therapy</i> , 2021, 101, .	1.1	7
10	Using machine learning to improve the discriminative power of the FERD screener in classifying patients with schizophrenia and healthy adults. <i>Journal of Affective Disorders</i> , 2021, 292, 102-107.	2.0	3
11	Practice Effects, Test-Retest Reliability, and Minimal Detectable Change of the Ruff 2 and 7 Selective Attention Test in Patients with Schizophrenia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9440.	1.2	1
12	Development of the CAT-FER: A Computerized Adaptive Test of Facial Emotion Recognition for Adults With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2021, 75, 7501205140p1-7501205140p11.	0.1	5
13	Correlations between subjective rating and objective assessment of balance function in individuals with stroke. <i>Disability and Rehabilitation</i> , 2021, 43, 3757-3763.	0.9	4
14	A Comparison of the Responsiveness of the Postural Assessment Scale for Stroke and the Berg Balance Scale in Patients With Severe Balance Deficits After Stroke. <i>Journal of Geriatric Physical Therapy</i> , 2020, 43, 194-198.	0.6	13
15	Sensitivity and specificity of a facial emotion recognition test in classifying patients with schizophrenia. <i>Journal of Affective Disorders</i> , 2020, 275, 224-229.	2.0	9
16	Practice Effects and Test-Retest Reliability of the Continuous Performance Test, Identical Pairs Version in Patients with Schizophrenia over Four Serial Assessments. <i>Archives of Clinical Neuropsychology</i> , 2020, 35, 545-552.	0.3	6
17	Development of a battery of phase-adaptive health literacy tests for stroke survivors. <i>Patient Education and Counseling</i> , 2020, 103, 2342-2346.	1.0	4
18	Development of a Computerized Adaptive Testing System for Assessing Social Knowledge in People With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2020, 74, 7404205050p1-7404205050p9.	0.1	2

#	ARTICLE	IF	CITATIONS
19	Response Speed in Executive Tasks Predicts Social Motivation and Communication in School-Aged Children With Autism Spectrum Disorder (ASD). <i>American Journal of Occupational Therapy</i> , 2020, 74, 7411515400p1-7411515400p1.	0.1	0
20	Exploring the Association Between Executive Function (EF) and Social Interaction in Preschool-Age Children With Autism Spectrum Disorder (ASD). <i>American Journal of Occupational Therapy</i> , 2020, 74, 7411515447p1-7411515447p1.	0.1	0
21	Responsiveness and predictive validity of the computerized digit vigilance test in patients with stroke. <i>Disability and Rehabilitation</i> , 2019, 41, 2683-2687.	0.9	0
22	Cultural Values: Can They Explain Differences in Health Utilities between Countries?. <i>Medical Decision Making</i> , 2019, 39, 605-616.	1.2	42
23	Proteomic characterization of outer membrane vesicles from gut mucosa-derived fusobacterium nucleatum. <i>Journal of Proteomics</i> , 2019, 195, 125-137.	1.2	44
24	Computerized Adaptive Testing System of Functional Assessment of Stroke. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	1
25	Development of a Computerized Adaptive Testing System for Assessing 5 Functions in Patients with Stroke: A Simulation and Validation Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 899-907.	0.5	8
26	Development and Validation of the Occupational Therapy Engagement Scale for Patients with Stroke. <i>Occupational Therapy International</i> , 2019, 2019, 1-10.	0.3	0
27	P.3.07â€¦Prognosis and quality of life in workers with occupational upper limb injury. <i>Occupational and Environmental Medicine</i> , 2019, 76, A98.3-A99.	1.3	0
28	The effect of insoles on symptomatic flatfoot in preschool-aged children. <i>Medicine (United States)</i> , 2019, 98, e17074.	0.4	13
29	Comparative screening of recombinant antigen thermostability for improved leptospirosis vaccine design. <i>Biotechnology and Bioengineering</i> , 2019, 116, 260-271.	1.7	6
30	Responsiveness and predictive validity of the Tablet-based Symbol Digit Modalities Test in patients with stroke. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 29-34.	1.1	3
31	Rasch Analysis of the 9-Item Shared Decision Making Questionnaire in Women With Breast Cancer. <i>Cancer Nursing</i> , 2019, 42, E34-E42.	0.7	16
32	Construct Validity and Reliability of the Comprehensive Occupational Therapy Evaluation Scale (COTES) in People With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7306205060p1.	0.1	4
33	Development and Validation of a Computerized Alternating Attention Test (CAAT) in Patients With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7311500017p1-7311500017p1.	0.1	1
34	Development and Validation of a Chinese Facial Emotion Recognition Test (CFERT) in Patients With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7311500026p1-7311500026p1.	0.1	0
35	Interrater and Intrarater Reliability of the Balance Computerized Adaptive Test in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1499-1506.	0.5	1
36	Prediction of lower extremity motor recovery in persons with severe lower extremity paresis after stroke. <i>Brain Injury</i> , 2018, 32, 627-633.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Testâ€“Retest Reliability and Minimal Detectable Change of the D2 Test of Attention in Patients with Schizophrenia. Archives of Clinical Neuropsychology, 2018, 33, 1060-1068.	0.3	16
38	Validation of the European Health Literacy Survey Questionnaire in Women With Breast Cancer. Cancer Nursing, 2018, 41, E40-E48.	0.7	18
39	Improving the utility of the fine motor skills subscale of the comprehensive developmental inventory for infants and toddlers: a computerized adaptive test. Disability and Rehabilitation, 2018, 40, 2803-2809.	0.9	3
40	Evaluating the European Health Literacy Survey Questionnaire in Patients with Stroke: A Latent Trait Analysis Using Rasch Modeling. Patient, 2018, 11, 83-96.	1.1	13
41	Development of a Social Functioning Assessment Using Computerized Adaptive Testing for Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2018, 99, 306-313.	0.5	5
42	Development of a Computerized Adaptive Testing System of the Functional Assessment of Stroke. Archives of Physical Medicine and Rehabilitation, 2018, 99, 676-683.	0.5	6
43	Development of a Computerized Adaptive Test of Children's Gross Motor Skills. Archives of Physical Medicine and Rehabilitation, 2018, 99, 512-520.	0.5	6
44	Validation of the Integrated Model of Health Literacy in Patients With Breast Cancer. Cancer Nursing, 2018, 41, 498-505.	0.7	15
45	Group- and Individual-Level Responsiveness of the 3-Point Berg Balance Scale and 3-Point Postural Assessment Scale for Stroke Patients. Archives of Physical Medicine and Rehabilitation, 2018, 99, 529-533.	0.5	6
46	A comparison between the original and Tablet-based Symbol Digit Modalities Test in patients with schizophrenia: Test-retest agreement, random measurement error, practice effect, and ecological validity. Psychiatry Research, 2018, 260, 199-206.	1.7	7
47	Responsiveness of the Personal and Social Performance scale in patients with schizophrenia. Psychiatry Research, 2018, 260, 338-342.	1.7	10
48	A Reliable and Valid Assessment of Sustained Attention for Patients With Schizophrenia: The Computerized Digit Vigilance Test. Archives of Clinical Neuropsychology, 2018, 33, 227-237.	0.3	5
49	Pain quality descriptors and sex-related differences in patients with shoulder pain. Journal of Pain Research, 2018, Volume 11, 1803-1809.	0.8	5
50	Impaired Callosal Motor Fiber Integrity and Upper Extremity Motor Impairment Are Associated With Stroke Lesion Location. Neurorehabilitation and Neural Repair, 2018, 32, 602-612.	1.4	6
51	Item-saving assessment of self-care performance in children with developmental disabilities: A prospective caregiver-report computerized adaptive test. PLoS ONE, 2018, 13, e0193936.	1.1	1
52	Reducing the time needed to administer a sustained attention test in patients with stroke. PLoS ONE, 2018, 13, e0192922.	1.1	2
53	Minimal Detectable Change on the Lawton Instrumental Activities of Daily Living Scale in Community-Dwelling Patients With Schizophrenia. American Journal of Occupational Therapy, 2018, 72, 7205195020p1-7205195020p7.	0.1	3
54	A Systematic Review of Tests Assessing Stroke Knowledge. Journal of Cardiovascular Nursing, 2017, 32, 271-280.	0.6	6

#	ARTICLE	IF	CITATIONS
55	Refining 3 Measures to Construct an Efficient Functional Assessment of Stroke. <i>Stroke</i> , 2017, 48, 1630-1635.	1.0	17
56	No Difference Between Noxious and Innocuous Thermal Stimulation on Motor Recovery of Upper Extremity in Patients With Acute Stroke: A Randomized Controlled Trial With 6â€Month Followâ€up. <i>PM and R</i> , 2017, 9, 1191-1199.	0.9	3
57	Psychometric properties of three measures assessing advanced theory of mind: Evidence from people with schizophrenia. <i>Psychiatry Research</i> , 2017, 257, 490-496.	1.7	20
58	Effects of Transcranial Direct Current Stimulation With Sensory Modulation on Stroke Motor Rehabilitation: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2477-2484.	0.5	25
59	Test-retest reliability and responsiveness of the Barthel Index-based Supplementary Scales in patients with stroke. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 710-718.	1.1	11
60	Leptospira Immunoglobulin-Like Protein B Interacts with the 20th Exon of Human Tropoelastin Contributing to Leptospiral Adhesion to Human Lung Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 163.	1.8	9
61	Test-retest reliability and minimal detectable change of two simplified 3-point balance measures in patients with stroke. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 719-724.	1.1	4
62	Test-retest reliability and minimal detectable change of the Beck Depression Inventory and the Taiwan Geriatric Depression Scale in patients with Parkinson's disease. <i>PLoS ONE</i> , 2017, 12, e0184823.	1.1	26
63	Comparison of construct validity of two short forms of Stroke-Specific Quality of Life scale. <i>PLoS ONE</i> , 2017, 12, e0188478.	1.1	10
64	Extended low-resolution structure of a Leptospira antigen offers high bactericidal antibody accessibility amenable to vaccine design. <i>ELife</i> , 2017, 6, .	2.8	12
65	Convergent validity and responsiveness of the EQ-5D utility weights for stroke survivors. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 346-351.	0.8	10
66	Leptospira Immunoglobulin-Like Protein B (LigB) Binds to Both the C-Terminal 23 Amino Acids of Fibrinogen Î±C Domain and Factor XIII: Insight into the Mechanism of LigB-Mediated Blockage of Fibrinogen Î± Chain Cross-Linking. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004974.	1.3	13
67	Minimal detectable change of the Personal and Social Performance scale in individuals with schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 725-729.	1.7	6
68	Improving the utility of the Brunnstrom recovery stages in patients with stroke. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50</i>	0.4	67
69	Relative and Absolute Reliabilities of the Connersâ€™ Continuous Performance Test II in Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2016, 31, 769-779.	0.3	4
70	Intrarater and Interrater Reliability of the Hierarchical Balance Short Forms in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 2137-2145.e2.	0.5	4
71	Rasch Analysis of the General Self-Efficacy Scale in Workers with Traumatic Limb Injuries. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 332-339.	1.2	4
72	Trajectories of quality of life in patients with traumatic limb injury: a 2-year follow-up study. <i>Quality of Life Research</i> , 2016, 25, 2283-2293.	1.5	4

#	ARTICLE	IF	CITATIONS
73	Validation of the Brief Pain Inventory in Patients With Low Back Pain. <i>Spine</i> , 2016, 41, E937-E942.	1.0	45
74	Validation and Establishment of an Interval-Level Measure of the Balance Assessment in Sitting and Standing Positions in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 938-946.	0.5	7
75	Development of a Tablet-based symbol digit modalities test for reliably assessing information processing speed in patients with stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 1952-1960.	0.9	19
76	Developing a short form of the Psychoeducational Profile-Third Edition for children with autism spectrum disorder. <i>Research in Autism Spectrum Disorders</i> , 2016, 21, 37-50.	0.8	3
77	Psychometric properties of the Five-Digit Test in patients with stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 97-102.	0.9	2
78	Development of a Computerized Digit Vigilance Test and validation in patients with stroke. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 311-317.	0.8	12
79	Predicting Recovery of Voluntary Upper Extremity Movement in Subacute Stroke Patients with Severe Upper Extremity Paresis. <i>PLoS ONE</i> , 2015, 10, e0126857.	1.1	25
80	The Effects of Extracorporeal Shock Wave Therapy in Patients with Coccydynia: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0142475.	1.1	27
81	Construct Validity of the Chinese Version of the Activities of Daily Living Rating Scale III in Patients with Schizophrenia. <i>PLoS ONE</i> , 2015, 10, e0130702.	1.1	3
82	Development of a Performance-Based Measure of Executive Functions in Patients with Schizophrenia. <i>PLoS ONE</i> , 2015, 10, e0142790.	1.1	9
83	A prospective study of the responsiveness of the original and the short form Berg Balance Scale in people with stroke. <i>Clinical Rehabilitation</i> , 2015, 29, 468-476.	1.0	15
84	Development and Validation of the Standard Chinese Version of the CARE Item Set (CARE-C) for Stroke Patients. <i>Medicine (United States)</i> , 2015, 94, e1828.	0.4	3
85	A developmental screening tool for toddlers with multiple domains based on Rasch analysis. <i>Journal of the Formosan Medical Association</i> , 2015, 114, 23-34.	0.8	6
86	Examining unidimensionality and improving reliability for the eight subscales of the SF-36 in opioid-dependent patients using Rasch analysis. <i>Quality of Life Research</i> , 2015, 24, 279-285.	1.5	9
87	Validation of the EQ-5D in Patients with Traumatic Limb Injury. <i>Journal of Occupational Rehabilitation</i> , 2015, 25, 387-393.	1.2	49
88	Validation of the short-form Health Literacy Scale in patients with stroke. <i>Patient Education and Counseling</i> , 2015, 98, 762-770.	1.0	10
89	Comparison of the Responsiveness of the Long-Form and Simplified Stroke Rehabilitation Assessment of Movement: Group- and Individual-Level Analysis. <i>Physical Therapy</i> , 2015, 95, 1172-1183.	1.1	6
90	A controlled pilot trial of two commercial video games for rehabilitation of arm function after stroke. <i>Clinical Rehabilitation</i> , 2015, 29, 674-682.	1.0	43

#	ARTICLE	IF	CITATIONS
91	Fine Mapping of the Interaction between C4b-Binding Protein and Outer Membrane Proteins LigA and LigB of Pathogenic Leptospira interrogans. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004192.	1.3	33
92	Development of Two Barthel Index-Based Supplementary Scales for Patients with Stroke. <i>PLoS ONE</i> , 2014, 9, e110494.	1.1	15
93	Recombinant Antigens rLipL21, rLoa22, rLipL32 and rLigACon4-8 for Serological Diagnosis of Leptospirosis by Enzyme-Linked Immunosorbent Assays in Dogs. <i>PLoS ONE</i> , 2014, 9, e111367.	1.1	19
94	Practice effects and test-re-test reliability of the Five Digit Test in patients with stroke over four serial assessments. <i>Brain Injury</i> , 2014, 28, 1726-1733.	0.6	11
95	Effect of Thermal Stimulation on Corticomotor Excitability in Patients with Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2014, 93, 801-808.	0.7	13
96	NMR Solution Structure of the Terminal Immunoglobulin-like Domain from the Leptospira Host-Interacting Outer Membrane Protein, LigB. <i>Biochemistry</i> , 2014, 53, 5249-5260.	1.2	20
97	Role of Stoichiometry in the Dimer-Stabilizing Effect of AMPA Receptor Allosteric Modulators. <i>ACS Chemical Biology</i> , 2014, 9, 128-133.	1.6	9
98	Validation of a Chinese Version of the Frenchay Activities Index in Patients with Traumatic Limb Injury. <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 439-445.	1.2	3
99	Is the Long Form of the Fugl-Meyer Motor Scale More Responsive Than the Short Form in Patients With Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 941-949.	0.5	24
100	Tests of data quality, scaling assumptions, reliability, and construct validity of the SF-36 health survey in people who abuse heroin. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 234-241.	0.8	11
101	Comparison of the Test-Retest Reliability of the Balance Computerized Adaptive Test and a Computerized Posturography Instrument in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1477-1483.	0.5	16
102	Reliability and Responsiveness of the Activities of Daily Living Computerized Adaptive Testing System in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 2055-2063.	0.5	5
103	Measurement precision of the disability for back pain scale-by applying Rasch analysis. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 119.	1.0	23
104	Integrating health-related quality of life with sickness leave days for return-to-work assessment in traumatic limb injuries. <i>Quality of Life Research</i> , 2013, 22, 2307-2314.	1.5	6
105	Return to Work and Quality of Life in Workers With Traumatic Limb Injuries: A 2-Year Repeated-Measurements Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 703-710.	0.5	20
106	Estimating quality weights for EQ-5D (EuroQol-5 dimensions) health states with the time trade-off method in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 699-706.	0.8	68
107	Elastin, a Novel Extracellular Matrix Protein Adhering to Mycobacterial Antigen 85 Complex. <i>Journal of Biological Chemistry</i> , 2013, 288, 3886-3896.	1.6	36
108	Validating and Improving the Reliability of the EORTC QLQ-C30 Using a Multidimensional Rasch Model. <i>Value in Health</i> , 2013, 16, 848-854.	0.1	36

#	ARTICLE	IF	CITATIONS
109	The testâ€“retest reliability and the minimal detectable change of the Purdue pegboard test in schizophrenia. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 332-337.	0.8	45
110	Effects of Noxious Versus Innocuous Thermal Stimulation on Lower Extremity Motor Recovery 3 Months After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 633-641.	0.5	20
111	The Perturbation of Tryptophan Fluorescence by Phenylalanine to Alanine Mutations Identifies the Hydrophobic Core in a Subset of Bacterial Ig-like Domains. <i>Biochemistry</i> , 2013, 52, 4589-4591.	1.2	4
112	Individual-Level Responsiveness of the Original and Short-Form Postural Assessment Scale for Stroke Patients. <i>Physical Therapy</i> , 2013, 93, 1377-1382.	1.1	18
113	Responsiveness and Predictive Validity of the Hierarchical Balance Short Forms in People With Stroke. <i>Physical Therapy</i> , 2013, 93, 798-808.	1.1	9
114	Dynamics of Cleft Closure of the GluA2 Ligand-binding Domain in the Presence of Full and Partial Agonists Revealed by Hydrogen-Deuterium Exchange. <i>Journal of Biological Chemistry</i> , 2013, 288, 27658-27666.	1.6	27
115	Upper Extremity Rehabilitation Equipment for Stroke Patients in Taiwan: Usage Problems and Improvement Needs. <i>Occupational Therapy International</i> , 2013, 20, 205-214.	0.3	5
116	Test of Everyday Attention in patients with chronic stroke: Testâ€“retest reliability and practice effects. <i>Brain Injury</i> , 2013, 27, 1148-1154.	0.6	4
117	Development of a Computerized Adaptive Test for Assessing Activities of Daily Living in Outpatients With Stroke. <i>Physical Therapy</i> , 2013, 93, 681-693.	1.1	27
118	Sensory integration dysfunction affects efficacy of speech therapy on children with functional articulation disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 87.	1.0	8
119	Estimation of the Long-Term Care Needs of Stroke Patients by Integrating Functional Disability and Survival. <i>PLoS ONE</i> , 2013, 8, e75605.	1.1	27
120	Effects of Stroke Rehabilitation on Incidence of Poststroke Depression. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e859-e866.	1.1	15
121	Are higher total serum cholesterol levels associated with better long-term motor function after ischemic stroke?. <i>Nutritional Neuroscience</i> , 2012, 15, 239-243.	1.5	5
122	Testâ€“retest reproducibility of two short-form balance measures used in individuals with stroke. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 256-262.	0.7	13
123	Test-retest reliability and validity of the comprehensive activities of daily living measure in patients with stroke. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 637-641.	0.8	11
124	Novel Mycobacteria Antigen 85 Complex Binding Motif on Fibronectin. <i>Journal of Biological Chemistry</i> , 2012, 287, 1892-1902.	1.6	37
125	Dosage of neuromuscular electrical stimulation: Is it a determinant of upper limb functional improvement in stroke patients?. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 125-130.	0.8	20
126	Reliability and validity of the Psychoeducational Profile-third edition Caregiver Report in children with Autism Spectrum Disorders. <i>Research in Autism Spectrum Disorders</i> , 2012, 6, 115-122.	0.8	13

#	ARTICLE	IF	CITATIONS
127	Development of a Computerized Adaptive Testing System of the Fugl-Meyer Motor Scale in Stroke Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1014-1020.	0.5	31
128	Smallest Real Difference of 2 Instrumental Activities of Daily Living Measures in Patients With Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1097-1100.	0.5	13
129	Effects and predictors of shoulder muscle massage for patients with posterior shoulder tightness. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 46.	0.8	34
130	The diverse constructs use of activities of daily living measures in stroke randomized controlled trials in the years 2005-2009. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 720-726.	0.8	14
131	A comparison of responsiveness and predictive validity of two balance measures in patients with stroke. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 176-180.	0.8	11
132	Trajectories and predictors of return to work after traumatic limb injury - a 2-year follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 456-466.	1.7	28
133	Construct Validity of the Stroke-Specific Quality of Life Questionnaire in Ischemic Stroke Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1113-1118.	0.5	36
134	Development of a Set of Functional Hierarchical Balance Short Forms for Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1119-1125.	0.5	5
135	Responsiveness of the Psychoeducational Profile-third Edition for Children with Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2011, 41, 1658-1664.	1.7	23
136	Footprint analysis of flatfoot in preschool-aged children. <i>European Journal of Pediatrics</i> , 2011, 170, 611-617.	1.3	58
137	Optimal scoring methods of hand-strength tests in patients with stroke. <i>International Journal of Rehabilitation Research</i> , 2011, 34, 178-180.	0.7	7
138	Minimal Detectable Change of the Timed "Up & Go" Test and the Dynamic Gait Index in People With Parkinson Disease. <i>Physical Therapy</i> , 2011, 91, 114-121.	1.1	275
139	Test-Retest Reliability and Practice Effect of the Oral-format Symbol Digit Modalities Test in Patients with Stroke. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 356-363.	0.3	32
140	Test-Retest Reliability of Two Attention Tests in Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 405-411.	0.3	11
141	Excellent Reliability of the Sollerman Hand Function Test for Patients With Burned Hands. <i>Journal of Burn Care and Research</i> , 2010, 31, 904-910.	0.2	25
142	Validation of EQ-5D in patients with cervical cancer in Taiwan. <i>Supportive Care in Cancer</i> , 2010, 18, 1279-1286.	1.0	46
143	Measurement of quality of life using EQ-5D in patients on prolonged mechanical ventilation: comparison of patients, family caregivers, and nurses. <i>Quality of Life Research</i> , 2010, 19, 721-727.	1.5	26
144	The impact of stroke: insights from patients in Taiwan. <i>Occupational Therapy International</i> , 2010, 17, 152-158.	0.3	13

#	ARTICLE	IF	CITATIONS
145	Relationships between posterior shoulder muscle stiffness and rotation in patients with stiff shoulder. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 216-220.	0.8	37
146	Development of a Computerized Adaptive Test for Assessing Balance Function in Patients With Stroke. <i>Physical Therapy</i> , 2010, 90, 1336-1344.	1.1	39
147	Dose-Response Relation Between Neuromuscular Electrical Stimulation and Upper-Extremity Function in Patients With Stroke. <i>Stroke</i> , 2010, 41, 821-824.	1.0	71
148	Effect of Thermal Stimulation on Upper Extremity Motor Recovery 3 Months After Stroke. <i>Stroke</i> , 2010, 41, 2378-2380.	1.0	22
149	Psychometric Comparisons of 3 Functional Ambulation Measures for Patients With Stroke. <i>Stroke</i> , 2010, 41, 2021-2025.	1.0	134
150	Optimizing the Usability of Mobile Phones for Individuals Who Are Deaf. <i>Assistive Technology</i> , 2010, 22, 115-127.	1.2	11
151	Essential Needs and Requirements of Mobile Phones for the Deaf. <i>Assistive Technology</i> , 2010, 22, 172-185.	1.2	7
152	Inter-rater reliability and smallest real difference of the Chinese Psychoeducational Profile-third edition for children with Autism Spectrum Disorder. <i>Research in Autism Spectrum Disorders</i> , 2010, 4, 89-94.	0.8	25
153	Reliability and validity of a chinese version of the pediatric evaluation of disability inventory in children with cerebral palsy. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 273-278.	0.8	39
154	Test-re-test reliability of two sustained attention tests in persons with chronic stroke. <i>Brain Injury</i> , 2009, 23, 715-722.	0.6	14
155	Psychometric Comparisons of 4 Measures for Assessing Upper-Extremity Function in People With Stroke. <i>Physical Therapy</i> , 2009, 89, 840-850.	1.1	211
156	Several Trials Are Useful to Reduce the Value of Minimal Detectable Change. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 181-182.	0.5	1
157	Test-Retest Reproducibility and Smallest Real Difference of 5 Hand Function Tests in Patients With Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 435-440.	1.4	327
158	Influence of Testing Position on the Reliability of Hip Extensor Strength Measured by a Handheld Dynamometer. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 126-132.	0.8	17
159	Agreement Between the WHOQOL-BREF Chinese and Taiwanese Versions in the Elderly. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 164-169.	0.8	11
160	Reliability of Two Visual-Perceptual Tests for Children With Cerebral Palsy. <i>American Journal of Occupational Therapy</i> , 2009, 63, 473-480.	0.1	13
161	A Review of Psychometric Properties of Feeding Assessment Tools Used in Neonates. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2008, 37, 338-349.	0.2	59
162	The Competence of Fieldwork Students in Administering the Barthel Index. <i>Hong Kong Journal of Occupational Therapy</i> , 2008, 18, 28-33.	0.2	0

#	ARTICLE	IF	CITATIONS
163	The relative and absolute reliability of two balance performance measures in chronic stroke patients. <i>Disability and Rehabilitation</i> , 2008, 30, 656-661.	0.9	98
164	Estimating the Minimal Clinically Important Difference of the Stroke Rehabilitation Assessment of Movement Measure. <i>Neurorehabilitation and Neural Repair</i> , 2008, 22, 723-727.	1.4	21
165	Psychometric Comparisons of 2 Versions of the Fugl-Meyer Motor Scale and 2 Versions of the Stroke Rehabilitation Assessment of Movement. <i>Neurorehabilitation and Neural Repair</i> , 2008, 22, 737-744.	1.4	97
166	Development of a Chinese Version of the Oswestry Disability Index Version 2.1. <i>Spine</i> , 2008, 33, 2354-2360.	1.0	65
167	The minimal detectable change of the simplified stroke rehabilitation assessment of movement measure. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 615-619.	0.8	56
168	The Test-Retest Reliability of 2 Mobility Performance Tests in Patients With Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 347-352.	1.4	53
169	Establishing the Minimal Clinically Important Difference of the Barthel Index in Stroke Patients. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 233-238.	1.4	225
170	Development and Validation of a Short Form of the Fugl-Meyer Motor Scale in Patients With Stroke. <i>Stroke</i> , 2007, 38, 3052-3054.	1.0	79
171	Differences between patient and proxy reports in the assessment of disability after stroke. <i>Clinical Rehabilitation</i> , 2007, 21, 351-356.	1.0	30
172	Developing a Short Form of the Postural Assessment Scale for People With Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 81-90.	1.4	41
173	Cooccurrence of problems in activity level, attention, psychosocial adjustment, reading and writing in children with developmental coordination disorder. <i>International Journal of Rehabilitation Research</i> , 2007, 30, 327-332.	0.7	61
174	A Rasch Analysis of the Frenchay Activities Index in Patients With Spinal Cord Injury. <i>Spine</i> , 2007, 32, 437-442.	1.0	15
175	A Comparison of Psychometric Properties of the Smart Balance Master System and the Postural Assessment Scale for Stroke in People Who Have Had Mild Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 374-380.	0.5	92
176	Taiwanese Version of the EQ-5D: Validation in a Representative Sample of the Taiwanese Population. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 1023-1031.	0.8	86
177	Discriminative, predictive and evaluative properties of the simplified stroke rehabilitation assessment of movement instrument in patients with stroke. <i>Acta Dermato-Venereologica</i> , 2007, 39, 454-460.	0.6	17
178	Psychometric characteristics of the Neonatal Oralâ€Motor Assessment Scale in healthy preterm infants. <i>Developmental Medicine and Child Neurology</i> , 2007, 49, 915-919.	1.1	35
179	Development and validation of a WHOQOL-BREF Taiwanese audio player-assisted interview version for the elderly who use a spoken dialect. <i>Quality of Life Research</i> , 2007, 16, 1375-1381.	1.5	22
180	Psychometric Properties of the Berg Balance Scale in a Community-dwelling Elderly Resident Population in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 992-1000.	0.8	64

#	ARTICLE	IF	CITATIONS
181	A Simplified Stroke Rehabilitation Assessment of Movement Instrument. <i>Physical Therapy</i> , 2006, 86, 936-943.	1.1	29
182	Developing a Short Form of the Berg Balance Scale for People With Stroke. <i>Physical Therapy</i> , 2006, 86, 195-204.	1.1	149
183	Validating, Improving Reliability, and Estimating Correlation of the Four Subscales in the WHOQOL-BREF using Multidimensional Rasch Analysis. <i>Quality of Life Research</i> , 2006, 15, 607-620.	1.5	86
184	VALIDATION OF THE ACTION RESEARCH ARM TEST USING ITEM RESPONSE THEORY IN PATIENTS AFTER STROKE. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 375-380.	0.8	41
185	Psychometric properties of the modified Emory Functional Ambulation Profile in stroke patients. <i>Clinical Rehabilitation</i> , 2006, 20, 429-437.	1.0	23
186	Reliability, Sensitivity to Change, and Responsiveness of the Peabody Developmental Motor Scales—Second Edition for Children With Cerebral Palsy. <i>Physical Therapy</i> , 2006, 86, 1351-1359.	1.1	113
187	Developing a short form of the Berg Balance Scale for people with stroke. <i>Physical Therapy</i> , 2006, 86, 195-204.	1.1	50
188	A simplified stroke rehabilitation assessment of movement instrument. <i>Physical Therapy</i> , 2006, 86, 936-43.	1.1	7
189	A Rasch Analysis of a Self-perceived Change in Quality of Life Scale in Patients with Mild Stroke. <i>Quality of Life Research</i> , 2005, 14, 2259-2263.	1.5	10
190	Discriminative, Predictive, and Evaluative Properties of a Trunk Control Measure in Patients With Stroke. <i>Physical Therapy</i> , 2005, 85, 887-894.	1.1	48
191	Why the Hamilton Depression Rating Scale Endures. <i>American Journal of Psychiatry</i> , 2005, 162, 2395-2395.	4.0	3
192	Rasch Analysis of Combining Two Indices to Assess Comprehensive ADL Function in Stroke Patients. <i>Stroke</i> , 2004, 35, 721-726.	1.0	56
193	Psychometric properties of the sensory scale of the Fugl-Meyer Assessment in stroke patients. <i>Clinical Rehabilitation</i> , 2004, 18, 391-397.	1.0	75
194	Functional independence of residents in urban and rural long-term care facilities in Taiwan. <i>Disability and Rehabilitation</i> , 2004, 26, 176-181.	0.9	2
195	A validity study of the WHOQOL-BREF assessment in persons with traumatic spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1890-1895.	0.5	151
196	Preliminary Study of the Effect of Low-Intensity Home-Based Physical Therapy in Chronic Stroke Patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 18-22.	0.8	25
197	Psychometric Properties of 2 Simplified 3-Level Balance Scales Used for Patients With Stroke. <i>Physical Therapy</i> , 2004, 84, 430-438.	1.1	44
198	Comparison of Psychometric Properties of Three Mobility Measures for Patients With Stroke. <i>Stroke</i> , 2003, 34, 1741-1745.	1.0	74

#	ARTICLE	IF	CITATIONS
199	Prediction of functional outcomes in stroke inpatients receiving rehabilitation. Journal of the Formosan Medical Association, 2003, 102, 695-700.	0.8	23
200	Trunk Control as an Early Predictor of Comprehensive Activities of Daily Living Function in Stroke Patients. Stroke, 2002, 33, 2626-2630.	1.0	294
201	Inter-rater reliability and validity of the stroke rehabilitation assessment of movement (STREAM) instrument. Journal of Rehabilitation Medicine, 2002, 34, 20-24.	0.8	54
202	The Action Research Arm Test: is it necessary for patients being tested to sit at a standardized table?. Clinical Rehabilitation, 2002, 16, 382-388.	1.0	19
203	Comparison of the psychometric characteristics of the functional independence measure, 5 item Barthel index, and 10 item Barthel index in patients with stroke. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 188-190.	0.9	325
204	Analysis and Comparison of the Psychometric Properties of Three Balance Measures for Stroke Patients. Stroke, 2002, 33, 1022-1027.	1.0	375
205	Responsiveness of two upper extremity function instruments for stroke inpatients receiving rehabilitation. Clinical Rehabilitation, 2002, 16, 617-624.	1.0	82
206	Psychometric characteristics of the Barthel activities of daily living index in stroke patients. Journal of the Formosan Medical Association, 2001, 100, 526-32.	0.8	144
207	Evaluation of stroke patients with the extended activities of daily living scale in Taiwan. Disability and Rehabilitation, 2000, 22, 495-500.	0.9	17
208	VALIDITY AND RESPONSIVENESS OF THE RIVERMEAD MOBILITY INDEX IN STROKE PATIENTS. Journal of Rehabilitation Medicine, 2000, 32, 140-142.	1.1	84
209	A CROSS-VALIDATION OF THE COMPREHENSIVE ASSESSMENT OF ACTIVITIES OF DAILY LIVING AFTER STROKE. Journal of Rehabilitation Medicine, 1999, 31, 83-88.	1.1	30
210	Inter-rater reliability and validity of the Action Research arm test in stroke patients. Age and Ageing, 1998, 27, 107-113.	0.7	236
211	Factors influencing vocational outcomes following stroke in Taiwan: a medical centre-based study. Journal of Rehabilitation Medicine, 1997, 29, 113-20.	1.1	10
212	A Comparison of Performance in Added-Purpose Occupations and Rote Exercise for Dynamic Standing Balance in Persons With Hemiplegia. American Journal of Occupational Therapy, 1996, 50, 10-16.	0.1	49