Nicholas F Taylor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2142871/publications.pdf

Version: 2024-02-01

360 papers

15,851 citations

18482 62 h-index 23533 111 g-index

368 all docs 368 docs citations

times ranked

368

13364 citing authors

#	Article	IF	Citations
1	Return to sport following anterior cruciate ligament reconstruction surgery: a systematic review and meta-analysis of the state of play. British Journal of Sports Medicine, 2011, 45, 596-606.	6.7	941
2	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. British Journal of Sports Medicine, 2014, 48, 1543-1552.	6.7	920
3	Return to the Preinjury Level of Competitive Sport After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2011, 39, 538-543.	4.2	510
4	Psychological Responses Matter in Returning to Preinjury Level of Sport After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2013, 41, 1549-1558.	4.2	423
5	A systematic review of the effectiveness of strength-training programs for people with cerebral palsy. Archives of Physical Medicine and Rehabilitation, 2002, 83, 1157-1164.	0.9	362
6	Return-to-Sport Outcomes at 2 to 7 Years After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2012, 40, 41-48.	4.2	331
7	A systematic review of the psychological factors associated with returning to sport following injury. British Journal of Sports Medicine, 2013, 47, 1120-1126.	6.7	306
8	Motivational interviewing to increase physical activity in people with chronic health conditions: a systematic review and meta-analysis. Clinical Rehabilitation, 2014, 28, 1159-1171.	2.2	292
9	Psychosocial predictors of failure to return to work in non-chronic non-specific low back pain: a systematic review. Occupational and Environmental Medicine, 2007, 65, 507-517.	2.8	235
10	Knee joint kinematics from familiarised treadmill walking can be generalised to overground walking in young unimpaired subjects. Gait and Posture, 2000, 11 , 46-53.	1.4	226
11	What proportion of people with hip and knee osteoarthritis meet physical activity guidelines? A systematic review and meta-analysis. Osteoarthritis and Cartilage, 2013, 21, 1648-1659.	1.3	225
12	Differences in habitual physical activity levels of young people with cerebral palsy and their typically developing peers: a systematic review. Disability and Rehabilitation, 2013, 35, 647-655.	1.8	218
13	Sports Participation 2 Years After Anterior Cruciate Ligament Reconstruction in Athletes Who Had Not Returned to Sport at 1 Year. American Journal of Sports Medicine, 2015, 43, 848-856.	4.2	204
14	A randomized clinical trial of strength training in young people with cerebral palsy. Developmental Medicine and Child Neurology, 2003, 45, 652-657.	2.1	193
15	Early mobilization of patients who have had a hip or knee joint replacement reduces length of stay in hospital: a systematic review. Clinical Rehabilitation, 2015, 29, 844-854.	2.2	175
16	Familiarization to treadmill running in young unimpaired adults. Human Movement Science, 2005, 24, 544-557.	1.4	171
17	Single-Event Multilevel Surgery in Children with Spastic Diplegia. Journal of Bone and Joint Surgery - Series A, 2011, 93, 451-460.	3.0	166
18	Pre-operative interventions (non-surgical and non-pharmacological) for patients with hip or knee osteoarthritis awaiting joint replacement surgery $\hat{a} \in \hat{a}$ a systematic review and meta-analysis. Osteoarthritis and Cartilage, 2011, 19, 1381-1395.	1.3	161

#	Article	IF	CITATIONS
19	Systematic Review of the Ability of Recovery Expectations to Predict Outcomes in Non-Chronic Non-Specific Low Back Pain. Journal of Occupational Rehabilitation, 2009, 19, 25-40.	2.2	148
20	Should we be testing and training muscle strength in cerebral palsy?. Developmental Medicine and Child Neurology, 2002, 44, 68.	2.1	147
21	Progressive Resistance Exercise Improves Muscle Strength and May Improve Elements of Performance of Daily Activities for People With COPD. Chest, 2009, 136, 1269-1283.	0.8	145
22	Therapeutic exercise in physiotherapy practice is beneficial: a summary of systematic reviews 2002â€"2005. Australian Journal of Physiotherapy, 2007, 53, 7-16.	0.9	144
23	Attitudes, barriers and enablers to physical activity in pregnant women: a systematic review. Journal of Physiotherapy, 2018, 64, 24-32.	1.7	140
24	A Prospective Randomized Clinical Trial in Total Hip Arthroplastyâ€"Comparing Early Results Between the Direct Anterior Approach and the Posterior Approach. Journal of Arthroplasty, 2017, 32, 883-890.	3.1	137
25	Peripheral Muscle Strength Training in COPD. Chest, 2004, 126, 903-914.	0.8	134
26	Progressive Resistance Exercise in Physical Therapy: A Summary of Systematic Reviews. Physical Therapy, 2005, 85, 1208-1223.	2.4	134
27	Organisational benefits of a strong research culture in a health service: a systematic review. Australian Health Review, 2017, 41, 45.	1.1	134
28	Moderate-intensity exercise reduces fatigue and improves mobility in cancer survivors: a systematic review and meta-regression. Journal of Physiotherapy, 2016, 62, 68-82.	1.7	129
29	Identifying facilitators and barriers to physical activity for adults with Down syndrome. Journal of Intellectual Disability Research, 2010, 54, 795-805.	2.0	128
30	Fear of re-injury in people who have returned to sport following anterior cruciate ligament reconstruction surgery. Journal of Science and Medicine in Sport, 2012, 15, 488-495.	1.3	124
31	Progressive resistance training did not improve walking but can improve muscle performance, quality of life and fatigue in adults with multiple sclerosis: a randomized controlled trial. Multiple Sclerosis Journal, 2011, 17, 1362-1374.	3.0	123
32	Does clinical supervision of healthcare professionals improve effectiveness of care and patient experience? A systematic review. BMC Health Services Research, 2017, 17, 786.	2.2	119
33	A randomized clinical trial of strength training in young people with cerebral palsy. Developmental Medicine and Child Neurology, 2003, 45, 652-7.	2.1	117
34	Measuring Muscle Strength for People With Chronic Obstructive Pulmonary Disease: Retest Reliability of Hand-Held Dynamometry. Archives of Physical Medicine and Rehabilitation, 2007, 88, 32-36.	0.9	115
35	Extra Physical Therapy Reduces Patient Length of Stay and Improves Functional Outcomes and Quality of Life in People With Acute or Subacute Conditions: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1490-1500.	0.9	114
36	Reducing wait time from referral to first visit for community outpatient services may contribute to better health outcomes: a systematic review. BMC Health Services Research, 2018, 18, 869.	2.2	113

#	Article	IF	CITATIONS
37	Familiarisation to treadmill walking in unimpaired older people. Gait and Posture, 2005, 21, 72-79.	1.4	110
38	Test-retest reliability of hand-held dynamometric strength testing in young people with cerebral palsy 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2004, 85, 77-80.	0.9	109
39	Most clinical tests cannot accurately diagnose rotator cuff pathology: a systematic review. Australian Journal of Physiotherapy, 2008, 54, 159-170.	0.9	109
40	Progressive resistance exercise for people with multiple sclerosis. Disability and Rehabilitation, 2006, 28, 1119-1126.	1.8	108
41	Effects of a Community-Based Progressive Resistance Training Program on Muscle Performance and Physical Function in Adults With Down Syndrome: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1215-1220.	0.9	100
42	Hamstring Strength Recovery After Hamstring Tendon Harvest for Anterior Cruciate Ligament Reconstruction: A Comparison Between Graft Types. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2010, 26, 462-469.	2.7	100
43	Not Enough Time or a Low Priority? Barriers to Evidence-Based Practice for Allied Health Clinicians. Journal of Continuing Education in the Health Professions, 2014, 34, 224-231.	1.3	97
44	A community-based strength training programme increases muscle strength and physical activity in young people with Down syndrome: A randomised controlled trial. Research in Developmental Disabilities, 2013, 34, 4385-4394.	2.2	94
45	Progressive resistance training and mobilityâ€related function in young people with cerebral palsy: a randomized controlled trial. Developmental Medicine and Child Neurology, 2013, 55, 806-812.	2.1	94
46	Therapy outcome measures for allied health practitioners in Australia: the AusTOMs. International Journal for Quality in Health Care, 2004, 16, 285-291.	1.8	89
47	A qualitative analysis of a progressive resistance exercise programme for people with multiple sclerosis. Disability and Rehabilitation, 2006, 28, 1127-1134.	1.8	85
48	Progressive resistance exercise improves glycaemic control in people with type 2 diabetes mellitus: a systematic review. Australian Journal of Physiotherapy, 2009, 55, 237-246.	0.9	85
49	A predominantly home-based progressive resistance exercise program increases knee extensor strength in the short-term in people with chronic obstructive pulmonary disease: a randomised controlled trial. Australian Journal of Physiotherapy, 2007, 53, 229-237.	0.9	84
50	The relationship between adherence to hand therapy and short-term outcome after distal radius fracture. Journal of Hand Therapy, 2005, 18, 2-8.	1.5	82
51	…But Watch Out for the Weather. Journal of Cardiopulmonary Rehabilitation and Prevention, 2007, 27, 166-174.	2.1	81
52	Relationship between diastasis of the rectus abdominis muscle (DRAM) and musculoskeletal dysfunctions, pain and quality of life: a systematic review. Physiotherapy, 2019, 105, 24-34.	0.4	81
53	A home program of strength training, movement strategy training and education did not prevent falls in people with Parkinson's disease: a randomised trial. Journal of Physiotherapy, 2017, 63, 94-100.	1.7	76
54	Experience of living with knee osteoarthritis: a systematic review of qualitative studies. BMJ Open, 2019, 9, e030060.	1.9	75

#	Article	IF	CITATIONS
55	A systematic review of the self-concept of children with cerebral palsy compared with children without disability. Developmental Medicine and Child Neurology, 2006, 48, 151-157.	2.1	72
56	A student-led progressive resistance training program increases lower limb muscle strength in adolescents with Down syndrome: a randomised controlled trial. Journal of Physiotherapy, 2010, 56, 187-193.	1.7	72
57	Additional Saturday rehabilitation improves functional independence and quality of life and reduces length of stay: a randomized controlled trial. BMC Medicine, 2013, 11, 198.	5.5	72
58	Primary contact physiotherapy in emergency departments can reduce length of stay for patients with peripheral musculoskeletal injuries compared with secondary contact physiotherapy: a prospective non-randomised controlled trial. Physiotherapy, 2011, 97, 107-114.	0.4	71
59	The modulating effects of music listening on health-related exercise and physical activity in adults: a systematic review and narrative synthesis. Nordic Journal of Music Therapy, 2016, 25, 76-104.	1.1	68
60	Patients value patient-therapist interactions more than the amount or content of therapy during inpatient rehabilitation: a qualitative study. Journal of Physiotherapy, 2012, 58, 261-268.	1.7	67
61	Association between isometric muscle strength and gait joint kinetics in adolescents and young adults with cerebral palsy. Gait and Posture, 2011, 33, 326-332.	1.4	66
62	Psychoeducational Rehabilitation for Health Behavior Change in Coronary Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2011, 31, 273-281.	2.1	65
63	Exercise improves glycaemic control in women diagnosed with gestational diabetes mellitus: a systematic review. Journal of Physiotherapy, 2016, 62, 188-196.	1.7	65
64	Adults with cerebral palsy benefit from participating in a strength training programme at a community gymnasium. Disability and Rehabilitation, 2004, 26, 1128-1134.	1.8	63
65	A Systematic Review of the Effect Of Proprioceptive and Balance Exercises on People With an Injured Or Reconstructed Anterior Cruciate Ligament. Research in Sports Medicine, 2005, 13, 163-178.	1.3	63
66	Telephone coaching can increase activity levels for people with non-chronic low back pain: a randomised trial. Journal of Physiotherapy, 2011, 57, 231-238.	1.7	63
67	A Saturday physiotherapy service may decrease length of stay in patients undergoing rehabilitation in hospital: a randomised controlled trial. Australian Journal of Physiotherapy, 2007, 53, 75-81.	0.9	61
68	A qualitative analysis of the benefits of strength training for young people with cerebral palsy. Developmental Medicine and Child Neurology, 2003, 45, 658-663.	2.1	61
69	Primary care clinicians use variable methods to assess acute nonspecific low back pain and usually focus on impairments. Manual Therapy, 2009, 14, 88-100.	1.6	61
70	Mobile Telephone Short Message Service Reminders Can Reduce Nonattendance in Physical Therapy Outpatient Clinics: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2012, 93, 21-26.	0.9	59
71	Factors influencing adherence to a home-based strength-training programme for young people with cerebral palsy. Physiotherapy, 2004, 90, 57-63.	0.4	58
72	Can Physiotherapists Locate Lumbar Spinal Levels by Palpation?. Physiotherapy, 1997, 83, 235-239.	0.4	57

#	Article	IF	Citations
73	Community ambulation before and after hip fracture: a qualitative analysis. Disability and Rehabilitation, 2010, 32, 1281-1290.	1.8	57
74	Motivational interviewing increases physical activity and self-efficacy in people living in the community after hip fracture: a randomized controlled trial. Clinical Rehabilitation, 2016, 30, 1108-1119.	2.2	57
75	Manipulative physiotherapists can reliably palpate nominated lumbar spinal levels. Manual Therapy, 1999, 4, 151-156.	1.6	56
76	Adherence to Anterior Cruciate Ligament Rehabilitation: A Qualitative Analysis. Journal of Sport Rehabilitation, 2002, 11, 90-102.	1.0	56
77	Reliability and validity of shoulder function outcome measures in people with a proximal humeral fracture. Disability and Rehabilitation, 2014, 36, 1072-1079.	1.8	56
78	Patients receiving inpatient rehabilitation for lower limb orthopaedic conditions do much less physical activity than recommended in guidelines for healthy older adults: an observational study. Journal of Physiotherapy, 2013, 59, 39-44.	1.7	55
79	Physical Activity Levels During Acute Inpatient Admission After Hip Fracture are Very Low. Physiotherapy Research International, 2015, 20, 174-181.	1.5	55
80	Angular movements of the pelvis and lumbar spine during self-selected and slow walking speeds. Gait and Posture, 1999, 9, 88-94.	1.4	54
81	Implementing the Free Water Protocol does not Result in Aspiration Pneumonia in Carefully Selected Patients with Dysphagia: A Systematic Review. Dysphagia, 2017, 32, 345-361.	1.8	54
82	Exercise therapy in oncology rehabilitation in Australia: A mixedâ€methods study. Asia-Pacific Journal of Clinical Oncology, 2017, 13, e515-e527.	1.1	52
83	A small group aerobic exercise programme that reduces body weight is feasible in adults with severe chronic schizophrenia: a pilot study. Disability and Rehabilitation, 2011, 33, 1222-1229.	1.8	49
84	A randomised clinical trial of activity-focussed physiotherapy on patients with distal radius fractures. Archives of Orthopaedic and Trauma Surgery, 2005, 125, 515-520.	2.4	48
85	Strength training can be enjoyable and beneficial for adults with cerebral palsy. Disability and Rehabilitation, 2004, 26, 1121-1127.	1.8	46
86	Validity of the de Morton Mobility Index (DEMMI) for measuring the mobility of patients with hip fracture during rehabilitation. Disability and Rehabilitation, 2013, 35, 325-333.	1.8	46
87	Early Rehabilitation Exercise Program for Inpatients During an Acute Exacerbation of Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2012, 32, 163-169.	2.1	45
88	Aphasia disrupts usual care: the stroke team's perceptions of delivering healthcare to patients with aphasia. Disability and Rehabilitation, 2021, 43, 3003-3014.	1.8	45
89	Home exercise programmes supported by video and automated reminders compared with standard paper-based home exercise programmes in patients with stroke: a randomized controlled trial. Clinical Rehabilitation, 2017, 31, 1068-1077.	2.2	44
90	Selfâ€concept of children with cerebral palsy compared with that of children without impairment. Developmental Medicine and Child Neurology, 2007, 49, 350-354.	2.1	43

#	Article	IF	CITATIONS
91	The de Morton Mobility Index (DEMMI) provides a valid method for measuring and monitoring the mobility of patients making the transition from hospital to the community: an observational study. Journal of Physiotherapy, 2011, 57, 109-116.	1.7	43
92	The effectiveness of sub-group specific manual therapy for low back pain: A systematic review. Manual Therapy, 2012, 17, 201-212.	1.6	43
93	Dysphagia is a Common and Serious Problem for Adults with Mental Illness: A Systematic Review. Dysphagia, 2012, 27, 124-137.	1.8	43
94	Prescribed exercise programs may not be effective in reducing impairments and improving activity during upper limb fracture rehabilitation: a systematic review. Journal of Physiotherapy, 2017, 63, 205-220.	1.7	43
95	Effective clinical supervision of allied health professionals: a mixed methods study. BMC Health Services Research, 2020, 20, 2.	2.2	43
96	Progressive resistance exercise in physical therapy: a summary of systematic reviews. Physical Therapy, 2005, 85, 1208-23.	2.4	42
97	Chest physiotherapy for patients admitted to hospital with an acute exacerbation of chronic obstructive pulmonary disease (COPD): a systematic review. Physiotherapy, 2010, 96, 1-13.	0.4	41
98	Do Colles' fracture patients benefit from routine referral to physiotherapy following cast removal?. Archives of Orthopaedic and Trauma Surgery, 2000, 120, 413-415.	2.4	40
99	Do triage systems in healthcare improve patient flow? A systematic review of the literature. Australian Health Review, 2011, 35, 371.	1.1	40
100	Additional Saturday Allied Health Services Increase Habitual Physical Activity Among Patients Receiving Inpatient Rehabilitation for Lower Limb Orthopedic Conditions: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1365-1370.	0.9	39
101	Economic Evaluation of Adult Rehabilitation: A Systematic Review and Meta-Analysis of Randomized Controlled Trials inÂaÂVariety of Settings. Archives of Physical Medicine and Rehabilitation, 2014, 95, 94-116.e4.	0.9	39
102	Reducing Waiting Time for Community Rehabilitation Services: A Controlled Before-and-After Trial. Archives of Physical Medicine and Rehabilitation, 2013, 94, 23-31.	0.9	38
103	Does clinical supervision of health professionals improve patient safety? A systematic review and meta-analysis. International Journal for Quality in Health Care, 2016, 28, 447-455.	1.8	38
104	Additional Physical Therapy Services Reduce Length of Stay and Improve Health Outcomes in People With Acute and Subacute Conditions: An Updated Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2018, 99, 2299-2312.	0.9	38
105	Angular movements of the lumbar spine and pelvis can be reliably measured after 4 minutes of treadmill walking. Clinical Biomechanics, 1996, 11, 484-486.	1.2	37
106	The effect of walking faster on people with acute low back pain. European Spine Journal, 2003, 12, 166-172.	2.2	37
107	Physiotherapy Services Provided Outside of Business Hours in Australian Hospitals: A National Survey. Physiotherapy Research International, 2013, 18, 115-123.	1.5	36
108	The Feasibility of Physical Activity Interventions During the Intense Treatment Phase for Children and Adolescents with Cancer: A Systematic Review. Pediatric Blood and Cancer, 2016, 63, 1586-1593.	1.5	36

#	Article	IF	CITATIONS
109	A qualitative analysis of the benefits of strength training for young people with cerebral palsy. Developmental Medicine and Child Neurology, 2003, 45, 658-63.	2.1	35
110	Comparing the self concept of children with cerebral palsy to the perceptions of their parents. Disability and Rehabilitation, 2009, 31, 387-393.	1.8	33
111	Exercise reduces impairment and improves activity in people after some upper limb fractures: a systematic review. Journal of Physiotherapy, 2011, 57, 71-82.	1.7	33
112	The stabilizing role of the rotator cuff at the shoulderâ€"responses to external perturbations. Clinical Biomechanics, 2012, 27, 551-556.	1.2	33
113	Measurement of subacromial impingement of the rotator cuff. Journal of Science and Medicine in Sport, 2012, 15, 2-7.	1.3	33
114	Validity of the AusTOM scales: a comparison of the AusTOMs and EuroQol-5D. Health and Quality of Life Outcomes, 2004, 2, 64.	2.4	32
115	Selfâ€concept in children with spina bifida compared with typically developing children. Developmental Medicine and Child Neurology, 2008, 50, 733-743.	2.1	32
116	Altered scapula position in elite young cricketers with shoulder problems. Journal of Science and Medicine in Sport, 2013, 16, 22-27.	1.3	32
117	Physiotherapy intervention practice patterns used in rehabilitation after distal radial fracture. Physiotherapy, 2013, 99, 233-240.	0.4	32
118	Stabilizing characteristics of rotator cuff muscles: a systematic review. Disability and Rehabilitation, 2015, 37, 1033-1043.	1.8	32
119	Individualised physiotherapy as an adjunct to guideline-based advice for low back disorders in primary care: a randomised controlled trial. British Journal of Sports Medicine, 2016, 50, 237-245.	6.7	32
120	Correlation of impairment and activity limitation after wrist fracture. Physiotherapy Research International, 2002, 7, 90-99.	1.5	31
121	Additional weekend therapy may reduce length of rehabilitation stay after stroke: a meta-analysis of individual patient data. Journal of Physiotherapy, 2016, 62, 124-129.	1.7	31
122	Research experience and research interests of allied health professionals. Journal of Allied Health, 2009, 38, e107-11.	0.2	31
123	Music interventions and physical activity in older adults: A systematic literature review and meta-analysis. Journal of Rehabilitation Medicine, 2012, 44, 710-719.	1.1	30
124	Are weekend inpatient rehabilitation services value for money? An economic evaluation alongside a randomized controlled trial with a 30 day follow up. BMC Medicine, 2014, 12, 89.	5 . 5	30
125	The association of foot structure and footwear fit with disability in children and adolescents with Down syndrome. Journal of Foot and Ankle Research, 2015, 8, 4.	1.9	30
126	A community-based exercise program to increase participation in physical activities among youth with disability: a feasibility study. Disability and Rehabilitation, 2019, 41, 1152-1159.	1.8	30

#	Article	IF	CITATIONS
127	Prioritizing patients for Community Rehabilitation Services: do clinicians agree on triage decisions?. Clinical Rehabilitation, 2010, 24, 928-934.	2.2	29
128	The retest reliability of the sixâ€minute walk test in patients referred to a cardiac rehabilitation programme. Physiotherapy Research International, 2012, 17, 55-61.	1.5	29
129	A walking program for people with severe knee osteoarthritis did not reduce pain but may have benefits for cardiovascular health: a phase II randomised controlled trial. Osteoarthritis and Cartilage, 2017, 25, 1969-1979.	1.3	29
130	Strength Training Can Have Unexpected Effects on the Self-Concept of Children with Cerebral Palsy. Pediatric Physical Therapy, 2004, 16, 99-105.	0.6	28
131	Specific treatment of problems of the spine (STOPS): design of a randomised controlled trial comparing specific physiotherapy versus advice for people with subacute low back disorders. BMC Musculoskeletal Disorders, 2011, 12, 104.	1.9	28
132	Gross motor function is an important predictor of daily physical activity in young people with bilateral spastic cerebral palsy. Developmental Medicine and Child Neurology, 2014, 56, 1163-1171.	2.1	28
133	Effect of computer therapy in aphasia: a systematic review. Aphasiology, 0, , 1-34.	2.2	28
134	â€~A good stepping stone to normality': a qualitative study of cancer survivors' experiences of an exercise-based rehabilitation program. Supportive Care in Cancer, 2019, 27, 1729-1736.	2.2	28
135	Women with gestational diabetes mellitus want clear and practical messages from credible sources about physical activity during pregnancy: a qualitative study. Journal of Physiotherapy, 2019, 65, 37-42.	1.7	28
136	Discharge planning for patients receiving rehabilitation after hip fracture: A qualitative analysis of physiotherapists' perceptions. Disability and Rehabilitation, 2010, 32, 492-499.	1.8	27
137	Contact with Young Adults with Disability Led to a Positive Change in Attitudes toward Disability among Physiotherapy Students. Physiotherapy Canada Physiotherapie Canada, 2014, 66, 298-305.	0.6	27
138	A study protocol of a randomised controlled trial to investigate if a community based strength training programme improves work task performance in young adults with Down syndrome. BMC Pediatrics, 2010, 10, 17.	1.7	26
139	Effect of Triage on Waiting Time for Community Rehabilitation: A Prospective Cohort Study. Archives of Physical Medicine and Rehabilitation, 2012, 93, 441-445.	0.9	26
140	Can Manipulative Physiotherapists Agree on which Lumbar Level to Treat Based on Palpation?. Physiotherapy, 2003, 89, 74-81.	0.4	25
141	Habitual physical activity can be increased in people with cerebral palsy: a systematic review. Clinical Rehabilitation, 2011, 25, 303-315.	2.2	25
142	Community ambulation after hip fracture: completing tasks to enable access to common community venues. Disability and Rehabilitation, 2012, 34, 707-714.	1.8	25
143	Patient recovery expectations in non-chronic non-specific low back pain: A qualitative investigation. Journal of Rehabilitation Medicine, 2012, 44, 781-787.	1.1	25
144	Outcomes After Caregiver-Provided Speech and Language or Other Allied Health Therapy: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1139-1160.	0.9	25

#	Article	IF	Citations
145	Rehabilitation interventions with deconditioned older adults following an acute hospital admission: a systematic review. Clinical Rehabilitation, 2014, 28, 1078-1086.	2.2	25
146	The effect of in vivo rotator cuff muscle contraction on glenohumeral joint translation: An ultrasonographic and electromyographic study. Journal of Biomechanics, 2016, 49, 3840-3847.	2.1	25
147	The feasibility of a physical activity program for young adults with Down syndrome: A phase II randomised controlled trial. Journal of Intellectual and Developmental Disability, 2015, 40, 115-125.	1.6	24
148	Predischarge home visits after hip fracture: a randomized controlled trial. Clinical Rehabilitation, 2019, 33, 681-692.	2.2	24
149	Effect of physiotherapy attendance on outcome after anterior cruciate ligament reconstruction: a pilot study. British Journal of Sports Medicine, 2004, 38, 74-77.	6.7	23
150	Level of adherence to the GOLD strategy document for management of patients admitted to hospital with an acute exacerbation of COPD. Respirology, 2014, 19, 1191-1197.	2.3	23
151	A progressive exercise and structured advice program does not improve activity more than structured advice alone following a distal radial fracture: a multi-centre, randomised trial. Journal of Physiotherapy, 2016, 62, 145-152.	1.7	23
152	Telerehabilitation's Safety, Feasibility, and Exercise Uptake in Cancer Survivors: Process Evaluation. JMIR Cancer, 2021, 7, e33130.	2.4	23
153	Does Exercise Reduce Cancer-Related Fatigue in Hospitalised Oncology Patients? A Systematic Review. Onkologie, 2010, 33, 6-6.	0.8	22
154	The 10m incremental shuttle walk test is a highly reliable field exercise test for patients referred to cardiac rehabilitation: a retest reliability study. Physiotherapy, 2016, 102, 243-248.	0.4	22
155	Participant-selected music and physical activity in older adults following cardiac rehabilitation: a randomized controlled trial. Clinical Rehabilitation, 2017, 31, 329-339.	2.2	22
156	How Do People Communicate About Knee Osteoarthritis? A Discourse Analysis. Pain Medicine, 2021, 22, 1127-1148.	1.9	22
157	Qualitative outcomes of progressive resistance exercise for people with COPD. Chronic Respiratory Disease, 2007, 4, 135-142.	2.4	21
158	Measuring mobility in patients living in the community with Parkinson disease. NeuroRehabilitation, 2013, 32, 957-966.	1.3	21
159	Do Children and Adolescents With Mild Traumatic Brain Injury and Persistent Symptoms Benefit From Treatment? A Systematic Review. Journal of Head Trauma Rehabilitation, 2015, 30, 324-333.	1.7	21
160	Parentâ€reported healthâ€related quality of life of children with Down syndrome: a descriptive study. Developmental Medicine and Child Neurology, 2018, 60, 402-408.	2.1	21
161	Motivational interviewing added to oncology rehabilitation did not improve moderate-intensity physical activity in cancer survivors: a randomised trial. Journal of Physiotherapy, 2018, 64, 255-263.	1.7	21
162	A study protocol of a randomised controlled trial incorporating a health economic analysis to investigate if additional allied health services for rehabilitation reduce length of stay without compromising patient outcomes. BMC Health Services Research, 2010, 10, 308.	2.2	20

#	Article	IF	CITATIONS
163	Getting fit for practice: An innovative paediatric clinical placement provided physiotherapy students opportunities for skill development. Physiotherapy, 2013, 99, 159-164.	0.4	20
164	Characteristics of Stabilizer Muscles: A Systematic Review. Physiotherapy Canada Physiotherapie Canada, 2014, 66, 348-358.	0.6	20
165	The maximum tolerated dose of walking for people with severe osteoarthritis of the knee: a phase I trial. Osteoarthritis and Cartilage, 2015, 23, 1285-1293.	1.3	20
166	Is cost effectiveness sustained after weekend inpatient rehabilitation? 12Âmonth follow up from a randomized controlled trial. BMC Health Services Research, 2015, 15, 165.	2.2	20
167	Older Adults' Music Listening Preferences to Support Physical Activity Following Cardiac Rehabilitation. Journal of Music Therapy, 2016, 53, 364-397.	0.9	20
168	The effects of progressive resistance training on daily physical activity in young people with cerebral palsy: a randomised controlled trial. Disability and Rehabilitation, 2016, 38, 620-626.	1.8	20
169	Locomotor and robotic assistive gait training for children with cerebral palsy. Developmental Medicine and Child Neurology, 2021, 63, 328-335.	2.1	20
170	Influencing physiotherapy student attitudes toward exercise for adolescents with Down syndrome. Disability and Rehabilitation, 2011, 33, 360-366.	1.8	19
171	Isolation of infraspinatus in clinical test positions. Journal of Science and Medicine in Sport, 2014, 17, 256-260.	1.3	19
172	In the first 3 months after stroke is progressive resistance training safe and does it improve activity? A systematic review. Topics in Stroke Rehabilitation, 2016, 23, 366-375.	1.9	19
173	An aerobic exercise program for young people with cerebral palsy in specialist schools: A phase I randomized controlled trial. Developmental Neurorehabilitation, 2017, 20, 331-338.	1.1	19
174	A model of access combining triage with initial management reduced waiting time for community outpatient services: a stepped wedge cluster randomised controlled trial. BMC Medicine, 2018, 16, 182.	5 . 5	19
175	Accuracy of clinical tests to diagnose superior labral anterior and posterior (SLAP) lesions. Physical Therapy Reviews, 2005, 10, 5-14.	0.8	18
176	The anatomical basis for clinical tests assessing musculoskeletal function of the shoulder. Physical Therapy Reviews, 2008, 13, 17-24.	0.8	18
177	Triaging Patients for Allied Health Services: A Systematic Review of the Literature. British Journal of Occupational Therapy, 2009, 72, 153-162.	0.9	18
178	Pre-discharge home assessment visits in assisting patients \tilde{A} \hat{a} , \hat{a} , \hat{a} return to community living: A systematic review and meta-analysis. Journal of Rehabilitation Medicine, 2015, 47, 289-299.	1.1	18
179	Home exercise programs supported by video and automated reminders for patients with stroke: A qualitative analysis. Australian Occupational Therapy Journal, 2018, 65, 187-197.	1.1	18
180	Clinician and patient perspectives of a new model of triage in a community rehabilitation program that reduced waiting time: a qualitative analysis. Australian Health Review, 2013, 37, 324.	1.1	17

#	Article	IF	Citations
181	Walking tolerance of patients recovering from hip fracture: a phase I trial. Disability and Rehabilitation, 2016, 38, 1900-1908.	1.8	17
182	Development and evaluation of an allied health research training scheme. Journal of Allied Health, 2010, 39, e143-8.	0.2	17
183	Reliability of the Australian Therapy Outcome Measures for Occupational Therapy Self-care scale. Australian Occupational Therapy Journal, 2006, 53, 265-276.	1.1	16
184	An evaluation of the anatomic basis of the O'Brien active compression test for superior labral anterior and posterior (SLAP) lesions. Journal of Shoulder and Elbow Surgery, 2008, 17, 165-171.	2.6	16
185	Outcome measures in the management of proximal humeral fractures: a systematic review of their use and psychometric properties. Journal of Shoulder and Elbow Surgery, 2011, 20, 333-343.	2.6	16
186	Effectiveness of clinical supervision of physiotherapists: a survey. Australian Health Review, 2015, 39, 190.	1.1	16
187	The Shoulder Function Index (SFInX): evaluation of its measurement properties in people recovering from a proximal humeral fracture. BMC Musculoskeletal Disorders, 2016, 17, 295.	1.9	16
188	Barriers to and facilitators of physical activity for children with cerebral palsy in special education. Developmental Medicine and Child Neurology, 2019, 61, 1408-1415.	2.1	16
189	Multidisciplinary, exercise-based oncology rehabilitation programs improve patient outcomes but their effects on healthcare service-level outcomes remain uncertain: a systematic review. Journal of Physiotherapy, 2021, 67, 12-26.	1.7	16
190	Factors that predict discharge destination for patients in transitional care: a prospective observational cohort study. Australian Health Review, 2012, 36, 430.	1.1	15
191	BAck iN the Game (BANG) – a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 523.	1.9	15
192	The effect of delegation of therapy to allied health assistants on patient and organisational outcomes: a systematic review and meta-analysis. BMC Health Services Research, 2020, 20, 491.	2.2	15
193	A pre-operative group rehabilitation programme provided limited benefit for people with severe hip and knee osteoarthritis. Disability and Rehabilitation, 2014, 36, 2085-2090.	1.8	14
194	Providing exercise instructions using multimedia may improve adherence but not patient outcomes: a systematic review and meta-analysis. Clinical Rehabilitation, 2019, 33, 607-618.	2.2	14
195	To sit or not to sit? A systematic review and metaâ€analysis of seated exercise for older adults. Australasian Journal on Ageing, 2019, 38, 15-27.	0.9	14
196	Perceptions about participation in a 12-week walking program for people with severe knee osteoarthritis: a qualitative analysis. Disability and Rehabilitation, 2019, 41, 779-785.	1.8	14
197	Retest reliability of measuring hip extensor muscle strength in different testing positions in young people with cerebral palsy. BMC Pediatrics, 2011, 11, 42.	1.7	13
198	Measurement of glenohumeral joint translation using real-time ultrasound imaging: A physiotherapist and sonographer intra-rater and inter-rater reliability study. Manual Therapy, 2016, 26, 110-116.	1.6	13

#	Article	IF	Citations
199	Implementation of evidence-based weekend service recommendations for allied health managers: a cluster randomised controlled trial protocol. Implementation Science, 2018, 13, 60.	6.9	13
200	From Cancer Rehabilitation to Recreation: A Coordinated Approach to Increasing Physical Activity. Physical Therapy, 2020, 100, 2049-2059.	2.4	13
201	Translating evidence into practice: a longitudinal qualitative exploration of allied health decision-making. Health Research Policy and Systems, 2021, 19, 38.	2.8	13
202	Effectiveness of Clinical Supervision of Allied Health Professionals: A Survey. Journal of Allied Health, 2016, 45, 113-21.	0.2	13
203	A training programme did not increase agreement between allied health clinicians prioritizing patients for community rehabilitation. Clinical Rehabilitation, 2011, 25, 599-606.	2.2	12
204	Involving family members in physiotherapy for older people transitioning from hospital to the community: a qualitative analysis. Disability and Rehabilitation, 2015, 37, 2061-2069.	1.8	12
205	Individualized Physical Therapy Is Cost-Effective Compared With Guideline-Based Advice for People With Low Back Disorders. Spine, 2017, 42, E169-E176.	2.0	12
206	Is the 10 m incremental shuttle walk test a useful test of exercise capacity for patients referred to cardiac rehabilitation?. European Journal of Cardiovascular Nursing, 2018, 17, 159-169.	0.9	12
207	Are wait lists inevitable in subacute ambulatory and community health services? A qualitative analysis. Australian Health Review, 2018, 42, 93.	1.1	12
208	Assessment of physical function in children with cancer: A systematic review. Pediatric Blood and Cancer, 2018, 65, e27369.	1.5	12
209	Training family to assist with physiotherapy for older people transitioning from hospital to the community: a pilot randomized controlled trial. Clinical Rehabilitation, 2019, 33, 1625-1635.	2.2	12
210	Establishing measurement properties in the assessment of inter-recti distance of the abdominal muscles in a postnatal women. Musculoskeletal Science and Practice, 2020, 49, 102202.	1.3	12
211	Physical activity for children undergoing acute cancer treatment: A qualitative study of parental perspectives. Pediatric Blood and Cancer, 2020, 67, e28264.	1.5	12
212	Triage in Nonemergency Services. Profiles in Operations Research, 2013, , 229-250.	0.4	12
213	A Systematic Review of the Self-Concept of Children with Cerebral Palsy and Perceptions of Parents and Teachers. Physical and Occupational Therapy in Pediatrics, 2007, 27, 55-71.	1.3	11
214	The influence of age on gait parameters during the transition from a wide to a narrow pathway. Physiotherapy Research International, 2008, 13, 75-83.	1.5	11
215	Anatomical validity of the Hawkins–Kennedy test – A pilot study. Manual Therapy, 2011, 16, 399-402.	1.6	11
216	Protocol for a home-based integrated physical therapy program to reduce falls and improve mobility in people with Parkinson's disease. BMC Neurology, 2012, 12, 54.	1.8	11

#	Article	IF	Citations
217	Physiotherapy students' self-reported assessment of professional behaviours and skills while working with young people with disability. Disability and Rehabilitation, 2014, 36, 1834-1839.	1.8	11
218	The Shoulder Function Index (SFInX): a clinician-observed outcome measure for people with a proximal humeral fracture. BMC Musculoskeletal Disorders, 2015, 16, 31.	1.9	11
219	Improving access for community health and sub-acute outpatient services: protocol for a stepped wedge cluster randomised controlled trial. BMC Health Services Research, 2016, 16, 364.	2.2	11
220	FitSkills: protocol for a stepped wedge cluster randomised trial of a community-based exercise programme to increase participation among young people with disability. BMJ Open, 2020, 10, e037153.	1.9	11
221	Research interest, experience and confidence of allied health professionals working in medical imaging: a crossâ€sectional survey. Journal of Medical Radiation Sciences, 2021, 68, 121-130.	1.5	11
222	Conducting community rehabilitation review sessions via videoconference: A feasibility study. Australian Journal of Rural Health, 2020, 28, 603-612.	1.5	11
223	The anatomical basis of the resisted supination external rotation test for superior labral anterior to posterior lesions. Clinical Anatomy, 2009, 22, 665-670.	2.7	10
224	Outcomes and adverse events from physiotherapy functional restoration for lumbar disc herniation with associated radiculopathy. Disability and Rehabilitation, 2011, 33, 1537-1547.	1.8	10
225	Occupational therapy inpatient rehabilitation interventions with deconditioned older adults following an acute hospital admission: A <scp>D</scp> elphi study. Australian Occupational Therapy Journal, 2015, 62, 41-49.	1.1	10
226	The Brunel Music Rating Inventory-2 is a reliable and valid instrument for older cardiac rehabilitation patients selecting music for exercise. Psychology of Music, 2016, 44, 249-262.	1.6	10
227	A qualitative evaluation of an aerobic exercise program for young people with cerebral palsy in specialist schools. Developmental Neurorehabilitation, 2017, 20, 339-346.	1.1	10
228	Maximum Tolerated Dose of Walking for Community-Dwelling People Recovering From Hip Fracture: A Dose-Response Trial. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2533-2539.	0.9	10
229	Do foot posture, deformity, and footwear fit influence physical activity levels in children with Down syndrome? A prospective cohort study. Journal of Intellectual and Developmental Disability, 2017, 42, 332-338.	1.6	10
230	Individualized functional restoration as an adjunct to advice for lumbar disc herniation with associated radiculopathy. A preplanned subgroup analysis of a randomized controlled trial. Spine Journal, 2017, 17, 346-359.	1.3	10
231	Validity and reliability of an activity monitor to quantify arm movements and activity in adults following distal radius fracture. Disability and Rehabilitation, 2018, 40, 1318-1325.	1.8	10
232	Staff perspectives of a model of access and triage for reducing waiting time in ambulatory services: a qualitative study. BMC Health Services Research, 2019, 19, 283.	2.2	10
233	Direct supervision of physiotherapists improves compliance with clinical practice guidelines for patients with hip fracture: a controlled before-and-after study. Disability and Rehabilitation, 2020, 42, 3825-3832.	1.8	10
234	A consumer co-created infographic improves short-term knowledge about physical activity and self-efficacy to exercise in women with gestational diabetes mellitus: a randomised trial. Journal of Physiotherapy, 2020, 66, 243-248.	1.7	10

#	Article	IF	Citations
235	Home visits by occupational therapists improve adherence to recommendations: Process evaluation of a randomised controlled trial. Australian Occupational Therapy Journal, 2020, 67, 287-296.	1.1	10
236	Physiotherapists Prefer Clinical Supervision to Focus on Professional Skill Development: A Qualitative Study. Physiotherapy Canada Physiotherapie Canada, 2020, 72, 249-257.	0.6	10
237	Behaviour change interventions to increase physical activity in hospitalised patients: a systematic review, meta-analysis and meta-regression. Age and Ageing, 2022, 51, .	1.6	10
238	What is the effect of delays in access to specialist epilepsy care on patient outcomes? A systematic review and meta-analysis. Epilepsy and Behavior, 2021, 122, 108192.	1.7	10
239	A Cancer Exercise Toolkit Developed Using Co-Design: Mixed Methods Study. JMIR Cancer, 2022, 8, e34903.	2.4	10
240	Reliability of measurement of angular movements of the pelvis and lumbar spine during treadmill walking. Physiotherapy Research International, 2001, 6, 205-223.	1.5	9
241	Movements of the pelvis and lumbar spine during walking in people with acute low back pain. Physiotherapy Research International, 2004, 9, 74-84.	1.5	9
242	Measuring changes in activity limitation and participation restriction in people with COPD. International Journal of Therapy and Rehabilitation, 2005, 12, 264-268.	0.3	9
243	The upper and lower segments of subscapularis muscle have different roles in glenohumeral joint functioning. Journal of Biomechanics, 2017, 63, 92-97.	2.1	9
244	What effect does regular exercise have on oxidative stress in people with Down syndrome? A systematic review with meta-analyses. Journal of Science and Medicine in Sport, 2018, 21, 596-603.	1.3	9
245	Accumulated or continuous exercise for glycaemic regulation and control: a systematic review with meta-analysis. BMJ Open Sport and Exercise Medicine, 2018, 4, e000470.	2.9	9
246	Cancer Survivors Awaiting Rehabilitation Rarely Meet Recommended Physical Activity Levels: An Observational Study. Rehabilitation Oncology, 2018, 36, 214-222.	0.5	9
247	Specific timely appointments for triage to reduce wait times in a medical outpatient clinic: protocol of a pre-post study with process evaluation. BMC Health Services Research, 2019, 19, 831.	2.2	9
248	Is strength training feasible for young people with Prader-Willi syndrome? A phase I randomised controlled trial. Physiotherapy, 2020, 106, 136-144.	0.4	9
249	A comparison of acute glycaemic responses to accumulated or single bout walking exercise in apparently healthy, insufficiently active adults. Journal of Science and Medicine in Sport, 2020, 23, 902-907.	1.3	9
250	A Systematic Review of Clinical Practice Guidelines for Physical Therapist Management of Patellofemoral Pain. Physical Therapy, 2021, 101, .	2.4	9
251	Interrater Reliability and Clinical Utility of the Personal Care Participation Assessment and Resource Tool (PC–PART) in an Inpatient Rehabilitation Setting. American Journal of Occupational Therapy, 2014, 68, 334-343.	0.3	9
252	An effective coaching intervention for people with low recovery expectations and low back pain: A content analysis. Journal of Back and Musculoskeletal Rehabilitation, 2014, 27, 93-101.	1.1	8

#	Article	IF	CITATIONS
253	Glenohumeral joint translation and muscle activity in patients with symptomatic rotator cuff pathology: An ultrasonographic and electromyographic study with age-matched controls. Journal of Science and Medicine in Sport, 2018, 21, 885-889.	1.3	8
254	Development of a Multivariate Prognostic Model for Pain and Activity Limitation in People With Low Back Disorders Receiving Physiotherapy. Archives of Physical Medicine and Rehabilitation, 2018, 99, 2504-2512.e12.	0.9	8
255	Family-assisted therapy empowered families of older people transitioning from hospital to the community: a qualitative study. Journal of Physiotherapy, 2019, 65, 166-171.	1.7	8
256	Consumer perspectives of telehealth in ambulatory care in an Australian health network. Health and Social Care in the Community, 2022, 30, 1903-1912.	1.6	8
257	Effectiveness of knowledge brokering and recommendation dissemination for influencing healthcare resource allocation decisions: A cluster randomised controlled implementation trial. PLoS Medicine, 2021, 18, e1003833.	8.4	8
258	Evaluating the Introduction of an Allied Health Clinical Research Office at a Health Service: Effects on Research Participation, Interest, and Experience of Allied Health Professionals. Journal of Allied Health, 2019, 48, 46-53.	0.2	8
259	Is progressive resistance exercise ineffective in increasing muscle strength in young people with cerebral palsy?. Australian Journal of Physiotherapy, 2009, 55, 222.	0.9	7
260	Evaluation of the internal construct validity of the Personal Care Participation Assessment and Resource Tool (PC-PART) using Rasch analysis. BMC Health Services Research, 2014, 14, 543.	2.2	7
261	Sit-to-stand exercise programs improve sit-to-stand performance in people with physical impairments due to health conditions: a systematic review and meta-analysis. Disability and Rehabilitation, 2020, 42, 1202-1211.	1.8	7
262	Embedded Motivational Interviewing combined with a smartphone app to increase physical activity in people with sub-acute low back pain: Study protocol of a cluster randomised control trial. Contemporary Clinical Trials Communications, 2020, 17, 100511.	1.1	7
263	Comparing process evaluations of motivational interviewing interventions for managing health conditions and health promotions: A scoping review. Patient Education and Counseling, 2021, , .	2.2	7
264	Reducing the waitlist of referred patients in a medical specialist outpatient clinic: an observational study. Journal of Health Organization and Management, 2020, 35, 115-130.	1.3	7
265	Patients admitted with an acute exacerbation of chronic obstructive pulmonary disease had positive experiences exercising from the beginning of their hospital stay. Chronic Respiratory Disease, 2013, 10, 197-205.	2.4	6
266	Preâ€discharge home visits by occupational therapists completed for patients following hip fracture. Australian Occupational Therapy Journal, 2017, 64, 41-48.	1.1	6
267	Critically Appraised Papers: An aerobic and resistance exercise program can improve glycaemic control in women with gestational diabetes mellitus [synopsis]. Journal of Physiotherapy, 2018, 64, 124.	1.7	6
268	A Group Lifestyle Intervention Program Is Associated with Reduced Emergency Department Presentations for People with Metabolic Syndrome: A Retrospective Case–Control Study. Metabolic Syndrome and Related Disorders, 2018, 16, 110-116.	1.3	6
269	Individualised manual therapy plus guideline-based advice vs advice alone for people with clinical features of lumbar zygapophyseal joint pain: a randomised controlled trial. Physiotherapy, 2019, 105, 53-64.	0.4	6
270	Effectiveness of behavioural interventions on physical activity levels after hip or knee joint replacement: a systematic review. Disability and Rehabilitation, 2020, 42, 3573-3580.	1.8	6

#	Article	IF	CITATIONS
271	Mapping the Functional Independence Measure to a multi-attribute utility instrument for economic evaluations in rehabilitation: a secondary analysis of randomized controlled trial data. Disability and Rehabilitation, 2020, 42, 3024-3032.	1.8	6
272	Many inpatients may not be physically prepared for community ambulation on discharge from a publicly funded rehabilitation centre: a cross-sectional cohort study. Disability and Rehabilitation, 2021, 43, 3672-3679.	1.8	6
273	Feasibility of scaling-up a community-based exercise program for young people with disability. Disability and Rehabilitation, 2022, 44, 1669-1681.	1.8	6
274	In the Dark About Physical Activity – Exploring Patient Perceptions of Physical Activity After Elective Total Knee Joint Replacement: A Qualitative Study. Arthritis Care and Research, 2022, 74, 965-974.	3.4	6
275	Access to pulmonary rehabilitation for people from culturally and linguistically diverse communities: A cohort study. Health and Social Care in the Community, 2022, 30, .	1.6	6
276	Exercise for patients with cancer: reducing disease-related fatigue. Future Oncology, 2011, 7, 165-167.	2.4	5
277	A patient education program supported by staff training can reduce the rate of falls for older patients during inpatient rehabilitation [synopsis]. Journal of Physiotherapy, 2015, 61, 224.	1.7	5
278	Physical activity levels after hip and knee joint replacement surgery: an observational study. Clinical Rheumatology, 2019, 38, 665-674.	2.2	5
279	Sustainable waiting time reductions after introducing the STAT model for access and triage: 12-month follow up of a stepped wedge cluster randomised controlled trial. BMC Health Services Research, 2020, 20, 968.	2.2	5
280	Motivational interviewing with community-dwelling older adults after hip fracture (MIHip): protocol for a randomised controlled trial. BMJ Open, 2021, 11, e047970.	1.9	5
281	Sitâ€toâ€stand training for selfâ€care and mobility in children with cerebral palsy: a randomized controlled trial. Developmental Medicine and Child Neurology, 2021, 63, 1476-1482.	2.1	5
282	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation (â€~My Therapy'): protocol for a mixed-methods process evaluation. BMC Health Services Research, 2021, 21, 810.	2.2	5
283	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation ( My Therapy'): protocol for a stepped-wedge cluster randomised trial. BMC Health Services Research, 2021, 21, 811.	2.2	5
284	Benefits and harms of non-surgical and non-pharmacological management of osteoporotic vertebral fractures: A systematic review and meta-analysis. Brazilian Journal of Physical Therapy, 2022, 26, 100383.	2.5	5
285	Service redesign interventions to reduce waiting time for paediatric rehabilitation and therapy services: A systematic review of the literature. Health and Social Care in the Community, 2022, 30, 2057-2070.	1.6	5
286	Highly satisfied or eager to please? Assessing satisfaction among allied health outpatients. International Journal of Therapy and Rehabilitation, 2010, 17, 353-359.	0.3	4
287	Sedentary behaviour in adolescents and young adults with cerebral palsy. Developmental Medicine and Child Neurology, 2014, 56, 609-610.	2.1	4
288	Does additional acute phase inpatient rehabilitation help people return to work? A subgroup analysis from a randomized controlled trial. Clinical Rehabilitation, 2014, 28, 754-761.	2.2	4

#	Article	IF	CITATIONS
289	Machines that go â€ping―may improve balance but may not improve mobility or reduce risk of falls: A systematic review. Journal of Rehabilitation Medicine, 2015, 47, 18-30.	1.1	4
290	Responsiveness, construct and criterion validity of the Personal Care-Participation Assessment and Resource Tool (PC-PART). Health and Quality of Life Outcomes, 2015, 13, 125.	2.4	4
291	A Standard Form of Cardiac Rehabilitation Can Improve Self-Reported Positive Behavior Changes in the Short- to Medium-Term. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, 175-180.	2.1	4
292	How do health professionals prioritize clinical areas for implementation of evidence into practice? A cross-sectional qualitative study. International Journal of Evidence-Based Healthcare, 2020, Publish Ahead of Print, 288-296.	0.5	4
293	Are hip movement precautions effective in preventing prosthesis dislocation post hip arthroplasty using a posterior surgical approach? A systematic review and meta-analysis. Disability and Rehabilitation, 2022, 44, 2560-2566.	1.8	4
294	Three short sessions of physiotherapy during rehabilitation after hip fracture were no more effective in improving mobility than a single longer session: a randomised controlled trial. Physiotherapy, 2021, 112, 87-95.	0.4	4
295	The feasibility of delivering first suspected seizure care using telehealth: A mixed methods controlled study. Epilepsy Research, 2021, 169, 106520.	1.6	4
296	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. BMJ Open, 2020, 10, e034696.	1.9	4
297	Clinical Supervision for Allied Health Professionals Working in Community Health Care Settings: Barriers to Participation. Journal of Allied Health, 2019, 48, 270-276.	0.2	4
298	Nurses sustain manual handling risk assessment behaviours six-months after a training program to move patients safely: a pre-post study. Disability and Rehabilitation, 2023, 45, 927-935.	1.8	4
299	Osteoarthritis management care pathways are complex and inefficient: A qualitative study of physiotherapist perspectives from specialised osteoarthritis services. Musculoskeletal Care, 2022, 20, 860-872.	1.4	4
300	Physical Therapists Should Consider Including Strength Training as Part of Fracture Rehabilitation. Physical Therapy Reviews, 2004, 9, 51-59.	0.8	3
301	An evaluation of the anatomical basis of the Biceps Load tests I and II for superior labral anterior and posterior (SLAP) lesions. Clinical Anatomy, 2008, 21, 647-651.	2.7	3
302	A seven-day physiotherapy service. Journal of Physiotherapy, 2014, 60, 179-180.	1.7	3
303	Who Benefits Most From Individualized Physiotherapy or Advice for Low Back Disorders? A Preplanned Effect Modifier Analysis of a Randomized Controlled Trial. Spine, 2017, 42, E1215-E1224.	2.0	3
304	Does Psychoeducation Added to Oncology Rehabilitation Improve Physical Activity and Other Health Outcomes? A Systematic Review. Rehabilitation Oncology, 2017, 35, 61-71.	0.5	3
305	Reasons for readmission to hospital after hip fracture: Implications for occupational therapy. British Journal of Occupational Therapy, 2018, 81, 247-254.	0.9	3
306	Efficacy of custom-fitted footwear to increase physical activity in children and adolescents with Down syndrome (ShoeFIT): randomised pilot study. Disability and Rehabilitation, 2021, 43, 2131-2140.	1.8	3

#	Article	IF	CITATIONS
307	The association between effectiveness of clinical supervision of allied health professionals and improvement in patient function in an inpatient rehabilitation setting. Disability and Rehabilitation, 2020, 42, 1173-1182.	1.8	3
308	Physiotherapists perceived developing positive rapport facilitates participation in exercise among people with Prader-Willi Syndrome: a qualitative study. Disability and Rehabilitation, 2020, 42, 3475-3480.	1.8	3
309	Multiple short bouts of exercise are better than a single continuous bout for cardiometabolic health: a randomised crossover trial. European Journal of Applied Physiology, 2020, 120, 2361-2369.	2.5	3
310	Association between physical activity and shortâ€term physical function changes after hip fracture: An observational study. Physiotherapy Research International, 2021, 26, e1876.	1.5	3
311	Feasibility of allied health assistant management of people with acute hip fracture: protocol for a feasibility randomised controlled trial. BMJ Open, 2021, 11, e054298.	1.9	3
312	"A Great First Step into Research": Stepping Into Research Is an Effective and Sustainable Model for Research Training in Clinical Settings: A Report of 6-Year Outcomes. Journal of Allied Health, 2016, 45, 176-82.	0.2	3
313	Development of a manual handling programme for allied health. International Journal of Therapy and Rehabilitation, 2007, 14, 204-209.	0.3	2
314	High-intensity acute hospital physiotherapy for patients with hip fracture may improve functional independence and can reduce hospital length of stay [synopsis]. Journal of Physiotherapy, 2017, 63, 50.	1.7	2
315	Accelerometer use in young people with Down syndrome: A preliminary cross-validation and reliability study. Journal of Intellectual and Developmental Disability, 2017, 42, 339-350.	1.6	2
316	Osteoarthritis Hip and Knee Service (OAHKS) in a community health setting compared to the hospital setting: A feasibility study for a new care pathway. Musculoskeletal Science and Practice, 2020, 49, 102167.	1.3	2
317	Hospital Staff Report It Is Not Burnout, but a Normal Stress Reaction to an Uncongenial Work Environment: Findings from a Qualitative Study. International Journal of Environmental Research and Public Health, 2020, 17, 4107.	2.6	2
318	Saturday allied health services for geriatric evaluation and management: A controlled beforeâ€andâ€after trial. Australasian Journal on Ageing, 2020, 39, 64-72.	0.9	2
319	A resource analysis of the use of the video function of electronic devices for home exercise instruction in rehabilitation. Disability and Rehabilitation, 2021, 43, 1391-1395.	1.8	2
320	The Impact of Enhanced Recovery After Surgery on Total Joint Arthroplasty: Protocol for a Systematic Review and Meta-analysis. JMIR Research Protocols, 2021, 10, e25581.	1.0	2
321	Bridging the Divide. Journal of Continuing Education in the Health Professions, 2021, Publish Ahead of Print, .	1.3	2
322	Efficacy of Group Exercise–Based Cancer Rehabilitation Delivered via Telehealth (TeleCaRe): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e38553.	1.0	2
323	Pelvic floor muscle training can reduce prolapse symptoms in women with pelvic organ prolapse. Journal of Physiotherapy, 2014, 60, 164.	1.7	1
324	A 2-year physical activity program for sedentary older adults does not improve cognitive functioning more than a health education program [synopsis]. Journal of Physiotherapy, 2016, 62, 115.	1.7	1

#	Article	IF	CITATIONS
325	The addition of supervised physiotherapy sessions for management of acute ankle sprain does not aid recovery more than providing standardised written instruction about early management [synopsis]. Journal of Physiotherapy, 2017, 63, 115.	1.7	1
326	Patients with uncomplicated total knee arthroplasty may not benefit from referral to inpatient rehabilitation [synopsis]. Journal of Physiotherapy, 2017, 63, 185.	1.7	1
327	IMPACT: Investigating the impact of Models of Practice for Allied health Care in subacuTe settings. A protocol for a quasi-experimental mixed methods study of cost effectiveness and outcomes for patients exposed to different models of allied health care. BMJ Open, 2018, 8, e020361.	1.9	1
328	Interpreting Meaningful Change in the Distance Walked in the 10-Metre ISWT in Cardiac Rehabilitation. Heart Lung and Circulation, 2019, 28, 1804-1811.	0.4	1
329	Changing Student Health Professionals' Attitudes toward Disability: A Longitudinal Study. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 180-187.	0.6	1
330	A Multi-Faceted Strategy for Evidence Translation Reduces Healthcare Waiting Time: A Mixed Methods Study Using the RE-AIM Framework. Frontiers in Rehabilitation Sciences, 2021, 2, .	1.2	1
331	Meeting community ambulation criteria and confidence with walking on discharge from inpatient rehabilitation were positively associated with performance of outdoor community activities 8 weeks after discharge. Disability and Rehabilitation, 2022, 44, 6796-6803.	1.8	1
332	A Systematic Review of the Self-Concept of Children with Cerebral Palsy and Perceptions of Parents and Teachers. Physical and Occupational Therapy in Pediatrics, 2007, 27, 55-71.	1.3	1
333	Improvement in the Short-Term Effectiveness of the Clinical Supervision of Physiotherapists Who Have Taken Part in a Clinical Supervision Training Programme. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 370-380.	0.6	1
334	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. BMJ Open, 2020, 10, e034696.	1.9	1
335	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial. Trials, 2022, 23, 40.	1.6	1
336	Including exercise self-management as part of inpatient rehabilitation is feasible, safe and effective for patients with cognitive impairment. Journal of Rehabilitation Medicine Clinical Communications, 2022, 5, jrmcc00076.	0.6	1
337	COVIDâ€19 restrictions increased perceptions of social isolation for older people discharged home after rehabilitation: A mixedâ€methods study. Australasian Journal on Ageing, 2022, , .	0.9	1
338	A qualitative study of hospital clinical staff perceptions of their interactions with healthcare middle managers. Journal of Health Organization and Management, 2022, 36, 428-447.	1.3	1
339	Understanding the hidden epidemic of metabolic syndrome in people accessing community rehabilitation: a cross-sectional study of physical activity, dietary intake, and health literacy. Disability and Rehabilitation, 2023, 45, 1471-1479.	1.8	1
340	Testing procedures for SLAP lesions of the shoulder involving contraction and torsion of biceps long head and glenohumeral glides. Journal of Science and Medicine in Sport, 2011, 14, 462-468.	1.3	0
341	Stationary cycling for children with cerebral palsy: does it get them anywhere?. Developmental Medicine and Child Neurology, 2012, 54, 587-588.	2.1	0
342	Exercise classes supervised by a physiotherapist may be better at restoring function after frozen shoulder than individual physiotherapy. Journal of Physiotherapy, 2014, 60, 236.	1.7	0

#	Article	IF	Citations
343	A program of neck exercises can prevent neck pain in office workers. Journal of Physiotherapy, 2014, 60, 237.	1.7	0
344	Identifying shoulder testing positions and movements that isolate infraspinatus from supraspinatus. Physical Therapy Reviews, 2015, 20, 73-85.	0.8	0
345	Surgery for displaced fracture of the proximal humerus may not result in better outcomes than nonsurgical management [synopsis]. Journal of Physiotherapy, 2015, 61, 159.	1.7	0
346	Gait improves after 12 weeks of intensive resistance and functional training in people with mild to moderate dementia [synopsis]. Journal of Physiotherapy, 2015, 61, 97.	1.7	0
347	Exercise has a positive effect on low-grade inflammation in women with breast cancer [synopsis]. Journal of Physiotherapy, 2016, 62, 227.	1.7	0
348	Early physiotherapy for selected patients with acute low back pain leads to small improvements in disability compared with usual care based on advice [synopsis]. Journal of Physiotherapy, 2016, 62, 167.	1.7	0
349	Reply to Basu et al. Journal of Physiotherapy, 2017, 63, 189-190.	1.7	0
350	Family-led rehabilitation after stroke may not improve patient outcomes compared to usual care [synopsis]. Journal of Physiotherapy, 2018, 64, 59.	1.7	0
351	STOPS trial versus Costa <i>et al</i> : a more accurate analysis. British Journal of Sports Medicine, 2019, 53, 914-916.	6.7	0
352	A comparison of glenohumeral joint translation between young and older asymptomatic adults using ultrasonography: a secondary analysis. Physiotherapy Theory and Practice, 2020, 36, 1354-1362.	1.3	0
353	Multidisciplinary Intervention Before Joint Replacement Surgery May Improve Outcomes for People with Osteoarthritis and Metabolic Syndrome: A Cohort Study. Metabolic Syndrome and Related Disorders, 2021, 19, 428-435.	1.3	0
354	Return on investment of a model of access combining triage with initial management: an economic analysis. BMJ Open, 2021, 11, e045096.	1.9	0
355	Variation in inpatient allied health service provision in Australian and New Zealand hospitals. Australasian Journal on Ageing, 2022, 41, 70-80.	0.9	0
356	Rehabilitation outcomes after proximal humeral fracture: An observational study. Physiotherapy Practice and Research, 2021, 41, 121-131.	0.1	0
357	Functional status of community-dwelling older adults after inpatient rehabilitation. International Journal of Therapy and Rehabilitation, 2022, 29, 1-12.	0.3	0
358	Caregivers' Perceptions of a High Repetition Sit-To-Stand Exercise Program for Children with Cerebral Palsy Who Have Mobility Limitations. Physical and Occupational Therapy in Pediatrics, 2022, , 1-13.	1.3	0
359	The impact of additional allied health staffing on rehabilitation outcomes at discharge from a sub-acute geriatric evaluation and management unit: A quasi-experimental, pre-post intervention study. Clinical Rehabilitation, 2022, , 026921552210956.	2.2	0
360	Association between use of clinicalÂgovernance systems atÂtheÂfrontline and patient safety:ÂaÂpre-post study. International Journal of Health Governance, 2022, ahead-of-print, .	1.2	0