## Justin A Kenardy

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2143653/publications.pdf

Version: 2024-02-01

226 papers 12,049 citations

25034 57 h-index 98 g-index

238 all docs

238 docs citations

times ranked

238

9636 citing authors

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 1  | Midazolam exposure in the paediatric intensive care unit predicts acute post-traumatic stress symptoms in children. Australian Critical Care, 2022, 35, 408-414.  | 1.3          | 7         |
| 2  | Australian guidelines for the prevention and treatment of posttraumatic stress disorder: Updates in the third edition. Australian and New Zealand Journal of Psychiatry, 2022, 56, 230-247.   | 2.3          | 17        |
| 3  | Accuracy of delirium assessments in critically ill children: A prospective, observational study during routine care. Australian Critical Care, 2021, 34, 226-234.   | 1.3          | 11        |
| 4  | Social support and posttraumatic stress disorder: A meta-analysis of longitudinal studies. Clinical Psychology Review, 2021, 85, 101998.  | 11.4         | 92        |
| 5  | Topical Review: Medical Trauma During Early Childhood. Journal of Pediatric Psychology, 2021, 46, 739-746.  | 2.1          | 19        |
| 6  | Comparative Effectiveness of Parent-Based Interventions to Support Injured Children. Pediatrics, 2021, 148, .   | 2.1          | 3         |
| 7  | Preventive intervention for trauma reactions in young injured children: results of a multiâ€site randomised controlled trial. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 988-997.                             | 5 <b>.</b> 2 | 20        |
| 8  | Parent and Clinician Communication During Paediatric Burn Wound Care: A Qualitative Study. Journal of Pediatric Nursing, 2020, 55, 147-154.   | 1.5          | 5         |
| 9  | The mechanisms of effect of a physiotherapist-delivered integrated psychological and exercise intervention for acute whiplash-associated disorders: secondary mediation analysis of a randomized controlled trial. Pain Reports, 2020, 5, e835. | 2.7          | 5         |
| 10 | A web-based educational intervention to implement trauma-informed care in a paediatric healthcare setting: protocol for a feasibility study using pre-post mixed methods design. Pilot and Feasibility Studies, 2020, 6, 118.                   | 1.2          | 3         |
| 11 | The Course of Posttraumatic Stress in Children: Examination of Symptom Trajectories and Predictive Factors Following Admission to Pediatric Intensive Care*. Pediatric Critical Care Medicine, 2020, 21, e399-e406.                             | 0.5          | 27        |
| 12 | Feasibility and acceptability of conducting a partially randomised controlled trial examining interventions to improve psychological health after discharge from the intensive care unit.  Australian Critical Care, 2020, 33, 488-496.         | 1.3          | 5         |
| 13 | Development of an international data repository and research resource: the Prospective studies of Acute Child Trauma and Recovery (PACT/R) Data Archive. Högre Utbildning, 2020, 11, 1729025.   | 3.0          | 16        |
| 14 | Diaries for recovery from critical illness. The Cochrane Library, 2019, 2019, CD010468.   | 2.8          | 29        |
| 15 | The role of parental acute psychological distress in paediatric burn reâ€epithelialization. British<br>Journal of Health Psychology, 2019, 24, 876-895.   | 3 <b>.</b> 5 | 8         |
| 16 | Identifying risk of poor physical and mental health recovery following a road traffic crash: An industry-specific screening tool. Accident Analysis and Prevention, 2019, 132, 105280.  | 5.7          | 5         |
| 17 | Evidence-based care in high- and low-risk groups following whiplash injury: a multi-centre inception cohort study. BMC Health Services Research, 2019, 19, 806.   | 2.2          | 9         |
| 18 | Multiple session early psychological interventions for the prevention of post-traumatic stress disorder. The Cochrane Library, 2019, 8, CD006869.   | 2.8          | 28        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Physiotherapist-delivered stress inoculation training integrated with exercise versus physiotherapy exercise alone for acute whiplash-associated disorder (StressModex): a randomised controlled trial of a combined psychological/physical intervention. British Journal of Sports Medicine, 2019, 53, 1240-1247. | 6.7 | 60        |
| 20 | Who Hurts More? A Multicenter Prospective Study of In-Hospital Opioid Use in Pediatric Trauma Patients in the Midwest. Journal of the American College of Surgeons, 2019, 229, 404-414.  | 0.5 | 2         |
| 21 | Early psychological intervention following recent trauma: A systematic review and meta-analysis.<br>Högre Utbildning, 2019, 10, 1695486.   | 3.0 | 98        |
| 22 | How are pain and traumatic stress symptoms related in acute whiplash–associated disorders? An investigation of the role of pain-related fear in a daily diary study. Pain, 2019, 160, 1954-1966.   | 4.2 | 7         |
| 23 | Differential Predictors of Pain Severity Over 12 Months Following Noncatastrophic Injury Sustained in a Road Traffic Crash. Journal of Pain, 2019, 20, 676-684.  | 1.4 | 13        |
| 24 | Impact of Parental Acute Psychological Distress on Young Child Pain-Related Behavior Through Differences in Parenting Behavior During Pediatric Burn Wound Care. Journal of Clinical Psychology in Medical Settings, 2019, 26, 516-529.  | 1.4 | 17        |
| 25 | Development and validity of the Burns-Child Adult Medical Procedure Interaction Scale (B-CAMPIS) for young children. Burns, 2019, 45, 76-87.   | 1.9 | 10        |
| 26 | The lived experience of behaviours of concern: A qualitative study of men with traumatic brain injury. Neuropsychological Rehabilitation, 2019, 29, 376-394.   | 1.6 | 26        |
| 27 | Trauma-informed care in practice: Observed use of psychosocial care practices with children and families in a large pediatric hospital Psychological Services, 2019, 16, 16-28.  | 1.5 | 16        |
| 28 | Pathways to increasing the use of psychosocial care with hospitalized children Psychological Services, 2019, 16, 29-37.  | 1.5 | 5         |
| 29 | Cognitive/affective factors are associated with children's acute posttraumatic stress following pediatric intensive care Psychological Trauma: Theory, Research, Practice, and Policy, 2019, 11, 55-63.  | 2.1 | 9         |
| 30 | Moderators of strengthening exercise with pain coping skills training for people with knee osteoarthritis: exploratory analysis of randomised controlled trial. Osteoarthritis and Cartilage, 2018, 26, S247-S248.   | 1.3 | 0         |
| 31 | Risk factors for delirium in an Australian paediatric intensive care unit. Australian Critical Care, 2018, 31, 117.  | 1.3 | 3         |
| 32 | Patterns and Predictors of Failed and Sustained Return-to-Work in Transport Injury Insurance Claimants. Journal of Occupational Rehabilitation, 2018, 28, 740-748.   | 2.2 | 14        |
| 33 | Review of a Parent's Influence on Pediatric Procedural Distress and Recovery. Clinical Child and Family Psychology Review, 2018, 21, 224-245.  | 4.5 | 47        |
| 34 | Changing patterns in the prevalence of posttraumatic stress disorder, major depressive episode and generalized anxiety disorder over 24 months following a road traffic crash: Results from the UQ SuPPORT study. Journal of Affective Disorders, 2018, 236, 172-179.  | 4.1 | 29        |
| 35 | The effect of changes in pain expectations on persistent pain following a road traffic crash. European Journal of Pain, 2018, 22, 426-436.   | 2.8 | 3         |
| 36 | Remembering the Unforgettable. Critical Care Medicine, 2018, 46, 2048-2050.  | 0.9 | 2         |

| #  | Article   | lF  | Citations |
|----|---|-----|-----------|
| 37 | Physiotherapist-delivered Stress Inoculation Training for acute whiplash-associated disorders: A qualitative study of perceptions and experiences. Musculoskeletal Science and Practice, 2018, 38, 30-36.   | 1.3 | 9         |
| 38 | Factors associated with graduated return to work following injury in a road traffic crash. Journal of Transport and Health, 2018, 10, 167-177.  | 2.2 | 12        |
| 39 | Delirium risk and symptom expression: Age makes a difference in Australian PICU patients. Australian Critical Care, 2018, 31, 124.  | 1.3 | 0         |
| 40 | Large-Scale Dissemination of Internet-Based Cognitive Behavioral Therapy for Youth Anxiety: Feasibility and Acceptability Study. Journal of Medical Internet Research, 2018, 20, e234.  | 4.3 | 67        |
| 41 | Relationship of medical treatment on acute posttraumatic stress symptoms in children following PICU admission. Australian Critical Care, 2017, 30, 132.   | 1.3 | 0         |
| 42 | Predictors of non-return to work 2 years post-injury in road traffic crash survivors: Results from the UQ SuPPORT study. Injury, 2017, 48, 1120-1128.   | 1.7 | 23        |
| 43 | Recovery trajectories for long-term health-related quality of life following a road traffic crash injury: Results from the UQ SuPPORT study. Journal of Affective Disorders, 2017, 214, 8-14.   | 4.1 | 27        |
| 44 | Perspectives of patients and family members regarding psychological support using intensive care diaries: An exploratory mixed methods study. Journal of Critical Care, 2017, 38, 263-268.  | 2.2 | 28        |
| 45 | Generic versus disorder specific cognitive behavior therapy for socialÂanxiety disorder in youth: A randomized controlled trial usingÂinternet delivery. Behaviour Research and Therapy, 2017, 90, 41-57.   | 3.1 | 81        |
| 46 | Delirium in the Critically Ill Child: Assessment and Sequelae. Developmental Neuropsychology, 2017, 42, 387-403.  | 1.4 | 20        |
| 47 | Behaviours of concern following moderate to severe traumatic brain injury in individuals living in the community. Brain Injury, 2017, 31, 1312-1319.  | 1.2 | 25        |
| 48 | Schools and Natural Disaster Recovery: The Unique and Vital Role That Teachers and Education Professionals Play in Ensuring the Mental Health of Students Following Natural Disasters. Journal of Psychologists and Counsellors in Schools, 2017, 27, 1-23. | 0.8 | 33        |
| 49 | Preventative Early Intervention for Children and Adolescents Exposed to Trauma. , 2017, , 121-143.  |     | 3         |
| 50 | Neurocognitive predictors of posttraumatic stress disorder symptoms in children 6 months after traumatic brain injury: A prospective study Neuropsychology, 2017, 31, 84-92.  | 1.3 | 11        |
| 51 | The Impact of Posttraumatic Stress Disorder on Physiological Arousal, Disability, and Sensory Pain Thresholds in Patients With Chronic Whiplash. Clinical Journal of Pain, 2016, 32, 645-653.   | 1.9 | 11        |
| 52 | Psychological impact of injuries sustained in motor vehicle crashes: systematic review and meta-analysis. BMJ Open, 2016, 6, e011993.   | 1.9 | 89        |
| 53 | Implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): protocol of a randomised, controlled trial. Journal of Physiotherapy, 2016, 62, 111.                                   | 1.7 | 26        |
| 54 | Diaries for Intensive Care Unit Survivors (DISCUSS): Perspectives of patients and family members regarding psychological support. Australian Critical Care, 2016, 29, 110-111.  | 1.3 | 0         |

| #  | Article  | IF          | Citations |
|----|--|-------------|-----------|
| 55 | Coping with Accident Reactions (CARE) early intervention programme for preventing traumatic stress reactions in young injured children: study protocol for two randomised controlled trials. Trials, 2016, 17, 362.                  | 1.6         | 19        |
| 56 | Physical Therapist–Delivered Pain Coping Skills Training and Exercise for Knee Osteoarthritis: Randomized Controlled Trial. Arthritis Care and Research, 2016, 68, 590-602.  | 3.4         | 125       |
| 57 | Parent-Reported Health-Related Quality of Life in Children With Traumatic Brain Injury: A Prospective Study. Journal of Pediatric Psychology, 2016, 41, 244-255.   | 2.1         | 22        |
| 58 | Early Maternal Reflective Functioning and Infant Emotional Regulation in a Preterm Infant Sample at 6 Months Corrected Age. Journal of Pediatric Psychology, 2016, 41, 906-914.  | 2.1         | 36        |
| 59 | Pilot Randomized Controlled Trial of a Novel Web-Based Intervention to Prevent Posttraumatic Stress in Children Following Medical Events. Journal of Pediatric Psychology, 2016, 41, 138-148.  | 2.1         | 38        |
| 60 | Systematic, theoretically grounded development and feasibility testing of an innovative, preventive web-based game for children exposed to acute trauma Clinical Practice in Pediatric Psychology, 2015, 3, 12-24.                   | 0.3         | 22        |
| 61 | A Webâ€Based Early Intervention Can Prevent Longâ€Term PTS Reactions in Children With High Initial Distress Following Accidental Injury. Journal of Traumatic Stress, 2015, 28, 366-369.   | 1.8         | 12        |
| 62 | Effect of Mental Health on Long-Term Disability After a Road Traffic Crash: Results From the UQ SuPPORT Study. Archives of Physical Medicine and Rehabilitation, 2015, 96, 410-417.  | 0.9         | 36        |
| 63 | The effect of mental health on long-term health-related quality of life following a road traffic crash: Results from the UQ SuPPORT study. Injury, 2015, 46, 883-890.  | 1.7         | 42        |
| 64 | Feasibility of a Screening Program for Atâ€Risk Children Following Accidental Injury. Journal of Traumatic Stress, 2015, 28, 34-40.  | 1.8         | 7         |
| 65 | Intensive care diaries to promote recovery for patients and families after critical illness: A Cochrane Systematic Review. International Journal of Nursing Studies, 2015, 52, 1243-1253.  | <b>5.</b> 6 | 100       |
| 66 | StressModEx – Physiotherapist-led Stress Inoculation Training integrated with exercise for acute whiplash injury: study protocol for a randomised controlled trial. Journal of Physiotherapy, 2015, 61, 157.                         | 1.7         | 11        |
| 67 | Trauma-focused cognitive behaviour therapy and exercise for chronic whiplash: protocol of a randomised, controlled trial. Journal of Physiotherapy, 2015, 61, 218.   | 1.7         | 6         |
| 68 | A New Method for Assessing Content Validity in Model-Based Creation and Iteration of eHealth Interventions. Journal of Medical Internet Research, 2015, 17, e95.   | 4.3         | 44        |
| 69 | Evidence-Based Treatments for Children and Adolescents. , 2015, , 363-380.   |             | 4         |
| 70 | The University of Queensland study of physical and psychological outcomes for claimants with minor and moderate injuries following a road traffic crash (UQ SuPPORT): design and methods. Högre Utbildning, 2014, 5, .               | 3.0         | 14        |
| 71 | Prospective Evaluation of Parent Distress Following Pediatric Burns and Identification of Risk Factors for Young Child and Parent Posttraumatic Stress Disorder. Journal of Child and Adolescent Psychopharmacology, 2014, 24, 9-17. | 1.3         | 102       |
| 72 | Can Physical Therapists Deliver a Pain Coping Skills Program? An Examination of Training Processes and Outcomes. Physical Therapy, 2014, 94, 1443-1454.  | 2.4         | 33        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | PTSD Perpetuates Pain in Children With Traumatic Brain Injury. Journal of Pediatric Psychology, 2014, 39, 512-520.  | 2.1 | 28        |
| 74 | IMPOSE (IMProving Outcomes after Sepsis)—the effect of a multidisciplinary follow-up service on health-related quality of life in patients postsepsis syndromes—a double-blinded randomised controlled trial: protocol. BMJ Open, 2014, 4, e004966. | 1.9 | 27        |
| 75 | The effectiveness of an online e-health application compared to attention placebo or Sertraline in the treatment of Generalised Anxiety Disorder. Internet Interventions, 2014, 1, 169-174.   | 2.7 | 26        |
| 76 | Evaluation of Parent and Child Psychoeducation Resources for the Prevention of Paediatric Post-concussion Symptoms. Brain Impairment, 2014, 15, 177-189.  | 0.7 | 7         |
| 77 | Factors influencing social and health outcomes after motor vehicle crash injury: an inception cohort study protocol. BMC Public Health, 2014, 14, 199.  | 2.9 | 27        |
| 78 | The course of postraumatic stress in children: Examination of symptom trajectories following PICU admission. Australian Critical Care, 2014, 27, 62.  | 1.3 | 0         |
| 79 | Physiotherapist-delivered exercise and pain coping skills training is more effective than either intervention alone in knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, S192-S193.  | 1.3 | 0         |
| 80 | Prevention of Generalized Anxiety Disorder Using a Web Intervention, iChill: Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e199.   | 4.3 | 55        |
| 81 | Management of acute whiplash: A randomized controlled trial of multidisciplinary stratified treatments. Pain, 2013, 154, 1798-1806.   | 4.2 | 78        |
| 82 | Predictors of child post-concussion symptoms at 6 and 18 months following mild traumatic brain injury. Brain Injury, 2013, 27, 145-157.   | 1.2 | 66        |
| 83 | Derivation of a clinical prediction rule to identify both chronic moderate/severe disability and full recovery following whiplash injury. Pain, 2013, 154, 2198-2206.   | 4.2 | 105       |
| 84 | The use of diaries in psychological recovery from intensive care. Critical Care, 2013, 17, 253.   | 5.8 | 83        |
| 85 | A systematic review of predictors of posttraumatic stress disorder (PTSD) for adult road traffic crash survivors. Injury, 2013, 44, 1413-1422.  | 1.7 | 153       |
| 86 | Higher Levels of Masculine Gender Role Stress in Masculine than in Feminine Nations. Cross-Cultural Research, 2013, 47, 51-67.  | 2.7 | 15        |
| 87 | Infant abusive head trauma incidence in Queensland, Australia. Injury Prevention, 2013, 19, 139-142.  | 2.4 | 10        |
| 88 | Using a web-based game to prevent posttraumatic stress in children following medical events: design of a randomized controlled trial. Högre Utbildning, 2013, 4, .  | 3.0 | 16        |
| 89 | A history of heart interventions moderates the relationship between psychological variables and the presence of chest pain in older women with selfâ€reported coronary heart disease. British Journal of Health Psychology, 2013, 18, 687-706.      | 3.5 | 3         |
| 90 | The Diagnosis of Posttraumatic Stress Disorder in School-Aged Children and Adolescents Following Pediatric Intensive Care Unit Admission. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 614-619.                                    | 1.3 | 20        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Psychological Care, Patient Education, Orthotics, Ergonomics and Prevention Strategies for Neck Pain: An Systematic Overview Update as Part of the ICON§ Project. The Open Orthopaedics Journal, 2013, 7, 530-561.           | 0.2 | 29        |
| 92  | Early Attention Impairment and Recovery Profiles After Childhood Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2012, 27, 199-209.   | 1.7 | 24        |
| 93  | A Randomized Controlled Trial of Cognitive-behavioral Therapy for the Treatment of PTSD in the Context of Chronic Whiplash. Clinical Journal of Pain, 2012, 28, 755-765.   | 1.9 | 83        |
| 94  | An Extended Theory of Planned Behavior Intervention for Older Adults With Type 2 Diabetes and Cardiovascular Disease. Journal of Aging and Physical Activity, 2012, 20, 281-299.   | 1.0 | 47        |
| 95  | The Utility of the Children's Revised Impact of Event Scale in Screening for Concurrent PTSD Following Admission to Intensive Care. Journal of Traumatic Stress, 2012, 25, 602-605.  | 1.8 | 24        |
| 96  | Involving Parents in Indicated Early Intervention for Childhood PTSD Following Accidental Injury. Clinical Child and Family Psychology Review, 2012, 15, 345-363.  | 4.5 | 16        |
| 97  | Effects of gender, indigenous status and remoteness to health services on the occurrence of assault-related injuries in children and adolescents. Injury, 2012, 43, 1873-1880.   | 1.7 | 9         |
| 98  | Acute Stress Symptoms in Children: Results From an International Data Archive. Journal of the American Academy of Child and Adolescent Psychiatry, 2012, 51, 812-820.  | 0.5 | 35        |
| 99  | Impact of Posttraumatic Stress Disorder and Injury Severity on Recovery in Children with Traumatic Brain Injury. Journal of Clinical Child and Adolescent Psychology, 2012, 41, 5-14.  | 3.4 | 31        |
| 100 | Assessment and validation of prognostic models for poor functional recovery 12 months after whiplash injury: A multicentre inception cohort study. Pain, 2012, 153, 1727-1734.   | 4.2 | 55        |
| 101 | A physiotherapist-delivered integrated exercise and pain coping skills training intervention for individuals with knee osteoarthritis: a randomised controlled trial protocol. BMC Musculoskeletal Disorders, 2012, 13, 129. | 1.9 | 28        |
| 102 | Adaptive ability, behavior and quality of life pre and posttraumatic brain injury in childhood. Disability and Rehabilitation, 2012, 34, 1639-1647.  | 1.8 | 59        |
| 103 | Prevalence, comorbidity and course of trauma reactions in young burnâ€injured children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 56-63.  | 5.2 | 129       |
| 104 | Children's postâ€traumatic stress and the role of memory following admission to intensive care: A review. Clinical Psychologist, 2012, 16, 1-14.   | 0.8 | 14        |
| 105 | Stroke management: updated recommendations for treatment along the care continuum. Internal Medicine Journal, 2012, 42, 562-569.   | 0.8 | 40        |
| 106 | Working Alliance in Online Cognitive Behavior Therapy for Anxiety Disorders in Youth: Comparison With Clinic Delivery and its Role in Predicting Outcome. Journal of Medical Internet Research, 2012, 14, e88.               | 4.3 | 91        |
| 107 | Diagnosis of Posttraumatic Stress Disorder in Preschool Children. Journal of Clinical Child and Adolescent Psychology, 2011, 40, 375-384.  | 3.4 | 47        |
| 108 | Changes in the oral cavity might reflect psychological disorders in some patients. Journal of Investigative and Clinical Dentistry, 2011, 2, 128-134.  | 1.8 | 2         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Complexities in Understanding the Role of Compensation-Related Factors on Recovery From Whiplash-Associated Disorders. Spine, 2011, 36, S316-S321.  | 2.0 | 24        |
| 110 | Toward Optimal Early Management After Whiplash Injury to Lessen the Rate of Transition to Chronicity. Spine, 2011, 36, S335-S342.   | 2.0 | 31        |
| 111 | Epidemiology of Traumatic Epidural Hematoma in Young Age. Journal of Trauma, 2011, 71, 847-853.   | 2.3 | 33        |
| 112 | Traumatic Injury and Traumatic Stress. Spine, 2011, 36, S233-S237.  | 2.0 | 14        |
| 113 | Outcome evaluation of a multidisciplinary pain management programme comparing group with individual change measures. Clinical Psychologist, 2011, 15, 133-138.  | 0.8 | 5         |
| 114 | Similar factors predict disability and posttraumatic stress disorder trajectories after whiplash injury. Pain, 2011, 152, 1272-1278.  | 4.2 | 102       |
| 115 | A randomized controlled trial of online versus clinic-based CBT for adolescent anxiety Journal of Consulting and Clinical Psychology, 2011, 79, 629-642.  | 2.0 | 298       |
| 116 | Trauma in Early Childhood: A Neglected Population. Clinical Child and Family Psychology Review, 2011, 14, 231-250.  | 4.5 | 128       |
| 117 | Psychological aspects of whiplash associated disorders. , 2011, , 85-92.  |     | 2         |
| 118 | Primary care management of acute whiplash injury. , 2011, , 108-119.  |     | 3         |
| 119 | Case descriptions. , 2011, , 180-186.   |     | 2         |
| 120 | The Temporal Development of Fatty Infiltrates in the Neck Muscles Following Whiplash Injury: An Association with Pain and Posttraumatic Stress. PLoS ONE, 2011, 6, e21194.  | 2.5 | 91        |
| 121 | Early psychological interventions to treat acute traumatic stress symptoms. The Cochrane Library, 2010, , CD007944.   | 2.8 | 108       |
| 122 | Compensation claim lodgement and health outcome developmental trajectories following whiplash injury: A prospective study. Pain, 2010, 150, 22-28.  | 4.2 | 163       |
| 123 | Protocol for a randomised controlled trial investigating the effectiveness of an online e health application for the prevention of Generalised Anxiety Disorder. BMC Psychiatry, 2010, 10, 25.                                      | 2.6 | 22        |
| 124 | Protocol for a randomised controlled trial of risk screening and early intervention comparing childand family-focused cognitive-behavioural therapy for PTSD in children following accidental injury. BMC Psychiatry, 2010, 10, 92. | 2.6 | 25        |
| 125 | Protocol for a randomised controlled trial investigating the effectiveness of an online e-health application compared to attention placebo or sertraline in the treatment of generalised anxiety disorder. Trials, $2010,11,48.$    | 1.6 | 22        |
| 126 | The Course of Posttraumatic Stress in Children: Examination of Recovery Trajectories Following Traumatic Injury. Journal of Pediatric Psychology, 2010, 35, 637-645.  | 2.1 | 102       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Parental Response to Child Injury: Examination of Parental Posttraumatic Stress Symptom Trajectories Following Child Accidental Injury. Journal of Pediatric Psychology, 2010, 35, 646-655.                                 | 2.1 | 48        |
| 128 | A Randomized Controlled Trial of a Web-Based Early Intervention for Children and their Parents Following Unintentional Injury. Journal of Pediatric Psychology, 2010, 35, 581-592.  | 2.1 | 78        |
| 129 | Which method of posttraumatic stress disorder classification best predicts psychosocial function in children with traumatic brain injury?. Journal of Anxiety Disorders, 2010, 24, 774-779.                                 | 3.2 | 19        |
| 130 | Multiple session early psychological interventions for the prevention of post-traumatic stress disorder. The Cochrane Library, 2009, , CD006869.  | 2.8 | 112       |
| 131 | Systematic Review and Meta-Analysis of Multiple-Session Early Interventions Following Traumatic Events. American Journal of Psychiatry, 2009, 166, 293-301.   | 7.2 | 203       |
| 132 | Activity and affect: Repeated within-participant assessment in people after joint replacement surgery Rehabilitation Psychology, 2009, 54, 83-90.   | 1.3 | 21        |
| 133 | Information–provision intervention for children and their parents following pediatric accidental injury. European Child and Adolescent Psychiatry, 2008, 17, 316-325.   | 4.7 | 53        |
| 134 | A Metaâ€Analysis of Risk Factors That Predict Psychopathology Following Accidental Trauma. Journal for Specialists in Pediatric Nursing, 2008, 13, 98-110.  | 1.1 | 100       |
| 135 | Physical and psychological aspects of whiplash: Important considerations for primary care assessment. Manual Therapy, 2008, 13, 93-102.   | 1.6 | 58        |
| 136 | Predicting children's post-traumatic stress symptoms following hospitalization for accidental injury: Combining the Child Trauma Screening Questionnaire and heart rate. Journal of Anxiety Disorders, 2008, 22, 1447-1453. | 3.2 | 22        |
| 137 | The influence of pre-injury behaviour on children's type of accident, type of injury and severity of injury. Brain Injury, 2008, 22, 595-602.   | 1.2 | 8         |
| 138 | Online CBT in the Treatment of Child and Adolescent Anxiety Disorders: Issues in the Development of BRAVE–ONLINE and Two Case Illustrations. Behavioural and Cognitive Psychotherapy, 2008, 36, 411-430.                    | 1.2 | 97        |
| 139 | The 5-Item Mental Health Index Predicts the Initial Diagnosis of Nonfatal Stroke in Older Women.<br>Journal of Women's Health, 2008, 17, 979-986.   | 3.3 | 21        |
| 140 | Screening for Depression in Patients With Diabetes Mellitus. Psychosomatic Medicine, 2008, 70, 869-874.   | 2.0 | 37        |
| 141 | Brief Report: Children's Responses to Trauma- and Nontrauma-related Hospital Admission: A Comparison Study. Journal of Pediatric Psychology, 2007, 33, 435-440.   | 2.1 | 20        |
| 142 | Prognostic indices with brief and standard CBT for panic disorder: II. Moderators of outcome. Psychological Medicine, 2007, 37, 1503-1509.  | 4.5 | 28        |
| 143 | Prognostic indices with brief and standard CBT for panic disorder: I. Predictors of outcome. Psychological Medicine, 2007, 37, 1493-1502.   | 4.5 | 32        |
| 144 | Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT. Pain, 2007, 129, 28-34.  | 4.2 | 218       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Dissociation in children's trauma narratives: An exploratory investigation. Journal of Anxiety Disorders, 2007, 21, 456-466.   | 3.2 | 49        |
| 146 | Children's narrative memory for accidents and their post-traumatic distress. Applied Cognitive Psychology, 2007, 21, 821-838.  | 1.6 | 47        |
| 147 | What's driving the binge in binge eating disorder?: A prospective examination of precursors and consequences. International Journal of Eating Disorders, 2007, 40, 195-203.                                    | 4.0 | 222       |
| 148 | Elevated heart rate as a predictor of PTSD six months following accidental pediatric injury. Journal of Traumatic Stress, 2007, 20, 751-756.   | 1.8 | 26        |
| 149 | Psychosocial and non-psychosocial risk factors for the new diagnosis of diabetes in elderly women.<br>Diabetes Research and Clinical Practice, 2006, 74, 57-65.  | 2.8 | 33        |
| 150 | The relationship between sensory and sympathetic nervous system changes and posttraumatic stress reaction following whiplash injury—a prospective study. Journal of Psychosomatic Research, 2006, 60, 387-393. | 2.6 | 66        |
| 151 | Physical and psychological factors maintain long-term predictive capacity post-whiplash injury. Pain, 2006, 122, 102-108.  | 4.2 | 265       |
| 152 | Effect of information provision on trauma symptoms following therapeutic writing. Australian Psychologist, 2006, 41, 205-212.  | 1.6 | 6         |
| 153 | Internet-delivered indicated prevention for anxiety disorders: Six-month follow-up. Clinical Psychologist, 2006, 10, 39-42.  | 0.8 | 37        |
| 154 | Screening for Posttraumatic Stress Disorder in Children After Accidental Injury. Pediatrics, 2006, 118, 1002-1009.   | 2.1 | 141       |
| 155 | The Role of Avoidance Coping in the Disclosure of Trauma. Behaviour Change, 2006, 23, 42-54.   | 1.3 | 12        |
| 156 | The Short-EMBU in Australia, Spain, and Venezuela. European Journal of Psychological Assessment, 2005, 21, 56-66.  | 3.0 | 45        |
| 157 | Cognitive Behaviour Therapy for Panic Disorder: Longâ€ŧerm Followâ€up. Cognitive Behaviour Therapy, 2005, 34, 75-78.   | 3.5 | 4         |
| 158 | Influences of ethnicity and socioeconomic status on the body dissatisfaction and eating behaviour of Australian children and adolescents. Eating Behaviors, 2005, 6, 23-33.                                    | 2.0 | 55        |
| 159 | Physical and psychological factors predict outcome following whiplash injury. Pain, 2005, 114, 141-148.  | 4.2 | 333       |
| 160 | Psychological interventions for overweight or obesity. , 2005, , CD003818.   |     | 266       |
| 161 | Longitudinal Relationships Among Overweight, Life Satisfaction, and Aspirations in Young Women. Obesity, 2004, 12, 1019-1030.  | 4.0 | 78        |
| 162 | Phobic anxiety in 11 nations: part II. Hofstede's dimensions of national cultures predict national-level variations. Personality and Individual Differences, 2004, 37, 627-643.                                | 2.9 | 29        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Response to Dr Ferrari's Letter to the Editor "The clinical relevance of symptom amplification― Pain, 2004, 107, 277-278.   | 4.2 | 2         |
| 164 | The clinical relevance of symptom amplification. Pain, 2004, 107, 276.  | 4.2 | 14        |
| 165 | More on the clinical and scientific relevance of â€~symptom amplification' and psychological factors in pain. Pain, 2004, 110, 499-500.   | 4.2 | 4         |
| 166 | Response to Drs Greve and Bianchini. Pain, 2004, 110, 501-502.  | 4.2 | 1         |
| 167 | The role of catastrophic misinterpretation of bodily sensations and panic self-efficacy in predicting panic severity. Journal of Anxiety Disorders, 2004, 18, 325-340.                                      | 3.2 | 45        |
| 168 | Characterization of Acute Whiplash-Associated Disorders. Spine, 2004, 29, 182-188.  | 2.0 | 153       |
| 169 | Perceived stress as a predictor of the self-reported new diagnosis of symptomatic CHD In older women. International Journal of Behavioral Medicine, 2003, 10, 205-220.                                      | 1.7 | 46        |
| 170 | The development of psychological changes following whiplash injury. Pain, 2003, 106, 481-489.   | 4.2 | 185       |
| 171 | Phobic anxiety in 11 nations. Behaviour Research and Therapy, 2003, 41, 461-479.  | 3.1 | 68        |
| 172 | Masculinity–femininity as a national characteristic and its relationship with national agoraphobic fear levels: Fodor's sex role hypothesis revitalized. Behaviour Research and Therapy, 2003, 41, 795-807. | 3.1 | 36        |
| 173 | Development of motor system dysfunction following whiplash injury. Pain, 2003, 103, 65-73.  | 4.2 | 293       |
| 174 | Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. Pain, 2003, 104, 509-517.  | 4.2 | 425       |
| 175 | Eating, mood, and gender in a noneating disorder population. Eating Behaviors, 2003, 4, 149-158.  | 2.0 | 51        |
| 176 | Internet-Delivered Indicated Prevention For Anxiety Disorders: A Randomized Controlled Trial. Behavioural and Cognitive Psychotherapy, 2003, 31, 279-289.   | 1.2 | 101       |
| 177 | A Comparison of Delivery Methods of Cognitive-Behavioral Therapy for Panic Disorder: An International Multicenter Trial Journal of Consulting and Clinical Psychology, 2003, 71, 1068-1075.                 | 2.0 | 117       |
| 178 | Virtual reality exposure and standard exposure were both effective at 1 year for fear of flying. Evidence-Based Mental Health, 2002, 5, 121-121.  | 4.5 | 0         |
| 179 | Body weight, body image, and eating behaviours. Eating Behaviors, 2002, 3, 205-216.   | 2.0 | 49        |
| 180 | Group therapy for binge eating in Type 2 diabetes: a randomized trial. Diabetic Medicine, 2002, 19, 234-239.  | 2.3 | 55        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Disordered eating behaviours in women with Type 2 diabetes mellitus. Eating Behaviors, 2001, 2, 183-192.  | 2.0 | 64        |
| 182 | Dieting and health in young Australian women. European Eating Disorders Review, 2001, 9, 242-254.   | 4.1 | 52        |
| 183 | Virtual reality exposure was as effective as standard exposure for reducing fear of flying. Evidence-Based Mental Health, 2001, 4, 52-52.   | 4.5 | 0         |
| 184 | Posttraumatic stress prevention: how do we move forward?. Advances in Mind-Body Medicine, 2001, 17, 183-6.  | 0.3 | 2         |
| 185 | The current status of psychological debriefing. BMJ: British Medical Journal, 2000, 321, 1032-1033.   | 2.3 | 67        |
| 186 | Relationships between body mass index and well-being in young Australian women. International Journal of Obesity, 2000, 24, 1360-1368.  | 3.4 | 111       |
| 187 | Relationships between disordered eating and unwanted sexual experiences: A review. Australian Psychologist, 1999, 34, 166-176.  | 1.6 | 7         |
| 188 | Expected Versus Unexpected Panic Attacks. Journal of Anxiety Disorders, 1999, 13, 435-445.  | 3.2 | 19        |
| 189 | Disordered eating, weight dissatisfaction and dieting in relation to unwanted childhood sexual experiences in a community sample. Journal of Psychosomatic Research, 1998, 44, 327-337.             | 2.6 | 16        |
| 190 | Psychosocial sequelae of the 1989 Newcastle earthquake: II. Exposure and morbidity profiles during the first 2 years post-disaster. Psychological Medicine, 1997, 27, 167-178.                      | 4.5 | 146       |
| 191 | Psychosocial sequelae of the 1989 Newcastle earthquake: III. Role of vulnerability factors in post-disaster morbidity. Psychological Medicine, 1997, 27, 179-190.                                   | 4.5 | 105       |
| 192 | Comparison of palmtop-computer-assisted brief cognitive-behavioral treatment to cognitive-behavioral treatment for panic disorder Journal of Consulting and Clinical Psychology, 1997, 65, 178-183. | 2.0 | 172       |
| 193 | Comparison of palmtop-computer-assisted brief cognitive-behavioral treatment to cognitive-behavioral treatment for panic disorder Journal of Consulting and Clinical Psychology, 1997, 65, 178-183. | 2.0 | 71        |
| 194 | The use of hand-held computers as an adjunct to cognitive-behavior therapy. Computers in Human Behavior, 1996, 12, 135-143.   | 8.5 | 47        |
| 195 | Stress debriefing and patterns of recovery following a natural disaster. Journal of Traumatic Stress, 1996, 9, 37-49.   | 1.8 | 120       |
| 196 | The Aversiveness of Specific Emotional States Associated with Binge-Eating in Obese Subjects. Australian and New Zealand Journal of Psychiatry, 1996, 30, 839-844.                                  | 2.3 | 120       |
| 197 | Stress debriefing and patterns of recovery following a natural disaster. Journal of Traumatic Stress, 1996, 9, 37-49.   | 1.8 | 49        |
| 198 | Self-reported dieting and weight histories of newly diagnosed NIDDM patients. , 1996, 20, 88-90.  |     | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Does ischemia occur with panic attacks?. American Journal of Psychiatry, 1995, 152, 1678-1680.   | 7.2 | 10        |
| 200 | The emotional eating scale: The development of a measure to assess coping with negative affect by eating. International Journal of Eating Disorders, 1995, 18, 79-90.                    | 4.0 | 617       |
| 201 | Psychosocial sequelae of the 1989 Newcastle earthquake: I. Community disaster experiences and psychological morbidity 6 months post-disaster. Psychological Medicine, 1995, 25, 539-555. | 4.5 | 131       |
| 202 | A Comparison of Eating Behaviors in Newly Diagnosed NIDDM Patients and Case-Matched Control Subjects. Diabetes Care, 1994, 17, 1197-1199.  | 8.6 | 49        |
| 203 | An exploration of the relationship between expression of hostility and the anxiety disorders. Journal of Psychiatric Research, 1993, 27, 17-26.  | 3.1 | 12        |
| 204 | Phobic anxiety in panic disorder: Cognition, heart rate, and subjective anxiety. Journal of Anxiety Disorders, 1993, 7, 359-371.   | 3.2 | 17        |
| 205 | Performance anxiety, social phobia, and setting effects in instrumental music students. Journal of Anxiety Disorders, 1993, 7, 49-60.  | 3.2 | 119       |
| 206 | Computers in cognitive-behaviour therapy. Australian Psychologist, 1993, 28, 189-194.  | 1.6 | 29        |
| 207 | The latent structure of anxiety symptoms in anxiety disorders. American Journal of Psychiatry, 1992, 149, 1058-1061.   | 7.2 | 38        |
| 208 | Psychological Precursors of Panic Attacks. British Journal of Psychiatry, 1992, 160, 668-673.  | 2.8 | 51        |
| 209 | Binge eating among the obese: A descriptive study. Journal of Behavioral Medicine, 1992, 15, 155-170.  | 2.1 | 222       |
| 210 | Research in Anxiety and Fear: An Australian Perspective. Behaviour Change, 1991, 8, 99-99.   | 1.3 | 0         |
| 211 | Group cognitive-behavioral treatment for the nonpurging bulimic: An initial evaluation Journal of Consulting and Clinical Psychology, 1990, 58, 629-635.                                 | 2.0 | 163       |
| 212 | Hyperventilation and Panic Attacks. Australian and New Zealand Journal of Psychiatry, 1990, 24, 261-267.   | 2.3 | 4         |
| 213 | Neuroticism and age of onset for agoraphobia with panic attacks. Journal of Behavior Therapy and Experimental Psychiatry, 1990, 21, 193-197.   | 1.2 | 8         |
| 214 | Attributional style and panic disorder. Journal of Behavior Therapy and Experimental Psychiatry, 1990, 21, 9-13.   | 1.2 | 7         |
| 215 | The use of a real-time computer diary for data acquisition and processing. Behaviour Research and Therapy, 1990, 28, 93-97.  | 3.1 | 43        |
| 216 | Group cognitive-behavioral treatment for the nonpurging bulimic: An initial evaluation Journal of Consulting and Clinical Psychology, 1990, 58, 629-635.                                 | 2.0 | 21        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Cognitions and heart rate in panic disorders during everyday activity. Journal of Anxiety Disorders, 1989, 3, 33-43.   | 3.2 | 20        |
| 218 | The importance of cognitions in panic attacks. Behavior Therapy, 1988, 19, 471-483.  | 2.4 | 35        |
| 219 | Attribution of panic attacks: Patient perspective. Journal of Anxiety Disorders, 1988, 2, 243-251.   | 3.2 | 8         |
| 220 | Plasma Biogenic Amine Levels in Agoraphobia with Panic Attacks. Pharmacopsychiatry, 1987, 20, 102-104.   | 3.3 | 35        |
| 221 | Effect of a selective serotonin uptake inhibitor in agoraphobia with panic attacks A doubleâ€blind comparison of zimeldine, imipramine and placebo. Acta Psychiatrica Scandinavica, 1986, 73, 49-53. | 4.5 | 119       |
| 222 | Plasma serotonin levels in agoraphobia. American Journal of Psychiatry, 1985, 142, 267a-267.   | 7.2 | 13        |
| 223 | <i>In vivo</i> X-ray fluorescence estimation of bone lead concentrations in Queensland adults. British Journal of Radiology, 1984, 57, 29-33.  | 2.2 | 41        |
| 224 | Dexamethasone suppression test in agoraphobia. American Journal of Psychiatry, 1983, 140, 1259b-1260.  | 7.2 | 0         |
| 225 | Assessing Trauma-related Symptoms in Children and Adolescents. , 0, , 262-281.   |     | 3         |
| 226 | Comparison of Palmtop-Computer-Assisted Brief Cognitive – Behavioral Treatment to Cognitive – Behavioral Treatment for Panic Disorder. SSRN Electronic Journal, 0, , .                               | 0.4 | 5         |