

Han Y H Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2144442/publications.pdf>

Version: 2024-02-01

391
papers

21,070
citations

10986

71
h-index

18647

119
g-index

417
all docs

417
docs citations

417
times ranked

16871
citing authors

#	ARTICLE	IF	CITATIONS
1	Positive biodiversity-productivity relationship predominant in global forests. <i>Science</i> , 2016, 354, .	12.6	864
2	Forest productivity increases with evenness, species richness and trait variation: a global meta-analysis. <i>Journal of Ecology</i> , 2012, 100, 742-749.	4.0	585
3	Global negative effects of nitrogen deposition on soil microbes. <i>ISME Journal</i> , 2018, 12, 1817-1825.	9.8	405
4	Climatic controls of decomposition drive the global biogeography of forest-tree symbioses. <i>Nature</i> , 2019, 569, 404-408.	27.8	371
5	Fine Root Biomass, Production, Turnover Rates, and Nutrient Contents in Boreal Forest Ecosystems in Relation to Species, Climate, Fertility, and Stand Age: Literature Review and Meta-Analyses. <i>Critical Reviews in Plant Sciences</i> , 2010, 29, 204-221.	5.7	355
6	Understory Vegetation Dynamics of North American Boreal Forests. <i>Critical Reviews in Plant Sciences</i> , 2006, 25, 381-397.	5.7	320
7	Decoupling of nitrogen and phosphorus in terrestrial plants associated with global changes. <i>Nature Climate Change</i> , 2015, 5, 465-469.	18.8	318
8	Dynamics of North American boreal mixedwoods. <i>Environmental Reviews</i> , 2002, 10, 137-166.	4.5	313
9	Microbes drive global soil nitrogen mineralization and availability. <i>Global Change Biology</i> , 2019, 25, 1078-1088.	9.5	248
10	Biodiversity and ecosystem functioning relations in European forests depend on environmental context. <i>Ecology Letters</i> , 2017, 20, 1414-1426.	6.4	244
11	Global-scale patterns of nutrient resorption associated with latitude, temperature and precipitation. <i>Global Ecology and Biogeography</i> , 2009, 18, 11-18.	5.8	228
12	Global trends in senesced leaf nitrogen and phosphorus. <i>Global Ecology and Biogeography</i> , 2009, 18, 532-542.	5.8	220
13	Negative effects of fertilization on plant nutrient resorption. <i>Ecology</i> , 2015, 96, 373-380.	3.2	208
14	FIRE, LOGGING, AND OVERSTORY AFFECT UNDERSTORY ABUNDANCE, DIVERSITY, AND COMPOSITION IN BOREAL FOREST. <i>Ecological Monographs</i> , 2008, 78, 123-140.	5.4	207
15	Global-scale latitudinal patterns of plant fine-root nitrogen and phosphorus. <i>Nature Communications</i> , 2011, 2, 344.	12.8	201
16	Biomass offsets little or none of permafrost carbon release from soils, streams, and wildfire: an expert assessment. <i>Environmental Research Letters</i> , 2016, 11, 034014.	5.2	199
17	Biotic homogenization can decrease landscape-scale forest multifunctionality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3557-3562.	7.1	196
18	Patterns and Mechanisms of Nutrient Resorption in Plants. <i>Critical Reviews in Plant Sciences</i> , 2015, 34, 471-486.	5.7	191

#	ARTICLE	IF	CITATIONS
19	Individual size inequality links forest diversity and above-ground biomass. <i>Journal of Ecology</i> , 2015, 103, 1245-1252.	4.0	186
20	Jack-of-all-trades effects drive biodiversity-ecosystem multifunctionality relationships in European forests. <i>Nature Communications</i> , 2016, 7, 11109.	12.8	185
21	Meta-analysis shows positive effects of plant diversity on microbial biomass and respiration. <i>Nature Communications</i> , 2019, 10, 1332.	12.8	184
22	Is understory plant species diversity driven by resource quantity or resource heterogeneity?. <i>Ecology</i> , 2010, 91, 1931-1938.	3.2	180
23	A novel comparative research platform designed to determine the functional significance of tree species diversity in European forests. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2013, 15, 281-291.	2.7	179
24	Tree species diversity increases fine root productivity through increased soil volume filling. <i>Journal of Ecology</i> , 2013, 101, 210-219.	4.0	175
25	Changes in nutrient concentrations of leaves and roots in response to global change factors. <i>Global Change Biology</i> , 2017, 23, 3849-3856.	9.5	174
26	A comparative study of landslide susceptibility maps using logistic regression, frequency ratio, decision tree, weights of evidence and artificial neural network. <i>Geosciences Journal</i> , 2016, 20, 117-136.	1.2	163
27	Differences in fine root productivity between mixed- and single-species stands. <i>Functional Ecology</i> , 2011, 25, 238-246.	3.6	162
28	How Forest Management affects Ecosystem Services, including Timber Production and Economic Return: Synergies and Trade-Offs. <i>Ecology and Society</i> , 2012, 17, .	2.3	154
29	Effects of natural resource development on the terrestrial biodiversity of Canadian boreal forests. <i>Environmental Reviews</i> , 2014, 22, 457-490.	4.5	152
30	Stand Structural Dynamics of North American Boreal Forests. <i>Critical Reviews in Plant Sciences</i> , 2006, 25, 115-137.	5.7	150
31	Estimation of future precipitation change in the Yangtze River basin by using statistical downscaling method. <i>Stochastic Environmental Research and Risk Assessment</i> , 2011, 25, 781-792.	4.0	149
32	Plant invasion is associated with higher plant-soil nutrient concentrations in nutrient-poor environments. <i>Global Change Biology</i> , 2017, 23, 1282-1291.	9.5	147
33	Is Tree Species Diversity or Species Identity the More Important Driver of Soil Carbon Stocks, C/N Ratio, and pH?. <i>Ecosystems</i> , 2016, 19, 645-660.	3.4	141
34	Late-spring frost risk between 1959 and 2017 decreased in North America but increased in Europe and Asia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 12192-12200.	7.1	140
35	Trends in post-disturbance recovery rates of Canada's forests following wildfire and harvest. <i>Forest Ecology and Management</i> , 2016, 361, 194-207.	3.2	139
36	Influence of Environmental Variability on Root Dynamics in Northern Forests. <i>Critical Reviews in Plant Sciences</i> , 2009, 28, 179-197.	5.7	138

#	ARTICLE	IF	CITATIONS
37	Biodiversity as a solution to mitigate climate change impacts on the functioning of forest ecosystems. <i>Biological Reviews</i> , 2018, 93, 439-456.	10.4	137
38	Effects of light on growth, crown architecture, and specific leaf area for naturally established <i>Pinus contorta</i> var. <i>latifolia</i> and <i>Pseudotsuga menziesii</i> var. <i>glauca</i> saplings. <i>Canadian Journal of Forest Research</i> , 1996, 26, 1149-1157.	1.7	129
39	A global analysis of fine root production as affected by soil nitrogen and phosphorus. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 3796-3802.	2.6	125
40	Effects of species diversity on fine root productivity in diverse ecosystems: a global meta-analysis. <i>Global Ecology and Biogeography</i> , 2016, 25, 1387-1396.	5.8	125
41	Variation and evolution of C:N ratio among different organs enable plants to adapt to N-limited environments. <i>Global Change Biology</i> , 2020, 26, 2534-2543.	9.5	124
42	Net aboveground biomass declines of four major forest types with forest ageing and climate change in western Canada's boreal forests. <i>Global Change Biology</i> , 2015, 21, 3675-3684.	9.5	122
43	Importance of mixedwoods for biodiversity conservation: Evidence for understory plants, songbirds, soil fauna, and ectomycorrhizae in northern forests. <i>Environmental Reviews</i> , 2011, 19, 142-161.	4.5	120
44	Stand structural diversity rather than species diversity enhances aboveground carbon storage in secondary subtropical forests in Eastern China. <i>Biogeosciences</i> , 2016, 13, 4627-4635.	3.3	119
45	Water scaling of ecosystem carbon cycle feedback to climate warming. <i>Science Advances</i> , 2019, 5, eaav1131.	10.3	118
46	Multiple successional pathways of boreal forest stands in central Canada. <i>Ecography</i> , 2011, 34, 208-219.	4.5	114
47	Tree species diversity affects decomposition through modified micro-environmental conditions across European forests. <i>New Phytologist</i> , 2017, 214, 1281-1293.	7.3	112
48	Effects of thinning and soil properties on accumulation of carbon, nitrogen and phosphorus in the forest floor of Norway spruce stands. <i>Forest Ecology and Management</i> , 1995, 77, 1-10.	3.2	111
49	Long-term, amplified responses of soil organic carbon to nitrogen addition worldwide. <i>Global Change Biology</i> , 2021, 27, 1170-1180.	9.5	111
50	Global changes alter plant multi-element stoichiometric coupling. <i>New Phytologist</i> , 2019, 221, 807-817.	7.3	110
51	Effects of plant diversity on soil carbon in diverse ecosystems: a global meta-analysis. <i>Biological Reviews</i> , 2020, 95, 167-183.	10.4	107
52	Positive species diversity and above-ground biomass relationships are ubiquitous across forest strata despite interference from overstorey trees. <i>Functional Ecology</i> , 2017, 31, 419-426.	3.6	102
53	Interspecific responses of planted seedlings to light availability in interior British Columbia: survival, growth, allometric patterns, and specific leaf area. <i>Canadian Journal of Forest Research</i> , 1997, 27, 1383-1393.	1.7	98
54	Trembling aspen site index in relation to environmental measures of site quality at two spatial scales. <i>Canadian Journal of Forest Research</i> , 2002, 32, 112-119.	1.7	97

#	ARTICLE	IF	CITATIONS
55	Observations from old forests underestimate climate change effects on tree mortality. <i>Nature Communications</i> , 2013, 4, 1655.	12.8	97
56	Intrinsic and Extrinsic Controls of Fine Root Life Span. <i>Critical Reviews in Plant Sciences</i> , 2013, 32, 151-161.	5.7	95
57	Plant defense against fungal pathogens by antagonistic fungi with <i>Trichoderma</i> in focus. <i>Microbial Pathogenesis</i> , 2019, 129, 7-18.	2.9	95
58	Competition, species interaction and ageing control tree mortality in boreal forests. <i>Journal of Ecology</i> , 2011, 99, 1470-1480.	4.0	94
59	Competition and facilitation between tree species change with stand development. <i>Oikos</i> , 2011, 120, 1683-1695.	2.7	94
60	Intercropping improves soil nutrient availability, soil enzyme activity and tea quantity and quality. <i>Applied Soil Ecology</i> , 2017, 119, 171-178.	4.3	94
61	Temporal changes in soil C&N&P stoichiometry over the past 60Âyears across subtropical China. <i>Global Change Biology</i> , 2018, 24, 1308-1320.	9.5	93
62	Spatiotemporal Variations of Fire Frequency in Central Boreal Forest. <i>Ecosystems</i> , 2010, 13, 1227-1238.	3.4	91
63	Interactions between overstorey and understorey vegetation along an overstorey compositional gradient. <i>Journal of Vegetation Science</i> , 2013, 24, 543-552.	2.2	91
64	Boreal mixedwood stand dynamics: ecological processes underlying multiple pathways. <i>Forestry Chronicle</i> , 2014, 90, 202-213.	0.6	90
65	Soil labile organic carbon and carbon-cycle enzyme activities under different thinning intensities in Chinese fir plantations. <i>Applied Soil Ecology</i> , 2016, 107, 162-169.	4.3	90
66	Climate changeâ€associated trends in net biomass change are age dependent in western boreal forests of Canada. <i>Ecology Letters</i> , 2016, 19, 1150-1158.	6.4	89
67	The number of tree species on Earth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	86
68	Response of Plants to Water Stress: A Meta-Analysis. <i>Frontiers in Plant Science</i> , 2020, 11, 978.	3.6	85
69	The effect of boreal forest composition on soil respiration is mediated through variations in soil temperature and C quality. <i>Soil Biology and Biochemistry</i> , 2012, 53, 18-27.	8.8	84
70	Global negative effects of nutrient enrichment on arbuscular mycorrhizal fungi, plant diversity and ecosystem multifunctionality. <i>New Phytologist</i> , 2021, 229, 2957-2969.	7.3	84
71	Soil microbial functional diversity and biomass as affected by different thinning intensities in a Chinese fir plantation. <i>Applied Soil Ecology</i> , 2015, 92, 35-44.	4.3	83
72	Soil C:N:P dynamics during secondary succession following fire in the boreal forest of central Canada. <i>Forest Ecology and Management</i> , 2016, 369, 1-9.	3.2	80

#	ARTICLE	IF	CITATIONS
73	Tree diversity is key for promoting the diversity and abundance of forest-associated taxa in Europe. <i>Oikos</i> , 2020, 129, 133-146.	2.7	80
74	Global meta-analysis on the responses of soil extracellular enzyme activities to warming. <i>Science of the Total Environment</i> , 2020, 705, 135992.	8.0	79
75	Fine root dynamics with stand development in the boreal forest. <i>Functional Ecology</i> , 2012, 26, 991-998.	3.6	76
76	Are functional traits a good predictor of global change impacts on tree species abundance dynamics in a subtropical forest?. <i>Ecology Letters</i> , 2015, 18, 1181-1189.	6.4	76
77	Effects of land use change on the composition of soil microbial communities in a managed subtropical forest. <i>Forest Ecology and Management</i> , 2016, 373, 93-99.	3.2	76
78	Soil aggregate-associated bacterial metabolic activity and community structure in different aged tea plantations. <i>Science of the Total Environment</i> , 2019, 654, 1023-1032.	8.0	76
79	Comparative effects of sulfuric and nitric acid rain on litter decomposition and soil microbial community in subtropical plantation of Yangtze River Delta region. <i>Science of the Total Environment</i> , 2017, 601-602, 669-678.	8.0	75
80	Detection of trends in precipitation during 1960–2008 in Jiangxi province, southeast China. <i>Theoretical and Applied Climatology</i> , 2013, 114, 237-251.	2.8	74
81	Continental mapping of forest ecosystem functions reveals a high but unrealised potential for forest multifunctionality. <i>Ecology Letters</i> , 2018, 21, 31-42.	6.4	74
82	Climate change-associated tree mortality increases without decreasing water availability. <i>Ecology Letters</i> , 2015, 18, 1207-1215.	6.4	73
83	Global effects of plant litter alterations on soil CO_2 to the atmosphere. <i>Global Change Biology</i> , 2018, 24, 3462-3471.	9.5	73
84	Tree species functional group is a more important driver of soil properties than tree species diversity across major European forest types. <i>Functional Ecology</i> , 2017, 31, 1153-1162.	3.6	72
85	Responses of litter decomposition and nutrient release to N addition: A meta-analysis of terrestrial ecosystems. <i>Applied Soil Ecology</i> , 2018, 128, 35-42.	4.3	72
86	Linking resource availability and heterogeneity to understorey species diversity through succession in boreal forest of Canada. <i>Journal of Ecology</i> , 2018, 106, 1266-1276.	4.0	70
87	Carbon storage in a chronosequence of red spruce (<i>Picea rubens</i>) forests in central Nova Scotia, Canada. <i>Canadian Journal of Forest Research</i> , 2007, 37, 2260-2269.	1.7	69
88	Effects of time since stand-replacing fire and overstory composition on live-tree structural diversity in the boreal forest of central Canada. <i>Canadian Journal of Forest Research</i> , 2008, 38, 52-62.	1.7	69
89	Stability of Soil Carbon Stocks Varies with Forest Composition in the Canadian Boreal Biome. <i>Ecosystems</i> , 2013, 16, 852-865.	3.4	69
90	Site index, site quality, and foliar nutrients of trembling aspen: relationships and predictions. <i>Canadian Journal of Forest Research</i> , 1998, 28, 1743-1755.	1.7	68

#	ARTICLE	IF	CITATIONS
91	Role of environmental factors in shaping the soil microbiome. <i>Environmental Science and Pollution Research</i> , 2020, 27, 41225-41247.	5.3	68
92	Negative to positive shifts in diversity effects on soil nitrogen over time. <i>Nature Sustainability</i> , 2021, 4, 225-232.	23.7	67
93	Maximum Entropy Modeling to Predict the Impact of Climate Change on Pine Wilt Disease in China. <i>Frontiers in Plant Science</i> , 2021, 12, 652500.	3.6	66
94	Effects of Forest Type and Disturbance on Diversity of Coarse Woody Debris in Boreal Forest. <i>Ecosystems</i> , 2008, 11, 1078-1090.	3.4	65
95	Response of Six Boreal Tree Species to Stand Replacing Fire and Clearcutting. <i>Ecosystems</i> , 2009, 12, 820-829.	3.4	65
96	Intensive forest harvesting increases susceptibility of northern forest soils to carbon, nitrogen and phosphorus loss. <i>Journal of Applied Ecology</i> , 2018, 55, 246-255.	4.0	65
97	Soil organic carbon stabilization mechanisms in a subtropical mangrove and salt marsh ecosystems. <i>Science of the Total Environment</i> , 2019, 673, 502-510.	8.0	65
98	Wildfire promotes broadleaves and species mixture in boreal forest. <i>Forest Ecology and Management</i> , 2009, 257, 343-350.	3.2	64
99	Effects of arbuscular mycorrhizal fungi on the drought tolerance of <i>Cyclobalanopsis glauca</i> seedlings under greenhouse conditions. <i>New Forests</i> , 2014, 45, 545-556.	1.7	64
100	Silicon-mediated plant defense against pathogens and insect pests. <i>Pesticide Biochemistry and Physiology</i> , 2020, 168, 104641.	3.6	62
101	Stand age, fire and clearcutting affect soil organic carbon and aggregation of mineral soils in boreal forests. <i>Soil Biology and Biochemistry</i> , 2012, 50, 149-157.	8.8	61
102	Spatial and temporal variations in rainfall erosivity during 1960â€“2005 in the Yangtze River basin. <i>Stochastic Environmental Research and Risk Assessment</i> , 2013, 27, 337-351.	4.0	61
103	Does species richness affect fine root biomass and production in young forest plantations?. <i>Oecologia</i> , 2015, 177, 581-594.	2.0	61
104	Effects of species diversity on fine root productivity increase with stand development and associated mechanisms in a boreal forest. <i>Journal of Ecology</i> , 2017, 105, 237-245.	4.0	61
105	Soil enzyme activities increase following restoration of degraded subtropical forests. <i>Geoderma</i> , 2019, 351, 180-187.	5.1	61
106	Plant diversity loss reduces soil respiration across terrestrial ecosystems. <i>Global Change Biology</i> , 2019, 25, 1482-1492.	9.5	61
107	Plant mixture balances terrestrial ecosystem C:N:P stoichiometry. <i>Nature Communications</i> , 2021, 12, 4562.	12.8	61
108	Effects of sulfuric, nitric, and mixed acid rain on Chinese fir sapling growth in Southern China. <i>Ecotoxicology and Environmental Safety</i> , 2018, 160, 154-161.	6.0	60

#	ARTICLE	IF	CITATIONS
109	Carbon dynamics of North American boreal forest after stand replacing wildfire and clearcut logging. <i>Journal of Forest Research</i> , 2011, 16, 168-183.	1.4	59
110	Arbuscular mycorrhizal fungi improve the growth and drought tolerance of <i>Zenia insignis</i> seedlings under drought stress. <i>New Forests</i> , 2019, 50, 593-604.	1.7	59
111	Afforestation promotes the enhancement of forest LAI and NPP in China. <i>Forest Ecology and Management</i> , 2020, 462, 117990.	3.2	59
112	Identifying the tree species compositions that maximize ecosystem functioning in European forests. <i>Journal of Applied Ecology</i> , 2019, 56, 733-744.	4.0	58
113	Are mixed-species stands more productive than single-species stands: an empirical test of three forest types in British Columbia and Alberta. <i>Canadian Journal of Forest Research</i> , 2003, 33, 1227-1237.	1.7	57
114	Climate change impacts on boreal forest timber supply. <i>Forest Policy and Economics</i> , 2018, 92, 11-21.	3.4	57
115	Drought stress induced increase of fungi:bacteria ratio in a poplar plantation. <i>Catena</i> , 2020, 193, 104607.	5.0	57
116	The Contribution of Litterfall to Net Primary Production During Secondary Succession in the Boreal Forest. <i>Ecosystems</i> , 2017, 20, 830-844.	3.4	55
117	Mixed-species effect on tree aboveground carbon pools in the east-central boreal forests. <i>Canadian Journal of Forest Research</i> , 2010, 40, 37-47.	1.7	53
118	Effect of forest canopy composition on soil nutrients and dynamics of the understorey: mixed canopies serve neither vascular nor bryophyte strata. <i>Journal of Vegetation Science</i> , 2011, 22, 1105-1119.	2.2	53
119	Using functional trait diversity patterns to disentangle the scaleâ€dependent ecological processes in a subtropical forest. <i>Functional Ecology</i> , 2018, 32, 1379-1389.	3.6	53
120	Aboveground productivity of western hemlock and western redcedar mixed-species stands in southern coastal British Columbia. <i>Forest Ecology and Management</i> , 2003, 184, 55-64.	3.2	52
121	Carbon accumulation in agroforestry systems is affected by tree species diversity, age and regional climate: A global metaâ€analysis. <i>Global Ecology and Biogeography</i> , 2020, 29, 1817-1828.	5.8	52
122	Light availability and photosynthesis of <i>Pseudotsuga menziesii</i> seedlings grown in the open and in the forest understorey. <i>Tree Physiology</i> , 1997, 17, 23-29.	3.1	51
123	The direct regeneration hypothesis in northern forests. <i>Journal of Vegetation Science</i> , 2009, 20, 735-744.	2.2	51
124	Impacts of hydraulic redistribution on grassâ€tree competition vs facilitation in a semiâ€arid savanna. <i>New Phytologist</i> , 2017, 215, 1451-1461.	7.3	51
125	Comparative effects of simulated acid rain of different ratios of SO ₄ ²⁻ to NO ₃ ⁻ on fine root in subtropical plantation of China. <i>Science of the Total Environment</i> , 2018, 618, 336-346.	8.0	51
126	Autotrophic and heterotrophic soil respiration responds asymmetrically to drought in a subtropical forest in the Southeast China. <i>Soil Biology and Biochemistry</i> , 2018, 123, 242-249.	8.8	51

#	ARTICLE	IF	CITATIONS
127	How long do trees take to reach breast height after fire in northeastern Ontario?. Canadian Journal of Forest Research, 2002, 32, 1889-1892.	1.7	50
128	Canopy gap disturbance and succession in trembling aspen dominated boreal forests in northeastern Ontario. Canadian Journal of Forest Research, 2005, 35, 1942-1951.	1.7	50
129	Tissue-specific transcriptome for <i>Dendrobium officinale</i> reveals genes involved in flavonoid biosynthesis. Genomics, 2020, 112, 1781-1794.	2.9	50
130	Whole soil acidification and base cation reduction across subtropical China. Geoderma, 2020, 361, 114107.	5.1	50
131	Tree-size diversity between single- and mixed-species stands in three forest types in western Canada. Canadian Journal of Forest Research, 2005, 35, 593-601.	1.7	49
132	A test of ecological succession hypotheses using 55-year time-series data for 361 boreal forest stands. Global Ecology and Biogeography, 2012, 21, 441-454.	5.8	49
133	Multiple interactions between tree composition and diversity and microbial diversity underly litter decomposition. Geoderma, 2019, 341, 161-171.	5.1	49
134	The Influence of Recent Climate Change on Tree Height Growth Differs with Species and Spatial Environment. PLoS ONE, 2011, 6, e14691.	2.5	48
135	Impacts of forest conversion on soil bacterial community composition and diversity in subtropical forests. Catena, 2019, 175, 167-173.	5.0	47
136	Projected effects of climate change on boreal bird community accentuated by anthropogenic disturbances in western boreal forest, Canada. Diversity and Distributions, 2020, 26, 668-682.	4.1	47
137	Arbuscular Mycorrhizal Fungi Associated with Tree Species in a Planted Forest of Eastern China. Forests, 2019, 10, 424.	2.1	46
138	Simulation of extreme precipitation indices in the Yangtze River basin by using statistical downscaling method (SDSM). Theoretical and Applied Climatology, 2012, 108, 325-343.	2.8	45
139	Spatial and Temporal Variability of Precipitation and Dryness/Wetness During 1961–2008 in Sichuan Province, West China. Water Resources Management, 2014, 28, 1655-1670.	3.9	45
140	Vegetation change impacts on soil organic carbon chemical composition in subtropical forests. Scientific Reports, 2016, 6, 29607.	3.3	45
141	Plant defense against virus diseases; growth hormones in highlights. Plant Signaling and Behavior, 2019, 14, 1596719.	2.4	45
142	Fertilization of SRC Willow, I: Biomass Production Response. Bioenergy Research, 2014, 7, 319-328.	3.9	44
143	Analysis of <i>Dendrobium huoshanense</i> transcriptome unveils putative genes associated with active ingredients synthesis. BMC Genomics, 2018, 19, 978.	2.8	44
144	Impacts of changes in vegetation on saturated hydraulic conductivity of soil in subtropical forests. Scientific Reports, 2019, 9, 8372.	3.3	43

#	ARTICLE	IF	CITATIONS
145	Multiple abiotic and biotic drivers of aboveground biomass shift with forest stratum. <i>Forest Ecology and Management</i> , 2019, 436, 1-10.	3.2	43
146	Meta-analysis shows that plant mixtures increase soil phosphorus availability and plant productivity in diverse ecosystems. <i>Nature Ecology and Evolution</i> , 2022, 6, 1112-1121.	7.8	43
147	Variation of the understory composition and diversity along a gradient of productivity in <i>Populus tremuloides</i> stands of northern British Columbia, Canada. <i>Canadian Journal of Botany</i> , 2004, 82, 1314-1323.	1.1	42
148	Coarse root biomass allometric equations for <i>Abies balsamea</i> , <i>Picea mariana</i> , <i>Pinus banksiana</i> , and <i>Populus tremuloides</i> in the boreal forest of Ontario, Canada. <i>Biomass and Bioenergy</i> , 2011, 35, 4189-4196.	5.7	41
149	Multiple drivers of plant diversity in forest ecosystems. <i>Global Ecology and Biogeography</i> , 2014, 23, 885-893.	5.8	41
150	Aboveground biomass of understorey vegetation has a negligible or negative association with overstorey tree species diversity in natural forests. <i>Global Ecology and Biogeography</i> , 2016, 25, 141-150.	5.8	41
151	Persistent and pervasive compositional shifts of western boreal forest plots in Canada. <i>Global Change Biology</i> , 2017, 23, 857-866.	9.5	41
152	The Effects of Ecological Factors on the Main Medicinal Components of <i>Dendrobium officinale</i> under Different Cultivation Modes. <i>Forests</i> , 2020, 11, 94.	2.1	41
153	Black Spruce Soils Accumulate More Uncomplexed Organic Matter than Aspen Soils. <i>Soil Science Society of America Journal</i> , 2011, 75, 1125-1132.	2.2	40
154	Fertilizer regime impacts on abundance and diversity of soil fauna across a poplar plantation chronosequence in coastal Eastern China. <i>Scientific Reports</i> , 2016, 6, 20816.	3.3	40
155	Species-rich boreal forests grew more and suffered less mortality than species-poor forests under the environmental change of the past half-century. <i>Ecology Letters</i> , 2019, 22, 999-1008.	6.4	39
156	Responses of C:N stoichiometry in plants, soil, and microorganisms to nitrogen addition. <i>Plant and Soil</i> , 2020, 456, 277-287.	3.7	39
157	Spatial and temporal variability of precipitation indices during 1961–2010 in Hunan Province, central south China. <i>Theoretical and Applied Climatology</i> , 2014, 118, 581-595.	2.8	38
158	Decline in Net Ecosystem Productivity Following Canopy Transition to Late-Succession Forests. <i>Ecosystems</i> , 2014, 17, 778-791.	3.4	38
159	Biomass and Its Allocation in Relation to Temperature, Precipitation, and Soil Nutrients in Inner Mongolia Grasslands, China. <i>PLoS ONE</i> , 2013, 8, e69561.	2.5	38
160	Effects of stand age, wildfire and clearcut harvesting on forest floor in boreal mixedwood forests. <i>Plant and Soil</i> , 2010, 336, 267-277.	3.7	37
161	Mechanisms Regulating Epiphytic Plant Diversity. <i>Critical Reviews in Plant Sciences</i> , 2012, 31, 391-400.	5.7	37
162	Recovery of Ecosystem Carbon Stocks in Young Boreal Forests: A Comparison of Harvesting and Wildfire Disturbance. <i>Ecosystems</i> , 2014, 17, 851-863.	3.4	37

#	ARTICLE	IF	CITATIONS
163	Forest Understorey Vegetation: Colonization and the Availability and Heterogeneity of Resources. <i>Forests</i> , 2019, 10, 944.	2.1	37
164	Changes in nitrogen resorption of trembling aspen (<i>Populus tremuloides</i>) with stand development. <i>Plant and Soil</i> , 2010, 327, 121-129.	3.7	36
165	Legacy of Pre-Disturbance Spatial Pattern Determines Early Structural Diversity following Severe Disturbance in Montane Spruce Forests. <i>PLoS ONE</i> , 2015, 10, e0139214.	2.5	35
166	Forest-type shift and subsequent intensive management affected soil organic carbon and microbial community in southeastern China. <i>European Journal of Forest Research</i> , 2017, 136, 689-697.	2.5	35
167	Recovery of temperate and boreal forests after windthrow and the impacts of salvage logging. A quantitative review. <i>Forest Ecology and Management</i> , 2019, 446, 304-316.	3.2	35
168	RowBee: A Routing Protocol Based on Cross-Technology Communication for Energy-Harvesting Wireless Sensor Networks. <i>IEEE Access</i> , 2019, 7, 40663-40673.	4.2	35
169	Global variations and controlling factors of soil nitrogen turnover rate. <i>Earth-Science Reviews</i> , 2020, 207, 103250.	9.1	35
170	Survival, growth, and allometry of planted <i>Larix occidentalis</i> seedlings in relation to light availability. <i>Forest Ecology and Management</i> , 1998, 106, 169-179.	3.2	34
171	Conifer proportion explains fine root biomass more than tree species diversity and site factors in major European forest types. <i>Forest Ecology and Management</i> , 2017, 406, 330-350.	3.2	34
172	Reclamation strategies for mined forest soils and overstorey drive understorey vegetation. <i>Journal of Applied Ecology</i> , 2018, 55, 926-936.	4.0	34
173	Tree species diversity promotes litterfall productivity through crown complementarity in subtropical forests. <i>Journal of Ecology</i> , 2019, 107, 1852-1861.	4.0	34
174	Effects of Arbuscular Mycorrhizal Fungi on Growth, Photosynthesis, and Nutrient Uptake of <i>Zelkova serrata</i> (Thunb.) Makino Seedlings under Salt Stress. <i>Forests</i> , 2019, 10, 186.	2.1	34
175	Complementarity effects are strengthened by competition intensity and global environmental change in the central boreal forests of Canada. <i>Ecology Letters</i> , 2020, 23, 79-87.	6.4	34
176	Accumulation of soil organic carbon after cropland conversion to short-rotation willow and poplar. <i>GCB Bioenergy</i> , 2017, 9, 1390-1401.	5.6	33
177	Soil Carbon and Nutrient Dynamics Following Cessation of Anthropogenic Disturbances in Degraded Subtropical Forests. <i>Land Degradation and Development</i> , 2017, 28, 2457-2467.	3.9	33
178	Interspecific variation in growth responses to tree size, competition and climate of western Canadian boreal mixed forests. <i>Science of the Total Environment</i> , 2018, 631-632, 1070-1078.	8.0	33
179	Positive species mixture effects on fine root turnover and mortality in natural boreal forests. <i>Soil Biology and Biochemistry</i> , 2018, 121, 130-137.	8.8	33
180	Exogenous 24-Epibrassinolide Alleviates Effects of Salt Stress on Chloroplasts and Photosynthesis in <i>Robinia pseudoacacia</i> L. Seedlings. <i>Journal of Plant Growth Regulation</i> , 2019, 38, 669-682.	5.1	33

#	ARTICLE	IF	CITATIONS
181	Global responses of fine root biomass and traits to plant species mixtures in terrestrial ecosystems. <i>Global Ecology and Biogeography</i> , 2021, 30, 289-304.	5.8	33
182	Economic and ecological trade-off analysis of forest ecosystems: options for boreal forests. <i>Environmental Reviews</i> , 2016, 24, 348-361.	4.5	32
183	Tree size thresholds produce biased estimates of forest biomass dynamics. <i>Forest Ecology and Management</i> , 2017, 400, 468-474.	3.2	32
184	Comparison of landslide susceptibility maps using random forest and multivariate adaptive regression spline models in combination with catchment map units. <i>Geosciences Journal</i> , 2019, 23, 341-355.	1.2	32
185	Functional and phylogenetic diversity promote litter decomposition across terrestrial ecosystems. <i>Global Ecology and Biogeography</i> , 2020, 29, 2261-2272.	5.8	32
186	Elevated CO ₂ shifts soil microbial communities from <i>K</i> to <i>r</i> strategists. <i>Global Ecology and Biogeography</i> , 2021, 30, 961-972.	5.8	32
187	Biodiversity alleviates the decrease of grassland multifunctionality under grazing disturbance: A global meta-analysis. <i>Global Ecology and Biogeography</i> , 2022, 31, 155-167.	5.8	32
188	Spatial heterogeneity of heavy metal contamination in soils and plants in Hefei, China. <i>Scientific Reports</i> , 2019, 9, 1049.	3.3	31
189	Climatic change only stimulated growth for trees under weak competition in central boreal forests. <i>Journal of Ecology</i> , 2020, 108, 36-46.	4.0	31
190	Coherent responses of terrestrial C:N stoichiometry to drought across plants, soil, and microorganisms in forests and grasslands. <i>Agricultural and Forest Meteorology</i> , 2020, 292-293, 108104.	4.8	31
191	Understory vegetation dynamics of Chinese fir plantations and natural secondary forests in subtropical China. <i>Forest Ecology and Management</i> , 2021, 483, 118750.	3.2	31
192	Root structure of western hemlock and western redcedar in single- and mixed-species stands. <i>Canadian Journal of Forest Research</i> , 2002, 32, 997-1004.	1.7	30
193	Multi-millennial fire frequency and tree abundance differ between xeric and mesic boreal forests in central Canada. <i>Journal of Ecology</i> , 2013, 101, 356-367.	4.0	30
194	Indirect Methods Produce Higher Estimates of Fine Root Production and Turnover Rates than Direct Methods. <i>PLoS ONE</i> , 2012, 7, e48989.	2.5	30
195	Do forests best mitigate CO ₂ emissions to the atmosphere by setting them aside for maximization of carbon storage or by management for fossil fuel substitution?. <i>Journal of Environmental Management</i> , 2017, 197, 117-129.	7.8	29
196	Bryophyte abundance, diversity and composition after retention harvest in boreal mixedwood forest. <i>Journal of Applied Ecology</i> , 2018, 55, 947-957.	4.0	29
197	Global pattern and drivers of nitrogen saturation threshold of grassland productivity. <i>Functional Ecology</i> , 2020, 34, 1979-1990.	3.6	29
198	Simplifying the decision matrix for estimating fine root production by the sequential soil coring approach. <i>Acta Oecologica</i> , 2013, 48, 54-61.	1.1	28

#	ARTICLE	IF	CITATIONS
199	The influence of boreal tree species mixtures on ecosystem carbon storage and fluxes. <i>Forest Ecology and Management</i> , 2015, 354, 119-129.	3.2	28
200	Variation in total and volatile carbon concentration among the major tree species of the boreal forest. <i>Forest Ecology and Management</i> , 2016, 375, 191-199.	3.2	28
201	Soil Aggregation and Organic Carbon Dynamics in Poplar Plantations. <i>Forests</i> , 2018, 9, 508.	2.1	28
202	Responses of soil microbial biomass, diversity and metabolic activity to biochar applications in managed poplar plantations on reclaimed coastal saline soil. <i>Soil Use and Management</i> , 2018, 34, 597-605.	4.9	28
203	Plant-insect vector-virus interactions under environmental change. <i>Science of the Total Environment</i> , 2020, 701, 135044.	8.0	28
204	Application of biogas slurry rather than biochar increases soil microbial functional gene signal intensity and diversity in a poplar plantation. <i>Soil Biology and Biochemistry</i> , 2020, 146, 107825.	8.8	28
205	Effects of elevated CO ₂ on the C:N stoichiometry of plants, soils, and microorganisms in terrestrial ecosystems. <i>Catena</i> , 2021, 201, 105219.	5.0	28
206	Height growth and site index models for trembling aspen (<i>Populus tremuloides</i> Michx.) in northern British Columbia. <i>Forest Ecology and Management</i> , 1998, 102, 157-165.	3.2	27
207	Effects of Disturbance on Fine Root Dynamics in the Boreal Forests of Northern Ontario, Canada. <i>Ecosystems</i> , 2013, 16, 467-477.	3.4	27
208	Carbon Storage Declines in Old Boreal Forests Irrespective of Succession Pathway. <i>Ecosystems</i> , 2018, 21, 1168-1182.	3.4	27
209	Global soil microbial biomass decreases with aridity and land-use intensification. <i>Global Ecology and Biogeography</i> , 2021, 30, 1056-1069.	5.8	27
210	Transition from N to P limited soil nutrients over time since restoration in degraded subtropical broadleaved mixed forests. <i>Forest Ecology and Management</i> , 2021, 494, 119298.	3.2	27
211	Dynamics of epiphytic macrolichen abundance, diversity and composition in boreal forest. <i>Journal of Applied Ecology</i> , 2015, 52, 181-189.	4.0	26
212	Effects of coarse woody debris on plant and lichen species composition in boreal forests. <i>Journal of Vegetation Science</i> , 2017, 28, 389-400.	2.2	26
213	Increased litterfall contributes to carbon and nitrogen accumulation following cessation of anthropogenic disturbances in degraded forests. <i>Forest Ecology and Management</i> , 2019, 432, 832-839.	3.2	26
214	The effect of species diversity on tree growth varies during forest succession in the boreal forest of central Canada. <i>Forest Ecology and Management</i> , 2020, 455, 117641.	3.2	26
215	Sustainability of Canada's forestry sector may be compromised by impending climate change. <i>Forest Ecology and Management</i> , 2020, 474, 118352.	3.2	26
216	Height growth-elevation relationships in subalpine forests of interior British Columbia. <i>Forestry Chronicle</i> , 1996, 72, 193-198.	0.6	25

#	ARTICLE	IF	CITATIONS
217	Relative size and stand age determine <i>Pinus banksiana</i> mortality. <i>Forest Ecology and Management</i> , 2008, 255, 3980-3984.	3.2	25
218	Influence of harvesting on understory vegetation along a boreal riparian-upland gradient. <i>Forest Ecology and Management</i> , 2014, 312, 138-147.	3.2	25
219	Comparative effects of the recovery from sulfuric and nitric acid rain on the soil enzyme activities and metabolic functions of soil microbial communities. <i>Science of the Total Environment</i> , 2020, 714, 136788.	8.0	25
220	Moisture budget variations in the Yangtze River Basin, China, and possible associations with large-scale circulation. <i>Stochastic Environmental Research and Risk Assessment</i> , 2010, 24, 579-589.	4.0	24
221	Fertilization of SRC Willow, II: Leaching and Element Balances. <i>Bioenergy Research</i> , 2014, 7, 338-352.	3.9	24
222	Allometric Biomass, Biomass Expansion Factor and Wood Density Models for the OP42 Hybrid Poplar in Southern Scandinavia. <i>Bioenergy Research</i> , 2015, 8, 1332-1343.	3.9	24
223	Dynamics of understorey biomass, production and turnover associated with long-term overstorey succession in boreal forest of Canada. <i>Forest Ecology and Management</i> , 2018, 427, 152-161.	3.2	24
224	Diversity of northern plantations peaks at intermediate management intensity. <i>Forest Ecology and Management</i> , 2010, 259, 360-366.	3.2	23
225	Relationship between Aboveground Biomass and Percent Cover of Ground Vegetation in Canadian Boreal Plain Riparian Forests. <i>Forest Science</i> , 2012, 58, 47-53.	1.0	23
226	Biogeographic patterns of nutrient resorption from <i>Quercus variabilis</i> leaves across China. <i>Plant Biology</i> , 2016, 18, 505-513.	3.8	23
227	Cellulose dominantly affects soil fauna in the decomposition of forest litter: A meta-analysis. <i>Geoderma</i> , 2020, 378, 114620.	5.1	23
228	Comparative Transcriptome Analysis of Different <i>Dendrobium</i> Species Reveals Active Ingredients-Related Genes and Pathways. <i>International Journal of Molecular Sciences</i> , 2020, 21, 861.	4.1	23
229	The use of Biolog Eco microplates to compare the effects of sulfuric and nitric acid rain on the metabolic functions of soil microbial communities in a subtropical plantation within the Yangtze River Delta region. <i>Catena</i> , 2021, 198, 105039.	5.0	23
230	A global meta-analysis on the responses of C and N concentrations to warming in terrestrial ecosystems. <i>Catena</i> , 2022, 208, 105762.	5.0	23
231	Carbon dynamics of aboveground live vegetation of boreal mixedwoods after wildfire and clear-cutting. <i>Canadian Journal of Forest Research</i> , 2010, 40, 1862-1869.	1.7	22
232	Deadwood Density of Five Boreal Tree Species in Relation to Field-Assigned Decay Class. <i>Forest Science</i> , 2013, 59, 261-266.	1.0	22
233	Changing characteristics of precipitation during 1960–2012 in Inner Mongolia, northern China. <i>Meteorology and Atmospheric Physics</i> , 2015, 127, 257-271.	2.0	22
234	Tree species richness decreases while species evenness increases with disturbance frequency in a natural boreal forest landscape. <i>Ecology and Evolution</i> , 2016, 6, 842-850.	1.9	22

#	ARTICLE	IF	CITATIONS
235	Spatial climate-dependent growth response of boreal mixedwood forest in western Canada. <i>Global and Planetary Change</i> , 2016, 139, 141-150.	3.5	22
236	Rapid increases in fine root biomass and production following cessation of anthropogenic disturbances in degraded forests. <i>Land Degradation and Development</i> , 2018, 29, 461-470.	3.9	22
237	Effects of soil fauna on leaf litter decomposition under different land uses in eastern coast of China. <i>Journal of Forestry Research</i> , 2018, 29, 973-982.	3.6	22
238	Arbuscular Mycorrhizal Fungi Effectively Enhances the Growth of <i>Gleditsia sinensis</i> Lam. Seedlings under Greenhouse Conditions. <i>Forests</i> , 2019, 10, 567.	2.1	22
239	Comparative nutritional characteristics of the three major Chinese <i>Dendrobium</i> species with different growth years. <i>PLoS ONE</i> , 2019, 14, e0222666.	2.5	22
240	Relationships Between Leaf Carbon and Macronutrients Across Woody Species and Forest Ecosystems Highlight How Carbon Is Allocated to Leaf Structural Function. <i>Frontiers in Plant Science</i> , 2021, 12, 674932.	3.6	22
241	Diversityâ€‘disturbance relationship in forest landscapes. <i>Landscape Ecology</i> , 2016, 31, 981-987.	4.2	21
242	Effects of shortâ€‘term N addition on plant biomass allocation and C and N pools of the <i>Sibiraea angustata</i> scrub ecosystem. <i>European Journal of Soil Science</i> , 2017, 68, 212-220.	3.9	21
243	Ecosystem memory of wildfires affects resilience of boreal mixedwood biodiversity after retention harvest. <i>Oikos</i> , 2017, 126, 1738-1747.	2.7	21
244	Temporal declines in tree longevity associated with faster lifetime growth rates in boreal forests. <i>Environmental Research Letters</i> , 2018, 13, 125003.	5.2	21
245	Species mixture increases production partitioning to belowground in a natural boreal forest. <i>Forest Ecology and Management</i> , 2019, 432, 667-674.	3.2	21
246	Responses of soil enzymatic activities to transgenic <i>Bacillus thuringiensis</i> (Bt) crops - A global meta-analysis. <i>Science of the Total Environment</i> , 2019, 651, 1830-1838.	8.0	21
247	Spatial variation in climate modifies effects of functional diversity on biomass dynamics in natural forests across Canada. <i>Global Ecology and Biogeography</i> , 2020, 29, 682-695.	5.8	21
248	The stoichiometry of soil microbial biomass determines metabolic quotient of nitrogen mineralization. <i>Environmental Research Letters</i> , 2020, 15, 034005.	5.2	21
249	Water Level Has Higher Influence on Soil Organic Carbon and Microbial Community in Poyang Lake Wetland Than Vegetation Type. <i>Microorganisms</i> , 2022, 10, 131.	3.6	21
250	Effects of grazing on photosynthetic features and soil respiration of rangelands in the Tianshan Mountains of Northwest China. <i>Scientific Reports</i> , 2016, 6, 30087.	3.3	20
251	A new mfj-type metalâ€‘organic framework constructed from a methoxyl derived V-shaped ligand and its H ₂ , CO ₂ and CH ₄ adsorption properties. <i>RSC Advances</i> , 2017, 7, 21268-21272.	3.6	20
252	Partitioning beta diversity in a tropical karst seasonal rainforest in Southern China. <i>Scientific Reports</i> , 2018, 8, 17408.	3.3	20

#	ARTICLE	IF	CITATIONS
253	Precipitation manipulation and terrestrial carbon cycling: The roles of treatment magnitude, experimental duration and local climate. <i>Global Ecology and Biogeography</i> , 2021, 30, 1909-1921.	5.8	20
254	Meta-analysis shows non-uniform responses of above- and belowground productivity to drought. <i>Science of the Total Environment</i> , 2021, 782, 146901.	8.0	20
255	Contribution of root traits to variations in soil microbial biomass and community composition. <i>Plant and Soil</i> , 2021, 460, 483-495.	3.7	20
256	Decadal-scale Recovery of Carbon Stocks After Wildfires Throughout the Boreal Forests. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006612.	4.9	19
257	Interactive effects of global change factors on terrestrial net primary productivity are treatment length and intensity dependent. <i>Journal of Ecology</i> , 2020, 108, 2083-2094.	4.0	19
258	Potential range expansion and niche shift of the invasive <i>Hyphantria cunea</i> between native and invasive countries. <i>Ecological Entomology</i> , 2021, 46, 910-925.	2.2	19
259	Water Supply Changes N and P Conservation in a Perennial Grass <i>Leymus chinensis</i> . <i>Journal of Integrative Plant Biology</i> , 2009, 51, 1050-1056.	8.5	18
260	Commercially Grown Short Rotation Coppice Willow in Denmark: Biomass Production and Factors Affecting Production. <i>Bioenergy Research</i> , 2015, 8, 325-339.	3.9	18
261	Disturbance increases negative spatial autocorrelation in species diversity. <i>Landscape Ecology</i> , 2017, 32, 823-834.	4.2	18
262	An Indigenous Soil Bacterium Facilitates the Mitigation of Rocky Desertification in Carbonate Mining Areas. <i>Land Degradation and Development</i> , 2017, 28, 2222-2233.	3.9	18
263	Soil organic carbon and nutrients associated with aggregate fractions in a chronosequence of tea plantations. <i>Ecological Indicators</i> , 2019, 101, 444-452.	6.3	18
264	Functions of mineral-solubilizing microbes and a water retaining agent for the remediation of abandoned mine sites. <i>Science of the Total Environment</i> , 2021, 761, 143215.	8.0	18
265	Global patterns of leaf construction traits and their covariation along climate and soil environmental gradients. <i>New Phytologist</i> , 2021, 232, 1648-1660.	7.3	18
266	Height Growth Models for High-Elevation Subalpine Fir, Engelmann Spruce, and Lodgepole Pine in British Columbia. <i>Western Journal of Applied Forestry</i> , 2000, 15, 62-69.	0.5	17
267	Mixed-Species Effects on Soil C and N Stocks, C/N Ratio and pH Using a Transboundary Approach in Adjacent Common Garden Douglas-Fir and Beech Stands. <i>Forests</i> , 2017, 8, 95.	2.1	17
268	Shifts in functional trait-species abundance relationships over secondary subalpine meadow succession in the Qinghai-Tibetan Plateau. <i>Oecologia</i> , 2018, 188, 547-557.	2.0	17
269	Divergent temporal trends of net biomass change in western Canadian boreal forests. <i>Journal of Ecology</i> , 2019, 107, 69-78.	4.0	17
270	The Positive Effect of Different 24-epiBL Pretreatments on Salinity Tolerance in <i>Robinia pseudoacacia</i> L. Seedlings. <i>Forests</i> , 2019, 10, 4.	2.1	17

#	ARTICLE	IF	CITATIONS
271	Comparative physiological mechanisms of arbuscular mycorrhizal fungi in mitigating salt-induced adverse effects on leaves and roots of <i>Zelkova serrata</i> . <i>Mycorrhiza</i> , 2020, 30, 341-355.	2.8	17
272	Asymmetric responses of terrestrial C:N:P stoichiometry to precipitation change. <i>Global Ecology and Biogeography</i> , 2021, 30, 1724-1735.	5.8	17
273	Plant diversity increases the abundance and diversity of soil fauna: A meta-analysis. <i>Geoderma</i> , 2022, 411, 115694.	5.1	17
274	Arbuscular mycorrhizal fungi enhanced salt tolerance of <i>Gleditsia sinensis</i> by modulating antioxidant activity, ion balance and P/N ratio. <i>Plant Growth Regulation</i> , 2022, 97, 33-49.	3.4	17
275	Characterization of nutrient regimes in some continental subalpine boreal forest soils. <i>Canadian Journal of Soil Science</i> , 1998, 78, 467-475.	1.2	16
276	Long-term effects of intensive silvicultural practices on productivity, composition, and structure of northern temperate and boreal plantations in Ontario, Canada. <i>Forest Ecology and Management</i> , 2007, 241, 115-126.	3.2	16
277	Effects of timing of glyphosate application on jack pine, black spruce, and white spruce plantations in northern Manitoba. <i>Forestry Chronicle</i> , 2008, 84, 37-45.	0.6	16
278	Statistical properties of moisture transport in East Asia and their impacts on wetness/dryness variations in North China. <i>Theoretical and Applied Climatology</i> , 2011, 104, 337-347.	2.8	16
279	Epixylic vegetation abundance, diversity, and composition vary with coarse woody debris decay class and substrate species in boreal forest. <i>Canadian Journal of Forest Research</i> , 2018, 48, 399-411.	1.7	16
280	Polysaccharide biosynthetic pathway profiling and putative gene mining of <i>Dendrobium moniliforme</i> using RNA-Seq in different tissues. <i>BMC Plant Biology</i> , 2019, 19, 521.	3.6	16
281	Fine root biomass and necromass dynamics of Chinese fir plantations and natural secondary forests in subtropical China. <i>Forest Ecology and Management</i> , 2021, 496, 119413.	3.2	16
282	High-level rather than low-level warming destabilizes plant community biomass production. <i>Journal of Ecology</i> , 2021, 109, 1607-1617.	4.0	16
283	Predominance of abiotic drivers in the relationship between species diversity and litterfall production in a tropical karst seasonal rainforest. <i>Forest Ecology and Management</i> , 2019, 449, 117452.	3.2	15
284	Adjustive ecological restoration through stakeholder involvement: a case of riparian landscape restoration on privately owned land with public access. <i>Restoration Ecology</i> , 2019, 27, 1073-1083.	2.9	15
285	Traits mediate drought effects on wood carbon fluxes. <i>Global Change Biology</i> , 2020, 26, 3429-3442.	9.5	15
286	Effects of mineral-solubilizing microbial strains on the mechanical responses of roots and root-reinforced soil in external-soil spray seeding substrate. <i>Science of the Total Environment</i> , 2020, 723, 138079.	8.0	15
287	Arbuscular mycorrhizal fungi communities associated with wild plants in a coastal ecosystem. <i>Journal of Forestry Research</i> , 2021, 32, 683-695.	3.6	15
288	Higher tree diversity is linked to higher tree mortality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2013171119.	7.1	15

#	ARTICLE	IF	CITATIONS
289	Nitrogen use efficiency: does a trade-off exist between the N productivity and the mean residence time within species?. Australian Journal of Botany, 2008, 56, 272.	0.6	14
290	Tree community structural development in young boreal forests: A comparison of fire and harvesting disturbance. Forest Ecology and Management, 2013, 310, 19-26.	3.2	14
291	Similarity of plant functional traits and aggregation pattern in a subtropical forest. Ecology and Evolution, 2017, 7, 4086-4098.	1.9	14
292	Understory Community Assembly Following Wildfire in Boreal Forests: Shift From Stochasticity to Competitive Exclusion and Environmental Filtering. Frontiers in Plant Science, 2018, 9, 1854.	3.6	14
293	Tree species composition and nutrient availability affect soil microbial diversity and composition across forest types in subtropical China. Catena, 2021, 201, 105224.	5.0	14
294	The abundance and community structure of soil arthropods in reclaimed coastal saline soil of managed poplar plantations. Geoderma, 2018, 327, 130-137.	5.1	13
295	Effects of Mineral-Solubilizing Microorganisms on Root Growth, Soil Nutrient Content, and Enzyme Activities in the Rhizosphere Soil of Robinia pseudoacacia. Forests, 2021, 12, 60.	2.1	13
296	Site index, site quality, and foliar nutrients of trembling aspen: relationships and predictions. Canadian Journal of Forest Research, 1998, 28, 1743-1755.	1.7	13
297	Understory diversity are driven by resource availability rather than resource heterogeneity in subtropical forests. Forest Ecology and Management, 2022, 503, 119781.	3.2	13
298	Potential productivity of three interior subalpine forest tree species in British Columbia. Forest Ecology and Management, 2003, 175, 521-530.	3.2	12
299	The effects of forest fuel connectivity on spatiotemporal dynamics of Holocene fire regimes in the central boreal forest of North America. Journal of Quaternary Science, 2015, 30, 365-375.	2.1	12
300	Compositional stability of boreal understorey vegetation after overstorey harvesting across a riparian ecotone. Journal of Vegetation Science, 2015, 26, 733-741.	2.2	12
301	Changing characteristics of wet/dry spells during 1961â€“2008 in Sichuan province, southwest China. Theoretical and Applied Climatology, 2017, 127, 129-141.	2.8	12
302	Economic analysis of forest management alternatives: Compositional objectives, rotation ages, and harvest methods in boreal forests. Forest Policy and Economics, 2017, 85, 124-134.	3.4	12
303	Small RNAs from Seed to Mature Plant. Critical Reviews in Plant Sciences, 2019, 38, 117-139.	5.7	12
304	Morphological and microscopic identification of three major medicinal <i>Dendrobium</i> species in Taâ€pih Mountains area. Microscopy Research and Technique, 2019, 82, 483-493.	2.2	12
305	Functional diversity enhances, but exploitative traits reduce tree mixture effects on microbial biomass. Functional Ecology, 2020, 34, 276-286.	3.6	12
306	Long term forest conversion affected soil nanoscale pores in subtropical China. Catena, 2020, 185, 104289.	5.0	12

#	ARTICLE	IF	CITATIONS
307	Advanced research tools for fungal diversity and its impact on forest ecosystem. Environmental Science and Pollution Research, 2022, 29, 45044-45062.	5.3	12
308	Post-harvest Regeneration of Lowland Black Spruce Forests in Northeastern Ontario. New Forests, 2006, 31, 115-129.	1.7	11
309	Stand age structural dynamics of North American boreal forests and implications for forest management. International Forestry Review, 2006, 8, 395-405.	0.6	11
310	Salvage logging and forest renewal affect early aspen stand structure after catastrophic wind. Forest Ecology and Management, 2013, 308, 1-8.	3.2	11
311	Linking intraspecific trait variability and spatial patterns of subtropical trees. Oecologia, 2018, 186, 793-803.	2.0	11
312	Water availability regulates negative effects of species mixture on soil microbial biomass in boreal forests. Soil Biology and Biochemistry, 2019, 139, 107634.	8.8	11
313	Differential response of soil microbial and animal communities along the chronosequence of <i>Cunninghamia lanceolata</i> at different soil depth levels in subtropical forest ecosystem. Journal of Advanced Research, 2021, 38, 41-54.	9.5	11
314	Natural forest chronosequence maintains better soil fertility indicators and assemblage of total belowground soil biota than Chinese fir monoculture in subtropical ecosystem. Journal of Cleaner Production, 2022, 334, 130228.	9.3	11
315	Ecosystem restoration and belowground multifunctionality: A network view. Ecological Applications, 2022, 32, e2575.	3.8	11
316	Soil enzyme activities and their indication for fertility of urban forest soil. Frontiers of Environmental Science and Engineering in China, 2008, 2, 218-223.	0.8	10
317	Poplar plantations in coastal China: towards the identification of the best rotation age for optimal soil carbon sequestration. Soil Use and Management, 2016, 32, 303-310.	4.9	10
318	Conspecific and heterospecific crowding facilitate tree survival in a tropical karst seasonal rainforest. Forest Ecology and Management, 2021, 481, 118751.	3.2	10
319	A Review of Forest Succession Models and Their Suitability for Forest Management Planning. Forest Science, 2009, 55, 23-36.	1.0	10
320	Arbuscular Mycorrhizal Fungi Promote <i>Gleditsia sinensis</i> Lam. Root Growth under Salt Stress by Regulating Nutrient Uptake and Physiology. Forests, 2022, 13, 688.	2.1	10
321	Different Responses of the Radial Growth of Conifer Species to Increasing Temperature along Altitude Gradient: <i>Pinus tabulaeformis</i> in the Helan Mountains (Northwestern China). Polish Journal of Ecology, 2016, 64, 509-525.	0.2	9
322	Stand age affects emissions of N ₂ O in flood-irrigated alfalfa: a comparison of field measurements, DNDC model simulations and IPCC Tier 1 estimates. Nutrient Cycling in Agroecosystems, 2016, 106, 335-345.	2.2	9
323	Understory Vegetation Dynamics across a Poplar Plantation Chronosequence in Reclaimed Coastal Saline Soil. Forests, 2019, 10, 764.	2.1	9
324	Stand age and species composition effects on surface albedo in a mixedwood boreal forest. Biogeosciences, 2019, 16, 4357-4375.	3.3	9

#	ARTICLE	IF	CITATIONS
325	The C:N:P Stoichiometry of Planted and Natural <i>Larix principis-rupprechtii</i> Stands along Altitudinal Gradients on the Loess Plateau, China. <i>Forests</i> , 2020, 11, 363.	2.1	9
326	Foliar nutrient resorption dynamics of trembling aspen and white birch during secondary succession in the boreal forest of central Canada. <i>Forest Ecology and Management</i> , 2022, 505, 119876.	3.2	9
327	Chemical site preparation influences productivity, composition, and structure of boreal mixedwoods in Ontario, Canada. <i>Forest Ecology and Management</i> , 2006, 229, 145-154.	3.2	8
328	Fertilization of Willow Coppice Over Three Consecutive 2-Year Rotationsâ€™Effects on Biomass Production, Soil Nutrients and Water. <i>Bioenergy Research</i> , 2017, 10, 728-739.	3.9	8
329	Linking understory species diversity, communityâ€™level traits and productivity in a Chinese boreal forest. <i>Journal of Vegetation Science</i> , 2019, 30, 247-256.	2.2	8
330	The stoichiometry of leaf nitrogen and phosphorus resorption in plantation forests. <i>Forest Ecology and Management</i> , 2021, 483, 118743.	3.2	8
331	Rock-Solubilizing Microbial Inoculums Have Enormous Potential as Ecological Remediation Agents to Promote Plant Growth. <i>Forests</i> , 2021, 12, 357.	2.1	8
332	Effects of Vegetation Type on Soil Shear Strength in Fengyang Mountain Nature Reserve, China. <i>Forests</i> , 2021, 12, 490.	2.1	8
333	Rapid functional shifts across high latitude forests over the last 65Âˆyears. <i>Global Change Biology</i> , 2021, 27, 3846-3858.	9.5	8
334	Carbon and nitrogen dynamics in tropical ecosystems following fire. <i>Global Ecology and Biogeography</i> , 2022, 31, 378-391.	5.8	8
335	Field-based tree mortality constraint reduces estimates of model-projected forest carbon sinks. <i>Nature Communications</i> , 2022, 13, 2094.	12.8	8
336	Species dynamics of epiphytic macrolichens in relation to time since fire and host tree species in boreal forest. <i>Journal of Vegetation Science</i> , 2015, 26, 1124-1133.	2.2	7
337	Epiphytic macrolichen cover, richness and composition in young successional boreal forest: A comparison of fire and logging disturbance. <i>Forest Ecology and Management</i> , 2015, 347, 149-155.	3.2	7
338	Leaf phosphorus content of <i>Quercus wutaishanica</i> increases with total soil potassium in the Loess Plateau. <i>PLoS ONE</i> , 2018, 13, e0201350.	2.5	7
339	Contrasting effects of thinning on soil CO2 emission and above- and belowground carbon regime under a subtropical Chinese fir plantation. <i>Science of the Total Environment</i> , 2019, 690, 361-369.	8.0	7
340	Background nitrogen deposition controls the effects of experimental nitrogen addition on soil gross N transformations in forest ecosystems. <i>Biogeochemistry</i> , 2020, 151, 335-341.	3.5	7
341	The effects of functional diversity and identity (acquisitive versus conservative strategies) on soil carbon stocks are dependent on environmental contexts. <i>Forest Ecology and Management</i> , 2022, 503, 119820.	3.2	7
342	Intensive plantations decouple fine root C:N:P in subtropical forests. <i>Forest Ecology and Management</i> , 2022, 505, 119901.	3.2	7

#	ARTICLE	IF	CITATIONS
343	Historical, ecological, and governance aspects of intensive forest biomass harvesting in Denmark. <i>Wiley Interdisciplinary Reviews: Energy and Environment</i> , 2016, 5, 588-610.	4.1	6
344	Trade-offs and Synergies Between Economic Gains and Plant Diversity Across a Range of Management Alternatives in Boreal Forests. <i>Ecological Economics</i> , 2018, 151, 162-172.	5.7	6
345	Multiple Applications of Enzymes Induced by Algal Biomasses from a New <i>Bacillus</i> Isolate to Saccharify Algae and Degrade Chemical Dyes. <i>Waste and Biomass Valorization</i> , 2019, 10, 2517-2526.	3.4	6
346	Diversity and identity of economics traits determine the extent of tree mixture effects on ecosystem productivity. <i>Journal of Ecology</i> , 2021, 109, 1898-1908.	4.0	6
347	Water availability regulates tree mixture effects on total and heterotrophic soil respiration: A three-year field experiment. <i>Geoderma</i> , 2021, 402, 115259.	5.1	6
348	Smartforests Canada: A Network of Monitoring Plots for Forest Management Under Environmental Change. <i>Managing Forest Ecosystems</i> , 2022, , 521-543.	0.9	6
349	Effects of post-windthrow management interventions on understory plant communities in aspen-dominated boreal forests. <i>Forest Ecology and Management</i> , 2014, 323, 39-46.	3.2	5
350	Latitudinal Diversity Gradients and Rapoport Effects in Chinese Endemic Woody Seed Plants. <i>Forests</i> , 2020, 11, 1029.	2.1	5
351	Evaluating Heathland Restoration Belowground Using Different Quality Indices of Soil Chemical and Biological Properties. <i>Agronomy</i> , 2020, 10, 1140.	3.0	5
352	Scaling up experimental stress responses of grass invasion to predictions of continental-scale range suitability. <i>Ecology</i> , 2021, 102, e03417.	3.2	5
353	Honeycomb-like 2D metal-organic polyhedral framework exhibiting selectively adsorption of CO ₂ . <i>Journal of Solid State Chemistry</i> , 2021, 300, 122230.	2.9	5
354	Biological pretreatment of corn stover for enhancing enzymatic hydrolysis using <i>Bacillus</i> sp. P3. <i>Bioresources and Bioprocessing</i> , 2021, 8, 92.	4.2	5
355	Allometric models for aboveground biomass of six common subtropical shrubs and small trees. <i>Journal of Forestry Research</i> , 2022, 33, 1317-1328.	3.6	5
356	Contrasting plant responses to multivariate environmental variations among species with divergent elevation shifts. <i>Ecological Applications</i> , 2022, 32, e02488.	3.8	5
357	Effects of roots systems on hydrological connectivity below the soil surface in the Yellow River Delta wetland. <i>Ecohydrology</i> , 2022, 15, e2393.	2.4	5
358	Functionally diverse tree stands reduce herbaceous diversity and productivity via canopy packing. <i>Functional Ecology</i> , 2022, 36, 950-961.	3.6	5
359	Forest Conversion and Soil Depth Can Modify the Contributions of Organic and Inorganic Colloids to the Stability of Soil Aggregates. <i>Forests</i> , 2022, 13, 546.	2.1	5
360	Observed dryness and wetness variability in Shanghai during 1873–2005. <i>Journal of Chinese Geography</i> , 2009, 19, 143-152.	3.9	4

#	ARTICLE	IF	CITATIONS
361	CO2 Emission Increases with Damage Severity in Moso Bamboo Forests Following a Winter Storm in Southern China. <i>Scientific Reports</i> , 2016, 6, 30351.	3.3	4
362	Determinants of the N content of <i>Quercus wutaishanica</i> leaves in the Loess Plateau: a structural equation modeling approach. <i>Scientific Reports</i> , 2016, 6, 26845.	3.3	4
363	Phenotypic plasticity controls regional-scale variation in <i>Quercus variabilis</i> leaf $\delta^{13}C$. <i>Trees - Structure and Function</i> , 2016, 30, 1445-1453.	1.9	4
364	Climate change-associated trends in biomass dynamics are consistent across soil drainage classes in western boreal forests of Canada. <i>Forest Ecosystems</i> , 2017, 4, .	3.1	4
365	Changes in Soil Arthropod Abundance and Community Structure across a Poplar Plantation Chronosequence in Reclaimed Coastal Saline Soil. <i>Forests</i> , 2018, 9, 644.	2.1	4
366	Heat stress tolerance determines the survival and growth of introduced Canadian sugar maple in subtropical China. <i>Tree Physiology</i> , 2019, 39, 417-426.	3.1	4
367	Climate-driven Yield Variability for Winter Wheat in Henan Province, North China and its Relation to Large-scale Atmospheric Circulation Indices. <i>International Journal of Plant Production</i> , 2021, 15, 79-91.	2.2	4
368	Restoration in degraded subtropical broadleaved forests induces changes in soil bacterial communities. <i>Global Ecology and Conservation</i> , 2021, 30, e01775.	2.1	4
369	Microenvironment filtering and plant competition jointly structure trait distributions across co-occurring individuals. <i>Ecological Indicators</i> , 2021, 129, 107893.	6.3	4
370	Biochar-Induced Priming Effects in Young and Old Poplar Plantation Soils. <i>Phyton</i> , 2020, 89, 13-26.	0.7	4
371	Microbial community structure of soils under four productivity classes of aspen forests in northern British Columbia. <i>Ecoscience</i> , 2013, 20, 264-275.	1.4	3
372	Effect of 26 Years of Intensively Managed <i>Carya cathayensis</i> Stands on Soil Organic Carbon and Fertility. <i>Scientific World Journal</i> , The, 2014, 2014, 1-6.	2.1	3
373	The forest Gribkov, Denmark: lessons from the past qualify contemporary conservation, restoration and forest management. <i>Biodiversity and Conservation</i> , 2014, 23, 23-37.	2.6	3
374	Coniferization of the mixed-wood boreal forests under warm climate. <i>Journal of Quaternary Science</i> , 2019, 34, 509-518.	2.1	3
375	A Multi-Objective Decision Making System (MDMS) for a Small Agricultural Watershed Based on Meta-Heuristic Optimization Coupling Simulation. <i>Water (Switzerland)</i> , 2021, 13, 1338.	2.7	3
376	High Gas Adsorption Capacity of an <i>agw</i> -Type Metal-Organic Framework Decorated with Methyl Groups. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 4727-4730.	2.0	2
377	Unimodal diversity-productivity relationship emerged under stressful environment through sampling effect. <i>Ecological Informatics</i> , 2019, 50, 131-135.	5.2	2
378	Linking leaf-level morphological and physiological plasticity to seedling survival and growth of introduced Canadian sugar maple to elevated precipitation under warming. <i>Forest Ecology and Management</i> , 2020, 457, 117758.	3.2	2

#	ARTICLE	IF	CITATIONS
379	Long-Term Forest Conversion Affects Soil Stability and Humic Substances in Aggregate Fractions in Subtropical China. <i>Forests</i> , 2022, 13, 339.	2.1	2
380	Improvement of Regional Climate by the Protection Forest Shelterbelt on the Old Yellow River Course in North Jiangsu Province, China. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , .</i>	0.0	1
381	Evaluation of the Function of Reforestation on Soil Loss Control in the Dabie Mountains, China. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , .</i>	0.0	1
382	Application and Test of GIS Based FUSLE Model in a Pine Forest Sub-Catchment in the Dabie Mountains, China. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , .</i>	0.0	1
383	Carbon Gain Limitation Is the Primary Mechanism for the Elevational Distribution Limit of <i>Myriophyllum</i> in the High-Altitude Plateau. <i>Frontiers in Plant Science</i> , 2018, 9, 1129.	3.6	1
384	Soil Water Availability Drives Changes in Community Traits Along a Hydrothermal Gradient in Loess Plateau Grasslands. <i>Rangeland Ecology and Management</i> , 2020, 73, 276-284.	2.3	1
385	Tree species composition and selection effects drive overstory and understory productivity in reforested oil sands mining sites. <i>Land Degradation and Development</i> , 2021, 32, 1135-1147.	3.9	1
386	Microbes drive global soil nitrogen mineralization and availability. , 2019, 25, 1078.		1
387	Comparison of stand characteristic parameters and biomass estimations from light detection and ranging and structure-from-motion point clouds. <i>Journal of Applied Remote Sensing</i> , 2020, 14, 1.	1.3	1
388	Enhancement of saccharification of corn stover by cellulolytic enzyme produced from biomass-degrading bacteria. <i>BioResources</i> , 2022, 17, 1301-1318.	1.0	1
389	Plant roots and anti-scourability of soils in the Shangshe Catchment, Dabie Mountains, Anhui Province, Eastern China. <i>Frontiers of Forestry in China: Selected Publications From Chinese Universities</i> , 2009, 4, 323-329.	0.2	0
390	Water Pollution and Sustainable Utilization of the Jing Hang Grand Canal in China. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , .</i>	0.0	0
391	A new methyl-embedded (3,36)-connected txt-type metal-organic framework exhibiting high H ₂ adsorption property. <i>CrystEngComm</i> , 2017, 19, 3094-3097.	2.6	0