

Chris Fox

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2145849/publications.pdf>

Version: 2024-02-01

76
papers

4,414
citations

201385

27
h-index

110170

64
g-index

82
all docs

82
docs citations

82
times ranked

5911
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of anticholinergics on the aging brain: a review and practical application. <i>Aging Health</i> , 2008, 4, 311-320.	0.3	531
2	Anticholinergic Medication Use and Cognitive Impairment in the Older Population: The Medical Research Council Cognitive Function and Ageing Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1477-1483.	1.3	515
3	The cognitive impact of anticholinergics: A clinical review. <i>Clinical Interventions in Aging</i> , 2009, 4, 225.	1.3	356
4	Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ: British Medical Journal</i> , 2018, 361, k1315.	2.4	314
5	Effect of medications with anti-cholinergic properties on cognitive function, delirium, physical function and mortality: a systematic review. <i>Age and Ageing</i> , 2014, 43, 604-615.	0.7	269
6	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. <i>Health Technology Assessment</i> , 2014, 18, 1-148.	1.3	244
7	Multimodal imaging in Alzheimer's disease: validity and usefulness for early detection. <i>Lancet Neurology</i> , 2015, 14, 1037-1053.	4.9	233
8	Efficacy of Memantine for Agitation in Alzheimer's Dementia: A Randomised Double-Blind Placebo Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e35185.	1.1	144
9	Effectiveness of interventions to directly support food and drink intake in people with dementia: systematic review and meta-analysis. <i>BMC Geriatrics</i> , 2016, 16, 26.	1.1	125
10	Minocycline at 2 Different Dosages vs Placebo for Patients With Mild Alzheimer Disease. <i>JAMA Neurology</i> , 2020, 77, 164.	4.5	113
11	Cognitive Training Using a Novel Memory Game on an iPad in Patients with Amnesic Mild Cognitive Impairment (aMCI). <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 624-633.	1.0	100
12	The 4 'A's test for detecting delirium in acute medical patients: a diagnostic accuracy study. <i>Health Technology Assessment</i> , 2019, 23, 1-194.	1.3	82
13	The impact of anticholinergic burden in Alzheimer's Dementia-the Laser-AD study. <i>Age and Ageing</i> , 2011, 40, 730-735.	0.7	80
14	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015, 44, 219-225.	0.7	79
15	Attitudes and preferences towards screening for dementia: a systematic review of the literature. <i>BMC Geriatrics</i> , 2015, 15, 66.	1.1	72
16	Effectiveness of interventions to indirectly support food and drink intake in people with dementia: Eating and Drinking Well IN dementia (EDWINA) systematic review. <i>BMC Geriatrics</i> , 2016, 16, 89.	1.1	71
17	Use of Medications with Anticholinergic Activity and Self-Reported Injurious Falls in Older Community-Dwelling Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1561-1569.	1.3	66
18	Omega-3 and polyunsaturated fat for prevention of depression and anxiety symptoms: systematic review and meta-analysis of randomised trials. <i>British Journal of Psychiatry</i> , 2021, 218, 135-142.	1.7	63

#	ARTICLE	IF	CITATIONS
19	The pros and cons of early diagnosis in dementia. British Journal of General Practice, 2013, 63, e510-e512.	0.7	53
20	Antipsychotic treatment of very late-onset schizophrenia-like psychosis (ATLAS): a randomised, controlled, double-blind trial. Lancet Psychiatry, 2018, 5, 553-563.	3.7	53
21	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. PLoS ONE, 2017, 12, e0179521.	1.1	48
22	The importance of detecting and managing comorbidities in people with dementia?. Age and Ageing, 2014, 43, 741-743.	0.7	41
23	Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. BMC Geriatrics, 2019, 19, 276.	1.1	39
24	Does telecare prolong community living in dementia? A study protocol for a pragmatic, randomised controlled trial. Trials, 2013, 14, 349.	0.7	38
25	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. Health Technology Assessment, 2017, 21, 1-192.	1.3	37
26	The effectiveness and cost-effectiveness of assistive technology and telecare for independent living in dementia: a randomised controlled trial. Age and Ageing, 2021, 50, 882-890.	0.7	36
27	Study of mirtazapine for agitated behaviours in dementia (SYMBAD): a randomised, double-blind, placebo-controlled trial. Lancet, 2021, 398, 1487-1497.	6.3	31
28	History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. American Journal of Epidemiology, 2019, 188, 1228-1236.	1.6	28
29	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. The Cochrane Library, 2020, 2020, CD010569.	1.5	28
30	Undiagnosed dementia in primary care: a record linkage study. Health Services and Delivery Research, 2020, 8, 1-108.	1.4	26
31	The relationship between total anticholinergic burden (ACB) and early in-patient hospital mortality and length of stay in the oldest old aged 90 years and over admitted with an acute illness. Archives of Gerontology and Geriatrics, 2014, 59, 155-161.	1.4	24
32	The electronic frailty index as an indicator of community healthcare service utilisation in the older population. Age and Ageing, 2019, 48, 273-277.	0.7	23
33	Multifactorial falls prevention programme compared with usual care in UK care homes for older people: multicentre cluster randomised controlled trial with economic evaluation. BMJ, 2021, 375, e066991.	3.0	23
34	Medication review plus person-centred care: a feasibility study of a pharmacy-health psychology dual intervention to improve care for people living with dementia. BMC Psychiatry, 2018, 18, 340.	1.1	21
35	APOE4 genotype exacerbates the impact of menopause on cognition and synaptic plasticity in APOE4 mice. FASEB Journal, 2021, 35, e21583.	0.2	21
36	Introducing case management for people with dementia in primary care: a mixed-methods study. British Journal of General Practice, 2014, 64, e735-e741.	0.7	19

#	ARTICLE	IF	CITATIONS
37	Assessment of need and practice for assistive technology and telecare for people with dementiaâ€”The ATTILA (Assistive Technology and Telecare to maintain Independent Living At home for people with) Tj ETQq1 1 0.784314 rgBT /Overlo 420-430.	1.8	19
38	Optimising care for patients with cognitive impairment and dementia following hip fracture. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 39-43.	0.8	18
39	Placing assistive technology and telecare in everyday practices of people with dementia and their caregivers: findings from an embedded ethnography of a national dementia trial. BMC Geriatrics, 2021, 21, 121.	1.1	18
40	Assistive technology and telecare to maintain independent living at home for people with dementia: the ATTILA RCT. Health Technology Assessment, 2021, 25, 1-156.	1.3	18
41	Exploring attitudes and preferences for dementia screening in Britain: contributions from carers and the general public. BMC Geriatrics, 2015, 15, 110.	1.1	17
42	Adverse effects of Z-drugs for sleep disturbance in people living with dementia: a population-based cohort study. BMC Medicine, 2020, 18, 351.	2.3	15
43	Cognitive decline associated with anticholinergics, benzodiazepines and Zâ€”drugs: Findings from The Irish Longitudinal Study on Ageing (TILDA). British Journal of Clinical Pharmacology, 2021, 87, 2818-2829.	1.1	15
44	Putting primary prevention of dementia on everybodyâ€™s agenda. Aging and Mental Health, 2021, 25, 1376-1380.	1.5	15
45	Systematic review investigating the reporting of comorbidities and medication in randomized controlled trials of people with dementia. Age and Ageing, 2014, 43, 868-872.	0.7	14
46	The effects of hypoglycaemia and dementia on cardiovascular events, falls and fractures and allâ€”cause mortality in older individuals: A retrospective cohort study. Diabetes, Obesity and Metabolism, 2019, 21, 2076-2085.	2.2	14
47	Dementia case-finding in hospitals: a qualitative study exploring the views of healthcare professionals in English primary care and secondary care. BMJ Open, 2018, 8, e020521.	0.8	13
48	Improving the management of behaviour that challenges associated with dementia in care homes: protocol for pharmacyâ€”health psychology intervention feasibility study. BMJ Open, 2016, 6, e010279.	0.8	12
49	PERFECTED enhanced recovery (PERFECT-ER) care versus standard acute care for patients admitted to acute settings with hip fracture identified as experiencing confusion: study protocol for a feasibility cluster randomized controlled trial. Trials, 2017, 18, 583.	0.7	11
50	A comparative study of the effect of the Time for Dementia programme on medical students. International Journal of Geriatric Psychiatry, 2021, 36, 1011-1019.	1.3	10
51	Minocycline 200â€”mg or 400â€”mg versus placebo for mild Alzheimerâ€™s disease: the MADE Phase II, three-arm RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-62.	0.9	10
52	Optimising primary care for people with dementia. Mental Health in Family Medicine, 2013, 10, 143-51.	0.2	10
53	A feasibility study comparing UK older adult mental health inpatient wards which use protected engagement time with other wards which do not: study protocol. Pilot and Feasibility Studies, 2016, 2, 7.	0.5	9
54	Systematic Review Investigating Multi-disciplinary Team Approaches to Screening and Early Diagnosis of Dementia in Primary Care â€” What are the Positive and Negative Effects and Who Should Deliver It?. Current Alzheimer Research, 2017, 15, 5-17.	0.7	9

#	ARTICLE	IF	CITATIONS
55	Protected engagement time on older adult mental health wards: A thematic analysis of the views of patients, carers, and staff. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 608-618.	2.1	9
56	Case finding for dementia during acute hospital admissions: a mixed-methods study exploring the impacts on patient care after discharge and costs for the English National Health Service. <i>BMJ Open</i> , 2019, 9, e026927.	0.8	9
57	Understanding the dementia diagnosis gap in Norfolk and Suffolk: a survey of general practitioners. <i>Quality in Primary Care</i> , 2014, 22, 101-7.	0.8	9
58	Effectiveness of interventions aimed at improving physical and psychological outcomes of fall-related injuries in people with dementia: a narrative systematic review. <i>Systematic Reviews</i> , 2018, 7, 31.	2.5	8
59	MEDREV (pharmacy-health psychology intervention in people living with dementia with behaviour that) Tj ETQq1 1 0.784314 rgBT /Ower Services Research, 2020, 20, 157.	0.9	8
60	Non-benzodiazepine hypnotic use for sleep disturbance in people aged over 55 years living with dementia: a series of cohort studies. <i>Health Technology Assessment</i> , 2021, 25, 1-202.	1.3	7
61	Higher anticholinergic burden from medications is associated with significant increase in markers of inflammation in the EPICâ€Norfolk prospective populationâ€based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 3297-3306.	1.1	7
62	A multidomain decision support tool to prevent falls in older people: the FinCH cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-136.	1.3	7
63	Dementia Research Fit for the Planet: Reflections on Population Studies of Dementia for Researchers and Policy Makers Alike. <i>Neuroepidemiology</i> , 2020, 54, 157-170.	1.1	6
64	Role of the Extended MAPT Haplotype in the Worsening of Psychotic Symptoms and Treatment Response in Alzheimer Disease. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 934-937.	1.2	5
65	Feasibility study suggests no impact from protected engagement time on adverse events in mental health wards for older adults. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 756-764.	2.1	5
66	Study protocol: ASCRIBED: the impact of Acute Systematic inflammation upon cerebrospinal fluid and blood Biomarkers of brain inflammation and injury in dementia: a study in acute hip fracture patients. <i>BMC Neurology</i> , 2019, 19, 223.	0.8	5
67	Amisulpride for very late-onset schizophrenia-like psychosis: the ATLAS three-arm RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-62.	1.3	5
68	An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. <i>Health Technology Assessment</i> , 2019, 23, 1-208.	1.3	5
69	DHA-Enriched Fish Oil Ameliorates Deficits in Cognition Associated with Menopause and the APOE4 Genotype in Rodents. <i>Nutrients</i> , 2022, 14, 1698.	1.7	5
70	Do anticholinergic drugs contribute to functional and cognitive decline?. <i>Aging Health</i> , 2012, 8, 57-60.	0.3	4
71	Service organisation for people with dementia after an injurious fall: challenges and opportunities. <i>Age and Ageing</i> , 2019, 48, 454-458.	0.7	4
72	Making body work sequences visible: an ethnographic study of acute orthopaedic hospital wards. <i>Sociology of Health and Illness</i> , 2020, 42, 1139-1154.	1.1	3

#	ARTICLE	IF	CITATIONS
73	Freedom of Information Act: scalpel or just a sharp knife?: Table 1. Journal of Medical Ethics, 2017, 43, 60-62.	1.0	2
74	Can cardiovascular risk management be improved by shared care with general practice to prevent cognitive decline following stroke/TIA? A feasibility randomised controlled trial (SERVED memory). BMC Geriatrics, 2020, 20, 353.	1.1	2
75	Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal of Alzheimer's Disease, 2020, 74, 999-1009.	1.2	2
76	PERFECTED enhanced recovery pathway (PERFECT-ER) versus standard acute hospital care for people after hip fracture surgery who have cognitive impairment: a feasibility cluster randomised controlled trial. BMJ Open, 2022, 12, e055267.	0.8	1