Chris Fox

List of Publications by Citations

Source: https://exaly.com/author-pdf/2145849/chris-fox-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,012 74 23 54 h-index g-index citations papers 82 4.82 4.9 3,730 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
74	Impact of anticholinergics on the aging brain: a review and practical application. <i>Aging Health</i> , 2008 , 4, 311-320		391
73	Anticholinergic medication use and cognitive impairment in the older population: the medical research council cognitive function and ageing study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1477-83	5.6	382
72	The cognitive impact of anticholinergics: a clinical review. Clinical Interventions in Aging, 2009, 4, 225-33	4	293
71	Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ, The</i> , 2018 , 361, k1315	5.9	215
70	Effect of medications with anti-cholinergic properties on cognitive function, delirium, physical function and mortality: a systematic review. <i>Age and Ageing</i> , 2014 , 43, 604-15	3	208
69	Multimodal imaging in Alzheimer's disease: validity and usefulness for early detection. <i>Lancet Neurology, The</i> , 2015 , 14, 1037-53	24.1	172
68	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. <i>Health Technology Assessment</i> , 2014 , 18, 1-148	4.4	125
67	Efficacy of memantine for agitation in Alzheimer's dementia: a randomised double-blind placebo controlled trial. <i>PLoS ONE</i> , 2012 , 7, e35185	3.7	113
66	Effectiveness of interventions to directly support food and drink intake in people with dementia: systematic review and meta-analysis. <i>BMC Geriatrics</i> , 2016 , 16, 26	4.1	92
65	The impact of anticholinergic burden in Alzheimer's dementia-the LASER-AD study. <i>Age and Ageing</i> , 2011 , 40, 730-5	3	67
64	Minocycline at 2 Different Dosages vs Placebo for Patients With Mild Alzheimer Disease: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2020 , 77, 164-174	17.2	62
63	Cognitive Training Using a Novel Memory Game on an iPad in Patients with Amnestic Mild Cognitive Impairment (aMCI). <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 624-633	5.8	59
62	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015 , 44, 219-25	3	58
61	Effectiveness of interventions to indirectly support food and drink intake in people with dementia: Eating and Drinking Well IN dementiA (EDWINA) systematic review. <i>BMC Geriatrics</i> , 2016 , 16, 89	4.1	54
60	Use of Medications with Anticholinergic Activity and Self-Reported Injurious Falls in Older Community-Dwelling Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1561-9	5.6	52
59	The 4 'A's test for detecting delirium in acute medical patients: a diagnostic accuracy study. <i>Health Technology Assessment</i> , 2019 , 23, 1-194	4.4	48
58	Attitudes and preferences towards screening for dementia: a systematic review of the literature. <i>BMC Geriatrics</i> , 2015 , 15, 66	4.1	46

57	The pros and cons of early diagnosis in dementia. British Journal of General Practice, 2013, 63, e510-2	1.6	41
56	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. <i>PLoS ONE</i> , 2017 , 12, e0179521	3.7	36
55	Does telecare prolong community living in dementia? A study protocol for a pragmatic, randomised controlled trial. <i>Trials</i> , 2013 , 14, 349	2.8	31
54	Antipsychotic treatment of very late-onset schizophrenia-like psychosis (ATLAS): a randomised, controlled, double-blind trial. <i>Lancet Psychiatry,the</i> , 2018 , 5, 553-563	23.3	30
53	The importance of detecting and managing comorbidities in people with dementia?. <i>Age and Ageing</i> , 2014 , 43, 741-3	3	30
52	Omega-3 and polyunsaturated fat for prevention of depression and anxiety symptoms: systematic review and meta-analysis of randomised trials. <i>British Journal of Psychiatry</i> , 2021 , 218, 135-142	5.4	29
51	Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. <i>BMC Geriatrics</i> , 2019 , 19, 276	4.1	22
50	History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2019 , 188, 1228-1236	3.8	21
49	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. <i>Health Technology Assessment</i> , 2017 , 21, 1-192	4.4	19
48	The relationship between total anticholinergic burden (ACB) and early in-patient hospital mortality and length of stay in the oldest old aged 90 years and over admitted with an acute illness. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 155-61	4	18
47	Optimising care for patients with cognitive impairment and dementia following hip fracture. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017 , 50, 39-43	2.7	16
46	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. <i>The Cochrane Library</i> , 2020 , 2, CD010569	5.2	15
45	Assessment of need and practice for assistive technology and telecare for people with dementia-The ATTILA (Assistive Technology and Telecare to maintain Independent Living At home for people with dementia) trial. Alzheimera and Dementia: Translational Research and Clinical	6	14
44	Interventions, 2019, 5, 420-430 Exploring attitudes and preferences for dementia screening in Britain: contributions from carers and the general public. <i>BMC Geriatrics</i> , 2015, 15, 110	4.1	14
43	Introducing case management for people with dementia in primary care: a mixed-methods study. <i>British Journal of General Practice</i> , 2014 , 64, e735-41	1.6	13
42	Systematic review investigating the reporting of comorbidities and medication in randomized controlled trials of people with dementia. <i>Age and Ageing</i> , 2014 , 43, 868-72	3	12
41	Dementia case-finding in hospitals: a qualitative study exploring the views of healthcare professionals in English primary care and secondary care. <i>BMJ Open</i> , 2018 , 8, e020521	3	10
40	The electronic frailty index as an indicator of community healthcare service utilisation in the older population. <i>Age and Ageing</i> , 2019 , 48, 273-277	3	10

39	Medication review plus person-centred care: a feasibility study of a pharmacy-health psychology dual intervention to improve care for people living with dementia. <i>BMC Psychiatry</i> , 2018 , 18, 340	4.2	10
38	PERFECTED enhanced recovery (PERFECT-ER) care versus standard acute care for patients admitted to acute settings with hip fracture identified as experiencing confusion: study protocol for a feasibility cluster randomized controlled trial. <i>Trials</i> , 2017 , 18, 583	2.8	9
37	A feasibility study comparing UK older adult mental health inpatient wards which use protected engagement time with other wards which do not: study protocol. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 7	1.9	9
36	Systematic Review Investigating Multi-disciplinary Team Approaches to Screening and Early Diagnosis of Dementia in Primary Care - What are the Positive and Negative Effects and Who Should Deliver It?. <i>Current Alzheimer Research</i> , 2018 , 15, 5-17	3	9
35	Multifactorial falls prevention programme compared with usual care in UK care homes for older people: multicentre cluster randomised controlled trial with economic evaluation. <i>BMJ, The</i> , 2021 , 375, e066991	5.9	9
34	Optimising primary care for people with dementia. <i>Mental Health in Family Medicine</i> , 2013 , 10, 143-51		9
33	Undiagnosed dementia in primary care: a record linkage study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-108	1.5	8
32	Improving the management of behaviour that challenges associated with dementia in care homes: protocol for pharmacy-health psychology intervention feasibility study. <i>BMJ Open</i> , 2016 , 6, e010279	3	8
31	The effectiveness and cost-effectiveness of assistive technology and telecare for independent living in dementia: a randomised controlled trial. <i>Age and Ageing</i> , 2021 , 50, 882-890	3	8
30	Understanding the dementia diagnosis gap in Norfolk and Suffolk: a survey of general practitioners. <i>Quality in Primary Care</i> , 2014 , 22, 101-7		8
29	Study of mirtazapine for agitated behaviours in dementia (SYMBAD): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2021 , 398, 1487-1497	40	7
28	Protected engagement time on older adult mental health wards: A thematic analysis of the views of patients, carers, and staff. <i>International Journal of Mental Health Nursing</i> , 2018 , 27, 608-618	3.8	6
27	Effectiveness of interventions aimed at improving physical and psychological outcomes of fall-related injuries in people with dementia: a narrative systematic review. <i>Systematic Reviews</i> , 2018 , 7, 31	3	6
26	Minocycline 200 mg or 400 mg versus placebo for mild Alzheimer disease: the MADE Phase II, three-arm RCT. <i>Efficacy and Mechanism Evaluation</i> , 2020 , 7, 1-62	1.7	6
25	APOE4 genotype exacerbates the impact of menopause on cognition and synaptic plasticity in APOE-TR mice. <i>FASEB Journal</i> , 2021 , 35, e21583	0.9	6
24	The effects of hypoglycaemia and dementia on cardiovascular events, falls and fractures and all-cause mortality in older individuals: A retrospective cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2076-2085	6.7	5
23	Cognitive decline associated with anticholinergics, benzodiazepines and Z-drugs: Findings from The Irish Longitudinal Study on Ageing (TILDA). <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2818-2829	3.8	5
22	Adverse effects of Z-drugs for sleep disturbance in people living with dementia: a population-based cohort study. <i>BMC Medicine</i> , 2020 , 18, 351	11.4	5

21	Assistive technology and telecare to maintain independent living at home for people with dementia: the ATTILA RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-156	4.4	5
20	Case finding for dementia during acute hospital admissions: a mixed-methods study exploring the impacts on patient care after discharge and costs for the English National Health Service. <i>BMJ Open</i> , 2019 , 9, e026927	3	5
19	Feasibility study suggests no impact from protected engagement time on adverse events in mental health wards for older adults. <i>International Journal of Mental Health Nursing</i> , 2018 , 27, 756-764	3.8	5
18	Study protocol: ASCRIBED: the impact of Acute SystematiC inflammation upon cerebRospinal fluId and blood BiomarkErs of brain inflammation and injury in dementia: a study in acute hip fracture patients. <i>BMC Neurology</i> , 2019 , 19, 223	3.1	4
17	MEDREV (pharmacy-health psychology intervention in people living with dementia with behaviour that challenges): the feasibility of measuring clinical outcomes and costs of the intervention. <i>BMC Health Services Research</i> , 2020 , 20, 157	2.9	4
16	Role of the extended MAPT haplotype in the worsening of psychotic symptoms and treatment response in Alzheimer disease. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 934-7	5.9	4
15	Do anticholinergic drugs contribute to functional and cognitive decline?. Aging Health, 2012, 8, 57-60		4
14	Amisulpride for very late-onset schizophrenia-like psychosis: the ATLAS three-arm RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-62	4.4	4
13	Putting primary prevention of dementia on everybody's agenda. <i>Aging and Mental Health</i> , 2021 , 25, 13	7 6, ‡38	803
12	Dementia Research Fit for the Planet: Reflections on Population Studies of Dementia for Researchers and Policy Makers Alike. <i>Neuroepidemiology</i> , 2020 , 54, 157-170	5.4	3
11	An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. <i>Health Technology Assessment</i> , 2019 , 23, 1-208	4.4	3
11		4.4	3
	study. <i>Health Technology Assessment</i> , 2019 , 23, 1-208 Service organisation for people with dementia after an injurious fall: challenges and opportunities.		
10	Service organisation for people with dementia after an injurious fall: challenges and opportunities. Age and Ageing, 2019, 48, 454-458 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. Journal	3	2
10	Service organisation for people with dementia after an injurious fall: challenges and opportunities. <i>Age and Ageing</i> , 2019 , 48, 454-458 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. <i>Journal of Alzheimera Disease</i> , 2020 , 74, 999-1009 Can cardiovascular risk management be improved by shared care with general practice to prevent cognitive decline following stroke/TIA? A feasibility randomised controlled trial (SERVED memory).	3 4.3	2
10 9 8	Service organisation for people with dementia after an injurious fall: challenges and opportunities. <i>Age and Ageing</i> , 2019 , 48, 454-458 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. <i>Journal of Alzheimera Disease</i> , 2020 , 74, 999-1009 Can cardiovascular risk management be improved by shared care with general practice to prevent cognitive decline following stroke/TIA? A feasibility randomised controlled trial (SERVED memory). <i>BMC Geriatrics</i> , 2020 , 20, 353 Non-benzodiazepine hypnotic use for sleep disturbance in people aged over 55 years living with	3 4.3 4.1	2 2 2
10 9 8 7	Service organisation for people with dementia after an injurious fall: challenges and opportunities. <i>Age and Ageing</i> , 2019 , 48, 454-458 Neuropathological Correlates of Cumulative Benzodiazepine and Anticholinergic Drug Use. <i>Journal of Alzheimera Disease</i> , 2020 , 74, 999-1009 Can cardiovascular risk management be improved by shared care with general practice to prevent cognitive decline following stroke/TIA? A feasibility randomised controlled trial (SERVED memory). <i>BMC Geriatrics</i> , 2020 , 20, 353 Non-benzodiazepine hypnotic use for sleep disturbance in people aged over 55 years living with dementia: a series of cohort studies. <i>Health Technology Assessment</i> , 2021 , 25, 1-202 A comparative study of the effect of the Time for Dementia programme on medical students.	3 4.3 4.1 4.4	2 2 2

3	Placing assistive technology and telecare in everyday practices of people with dementia and their caregivers: findings from an embedded ethnography of a national dementia trial. <i>BMC Geriatrics</i> , 2021 , 21, 121	4.1	1	
2	Making body work sequences visible: an ethnographic study of acute orthopaedic hospital wards. <i>Sociology of Health and Illness</i> , 2020 , 42, 1139-1154	3	O	
1	PERFECTED enhanced recovery pathway (PERFECT-ER) versus standard acute hospital care for people after hip fracture surgery who have cognitive impairment: a feasibility cluster randomised controlled trial <i>BMJ Open</i> , 2022 , 12, e055267	3	0	