

# Michael B Chancellor

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2145991/michael-b-chancellor-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260  
papers

8,900  
citations

57  
h-index

86  
g-index

272  
ext. papers

10,033  
ext. citations

2.7  
avg, IF

6.14  
L-index

#	Paper	IF	Citations
260	Efficacy and safety of onabotulinumtoxinA for idiopathic overactive bladder: a double-blind, placebo controlled, randomized, dose ranging trial. <i>Journal of Urology</i> , <b>2010</b> , 184, 2416-22	2.5	286
259	Botulinum toxin a has antinociceptive effects in treating interstitial cystitis. <i>Urology</i> , <b>2004</b> , 64, 871-5; discussion 875	1.6	213
258	Intravesical botulinum toxin a administration produces analgesia against acetic acid induced bladder pain responses in rats. <i>Journal of Urology</i> , <b>2004</b> , 172, 1529-32	2.5	211
257	Urethral afferent nerve activity affects the micturition reflex; implication for the relationship between stress incontinence and detrusor instability. <i>Journal of Urology</i> , <b>1999</b> , 162, 204-12	2.5	193
256	Rapid detection of novel coronavirus/Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) by reverse transcription-loop-mediated isothermal amplification. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234682	3.7	179
255	BOTULINUM TOXIN URETHRAL SPHINCTER INJECTION TO RESTORE BLADDER EMPTYING IN MEN AND WOMEN WITH VOIDING DYSFUNCTION. <i>Journal of Urology</i> , <b>2001</b> , 165, 1107-1110	2.5	169
254	Immunoneutralization of Nerve Growth Factor in Lumbosacral Spinal Cord Reduces Bladder Hyperreflexia in Spinal Cord Injured Rats.. <i>Journal of Urology</i> , <b>2002</b> , 168, 2269-2274	2.5	156
253	Emerging role of botulinum toxin in the management of voiding dysfunction. <i>Journal of Urology</i> , <b>2004</b> , 171, 2128-37	2.5	154
252	Single-institution experience in 110 patients with botulinum toxin A injection into bladder or urethra. <i>Urology</i> , <b>2005</b> , 65, 37-41	1.6	147
251	Preliminary results of myoblast injection into the urethra and bladder wall: a possible method for the treatment of stress urinary incontinence and impaired detrusor contractility. <i>Neurourology and Urodynamics</i> , <b>2000</b> , 19, 279-87	2.3	147
250	Effect of botulinum toxin A on the autonomic nervous system of the rat lower urinary tract. <i>Journal of Urology</i> , <b>2003</b> , 169, 1896-900	2.5	146
249	Urinary nerve growth factor levels are elevated in patients with detrusor overactivity and decreased in responders to detrusor botulinum toxin-A injection. <i>European Urology</i> , <b>2009</b> , 56, 700-6	10.2	138
248	Improved sphincter contractility after allogenic muscle-derived progenitor cell injection into the denervated rat urethra. <i>Urology</i> , <b>2003</b> , 62, 958-63	1.6	135
247	Recent advances in understanding the biology of diabetes-associated bladder complications and novel therapy. <i>BJU International</i> , <b>2005</b> , 95, 733-8	5.6	133
246	Comparison of intravesical botulinum toxin type A injections plus hydrodistention with hydrodistention alone for the treatment of refractory interstitial cystitis/painful bladder syndrome. <i>BJU International</i> , <b>2009</b> , 104, 657-61	5.6	131
245	LONG-TERM RESULTS OF SACRAL NERVE STIMULATION (S3) FOR THE TREATMENT OF NEUROGENIC REFRACTORY URGE INCONTINENCE RELATED TO DETRUSOR HYPERREFLEXIA. <i>Journal of Urology</i> , <b>2000</b> , 164, 1476-1480	2.5	124
244	THE ROLE OF BLADDER AFFERENT PATHWAYS IN BLADDER HYPERACTIVITY INDUCED BY THE INTRAVESICAL ADMINISTRATION OF NERVE GROWTH FACTOR. <i>Journal of Urology</i> , <b>2001</b> , 165, 975-979	2.5	122

243	Novel action of botulinum toxin on the stromal and epithelial components of the prostate gland. <i>Journal of Urology</i> , <b>2006</b> , 175, 1158-63	2.5	120
242	Effect of intravesical nitric oxide therapy on cyclophosphamide-induced cystitis. <i>Journal of Urology</i> , <b>1999</b> , 162, 2211-6	2.5	112
241	Urine cytokines suggest an inflammatory response in the overactive bladder: a pilot study. <i>International Urology and Nephrology</i> , <b>2010</b> , 42, 629-35	2.3	109
240	Periurethral cellular injection: comparison of muscle-derived progenitor cells and fibroblasts with regard to efficacy and tissue contractility in an animal model of stress urinary incontinence. <i>Urology</i> , <b>2006</b> , 68, 449-54	1.6	101
239	Botulinum toxin type A improves benign prostatic hyperplasia symptoms in patients with small prostates. <i>Urology</i> , <b>2005</b> , 66, 775-9	1.6	100
238	Urinary nerve growth factor level is increased in patients with interstitial cystitis/bladder pain syndrome and decreased in responders to treatment. <i>BJU International</i> , <b>2009</b> , 104, 1476-81	5.6	99
237	Diabetic Cystopathy Correlates With a Long-Term Decrease in Nerve Growth Factor Levels in The Bladder and Lumbosacral Dorsal Root Ganglia. <i>Journal of Urology</i> , <b>2002</b> , 168, 1259-1264	2.5	99
236	Treatment of interstitial cystitis. <i>Urology</i> , <b>2004</b> , 63, 85-92	1.6	95
235	Autologous muscle derived cell therapy for stress urinary incontinence: a prospective, dose ranging study. <i>Journal of Urology</i> , <b>2013</b> , 189, 595-601	2.5	94
234	Urethral closure mechanisms under sneeze-induced stress condition in rats: a new animal model for evaluation of stress urinary incontinence. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2003</b> , 285, R356-65	3.2	94
233	Drug Insight: biological effects of botulinum toxin A in the lower urinary tract. <i>Nature Reviews Urology</i> , <b>2008</b> , 5, 319-28		93
232	Suppression of detrusor-sphincter dyssynergia by immunoneutralization of nerve growth factor in lumbosacral spinal cord in spinal cord injured rats. <i>Journal of Urology</i> , <b>2004</b> , 171, 478-82	2.5	93
231	Urodynamic and immunohistochemical evaluation of intravesical botulinum toxin A delivery using liposomes. <i>Journal of Urology</i> , <b>2009</b> , 182, 786-92	2.5	92
230	Persistence and survival of autologous muscle derived cells versus bovine collagen as potential treatment of stress urinary incontinence. <i>Journal of Urology</i> , <b>2001</b> , 165, 271-6	2.5	92
229	The other bladder syndrome: underactive bladder. <i>Reviews in Urology</i> , <b>2013</b> , 15, 11-22	1	91
228	Sustained beneficial effects of intraprostatic botulinum toxin type A on lower urinary tract symptoms and quality of life in men with benign prostatic hyperplasia. <i>BJU International</i> , <b>2006</b> , 98, 1033-7; discussion 1337	5.6	90
227	Intraurethral muscle-derived cell injections increase leak point pressure in a rat model of intrinsic sphincter deficiency. <i>Urology</i> , <b>2004</b> , 63, 780-5	1.6	89
226	Qualitative and quantitative expression profile of muscarinic receptors in human urothelium and detrusor. <i>Journal of Urology</i> , <b>2006</b> , 176, 1673-8	2.5	88

225	Autologous muscle derived cells for treatment of stress urinary incontinence in women. <i>Journal of Urology</i> , <b>2014</b> , 192, 469-76	2.5	83
224	Decrease of urinary nerve growth factor levels after antimuscarinic therapy in patients with overactive bladder. <i>BJU International</i> , <b>2009</b> , 103, 1668-72	5.6	82
223	Urinary nerve growth factor but not prostaglandin E2 increases in patients with interstitial cystitis/bladder pain syndrome and detrusor overactivity. <i>BJU International</i> , <b>2010</b> , 106, 1681-5	5.6	81
222	Gene therapy using replication-defective herpes simplex virus vectors expressing nerve growth factor in a rat model of diabetic cystopathy. <i>Diabetes</i> , <b>2004</b> , 53, 2723-30	0.9	80
221	Long-term patterns of use and treatment failure with anticholinergic agents for overactive bladder. <i>Clinical Therapeutics</i> , <b>2013</b> , 35, 1744-51	3.5	78
220	Pilot study of liposome-encapsulated onabotulinumtoxin A for patients with overactive bladder: a single-center study. <i>European Urology</i> , <b>2014</b> , 65, 1117-24	10.2	78
219	The role of bladder-to-urethral reflexes in urinary continence mechanisms in rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2004</b> , 287, F434-41	4.3	78
218	HERPES SIMPLEX VIRUS MEDIATED NERVE GROWTH FACTOR EXPRESSION IN BLADDER AND AFFERENT NEURONS: POTENTIAL TREATMENT FOR DIABETIC BLADDER DYSFUNCTION. <i>Journal of Urology</i> , <b>2001</b> , 165, 1748-1754	2.5	76
217	Dynamic progression of overactive bladder and urinary incontinence symptoms: a systematic review. <i>European Urology</i> , <b>2010</b> , 58, 532-43	10.2	75
216	Pharmacotherapy for neurogenic detrusor overactivity. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2006</b> , 85, 536-45	2.6	74
215	Principles of Sacral Nerve Stimulation (SNS) for the Treatment of Bladder and Urethral Sphincter Dysfunctions. <i>Neuromodulation</i> , <b>2000</b> , 3, 16-26	3.1	73
214	Intraprostatic botulinum toxin A injection inhibits cyclooxygenase-2 expression and suppresses prostatic pain on capsaicin induced prostatitis model in rat. <i>Journal of Urology</i> , <b>2008</b> , 180, 742-8	2.5	72
213	The application of botulinum toxin in the prostate. <i>Journal of Urology</i> , <b>2006</b> , 176, 2375-82	2.5	72
212	Urethral dysfunction in diabetic rats. <i>Journal of Urology</i> , <b>2004</b> , 171, 1959-64	2.5	72
211	Anticholinergics for overactive bladder therapy: central nervous system effects. <i>CNS Neuroscience and Therapeutics</i> , <b>2012</b> , 18, 167-74	6.8	70
210	Intravesical botulinum toxin A administration inhibits COX-2 and EP4 expression and suppresses bladder hyperactivity in cyclophosphamide-induced cystitis in rats. <i>European Urology</i> , <b>2009</b> , 56, 159-66	10.2	70
209	Implications of diabetes mellitus in urology. <i>Urologic Clinics of North America</i> , <b>2003</b> , 30, 1-12	2.9	70
208	Bladder instillation of liposome encapsulated onabotulinumtoxin A improves overactive bladder symptoms: a prospective, multicenter, double-blind, randomized trial. <i>Journal of Urology</i> , <b>2014</b> , 192, 1743-9	2.5	65

207	Urinary chemokines as noninvasive predictors of ulcerative interstitial cystitis. <i>Journal of Urology</i> , <b>2012</b> , 187, 2243-8	2.5	64
206	Intraprostatic capsaicin injection as a novel model for nonbacterial prostatitis and effects of botulinum toxin A. <i>European Urology</i> , <b>2007</b> , 51, 1119-27	10.2	62
205	Blood-brain barrier permeation and efflux exclusion of anticholinergics used in the treatment of overactive bladder. <i>Drugs and Aging</i> , <b>2012</b> , 29, 259-73	4.7	61
204	Multiplex analysis of urinary cytokine levels in rat model of cyclophosphamide-induced cystitis. <i>Urology</i> , <b>2009</b> , 73, 421-6	1.6	59
203	Investigations into the presence of functional Beta1, Beta2 and Beta3-adrenoceptors in urothelium and detrusor of human bladder. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2009</b> , 35, 76-83	2	56
202	Passive Biaxial Mechanical Properties of the Rat Bladder Wall After Spinal Cord Injury. <i>Journal of Urology</i> , <b>2002</b> , 167, 2247-2252	2.5	56
201	Effect of stimulation intensity and botulinum toxin isoform on rat bladder strip contractions. <i>Brain Research Bulletin</i> , <b>2003</b> , 61, 165-71	3.9	54
200	Myoblast therapy for stress urinary incontinence and bladder dysfunction. <i>World Journal of Urology</i> , <b>2000</b> , 18, 56-61	4	54
199	The overactive bladder progression to underactive bladder hypothesis. <i>International Urology and Nephrology</i> , <b>2014</b> , 46 Suppl 1, S23-7	2.3	53
198	Urinary nerve growth factor level could be a biomarker in the differential diagnosis of mixed urinary incontinence in women. <i>BJU International</i> , <b>2008</b> , 102, 1440-4	5.6	52
197	Urodynamic and immunohistochemical evaluation of intravesical capsaicin delivery using thermosensitive hydrogel and liposomes. <i>Journal of Urology</i> , <b>2004</b> , 171, 483-9	2.5	51
196	Detrusor overactivity induced by intravesical application of adenosine 5Rtriphosphate under different delivery conditions in rats. <i>Urology</i> , <b>2005</b> , 66, 1332-7	1.6	50
195	Effect of botulinum toxin A on urothelial-release of ATP and expression of SNARE targets within the urothelium. <i>Neurourology and Urodynamics</i> , <b>2015</b> , 34, 79-84	2.3	49
194	Autologous primary muscle-derived cells transfer into the lower urinary tract. <i>Tissue Engineering</i> , <b>2001</b> , 7, 395-404		49
193	Simplified bladder botulinum-toxin delivery technique using flexible cystoscope and 10 sites of injection. <i>Journal of Endourology</i> , <b>2005</b> , 19, 880-2	2.7	48
192	Rapid Detection of Novel Coronavirus (COVID-19) by Reverse Transcription-Loop-Mediated Isothermal Amplification		48
191	Role of noradrenergic pathways in sneeze-induced urethral continence reflex in rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2007</b> , 292, F639-46	4.3	47
190	Nerve growth factor level in the prostatic fluid of patients with chronic prostatitis/chronic pelvic pain syndrome is correlated with symptom severity and response to treatment. <i>BJU International</i> , <b>2011</b> , 108, 248-51	5.6	46

189	Functional analysis of active urethral closure mechanisms under sneeze induced stress condition in a rat model of birth trauma. <i>Journal of Urology</i> , <b>2006</b> , 176, 2711-5	2.5	45
188	Pathophysiology and animal modeling of underactive bladder. <i>International Urology and Nephrology</i> , <b>2014</b> , 46 Suppl 1, S11-21	2.3	44
187	Efficacy of solifenacin in patients previously treated with tolterodine extended release 4 mg: results of a 12-week, multicenter, open-label, flexible-dose study. <i>Clinical Therapeutics</i> , <b>2008</b> , 30, 1766-81	3.5	43
186	Future direction in pharmacotherapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , <b>2013</b> , 64, 610-21	10.2	41
185	Rapid Detection of Zika Virus in Urine Samples and Infected Mosquitos by Reverse Transcription-Loop-Mediated Isothermal Amplification. <i>Scientific Reports</i> , <b>2018</b> , 8, 3803	4.9	40
184	Recent advances in the neurophysiology of stress urinary incontinence. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2005</b> , 39, 21-4		40
183	Diabetic cystopathy correlates with a long-term decrease in nerve growth factor levels in the bladder and lumbosacral dorsal root Ganglia. <i>Journal of Urology</i> , <b>2002</b> , 168, 1259-64	2.5	40
182	Bladder botulinum toxin A injection can benefit patients with radiation and chemical cystitis. <i>BJU International</i> , <b>2008</b> , 102, 704-6	5.6	38
181	Case for pharmacotherapy development for underactive bladder. <i>Urology</i> , <b>2008</b> , 72, 966-7	1.6	38
180	OnabotulinumtoxinA improves quality of life in patients with neurogenic detrusor overactivity. <i>Neurology</i> , <b>2013</b> , 81, 841-8	6.5	37
179	Mirabegron: a safety review. <i>Expert Opinion on Drug Safety</i> , <b>2011</b> , 10, 287-94	4.1	37
178	Down-regulation of nerve growth factor expression in the bladder by antisense oligonucleotides as new treatment for overactive bladder. <i>Journal of Urology</i> , <b>2013</b> , 190, 757-64	2.5	35
177	Urodynamic monitoring during percutaneous sacral nerve neurostimulation in patients with neurogenic detrusor hyperreflexia. <i>Neurourology and Urodynamics</i> , <b>2001</b> , 20, 61-71	2.3	35
176	Epidemiology and demographics of the underactive bladder: a cross-sectional survey. <i>International Urology and Nephrology</i> , <b>2014</b> , 46 Suppl 1, S7-10	2.3	34
175	Diabetes-induced alternations in biomechanical properties of urinary bladder wall in rats. <i>Urology</i> , <b>2009</b> , 73, 911-5	1.6	34
174	Association of inflammaging (inflammation + aging) with higher prevalence of OAB in elderly population. <i>International Urology and Nephrology</i> , <b>2014</b> , 46, 871-7	2.3	33
173	Intradetrusor injection of adult muscle-derived cells for the treatment of underactive bladder: pilot study. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 465-7	2.3	32
172	Limitations of anticholinergic cycling in patients with overactive bladder (OAB) with urinary incontinence (UI): results from the CONsequences of Treatment Refractory Overactive bLadder (CONTROL) study. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1029-36	2.3	32

171	Intravesical drug delivery for dysfunctional bladder. <i>International Journal of Urology</i> , <b>2013</b> , 20, 552-62	2.3	32
170	Development of cellular therapy for the treatment of stress urinary incontinence. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 1075-83	2	32
169	alpha1-Adrenergic mechanism in diabetic urethral dysfunction in rats. <i>Journal of Urology</i> , <b>2005</b> , 173, 1027-32	3.2	32
168	DEVELOPMENT OF NONINVASIVE VELOCITY FLOW VIDEO URODYNAMICS USING DOPPLER SONOGRAPHY. PART II: CLINICAL APPLICATION IN BLADDER OUTLET OBSTRUCTION. <i>Journal of Urology</i> , <b>1998</b> , 160, 1792-1796	2.5	31
167	The overactive bladder: Epidemiology and morbidity. <i>Urologic Clinics of North America</i> , <b>2006</b> , 33, 433-8, vii	2.9	30
166	Development and validation of the actionable bladder symptom screening tool for multiple sclerosis patients. <i>International Journal of MS Care</i> , <b>2013</b> , 15, 182-92	2.3	30
165	Modeling and Treatment of Radiation Cystitis. <i>Urology</i> , <b>2016</b> , 88, 14-21	1.6	29
164	Intravesical immune suppression by liposomal tacrolimus in cyclophosphamide-induced inflammatory cystitis. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 421-7	2.3	29
163	Effect of cryoinjury on the contractile parameters of bladder strips: a model of impaired detrusor contractility. <i>Brain Research Bulletin</i> , <b>2002</b> , 59, 23-8	3.9	29
162	Addressing challenges in underactive bladder: recommendations and insights from the Congress on Underactive Bladder (CURE-UAB). <i>International Urology and Nephrology</i> , <b>2017</b> , 49, 777-785	2.3	28
161	Liposomal bladder instillations for IC/BPS: an open-label clinical evaluation. <i>International Urology and Nephrology</i> , <b>2014</b> , 46, 2291-5	2.3	27
160	Association of overactive bladder and C-reactive protein levels. Results from the Boston Area Community Health (BACH) Survey. <i>BJU International</i> , <b>2012</b> , 110, 401-7	5.6	26
159	Urinary Nerve Growth Factor Levels in Urinary Tract Diseases With or Without Frequency Urgency Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2010</b> , 2, 88-94	1.9	26
158	Functional and molecular characterization of hyposensitive underactive bladder tissue and urine in streptozotocin-induced diabetic rat. <i>PLoS ONE</i> , <b>2014</b> , 9, e102644	3.7	24
157	Evidence-based review and assessment of botulinum neurotoxin for the treatment of urologic conditions. <i>Toxicon</i> , <b>2013</b> , 67, 129-40	2.8	24
156	A double-blind, randomized, placebo-controlled clinical trial evaluating the safety and efficacy of autologous muscle derived cells in female subjects with stress urinary incontinence. <i>International Urology and Nephrology</i> , <b>2018</b> , 50, 2153-2165	2.3	24
155	Intravesical Liposomal Tacrolimus Protects against Radiation Cystitis Induced by 3-Beam Targeted Bladder Radiation. <i>Journal of Urology</i> , <b>2015</b> , 194, 578-84	2.5	23
154	Bladder uptake of liposomes after intravesical administration occurs by endocytosis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122766	3.7	23

153	Current and emerging drugs for interstitial cystitis/bladder pain syndrome (IC/BPS). <i>Expert Opinion on Emerging Drugs</i> , <b>2015</b> , 20, 555-70	3.7	21
152	Botulinum toxin for the lower urinary tract. <i>BJU International</i> , <b>2010</b> , 105, 1046-58	5.6	21
151	Urinary nerve growth factor level is correlated with the severity of neurological impairment in patients with cerebrovascular accident. <i>BJU International</i> , <b>2009</b> , 104, 1158-62	5.6	21
150	Human muscle-derived cell injection in a rat model of stress urinary incontinence. <i>Muscle and Nerve</i> , <b>2007</b> , 36, 391-3	3.4	21
149	DEVELOPMENT OF NONINVASIVE VELOCITY FLOW VIDEO URODYNAMICS USING DOPPLER SONOGRAPHY. PART I: EXPERIMENTAL URETHRA. <i>Journal of Urology</i> , <b>1998</b> , 160, 1787-1791	2.5	20
148	Neural mechanisms underlying lower urinary tract dysfunction. <i>Korean Journal of Urology</i> , <b>2014</b> , 55, 81-90		19
147	Ten years single surgeon experience with botulinum toxin in the urinary tract; clinical observations and research discovery. <i>International Urology and Nephrology</i> , <b>2010</b> , 42, 383-91	2.3	19
146	Liposome Based Intravesical Therapy Targeting Nerve Growth Factor Ameliorates Bladder Hypersensitivity in Rats with Experimental Colitis. <i>Journal of Urology</i> , <b>2016</b> , 195, 1920-6	2.5	18
145	Development of potential orphan drug therapy of intravesical liposomal tacrolimus for hemorrhagic cystitis due to increased local drug exposure. <i>Journal of Urology</i> , <b>2013</b> , 189, 1553-8	2.5	18
144	Potential Effect of Liposomes and Liposome-Encapsulated Botulinum Toxin and Tacrolimus in the Treatment of Bladder Dysfunction. <i>Toxins</i> , <b>2016</b> , 8,	4.9	18
143	Modeling of chronic radiation-induced cystitis in mice. <i>Advances in Radiation Oncology</i> , <b>2016</b> , 1, 333-343	3.3	18
142	Patient characteristics for different therapeutic strategies in the management ketamine cystitis. <i>Neurourology and Urodynamics</i> , <b>2017</b> , 36, 687-691	2.3	17
141	Time-dependent alterations of select genes in streptozotocin-induced diabetic rat bladder. <i>Urology</i> , <b>2008</b> , 71, 1214-9	1.6	17
140	Association of overactive bladder and stress urinary incontinence in rats with pudendal nerve ligation injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2008</b> , 294, R1510-6	3.2	17
139	Health Resource Utilization and Cost for Patients with Incontinent Overactive Bladder Treated with Anticholinergics. <i>Journal of Managed Care &amp; Specialty Pharmacy</i> , <b>2016</b> , 22, 406-13	1.9	17
138	Role of the Anterior Cingulate Cortex in the Control of Micturition Reflex in a Rat Model of Parkinson's Disease. <i>Journal of Urology</i> , <b>2016</b> , 195, 1613-1620	2.5	16
137	Advantage of urine based molecular diagnosis of Zika virus. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1961-1966	2.3	15
136	A cross-sectional study in the USA of the epidemiology and quality of life of underactive bladder symptoms. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1797-1802	2.3	15



135	Underactive Bladder in Older Adults. <i>Clinics in Geriatric Medicine</i> , <b>2015</b> , 31, 523-33	3.8	15
134	Physiological effects of human muscle-derived stem cell implantation on urethral smooth muscle function. <i>International Urogynecology Journal</i> , <b>2008</b> , 19, 1229-34	2	15
133	Recent advances in imaging and understanding interstitial cystitis. <i>F1000Research</i> , <b>2018</b> , 7,	3.6	15
132	Innovative use of intravesical tacrolimus for hemorrhagic radiation cystitis. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 1679-81	2.3	14
131	Challenges and Opportunities in Radiation-induced Hemorrhagic Cystitis. <i>Reviews in Urology</i> , <b>2016</b> , 18, 57-65	1	14
130	COVID-19 inflammation results in urine cytokine elevation and causes COVID-19 associated cystitis (CAC). <i>Medical Hypotheses</i> , <b>2020</b> , 145, 110375	3.8	14
129	Cancer survivorship issues with radiation and hemorrhagic cystitis in gynecological malignancies. <i>International Urology and Nephrology</i> , <b>2018</b> , 50, 1745-1751	2.3	14
128	Obesity is associated with a more severe overactive bladder disease state that is effectively treated with once-daily administration of tiroprium chloride extended release. <i>Neurourology and Urodynamics</i> , <b>2010</b> , 29, 551-4	2.3	13
127	Urinary Symptoms Associated With COVID-19: COVID-19-Associated Cystitis. <i>Journal of Clinical Medicine Research</i> , <b>2020</b> , 12, 681-682	2.9	13
126	Treatment of stress urinary incontinence with duloxetine hydrochloride. <i>Reviews in Urology</i> , <b>2005</b> , 7, 81-6	1	13
125	Pain reduction realized with extracorporeal shock wave therapy for the treatment of symptoms associated with interstitial cystitis/bladder pain syndrome-A prospective, multicenter, randomized, double-blind, placebo-controlled study. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 1505-1514	2.3	12
124	Advanced therapeutic directions to treat the underactive bladder. <i>International Urology and Nephrology</i> , <b>2014</b> , 46 Suppl 1, S35-44	2.3	12
123	Advances in Therapeutic Development for Radiation Cystitis. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2014</b> , 6, 1-10	1.9	12
122	The promise of stem cell therapy to restore urethral sphincter function. <i>Current Urology Reports</i> , <b>2007</b> , 8, 373-8	2.9	12
121	Physiology and Pharmacology of the Bladder and Urethra <b>2012</b> , 1786-1833.e17		12
120	Use of Botulinum Toxin in Urologic Diseases. <i>Urology</i> , <b>2016</b> , 91, 21-32	1.6	11
119	Development of an interstitial cystitis risk score for bladder permeability. <i>PLoS ONE</i> , <b>2017</b> , 12, e0185686	3.7	11
118	State of the art in intravesical therapy for lower urinary tract symptoms. <i>Reviews in Urology</i> , <b>2010</b> , 12, e181-9	1	11

117	Treatment of overactive bladder: selective use of anticholinergic agents with low drug-drug interaction potential. <i>Geriatrics</i> , <b>2007</b> , 62, 15-24		11
116	Elevated CXC chemokines in urine noninvasively discriminate OAB from UTI. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 311, F548-54	4.3	10
115	Bladder overactivity involves overexpression of MicroRNA 132 and nerve growth factor. <i>Life Sciences</i> , <b>2016</b> , 167, 98-104	6.8	10
114	Effect of Sacral Neuromodulation on Outcome Measures and Urine Chemokines in Interstitial Cystitis/Painful Bladder Syndrome Patients. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2015</b> , 7, 77-83	1.9	10
113	Effect of Intravesical Liposome-Based Nerve Growth Factor Antisense Therapy on Bladder Overactivity and Nociception in a Rat Model of Cystitis Induced by Hydrogen Peroxide. <i>Human Gene Therapy</i> , <b>2017</b> , 28, 598-609	4.8	9
112	Botulinum Toxin to Treat Neurogenic Bladder. <i>Seminars in Neurology</i> , <b>2016</b> , 36, 5-9	3.2	9
111	Effects of Duloxetine on Urethral Continence Reflex and Bladder Activity in Rats with Cerebral Infarction. <i>Journal of Urology</i> , <b>2015</b> , 194, 842-7	2.5	9
110	Low Energy Shock Wave Therapy Inhibits Inflammatory Molecules and Suppresses Prostatic Pain and Hypersensitivity in a Capsaicin Induced Prostatitis Model in Rats. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	8
109	Pharmacological management of interstitial cystitis /bladder pain syndrome and the role cyclosporine and other immunomodulating drugs play. <i>Expert Review of Clinical Pharmacology</i> , <b>2018</b> , 11, 495-505	3.8	8
108	Intravesical liposome and antisense treatment for detrusor overactivity and interstitial cystitis/painful bladder syndrome. <i>ISRN Pharmacology</i> , <b>2014</b> , 2014, 601653		8
107	Promise of Urinary Nerve Growth Factor for Assessment of Overactive Bladder Syndrome. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2011</b> , 3, 2-9	1.9	8
106	Presence of Cleaved Synaptosomal-Associated Protein-25 and Decrease of Purinergic Receptors P2X3 in the Bladder Urothelium Influence Efficacy of Botulinum Toxin Treatment for Overactive Bladder Syndrome. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134803	3.7	8
105	Cerebral Vascular Accident, Parkinson Disease and Other Supra Spinal Neurologic Disorders	152-165	8
104	Pharmacologic and Molecular Characterization of Underactive Bladder Induced by Lumbar Canal Stenosis. <i>Urology</i> , <b>2015</b> , 85, 1284-90	1.6	7
103	Use of botulinum toxin for genitourinary conditions: What is the evidence?. <i>Toxicon</i> , <b>2015</b> , 107, 141-7	2.8	7
102	New technology assessment and current and upcoming therapies for underactive bladder. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 2932-2937	2.3	7
101	Transabdominal Ultrasound Measurement of Detrusor Wall Thickness in Patients with Overactive Bladder. <i>Tzu Chi Medical Journal</i> , <b>2009</b> , 21, 129-135	1.1	7
100	Should we be using chili pepper extracts to treat the overactive bladder?. <i>Journal of Urology</i> , <b>1997</b> , 158, 2097	2.5	7

99	Gracilis muscle transposition with electrical stimulation for sphincteric incontinence: a new approach. <i>World Journal of Urology</i> , <b>1997</b> , 15, 320-8	4	7
98	Underactive Bladder; Review of Progress and Impact From the International CURE-UAB Initiative. <i>International Neurourology Journal</i> , <b>2020</b> , 24, 3-11	2.6	7
97	Urodynamic and molecular characteristics of detrusor underactivity in a rat cryoinjury model and effects of low energy shock wave therapy. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 708-715	2.3	7
96	Risk of Urinary Tract Carcinoma among Subjects with Bladder Pain Syndrome/Interstitial Cystitis: A Nationwide Population-Based Study. <i>BioMed Research International</i> , <b>2018</b> , 2018, 7495081	3	6
95	Gracilis urethromyoplasty--an autologous urinary sphincter for neurologically impaired patients with stress incontinence. <i>Spinal Cord</i> , <b>1997</b> , 35, 546-9	2.7	6
94	Proteomic investigation on chronic bladder irritation in the rat. <i>Urology</i> , <b>2008</b> , 71, 536-40	1.6	6
93	Radiation cystitis modeling: A comparative study of bladder fibrosis radio-sensitivity in C57BL/6, C3H, and BALB/c mice. <i>Physiological Reports</i> , <b>2020</b> , 8, e14377	2.6	5
92	Optimum Management of Overactive Bladder: Medication vs Botox □ vs InterStim □ vs Urgent □ PC. <i>Urology Practice</i> , <b>2014</b> , 1, 7-12	0.8	5
91	Genitourinary tract patent update. <i>Expert Opinion on Therapeutic Patents</i> , <b>2001</b> , 11, 17-31	6.8	5
90	Intravesical liposome drug delivery and IC/BPS. <i>Translational Andrology and Urology</i> , <b>2015</b> , 4, 572-8	2.3	5
89	Patient-reported goal achievement following onabotulinumtoxinA treatment in patients with neurogenic detrusor overactivity. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 595-600	2.3	5
88	Correlation between lumbar skeletal muscle size and urinary incontinence after radical prostatectomy. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2020</b> , 12, 245-252	1.9	4
87	Crowdsourcing Disease Biomarker Discovery Research: The IP4IC Study. <i>Journal of Urology</i> , <b>2018</b> , 199, 1344-1350	2.5	4
86	Defining and advancing education and conservative therapies of underactive bladder. <i>International Urology and Nephrology</i> , <b>2014</b> , 46 Suppl 1, S29-34	2.3	4
85	OnobotulinumtoxinA Has No Effects on Growth of LNCaP and PC3 Human Prostate Cancer Cells. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2013</b> , 5, 168-72	1.9	4
84	Botulinum Toxin in Urology <b>2011</b> ,		4
83	Reverse Transcription-Loop-mediated Isothermal Amplification (RT-LAMP) Assay for Zika Virus and Housekeeping Genes in Urine, Serum, and Mosquito Samples. <i>Journal of Visualized Experiments</i> , <b>2018</b> ,	1.6	4
82	OnabotulinumtoxinA for Overactive Bladder and Urinary Incontinence. <i>Journal of Urology</i> , <b>2017</b> , 197, S224-S225	2.5	3

81	Long-term functional change of cryoinjury-induced detrusor underactivity and effects of extracorporeal shock wave therapy in a rat model. <i>International Urology and Nephrology</i> , <b>2019</b> , 51, 617-626	2.3	3
80	Anandamide transporter-mediated regulation of the micturition reflex in urethane-anesthetized rats. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1407-12	2.3	3
79	Altered Angiogenic Growth Factors in Urine of Prostate Cancer Survivors With Radiation History and Radiation Cystitis. <i>Urology</i> , <b>2018</b> , 120, 180-186	1.6	3
78	In-vivo whole bladder response to anticholinergic and muscolotropic agents in spinal cord injured rats. <i>Journal of Spinal Cord Medicine</i> , <b>1997</b> , 20, 31-5	1.9	3
77	Prostate cancer survivors with symptoms of radiation cystitis have elevated fibrotic and vascular proteins in urine. <i>PLoS ONE</i> , <b>2020</b> , 15, e0241388	3.7	3
76	Is behavioral therapy plus antimuscarinic better than drug alone to treat overactive bladder?. <i>Reviews in Urology</i> , <b>2008</b> , 10, 306-8	1	3
75	Micturition defects and altered bladder function in the mutant mouse model of aging. <i>American Journal of Clinical and Experimental Urology</i> , <b>2020</b> , 8, 81-92	1.6	3
74	Botulinum Toxin Urethral Sphincter Injection to Restore Bladder Emptying in a Woman With Multiple Sclerosis. <i>International Journal of MS Care</i> , <b>2002</b> , 4, 70-72	2.3	3
73	Age-related changes in bladder function with altered angiotensin II receptor mechanisms in rats. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 908-913	2.3	3
72	Cystometric Changes in Pressure-guided Acute Distension Rat Model of the Underactive Bladder. <i>Tzu Chi Medical Journal</i> , <b>2009</b> , 21, 136-139	1.1	2
71	Role of Sarco/Endoplasmic Reticulum Calcium ATPase in Lower Urinary Tract Smooth Muscles. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S50-S52	1.9	2
70	Bladder Instillation of Liposomes for Bladder Coating and Drug Delivery Platform. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S90-S93	1.9	2
69	A PILOT STUDY OF AAV1/SERCA2a GENE TRANSFER IN THE RAT STRESS URINARY INCONTINENCE MODEL. <i>Journal of Urology</i> , <b>2008</b> , 179, 534-535	2.5	2
68	Long COVID and COVID-19-associated cystitis (CAC). <i>International Urology and Nephrology</i> , <b>2021</b> , 54, 17	2.3	2
67	Improves symptoms and urinary biomarkers in refractory interstitial cystitis/bladder pain syndrome patients randomized to extracorporeal shock wave therapy versus placebo. <i>Scientific Reports</i> , <b>2021</b> , 11, 7558	4.9	2
66	Low Energy Shock Wave Therapy Attenuates Mitochondrial Dysfunction and Improves Bladder Function in HCl induced Cystitis in Rats. <i>Biomedical Journal</i> , <b>2021</b> ,	7.1	2
65	Translation, cross-cultural adaptation and validation of the underactive bladder questionnaire to portuguese. <i>International Urology and Nephrology</i> , <b>2019</b> , 51, 1329-1334	2.3	1
64	Clinical Efficacy and Tolerability of the Nicotinic Channel Modulator Dexmecamylamine in Subjects with Overactive Bladder. <i>Journal of Urology</i> , <b>2015</b> , 194, 1329-35	2.5	1

63	Proteomic analysis of bladder biopsies from interstitial cystitis/bladder pain syndrome patients with and without Hunner's lesions reveals differences in expression of inflammatory and structural proteins. <i>BMC Urology</i> , <b>2020</b> , 20, 180	2.2	1
62	Pathophysiology and Animal Modeling of Underactive Bladder <b>2016</b> , 51-68		1
61	Update in the Use of Botulinum Toxin for the Treatment of Benign Prostatic Hyperplasia/ Lower Urinary Tract Symptoms. <i>Current Bladder Dysfunction Reports</i> , <b>2013</b> , 8, 174-179	0.4	1
60	Statin-Associated Underactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2014</b> , 6, 124-5	1.9	1
59	Bladder Botulinum Toxin. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S22-S25	1.9	1
58	Lower Urinary Tract: Diabetes Mellitus-focused on Recent Experimental Results. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S87-S89	1.9	1
57	Neurotoxin Versus Neuromodulation for the Treatment of Refractory Overactive Bladder Syndrome. <i>Tzu Chi Medical Journal</i> , <b>2008</b> , 20, 109-111	1.1	1
56	Discussion: resiniferatoxin-preliminary data. <i>BJU International</i> , <b>2000</b> , 55, 65; discussion 66	5.6	1
55	Normal Micturition11-21		1
54	Stress Incontinence in Women184-196		1
53	Current Drug Therapy for Underactive Bladder <b>2016</b> , 83-93		1
52	Predictors of Poor Response and Adverse Events Following Botulinum Toxin A for Refractory Idiopathic Overactive Bladder: A Systematic Review. <i>European Urology Focus</i> , <b>2021</b> , 7, 1448-1467	5.1	1
51	Improved global response outcome after intradetrusor injection of adult muscle-derived cells for the treatment of underactive bladder. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 1331-1338	2.3	1
50	Reply to the letter: Urine based molecular diagnosis of Zika virus by Viroj Wiwanitkit. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 2025	2.3	1
49	Use of Botulinum Toxin in the Genitourinary System. <i>Handbook of Experimental Pharmacology</i> , <b>2021</b> , 263, 171-184	3.2	1
48	Leak Point Pressure46-55		1
47	Urinary Incontinence and Alzheimer's Disease: Insights From Patients and Preclinical Models.. <i>Frontiers in Aging Neuroscience</i> , <b>2021</b> , 13, 777819	5.3	1
46	Urodynamics Evaluation of Underactive Bladder <b>2016</b> , 25-50		0

45	Epidemiology and Demographics of Underactive Bladder <b>2016</b> , 1-11	0
44	Voiding defects in acute radiation cystitis driven by urothelial barrier defect through loss of E-cadherin, ZO-1 and Uroplakin III. <i>Scientific Reports</i> , <b>2021</b> , 11, 19277	4.9 0
43	Editorial Comment. <i>Journal of Urology</i> , <b>2017</b> , 197, 1495	2.5
42	Spinal glycine transporter-1 inhibition influences the micturition reflex in urethane-anesthetized rats. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 349-54	2.3
41	Neurotoxin Use for Voiding Dysfunction. <i>Current Bladder Dysfunction Reports</i> , <b>2011</b> , 6, 182-189	0.4
40	Novel Biomarkers for Diagnosis and Therapeutic Assessment of Overactive Bladder: Urinary Nerve Growth Factor and Detrusor Wall Thickness. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S59-S61	1.9
39	Muscle-derived Stem Cell Therapy for Stress Urinary Incontinence. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S62-S65	1.9
38	Noninvasive Videourodynamics Using Transperineal Doppler Ultrasonography. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S80-S83	1.9
37	Biomechanics of Diabetic Bladders. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S94-S97	1.9
36	Gene Therapy for Neurogenic Erectile Dysfunction. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2009</b> , 1, S44-S47.	1.9
35	Botulinum: A toxin for the treatment of benign prostatic hyperplasia/lower urinary tract symptoms. <i>Current Prostate Reports</i> , <b>2006</b> , 4, 75-80	
34	Uroflowmetry 37-45	
33	Pittsburgh experience with lower urinary tract botulinum toxin A injection. <i>Current Urology Reports</i> , <b>2005</b> , 6, 235-6	2.9
32	Using social media to crowdsource collection of urine samples during a national pandemic.. <i>International Urology and Nephrology</i> , <b>2022</b> , 54, 493	2.3
31	Diagnosis of incontinence. <i>Reviews in Urology</i> , <b>2008</b> , 10, 242-3	1
30	Best of the 2015 AUA Annual Meeting: Highlights From the 2015 American Urological Association Annual Meeting, May 15-19, 2015, New Orleans, LA. <i>Reviews in Urology</i> , <b>2015</b> , 17, 179-89	1
29	Urologic Applications of Botulium Toxin. <i>Journal of the Korean Continence Society</i> , <b>2002</b> , 6, 22	
28	New Frontiers in the Treatment of Overactive Bladder. <i>Journal of the Korean Continence Society</i> , <b>2003</b> , 7, 1	



- 9 Spinal Cord Injury, Multiple Sclerosis, and Diabetes Mellitus166-183
- 8 Genital Prolapse197-211
- 7 Sphincteric Incontinence in Men and Other Complications of Prostate Cancer Treatment212-226
- 6 Enterocystoplasty and Neobladder227-234
- 5 Cystometry22-36
- 4 Low Bladder Compliance56-61
- 3 Videourodynamics62-68
- 2 Pitfalls in Interpretation of Urodynamic Studies69-82
- 1 Overactive Bladder83-95