

# Jose A Cuesta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2146635/publications.pdf>

Version: 2024-02-01

140  
papers

2,977  
citations

201674

27  
h-index

233421

45  
g-index

143  
all docs

143  
docs citations

143  
times ranked

2570  
citing authors

#	ARTICLE	IF	CITATIONS
1	Redescription of the hermit crab <i>Diogenes pugilator</i> (Decapoda: Anomura) reveals the existence of a species complex in the Atlanto-Mediterranean transition zone, resulting in the resurrection of <i>D. curvimanus</i> and the description of a new species. <i>Zoological Journal of the Linnean Society</i> , 2022, 195, 1116-1146.	2.3	2
2	Isotopic niche provides an insight into the ecology of a symbiont during its geographic expansion. <i>Environmental Epigenetics</i> , 2022, 68, 185-197.	1.8	6
3	Beyond Dunbar circles: a continuous description of social relationships and resource allocation. <i>Scientific Reports</i> , 2022, 12, 2287.	3.3	10
4	Population structure of the stone crab <i>Xantho poressa</i> (Olivii, 1792) in a human-restricted access area. <i>Regional Studies in Marine Science</i> , 2022, 53, 102375.	0.7	0
5	Two new hermit crab species of <i>Diogenes</i> (Crustacea: Decapoda: Diogenidae) from Atlanto-€Mediterranean coasts of Iberian Peninsula: Poleward migrants or merely overlooked indigenous species?. <i>Ecology and Evolution</i> , 2022, 12, .	1.9	1
6	A new cryptic species of <i>Inachus</i> (Decapoda: Brachyura: Inachidae) from European waters and an updated identification key to the species of <i>Inachus</i> with two protogastric tubercles. <i>Journal of Crustacean Biology</i> , 2022, 42, .	0.8	1
7	Evolution of social relationships between first-year students at middle school: from cliques to circles. <i>Scientific Reports</i> , 2021, 11, 11694.	3.3	6
8	Temperature effects on the early ontogenetic stages of the intertidal stone crab <i>Xantho poressa</i> (Olivii, 1792). <i>Journal of Experimental Marine Biology and Ecology</i> , 2021, 541, 151567.	1.5	2
9	From genotypes to organisms: State-of-the-art and perspectives of a cornerstone in evolutionary dynamics. <i>Physics of Life Reviews</i> , 2021, 38, 55-106.	2.8	49
10	DNA barcoding allows identification of undescribed crab megalopas from the open sea. <i>Scientific Reports</i> , 2021, 11, 20573.	3.3	6
11	Annotated and updated checklist of marine crabs (Decapoda: Brachyura) of Mozambique supported by morphological and molecular data from shelf and slope species of the ´MOZAMBIQUE• surveys. <i>Zootaxa</i> , 2021, 5056, 1-67.	0.5	1
12	The prevalence of the pea crab <i>Afropinnotheres monodi</i> in mussels depending on the degree of habitat exposure: Implications for mussel culture. <i>Aquaculture</i> , 2020, 520, 734772.	3.5	5
13	Hierarchical clustering of bipartite data sets based on the statistical significance of coincidences. <i>Physical Review E</i> , 2020, 102, 042304.	2.1	0
14	The turning point and end of an expanding epidemic cannot be precisely forecast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 26190-26196.	7.1	117
15	Populations of genetic circuits are unable to find the fittest solution in a multilevel genotype-phenotype map. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20190843.	3.4	17
16	Accelerated invasion of decapod crustaceans in the southernmost point of the Atlantic coast of Europe: A non-natives™ hot spot?. <i>Biological Invasions</i> , 2020, 22, 3487-3492.	2.4	17
17	Revision of the West African species of <i>Scyllarus</i> Fabricius, 1775 (Decapoda: Achelata: Scyllaridae), with the description of three phyllosoma stages of <i>S. caparti</i> Holthuis, 1952 and an updated identification key. <i>Journal of Crustacean Biology</i> , 2020, 40, 412-424.	0.8	4
18	Epistasis between cultural traits causes paradigm shifts in cultural evolution. <i>Royal Society Open Science</i> , 2020, 7, 191813.	2.4	3

#	ARTICLE	IF	CITATIONS
19	Temperature effect on the African pea crab <i>Afropinnotheres monodi</i> : Embryonic and larval developments, fecundity and adult survival. <i>Journal of Experimental Marine Biology and Ecology</i> , 2020, 527, 151380.	1.5	6
20	Larval development of <i>Petrolisthes tuberculatus</i> (GuÃ©rin, 1835) (Decapoda, Anomura, Porcellanidae) reared in laboratory. <i>Zootaxa</i> , 2019, 4623, 364-380.	0.5	0
21	Parsimonious Scenario for the Emergence of Viroid-Like Replicons De Novo. <i>Viruses</i> , 2019, 11, 425.	3.3	12
22	Species delimitation and multi-locus species tree solve an old taxonomic problem for European squat lobsters of the genus <i>Munida</i> Leach, 1820. <i>Marine Biodiversity</i> , 2019, 49, 1751-1773.	1.0	16
23	Larval development of the brush-clawed shore crab <i>&lt; i&gt;Hemigrapsus takanoi&lt;/i&gt;</i> Asakura & Watanabe, 2005 (Decapoda, Brachyura, Varunidae). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1153-1164.	0.8	7
24	A new species of pea crab from south-western Europe (Crustacea, Decapoda, Brachyura): species description, geographic distribution and population structure with an identification key to European Pinnotheridae. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1141-1152.	0.8	4
25	Morphodynamic Study of a 2018 Mass-Stranding Event at Punta Umbria Beach (Spain): Effect of Atlantic Storm Emma on Benthic Marine Organisms. <i>Journal of Marine Science and Engineering</i> , 2019, 7, 344.	2.6	2
26	Morphology of planktonic zoeal stages of <i>Palicus caronii</i> (Decapoda, Brachyura), identified by DNA barcoding, provides novelties to Palicoidea larval systematics. <i>Scientific Reports</i> , 2019, 9, 19132.	3.3	1
27	Large scale and information effects on cooperation in public good games. <i>Scientific Reports</i> , 2019, 9, 15023.	3.3	9
28	European Pinnotheridae (Crustacea, Decapoda, Brachyura): species, distribution, host use and DNA barcodes. <i>Marine Biodiversity</i> , 2019, 49, 57-68.	1.0	15
29	The prevalence and effects of the African pea crab <i>Afropinnotheres monodi</i> on the condition of the mussel <i>Mytilus galloprovincialis</i> and the cockle <i>Cerastoderma edule</i> . <i>Aquaculture</i> , 2018, 491, 1-9.	3.5	9
30	Adding levels of complexity enhances robustness and evolvability in a multilevel genotypeâ€“phenotype map. <i>Journal of the Royal Society Interface</i> , 2018, 15, 20170516.	3.4	19
31	Large-scale ocean connectivity and planktonic body size. <i>Nature Communications</i> , 2018, 9, 142.	12.8	102
32	Larval morphology and DNA barcodes as valuable tools in early detection of marine invaders: a new pea crab found in European waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1675-1683.	0.8	9
33	Sheldon spectrum and the plankton paradox: two sides of the same coinâ€”a trait-based plankton size-spectrum model. <i>Journal of Mathematical Biology</i> , 2018, 76, 67-96.	1.9	13
34	Macroinvertebrate communities on rocky shores: Impact due to human visitors. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 211, 127-136.	2.1	15
35	Statistical theory of phenotype abundance distributions: A test through exact enumeration of genotype spaces. <i>Europhysics Letters</i> , 2018, 123, 28001.	2.0	24
36	The first zoeal stage morphology of <i>Achelous spinimanus</i> (Latrelle), <i>A. gibbesii</i> (Stimpson), and <i>Portunus sayi</i> (Gibbes) (Decapoda, Brachyura) provides support for molecular phylogeny. <i>Zootaxa</i> , 2018, 4378, 71.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Cognitive resource allocation determines the organization of personal networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 8316-8321.	7.1	37
38	On the networked architecture of genotype spaces and its critical effects on molecular evolution. <i>Open Biology</i> , 2018, 8, .	3.6	41
39	Updating changes in the Iberian decapod crustacean fauna (excluding crabs) after 50 years. <i>Scientia Marina</i> , 2018, 82, 207.	0.6	7
40	Enumerating secondary structures and structural moieties for circular RNAs. <i>Journal of Theoretical Biology</i> , 2017, 419, 375-382.	1.7	19
41	Distribution of genotype network sizes in sequence-to-structure genotypeâ€“phenotype maps. <i>Journal of the Royal Society Interface</i> , 2017, 14, 20160976.	3.4	30
42	Larval stages of the crab <i>Mithrax tortugae</i> (Brachyura: Mithracidae) with comparisons between all species of <i>Mithrax</i> . <i>Marine Biology Research</i> , 2017, 13, 1108-1117.	0.7	6
43	Disentangling the effects of selection and loss bias on gene dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E5616-E5624.	7.1	44
44	Adaptive multiscapes: an up-to-date metaphor to visualize molecular adaptation. <i>Biology Direct</i> , 2017, 12, 7.	4.6	22
45	Possible amphi-Atlantic dispersal of <i>Scyllarus</i> lobsters (Crustacea: Scyllaridae): molecular and larval evidence. <i>Zootaxa</i> , 2017, 4306, .	0.5	10
46	Experimental predatory behavior of the stone crab <i>Eriphia verrucosa</i> (ForskÃ¥l, 1775) (Decapoda,) Tj ETQq0 0 0 rgBT 0.3 /Overlock 10 Tf 50		
47	Identification of a non-native &lt;em&gt;Cynoscion&lt;/em&gt; species (Perciformes: Sciaenidae) from the Gulf of Cádiz (southwestern Spain) and data on its current status. <i>Scientia Marina</i> , 2017, 81, 19.	0.6	10
48	Northernmost record of the pantropical portunid crab &lt;em&gt; <i>Cronius ruber</i> &lt;/em&gt; in the eastern Atlantic (Canary Islands): natural range extension or human-mediated introduction?. <i>Scientia Marina</i> , 2017, 81, 81.	0.6	16
49	Null alleles are ubiquitous at microsatellite loci in the Wedge Clam (<i>Donax trunculus</i>). <i>PeerJ</i> , 2017, 5, e3188.	2.0	35
50	Implications for management and conservation of the population genetic structure of the wedge clam <i>Donax trunculus</i> across two biogeographic boundaries. <i>Scientific Reports</i> , 2016, 6, 39152.	3.3	27
51	Fair linking mechanisms for resource allocation with correlated player types. <i>Computing (Vienna/New)</i> Tj ETQq1 1 0.784314 rgBT 4.8 /Overlock 10 Tf 50 142 Td		
52	Molecular evidence for non-monophyly of the pinnotheroid crabs (Crustacea : Brachyura :) Tj ETQq0 0 0 rgBT 1.3 /Overlock 10 Tf 50 142 Td		
53	Larval development of the pea crab<i>Afropinnotheres monodi</i> Manning, 1993 (Decapoda,) Tj ETQq1 1 0.784314 rgBT 0.7 /Overlock 10 Marine Biology Research, 2016, 12, 43-55.		
54	Role of shipsâ€™ hull fouling and tropicalization process on European carcinofauna: new records in Galician waters (NW Spain). <i>Biological Invasions</i> , 2016, 18, 619-630.	2.4	22

#	ARTICLE	IF	CITATIONS
55	Sex- and size-related differences in shell use by the intertidal hermit crab <i>Clibanarius erythropus</i> (Latreille, 1818) (Decapoda: Diogenidae) in the Gulf of Cádiz, southwestern Spain. <i>Journal of Crustacean Biology</i> , 2016, 36, 23-32.	0.8	4
56	A salt bath will keep you going? Euryhalinity tests and genetic structure of caridean shrimps from Iberian rivers. <i>Science of the Total Environment</i> , 2016, 540, 11-19.	8.0	6
57	Sunbathing will make you lighter. New behaviour observed in an intertidal hermit crab. <i>Crustaceana</i> , 2015, 88, 931-937.	0.3	4
58	General approach for dealing with dynamical systems with spatiotemporal periodicities. <i>Physical Review E</i> , 2015, 91, 022905.	2.1	10
59	Reputation drives cooperative behaviour and network formation in human groups. <i>Scientific Reports</i> , 2015, 5, 7843.	3.3	108
60	First record of the blue crab <i>Callinectes exasperatus</i> (Decapoda, Brachyura, Portunidae) for European waters. <i>Marine Biodiversity Records</i> , 2015, 8, .	1.2	4
61	&lt;p&gt;&lt;strong&gt;Morphological and morphometric comparison of the first zoeal stage of the mangrove crabs of the genus &lt;em&gt; <i>Aratus</i> &lt;/em&gt; H. Milne Edwards, 1853Â(Decapoda:) Tj ETQq1 1 0.784614 rgBT /Overlock 1		
62	Larval morphology of the family Parthenopidae, with the description of the megalopa stage of <i>Derilambrus angulifrons</i> (Latreille, 1825) (Decapoda: Brachyura), identified by DNA barcode. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 513-521.	0.8	4
63	The growth threshold conjecture: a theoretical framework for understanding T-cell tolerance. <i>Royal Society Open Science</i> , 2015, 2, 150016.	2.4	22
64	Freshwater scarcity effects on the aquatic macrofauna of a European Mediterranean-climate estuary. <i>Science of the Total Environment</i> , 2015, 503-504, 213-221.	8.0	42
65	Evolution on neutral networks accelerates the ticking rate of the molecular clock. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20141010.	3.4	23
66	Annotated checklist of brachyuran crabs (Crustacea: Decapoda) of the Iberian Peninsula (SW Europe). <i>Scientia Marina</i> , 2015, 79, 243-256.	0.6	23
67	Taxonomic study of the <i>Pagurus forbesii</i> "complex" (Crustacea: Decapoda: Paguridae). Description of <i>Pagurus pseudosculptimanus</i> sp. nov. from Alborán Sea (Southern Spain, Western Mediterranean Sea). <i>Zootaxa</i> , 2014, 3753, 25-46.	0.5	6
68	<strong>Cryptic speciation of Greek populations of the freshwater shrimp genus <em>Atyaephyra</em> de Brito Capello, 1867 (Crustacea, Decapoda), evidence from mitochondrial DNA</strong>. <i>Zootaxa</i> , 2014, 3790, 401.	0.5	12
69	Morphology of the first zoeal stages of five species of the portunid genus <i>Callinectes</i> (Decapoda,) Tj ETQq1 1 0.784314 rgBT /Overlock	0.8	
70	Spreading of intolerance under economic stress: Results from a reputation-based model. <i>Physical Review E</i> , 2014, 90, 022805.	2.1	8
71	Morphology of the megalopa of the mud crab, <i>Rhithropanopeus harrisii</i> (Gould, 1841) (Decapoda,) Tj ETQq1 1 0.784314 rgBT /Overlock	1.3	
72	toyLIFE: a computational framework to study the multi-level organisation of the genotype-phenotype map. <i>Scientific Reports</i> , 2014, 4, 7549.	3.3	22

#	ARTICLE	IF	CITATIONS
73	A comparative analysis of spatial Prisoner's Dilemma experiments: Conditional cooperation and payoff irrelevance. <i>Scientific Reports</i> , 2014, 4, 4615.	3.3	93
74	Host use pattern of the pea crab <i>Afropinnotheres monodi</i> : potential effects on its reproductive success and geographical expansion. <i>Marine Ecology - Progress Series</i> , 2014, 498, 203-215.	1.9	16
75	Time-Shift Invariance Determines the Functional Shape of the Current in Dissipative Rocking Ratchets. <i>Physical Review X</i> , 2013, 3, .	8.9	13
76	The systematic position of <i>&lt; i&gt;Ergasticus&lt;/i&gt;</i> (Decapoda, Brachyura) and allied genera, a molecular and morphological approach. <i>Zoologica Scripta</i> , 2013, 42, 427-439.	1.7	24
77	Two cases of pseudohermaphroditism in loggerhead sea turtles <i>Caretta caretta</i> . <i>Diseases of Aquatic Organisms</i> , 2013, 105, 183-191.	1.0	6
78	Evolutionary stability and resistance to cheating in an indirect reciprocity model based on reputation. <i>Physical Review E</i> , 2013, 87, 052810.	2.1	33
79	Comment on "Ratchet universality in the presence of thermal noise". <i>Physical Review E</i> , 2013, 88, 066101.	2.1	2
80	The bioenergetic fuel for non-feeding larval development in an endemic palaemonid shrimp from the Iberian Peninsula, <i>&lt; i&gt;Palaemonetes zariqueyi&lt;/i&gt;</i> . <i>Marine and Freshwater Behaviour and Physiology</i> , 2013, 46, 381-397.	0.9	8
81	Gender Differences in Cooperation: Experimental Evidence on High School Students. <i>PLoS ONE</i> , 2013, 8, e83700.	2.5	48
82	Morphology of the larval stages of a Mediterranean population of the allochthonous Sayâ€™s mud crab, <i>&amp;lt;i&amp;gt;Dyspanopeus sayi&amp;lt;/i&amp;gt;</i> (Decapoda: Brachyura: Panopeidae). <i>Scientia Marina</i> , 2013, 77, 341-352.	0.6	6
83	Molecular phylogeny of the genera <i>Palaemon</i> and <i>Palaemonetes</i> (Decapoda, Caridea, Palaemonidae) from a European perspective. <i>Crustaceana</i> , 2012, 85, 877-888.	0.3	16
84	Nekton response to freshwater inputs in a temperate European Estuary with regulated riverine inflow. <i>Science of the Total Environment</i> , 2012, 440, 261-271.	8.0	22
85	Morphology of the second zoeal stage of <i>Grapsus adscensionis</i> (Osbeck, 1765) (Crustacea, Decapoda, Tj ETQql 1 0.784314 rgBT /Overlock		
86	The symbiotic hesionid Parasyllidea humesi Pettibone, 1961 (Annelida: Polychaeta) hosted by <i>Scrobicularia plana</i> (da Costa, 1778) (Mollusca: Bivalvia: Semelidae) in European waters. <i>Organisms Diversity and Evolution</i> , 2012, 12, 145-153.	1.6	8
87	Morphology of the larval stages of <i>Macropodia czernjawskae</i> (Brandt, 1880) (Decapoda, Brachyura, Tj ETQql 1 0.784314 rgBT /Overlock		
88	On the Occurrence of <i>Afropinnotheres monodi</i> Manning, 1993 (Decapoda: Pinnotheridae) in European Waters. <i>Journal of Crustacean Biology</i> , 2011, 31, 367-369.	0.8	21
89	Morphology of larval and first juvenile stages of the kangaroo shrimp <i>Dugastella valentina</i> (Crustacea, Decapoda, Caridea), a freshwater atyid with abbreviated development and parental care. <i>Zootaxa</i> , 2011, 2867, 43.	0.5	13
90	Morphology and growth of the larval stages of <i>Geograpsus lividus</i> (Crustacea, Brachyura), with the descriptions of new larval characters for the Grapsidae and an undescribed setation pattern in extended developments. <i>Acta Zoologica</i> , 2011, 92, 225-240.	0.8	17

#	ARTICLE	IF	CITATIONS
91	Extended Parental Care in the Freshwater Shrimp Genus <i>Dugastella</i> Bouvier, 1912 (Decapoda, Atyidae,) Tj ETQq1 1 0.3 784314 rgBT /Overlock 10 Tf 50 67 Td	0.3	8
92	Morphology of the first zoeal stage of the commensal southwestern Atlantic crab <i>Austinixa aidae</i> (Righi 1967) (Brachyura: Pinnotheridae), hatched in the laboratory. Helgoland Marine Research, 2010, 64, 343-348.	1.3	9
93	Assessment of the interaction between the white shrimp, <i>Palaemon longirostris</i> , and the exotic oriental shrimp, <i>Palaemon macrodactylus</i> , in a European estuary (SW Spain). Biological Invasions, 2010, 12, 1731-1745.	2.4	47
94	The impact of extreme turbidity events on the nursery function of a temperate European estuary with regulated freshwater inflow. Estuarine, Coastal and Shelf Science, 2010, 87, 311-324.	2.1	55
95	Marine biogeographic boundaries and human introduction along the European coast revealed by phylogeography of the prawn <i>Palaemon elegans</i> . Molecular Phylogenetics and Evolution, 2010, 55, 765-775.	2.7	67
96	Revision of the larval morphology (Zoea I) of the family Hippolytidae (Decapoda, Caridea), with a description of the first stage of the shrimp <i>Hippolyte obliquimanus</i> Dana, 1852. Zootaxa, 2010, 2624, .	0.5	12
97	Population structure and reproductive biology of the stone crab <i>Xantho poressa</i> (Crustacea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td fishing area. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 323-334.	0.8	15
98	Establishment of a new subfamily for <i>Shenius anomalus</i> (Shen, 1935) (Crustacea: Decapoda: Brachyura:) Tj ETQq0 0 0.5 rgBT /Overlock 10 Tf 50 67 Td	0.5	8
99	The effect of salinity on larval development of &lt;em&gt;Uca tangeri&lt;/em&gt; (Eydoux, 1835) (Brachyura: Ocypodidae) and new findings of the zoeal morphology. Scientia Marina, 2009, 73, 297-305.	0.6	32
100	The Complete Larval Development of Johngarthia Planatus (Brachyura: Grapoidea: Gecarcinidae) Described from Laboratory Reared Material, with Notes on the Affinity of Gecarcinus and Johngarthia. Journal of Crustacean Biology, 2007, 27, 263-277.	0.8	19
101	Complete Larval Development of Two Species of the Asian Crab Genus <i>Pseudosesarma</i> (Brachyura:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td	0.8	5
102	First report of the oriental shrimp <i>Palaemon macrodactylus</i> Rathbun, 1902 (Decapoda, Caridea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td	1.3	30
103	Morphology of the first zoeal stages of eleven Sesarmidae (Crustacea, Brachyura, Thoracotremata) from the Indo-West Pacific, with a summary of familial larval characters. Invertebrate Reproduction and Development, 2006, 49, 151-173.	0.8	12
104	Field distribution and osmoregulatory capacity of shrimps in a temperate European estuary (SW Spain). Estuarine, Coastal and Shelf Science, 2006, 67, 293-302.	2.1	65
105	Larval morphology of the sesarmid crab, <i>Aratus pisonii</i> (H. Milne Edwards, 1837) (Decapoda, Brachyura,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td	0.3	17
106	A new rare case of parental care in decapods. Crustaceana, 2006, 79, 1401-1405.	0.3	10
107	An illustrated key to species of <i>Palaemon</i> and <i>Palaemonetes</i> (Crustacea: Decapoda: Caridea) from European waters, including the alien species <i>Palaemon macrodactylus</i> . Journal of the Marine Biological Association of the United Kingdom, 2006, 86, 93-102.	0.8	78
108	Larval development of the eastern Pacific anomuran crab <i>Petrolisthes robsonae</i> (Crustacea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td Biological Association of the United Kingdom, 2005, 85, 339-349.	0.8	8

#	ARTICLE	IF	CITATIONS
109	The complete larval development of <i>Pilumnus limosus</i> (Crustacea: Decapoda: Brachyura: Pilumnidae) described from laboratory reared material. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 865-876.	0.8	2
110	Larval Morphology and Salinity Tolerance of a Land Crab from West Africa, <i>Cardisoma Armatum</i> (Brachyura: Grapoidea: Gecarcinidae). <i>Journal of Crustacean Biology</i> , 2005, 25, 640-654.	0.8	28
111	Abbreviated Larval Development of the Pea Crab <i>Orthotheres Barbatus</i> (Decapoda: Brachyura:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Pinnotherinae. <i>Journal of Crustacean Biology</i> , 2005, 25, 500-506.	0.8	13
112	The effect of estuarine fisheries on juvenile fish observed within the Guadalquivir Estuary (SW Spain). <i>Fisheries Research</i> , 2005, 76, 229-242.	1.7	24
113	Effect of the regulation of freshwater inflow on the physical-chemical characteristics of water and on the aquatic macrofauna in the Guadalquivir estuary. <i>Ciencias Marinas</i> , 2005, 31, 467-476.	0.4	21
114	Abbreviated larval development of &lt;i&gt; <i>Tunicotheres moseri</i> &lt;/i&gt; (Rathbun, 1918) (Decapoda,) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.6	24
115	First zoeal stages of <i>Epigrapsus politus</i> Heller, <i>E. notatus</i> (Heller) and <i>Gecarcoidea lalandii</i> H. Milne-Edwards, with remarks on zoeal morphology of the Gecarcinidae Macleay (Crustacea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.6	24
116	Glyptograpsidae, a New Brachyuran Family from Central America: Larval and Adult Morphology, and a Molecular Phylogeny of the Grapoidea. <i>Journal of Crustacean Biology</i> , 2002, 22, 28-44.	0.8	99
117	GLYPTOGRAPSIDAE, A NEW BRACHYURAN FAMILY FROM CENTRAL AMERICA: LARVAL AND ADULT MORPHOLOGY, AND A MOLECULAR PHYLOGENY OF THE GRAPSOIDEA. <i>Journal of Crustacean Biology</i> , 2002, 22, 28-44.	0.8	122
118	Spatial and temporal variation of the nekton and hyperbenthos from a temperate European estuary with regulated freshwater inflow. <i>Estuaries and Coasts</i> , 2002, 25, 451-468.	1.7	100
119	LARVAL MORPHOLOGY OF THE SESARMID CRAB ARMASES ANGUSTIPES DANA, 1852 (DECAPODA, BRACHYURA) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.8	14
120	Molecular phylogeny of the crab genus <i>Brachynotus</i> (Brachyura: Varunidae) based on the 16S rRNA gene. <i>Hydrobiologia</i> , 2001, 449, 41-46.	2.0	36
121	Larval Morphology of the Sesarmid Crab Armases Angustipes Dana, 1852 (Decapoda, Brachyura,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.8	19
122	RE-EXAMINATION OF THE ZOEAL MORPHOLOGY OF <i>CHASMAGNATHUS GRANULATUS</i> , <i>CYCLOGRAPSUS LAVAUXI</i> , <i>HEMIGRAPSUS SEXDENTATUS</i> , AND <i>H. CRENULATUS</i> CONFIRMS CONSISTENT CHAETOTAXY IN THE VARUNIDAE (DECAPODA, BRACHYURA). <i>Crustaceana</i> , 2001, 74, 895-912.	0.3	9
123	Molecular Phylogeny, Taxonomy, and Evolution of Nonmarine Lineages within the American Grapsoid Crabs (Crustacea: Brachyura). <i>Molecular Phylogenetics and Evolution</i> , 2000, 15, 179-190.	2.7	123
124	Title is missing!. <i>Hydrobiologia</i> , 2000, 436, 119-130.	2.0	27
125	Larval development of <i>Brachynotus sexdentatus</i> (Risso, 1827) (Decapoda, Brachyura) reared under laboratory conditions, with notes on larval characters of the Varunidae. <i>Invertebrate Reproduction and Development</i> , 2000, 38, 207-223.	0.8	14
126	SADURIELLA LOSADAI HOLTHUIS, 1964 (ISOPODA, VALVIFERA) IN THE GUADALQUIVIR ESTUARY (S.W. SPAIN). <i>Crustaceana</i> , 2000, 73, 1015-1017.	0.3	3

#	ARTICLE	IF	CITATIONS
127	Larval development of <i>Cyrtograpsus affinis</i> (Dana) (Decapoda, Brachyura, Varunidae) from Río de la Plata estuary, reared in the laboratory. <i>Scientia Marina</i> , 2000, 64, 29-47.	0.6	10
128	Abbreviated Development of Armases Miersii (Grapsidae: Sesarminae), a Crab That Breeds in Supralittoral Rock Pools. <i>Journal of Crustacean Biology</i> , 1999, 19, 26-41.	0.8	22
129	Initial effects of the toxic waste spill (Aznalcollar mine accident) on the aquatic macrofauna of the Guadalquivir Estuary. <i>Science of the Total Environment</i> , 1999, 242, 271-280.	8.0	17
130	First zoeal stages of <i>Geograpsus lividus</i> and <i>Goniopsis pulchra</i> from Panama confirm consistent larval characters for the subfamily Grapsinae (Crustacea: Brachyura: Grapsidae). <i>Ophelia</i> , 1999, 51, 163-176.	0.3	23
131	Morphological and molecular differentiation between three allopatric populations of the littoral crab <i>Pachygrapsus transversus</i> (Gibbes, 1850) (Brachyura: Grapsidae). <i>Journal of Natural History</i> , 1998, 32, 1499-1508.	0.5	22
132	First zoeal stages of four Sesarma species from Panama, with identification keys and remarks on the American Sesarminae (Crustacea: Brachyura: Grapsidae). <i>Journal of Plankton Research</i> , 1998, 20, 61-84.	1.8	38
133	The First Zœal Stage of Two Species of Grapsidae (Decapoda, Brachyura) and a Key To Such Larvae From the Brazilian Coast. <i>Crustaceana</i> , 1998, 71, 331-343.	0.3	27
134	First zoeal stages of <i>Grapsus adscensionis</i> (Osbeck) and <i>Planes minutus</i> (Linnaeus) (Brachyura: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Grapsinae. <i>Journal of Natural History</i> , 1997, 31, 887-900.	0.5	26
135	Larval development of <i>Brachynotus gemmellari</i> (Rizza, 1839) (Brachyura, Grapsidae) reared under laboratory conditions. <i>Journal of Plankton Research</i> , 1995, 17, 1143-1161.	1.8	10
136	Larval stages of <i>Brachynotus atlanticus</i> Forest, 1957 (Crustacea: Decapoda: Grapsidae) reared under laboratory conditions. <i>Journal of Plankton Research</i> , 1992, 14, 867-883.	1.8	15
137	Updating hosts and distribution range of the pea crab <i>Pinnotheres bicristatus</i> (Brachyura: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467		
138	Air-exposure behavior: a restricted or a common conduct among intertidal hermit crabs?. <i>Nauplius</i> , 0, 28, .	0.3	2
139	irst record of the white prawn <i>Palaemon longirostris</i> H. Milne Edwards, 1837 in the Mediterranean waters of Morocco. <i>Arxius De Miscellania Zoologica</i> , 0, , 307-312.	0.5	1
140	Free Pass Through the Pillars of Hercules? Genetic and Historical Insights Into the Recent Expansion of the Atlantic Blue Crab <i>Callinectes sapidus</i> to the West and the East of the Strait of Gibraltar. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	5