

Jennifer R Fonda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2146663/publications.pdf>

Version: 2024-02-01

49
papers

1,100
citations

623734

14
h-index

414414

32
g-index

49
all docs

49
docs citations

49
times ranked

1362
citing authors

#	ARTICLE	IF	CITATIONS
1	Proton Pump Inhibitors and Risk for Recurrent Clostridium difficile Infection. Archives of Internal Medicine, 2010, 170, 772.	3.8	238
2	Deployment-Related Psychiatric and Behavioral Conditions and Their Association with Functional Disability in OEF/OIF/OND Veterans. Journal of Traumatic Stress, 2015, 28, 25-33.	1.8	138
3	A methodology for assessing deployment trauma and its consequences in OEF/OIF/OND veterans: The TRACTS longitudinal prospective cohort study. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	96
4	Close-range blast exposure is associated with altered functional connectivity in Veterans independent of concussion symptoms at time of exposure. Human Brain Mapping, 2015, 36, 911-922.	3.6	71
5	Risk of Community-Acquired Pneumonia in Veteran Patients to Whom Proton Pump Inhibitors Were Dispensed. Clinical Infectious Diseases, 2012, 54, 33-42.	5.8	57
6	Transfusion Burden among Patients with Chronic Kidney Disease and Anemia. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 667-672.	4.5	53
7	The Deployment Trauma Phenotype and Employment Status in Veterans of the Wars in Iraq and Afghanistan. Journal of Head Trauma Rehabilitation, 2018, 33, E30-E40.	1.7	47
8	Trauma-related psychiatric and behavioral conditions are uniquely associated with sustained attention dysfunction.. Neuropsychology, 2019, 33, 711-724.	1.3	30
9	Traumatic Brain Injury and Attempted Suicide Among Veterans of the Wars in Iraq and Afghanistan. American Journal of Epidemiology, 2017, 186, 220-226.	3.4	29
10	Comprehensive analysis of the predictors of neurobehavioral symptom reporting in veterans. Neurology, 2018, 91, e732-e745.	1.1	28
11	Change in Use of Gadolinium-Enhanced Magnetic Resonance Studies in Kidney Disease Patients After US Food and Drug Administration Warnings: A Cross-sectional Study of Veterans Affairs Health Care System Data From 2005-2008. American Journal of Kidney Diseases, 2010, 56, 458-467.	1.9	27
12	Associations between PTSD-Related extinction retention deficits in women and plasma steroids that modulate brain GABAA and NMDA receptor activity. Neurobiology of Stress, 2020, 13, 100225.	4.0	24
13	Medication Complexity, Medication Number, and Their Relationships to Medication Discrepancies. Annals of Pharmacotherapy, 2016, 50, 534-540.	1.9	22
14	Composite contributions of cerebrospinal fluid GABAergic neurosteroids, neuropeptide Y and interleukin-6 to PTSD symptom severity in men with PTSD. Neurobiology of Stress, 2020, 12, 100220.	4.0	19
15	Sleep Quality and Reexperiencing Symptoms of PTSD Are Associated With Current Pain in U.S. OEF/OIF/OND Veterans With and Without mTBIs. Journal of Traumatic Stress, 2015, 28, 322-329.	1.8	16
16	The Impact of Common Psychiatric and Behavioral Comorbidities on Functional Disability Across Time and Individuals in Post-9/11 Veterans. Journal of Traumatic Stress, 2020, 33, 750-761.	1.8	16
17	Reporting of symptoms associated with concussion by OEF/OIF/OND Veterans: Comparison between research and clinical contexts. Brain Injury, 2017, 31, 485-492.	1.2	14
18	Cerebral perfusion is associated with blast exposure in military personnel without moderate or severe TBI. Journal of Cerebral Blood Flow and Metabolism, 2021, 41, 886-900.	4.3	14

#	ARTICLE	IF	CITATIONS
19	Traumatic Brain Injury and Opioid Overdose Among Post-9/11 Veterans With Long-Term Opioid Treatment of Chronic Pain. <i>Journal of Head Trauma Rehabilitation</i> , 2020, 35, 209-217.	1.7	12
20	A Multi-Method Approach to a Comprehensive Examination of the Psychiatric and Neurological Consequences of Intimate Partner Violence in Women: A Methodology Protocol. <i>Frontiers in Psychiatry</i> , 2021, 12, 569335.	2.6	12
21	Close-Range Blast Exposure Is Associated with Altered White Matter Integrity in Apolipoprotein E4 Carriers. <i>Journal of Neurotrauma</i> , 2019, 36, 3264-3273.	3.4	11
22	Connectome-based functional connectivity markers of suicide attempt. <i>Journal of Affective Disorders</i> , 2021, 283, 430-440.	4.1	11
23	The association between an ultrabrief cognitive screening in older adults and hospital outcomes. <i>Journal of Hospital Medicine</i> , 2015, 10, 651-657.	1.4	10
24	Identification of pseudobulbar affect symptoms in Veterans with possible traumatic brain injury. <i>Journal of Rehabilitation Research and Development</i> , 2015, 52, 839-850.	1.6	8
25	Online Telehealth Delivery of Group Mental Health Treatment Is Safe, Feasible, and Increases Enrollment and Attendance in Post-9/11 U.S. Veterans. <i>Behavior Therapy</i> , 2022, 53, 469-480.	2.4	8
26	The PPM1F gene moderates the association between PTSD and cortical thickness. <i>Journal of Affective Disorders</i> , 2019, 259, 201-209.	4.1	7
27	Tobacco dependence is associated with increased risk for multi-morbid clustering of posttraumatic stress disorder, depressive disorder, and pain among post-9/11 deployed veterans. <i>Psychopharmacology</i> , 2019, 236, 1729-1739.	3.1	7
28	Early Adolescent Binge Drinking Increases Risk of Psychopathology in Post-9/11 Veterans and Mild Traumatic Brain Injury Exacerbates Symptom Severity. <i>Alcohol and Alcoholism</i> , 2021, 56, 116-124.	1.6	7
29	Blast mild traumatic brain injury is associated with increased myopia and chronic convergence insufficiency. <i>Vision Research</i> , 2021, 186, 1-12.	1.4	7
30	Latent factor structure of PTSD symptoms in veterans with a history of mild traumatic brain injury and close-range blast exposure.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2019, 11, 442-450.	2.1	7
31	Association of Pseudobulbar Affect symptoms with quality of life and healthcare costs in Veterans with traumatic brain injury. <i>Journal of Affective Disorders</i> , 2016, 190, 150-155.	4.1	6
32	Apolipoprotein E (APOE) E4 Status Moderates the Relationship Between Close-Range Blast Exposure and Cognitive Functioning. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 315-328.	1.8	6
33	Apolipoprotein E (APOE) E4 moderates the relationship between c-reactive protein, cognitive functioning, and white matter integrity. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 84-95.	4.1	6
34	Cardiorespiratory Fitness Is Associated With Better Cardiometabolic Health and Lower PTSD Severity in Post-9/11 Veterans. <i>Military Medicine</i> , 2020, 185, e592-e596.	0.8	5
35	Age of onset of adolescent binge drinking is differentially associated with cortical thickness in post-9/11 adult Veterans. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1065-1077.	2.4	5
36	The impact of interpersonal early life trauma on cardio-metabolic health in post-9/11 veterans.. <i>Health Psychology</i> , 2019, 38, 113-121.	1.6	5

#	ARTICLE	IF	CITATIONS
37	Associations between changes in somatic and psychiatric symptoms and disability alterations in recent U.S. veterans. <i>Journal of Traumatic Stress</i> , 2022, 35, 1011-1024.	1.8	4
38	Punishment and reward normalize error-related cognitive control in PTSD by modulating salience network activation and connectivity. <i>Cortex</i> , 2021, 145, 295-314.	2.4	3
39	Research utility of a CAPS-IV and CAPS-5 hybrid interview: Posttraumatic stress symptom and diagnostic concordance in recent U.S. veterans. <i>Journal of Traumatic Stress</i> , 2022, 35, 570-580.	1.8	3
40	The association between blast exposure and transdiagnostic health symptoms on systemic inflammation. <i>Neuropsychopharmacology</i> , 2022, 47, 1702-1709.	5.4	2
41	Post-traumatic stress disorder and depression are uniquely associated with disability and life dissatisfaction in post-9/11 veterans. <i>Psychiatry Research</i> , 2022, 313, 114589.	3.3	2
42	Contributory Etiologies to Cognitive Performance in Multimorbid Post-9/11 Veterans: The Deployment Trauma Phenotype. <i>Archives of Clinical Neuropsychology</i> , 2022, 37, 1699-1709.	0.5	2
43	Toward a System Theory of Stress, Resilience, and Reintegration. <i>Advances in Nursing Science</i> , 2020, 43, 75-85.	1.1	1
44	Interpersonal early life trauma is associated with increased cerebral perfusion and poorer memory performance in post-9/11 veterans. <i>NeuroImage: Clinical</i> , 2020, 28, 102365.	2.7	1
45	Intimate Partner Violence Predicts Posttraumatic Stress Disorder Severity Independent of Early Life and Deployment-Related Trauma in Deployed Men and Women Veterans. <i>Journal of Interpersonal Violence</i> , 2022, 37, 2659-2680.	2.0	1
46	The role of cognitive reserve in the relationship between metabolic syndrome and cognitive functioning. <i>Aging, Neuropsychology, and Cognition</i> , 2020, 28, 1-16.	1.3	1
47	Diagnostic Accuracy of the Boston Assessment of Traumatic Brain Injury-Lifetime Clinical Interview Compared to Department of Defense Medical Records. <i>Military Medicine</i> , 0, , .	0.8	1
48	Executive Function Subgroups of PTSD Have Differentiable Functional Connectivity and Symptom Chronicity. <i>Biological Psychiatry</i> , 2021, 89, S104-S105.	1.3	0
49	Childhood Trauma Differentially Impacts Depression and Stress Associations with Reintegration Challenges Among Post-9/11 U.S. Veterans. <i>Nursing Outlook</i> , 2021, , .	2.6	0