

# Doo Kyung Moon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2146874/publications.pdf>

Version: 2024-02-01

101  
papers

1,927  
citations

318942

23  
h-index

406436

35  
g-index

104  
all docs

104  
docs citations

104  
times ranked

2512  
citing authors

#	ARTICLE	IF	CITATIONS
1	Utilizing 3,4-ethylenedioxythiophene (EDOT)-bridged non-fullerene acceptors for efficient organic solar cells. <i>Journal of Energy Chemistry</i> , 2022, 65, 194-204.	7.1	16
2	Tailoring Microstructure and Morphology via Sequential Fluorination to Enhance the Photovoltaic Performance of Low-Cost Polymer Donors for Organic Solar Cells. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2200070.	2.0	3
3	Structure–property relationship on insertion of fluorine- versus nitrogen substituents in wide bandgap polymer donors for non-fullerene solar cells: an interesting case study. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1759-1769.	3.2	2
4	Interchain hydrogen-bonded conjugated polymer for enhancing the stability of organic solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2022, 112, 76-84.	2.9	11
5	Development of a Complex High-Conductivity Hole Transport Layer with Energy-Level Control for High-Efficiency Organic Solar Cells by the Solution Process. <i>ACS Applied Energy Materials</i> , 2022, 5, 8400-8409.	2.5	6
6	Molecular Design of Efficient Chlorine- and Carboxylate-Functionalized Donor Polymers for Nonfullerene Organic Solar Cells Enabling Processing with Eco-Friendly Solvent in Air. <i>Solar Rrl</i> , 2021, 5, 2000608.	3.1	8
7	Latest Progress on Photoabsorbent Materials for Multifunctional Semitransparent Organic Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2007931.	7.8	108
8	Printable and Semitransparent Nonfullerene Organic Solar Modules over 30 cm <sup>2</sup> Introducing an Energy-Level Controllable Hole Transport Layer. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 19085-19098.	4.0	21
9	Understanding the Critical Role of Sequential Fluorination of Phenylene Units on the Properties of Dicarboxylate Bithiophene-Based Wide-Bandgap Polymer Donors for Non-Fullerene Organic Solar Cells. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2000743.	2.0	5
10	Water-Repellent Perovskites Induced by a Blend of Organic Halide Salts for Efficient and Stable Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 33172-33181.	4.0	7
11	Investigating the effect of diverse structural variation of conjugated polymer electrolytes as the interlayer on photovoltaic properties. <i>Chemical Engineering Journal</i> , 2021, 420, 129895.	6.6	17
12	Design and synthesis of the quinacridone-based donor polymers for application to organic solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 101, 135-143.	2.9	12
13	Synthesis of 3,4-dimethoxythiophene spacer-based non-fullerene acceptors for efficient organic solar cells. <i>Synthetic Metals</i> , 2021, 280, 116880.	2.1	1
14	Effect of interface modification in polymer solar cells: An in-depth investigation of the structural variation of organic dye for interlayer material. <i>Dyes and Pigments</i> , 2020, 173, 107927.	2.0	20
15	Small-molecule electrolytes with different ionic functionalities as a cathode buffer layer for polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 15183-15188.	2.7	3
16	A 2,5-difluoro benzene-based low cost and efficient polymer donor for non-fullerene solar cells. <i>Solar Energy</i> , 2020, 207, 720-728.	2.9	17
17	High-Performance Nonfullerene Organic Photovoltaics Applicable for Both Outdoor and Indoor Environments through Directional Photon Energy Transfer. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 38470-38482.	4.0	14
18	13.2% Efficiency of Organic Solar Cells by Controlling Interfacial Resistance Resulting from Well-Distributed Vertical Phase Separation. <i>ACS Applied Energy Materials</i> , 2020, 3, 3745-3754.	2.5	32

#	ARTICLE	IF	CITATIONS
19	Design Principles and Synergistic Effects of Chlorination on a Conjugated Backbone for Efficient Organic Photovoltaics: A Critical Review. <i>Advanced Materials</i> , 2020, 32, e1906175.	11.1	168
20	Case Study on the Correlation between Crystal Packing and Miscibility of Chlorinated Thiophene-Based Donor Polymers for Nonfullerene Organic Solar Cells with Long Shelf Life. <i>Solar Rrl</i> , 2020, 4, 2000074.	3.1	13
21	Effect of conjugated polymer electrolytes with diverse acid derivatives as a cathode buffer layer on photovoltaic properties. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4562-4569.	5.2	16
22	Simple Approach to Overcome Thickness Tolerance of Interlayer without Sacrificing the Performances of Polymer Solar Cells. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900797.	1.9	6
23	13.9% Efficiency and Eco-Friendly Nonfullerene Polymer Solar Cells Obtained by Balancing Molecular Weight and Solubility in Chlorinated Thiophene-Based Polymer Backbones. <i>Small</i> , 2019, 15, e1902598.	5.2	42
24	Effects of incorporated pyrazine on the interchain packing and photovoltaic properties of wide-bandgap D-A polymers for non-fullerene polymer solar cells. <i>Polymer Chemistry</i> , 2019, 10, 4459-4468.	1.9	21
25	Evaporation-Free Nonfullerene Flexible Organic Solar Cell Modules Manufactured by An All-Solution Process. <i>Advanced Energy Materials</i> , 2019, 9, 1902065.	10.2	94
26	A comparative investigation of dibenzo[a,c]phenazine and quinoxaline donor-acceptor conjugated polymers: Correlation of planar structure and intramolecular charge transfer properties. <i>Polymer</i> , 2019, 185, 121906.	1.8	5
27	Small-Molecule Electrolyte: Simple Approach to Overcome Thickness Tolerance of Interlayer without Sacrificing the Performances of Polymer Solar Cells ( <i>Adv. Mater. Interfaces</i> 18/2019). <i>Advanced Materials Interfaces</i> , 2019, 6, 1970115.	1.9	0
28	A flexible piezoelectric nanogenerator using conducting polymer and silver nanowire hybrid electrodes for its application in real-time muscular monitoring system. <i>Sensors and Actuators A: Physical</i> , 2019, 299, 111575.	2.0	32
29	A 3-Fluoro-4-hexylthiophene-Based Wide Bandgap Donor Polymer for 10.9% Efficiency Eco-Friendly Nonfullerene Organic Solar Cells. <i>Small</i> , 2019, 15, e1805321.	5.2	27
30	Excellent carrier transport materials produced by controlled molecular stacking and their application in flexible organic electronic devices. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14790-14805.	5.2	10
31	Introduction of co-additives to form well dispersed photoactive layer to improve performance and stability of organic solar cells. <i>Solar Energy</i> , 2019, 185, 1-12.	2.9	14
32	Chlorine Effects of Heterocyclic Ring-Based Donor Polymer for Low-Cost and High-Performance Nonfullerene Polymer Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1900094.	3.1	31
33	Organic Solar Cells: Vertical Phase Separation for Highly Efficient Organic Solar Cells Incorporating Conjugated Polyelectrolytes ( <i>Adv. Mater. Interfaces</i> 3/2019). <i>Advanced Materials Interfaces</i> , 2019, 6, 1970018.	1.9	2
34	Design and synthesis of acceptor-donor-acceptor small molecule based on caffeine derivative for efficient and stable polymer solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 75, 138-147.	2.9	5
35	Drastic Changes in Properties of Donor-Acceptor Polymers Induced by Asymmetric Structural Isomers for Application to Polymer Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 9239-9250.	4.0	26
36	Enhanced chemical and physical properties of PEDOT doped with anionic polyelectrolytes prepared from acrylic derivatives and application to nanogenerators. <i>Nanoscale Advances</i> , 2019, 1, 4384-4392.	2.2	4

#	ARTICLE	IF	CITATIONS
37	Effect of mono alkoxy-carboxylate-functionalized benzothiadiazole-based donor polymers for non-fullerene solar cells. <i>Dyes and Pigments</i> , 2019, 164, 62-71.	2.0	24
38	Vertical Phase Separation for Highly Efficient Organic Solar Cells Incorporating Conjugated Polyelectrolytes. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801396.	1.9	15
39	Structural optimization in the same polymer backbones for efficient polymer solar cells: Relationship between steric hindrance and molecular weight. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 71, 137-149.	2.9	20
40	Synthesis and characterization of nanofiber-type hydrophobic organic materials as electrodes for improved performance of PVDF-based piezoelectric nanogenerators. <i>Nano Energy</i> , 2019, 58, 11-22.	8.2	28
41	Effect of non-covalent interactions on molecular stacking and photovoltaic properties in organic photovoltaics. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 63, 191-200.	2.9	6
42	Highly efficient Ternary Solar Cells of 10.2% with Core/Shell Quantum Dots via FRET Effect (Solar RRL) Tj ETQqO 0 0, rgBT /Overlock 10 T	3.1	8
43	Enhancement of the air-stability and optimization of VOC by changing molecular conformation of polyelectrolytes. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 63, 426-436.	2.9	1
44	Controlling the interchain packing and photovoltaic properties via fluorine substitution in terpolymers based on benzo[1,2-c:4,5-c']dithiophene-4,8-dione and benzothiadiazole units. <i>Polymer</i> , 2018, 148, 330-338.	1.8	22
45	Significant impact of monomer curvatures for polymer curved shape composition on backbone orientation and solar cell performances. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 65, 195-204.	2.9	12
46	Organic electrolyte hybridized ZnO as the electron transport layer for inverted polymer solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 65, 175-179.	2.9	9
47	Design and synthesis of 2D A1-A2 copolymers impact on fullerene network for efficient polymer solar cells. <i>Polymer</i> , 2018, 149, 85-95.	1.8	7
48	Organic Electrolytes Doped ZnO Layer as the Electron Transport Layer for Bulk Heterojunction Polymer Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1800086.	3.1	22
49	Highly efficient Ternary Solar Cells of 10.2% with Core/Shell Quantum Dots via FRET Effect. <i>Solar Rrl</i> , 2018, 2, 1800077.	3.1	21
50	Effect of conjugated 2D-side groups on quinacridone-based copolymers to adjust deep HOMO level for photovoltaics. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 46, 304-314.	2.9	6
51	Molecular design through computational simulation on the benzo[2,1-b;3,4-b <sup>2</sup> ]dithiophene-based highly ordered donor material for efficient polymer solar cells. <i>Polymer Chemistry</i> , 2017, 8, 2979-2989.	1.9	24
52	PVDF based flexible piezoelectric nanogenerators using conjugated polymer:PCBM blend systems. <i>Sensors and Actuators A: Physical</i> , 2017, 259, 112-120.	2.0	14
53	Effect on Electrode Work Function by Changing Molecular Geometry of Conjugated Polymer Electrolytes and Application for Hole-Transporting Layer of Organic Optoelectronic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 44060-44069.	4.0	14
54	Enhanced Photovoltaic Properties of Bulk Heterojunction Organic Photovoltaic Devices by an Addition of a Low Band Gap Conjugated Polymer. <i>Materials</i> , 2016, 9, 996.	1.3	5

#	ARTICLE	IF	CITATIONS
55	Control of vertical distribution of thiophene-based copolymers containing 4,7-dithienylbenzo[C][1,2,5]thiadiazole and 3,6-dithienylpyrrolo[3,4-c]pyrrole-1,4(2H,5H)-dione as Side Groups for Photovoltaics. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2746-2759.		
56	Solution-processed pH-neutral conjugated polyelectrolytes with one-atom variation (O, S, Se) as a novel hole-collecting layer in organic photovoltaics. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 243-252.	3.0	17
57	Photon energy transfer by quantum dots in organic-inorganic hybrid solar cells through FRET. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10444-10453.	5.2	24
58	Properties of inverted polymer solar cells based on novel small molecular electrolytes as the cathode buffer layer. <i>Organic Electronics</i> , 2016, 39, 163-167.	1.4	15
59	Correlation of intermolecular packing distance and crystallinity of D-A polymers according to $\pi$ -spacer for polymer solar cells. <i>Polymer</i> , 2016, 99, 756-766.	1.8	16
60	A Simple Approach to Fabricate an Efficient Inverted Polymer Solar Cell with a Novel Small Molecular Electrolyte as the Cathode Buffer Layer. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32992-32997.	4.0	21
61	Improvement in Half-Life of Organic Solar Cells by Using a Blended Hole Extraction Layer Consisting of PEDOT:PSS and Conjugated Polymer Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 31791-31798.	4.0	13
62	Enhancement in performance of polymer solar cells by introducing solution-processed dipole interlayer. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 36, 44-48.	2.9	10
63	Control of molecular curvature and crystallinity of quinacridone-benzoxadiazole copolymers using different $\pi$ bridge for polymer solar cells. <i>Polymer</i> , 2016, 91, 162-173.	1.8	17
64	Deep HOMO polymers comprising anthracene units for bulk heterojunction solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 33, 209-220.	2.9	13
65	An organic-inorganic hybrid interlayer for improved electron extraction in inverted polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2463-2469.	2.7	59
66	Solution-processed interlayer of n-type small molecules for organic photovoltaic devices: Enhancement of the fill factor due to ordered orientation. <i>Solar Energy Materials and Solar Cells</i> , 2015, 141, 232-239.	3.0	13
67	Effect of side chains on solubility and morphology of poly(benzodithiophene-alt-alkylbithiophene) in organic photovoltaics. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 29, 120-128.	2.9	12
68	A facile method for enhancing photovoltaic performance of low-band-gap $\pi$ -A conjugated polymer for OPVs by controlling the chemical structure. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 26, 173-181.	2.9	8
69	Alkylidene-fluorene-isoindigo copolymers with an optimized molecular conformation for spacer manipulation, $\pi$ - $\pi$ stacking and their application in efficient photovoltaic devices. <i>Polymer Chemistry</i> , 2015, 6, 2636-2646.	1.9	24
70	Control of polymer-packing orientation in thin films through chemical structure of D-A type polymers and its application in efficient photovoltaic devices. <i>Polymer</i> , 2015, 74, 205-215.	1.8	20
71	Solution-processed interlayer of discotic-based small molecules for organic photovoltaic devices: Enhancement of both the open-circuit voltage and the fill factor. <i>Dyes and Pigments</i> , 2015, 113, 210-218.	2.0	16
72	Enhanced photocurrent generation by high molecular weight random copolymer consisting of benzothiadiazole and quinoxaline as donor materials. <i>Solar Energy Materials and Solar Cells</i> , 2014, 120, 94-101.	3.0	16

#	ARTICLE	IF	CITATIONS
73	Improved Performance of P3HT:PCBM-Based Solar Cells Using Nematic Liquid Crystals as a Processing Additive under Low Processing Temperature conditions. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 353-360.	1.7	12
74	Opto-electrical and density functional theory analysis of poly(2,7-carbazole-alt-thieno[3,4-c]pyrrole-4,6-dione) and photovoltaic behaviors of bulk heterojunction structure. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 290-296.	2.9	16
75	Polymer solar cells based on quinoxaline and dialkylthienyl substituted benzodithiophene with enhanced open circuit voltage. <i>Journal of Polymer Science Part A</i> , 2014, 52, 1028-1036.	2.5	23
76	Open circuit voltage increase by substituted spacer and thieno[3,4-c]pyrrole-4,6-dione for polymer solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 426-434.	2.9	8
77	Enhanced performance in bulk heterojunction solar cells with alkylidene fluorene donor by introducing modified PFN-OH/Al bilayer cathode. <i>RSC Advances</i> , 2014, 4, 6776.	1.7	6
78	Correlation of intramolecular charge transfer and orientation properties among quinacridone and acceptor units. <i>Solar Energy Materials and Solar Cells</i> , 2014, 123, 112-121.	3.0	28
79	Effect of replacing proton with alkoxy side chain for donor acceptor type organic photovoltaics. <i>Solar Energy Materials and Solar Cells</i> , 2014, 120, 303-309.	3.0	17
80	Self-organization polymer consisting of quinacridone and quaterthiophene units: Coplanar structure between benzene and thiophene linkage. <i>Solar Energy Materials and Solar Cells</i> , 2013, 117, 285-292.	3.0	9
81	Enhanced performance in polymer light emitting diodes using an indium-zinc-tin oxide transparent anode by the controlling of oxygen partial pressure at room temperature. <i>Journal of Materials Chemistry C</i> , 2013, 1, 7009.	2.7	26
82	Oxygen effect of transparent conducting amorphous Indium Zinc Tin Oxide films on Polyimide substrate for flexible electrode. <i>Thin Solid Films</i> , 2013, 547, 32-37.	0.8	5
83	Enhancement of external quantum efficiency through steric hindrance of phenazine derivative for white polymer light-emitting diode materials. <i>Synthetic Metals</i> , 2013, 181, 98-103.	2.1	7
84	Synthesis of Donor-Acceptor polymers through control of the chemical structure: Improvement of PCE by planar structure of polymer backbones. <i>Polymer</i> , 2013, 54, 1072-1079.	1.8	26
85	Enhanced performance in inverted polymer solar cells via solution process: Morphology controlling of PEDOT:PSS as anode buffer layer by adding surfactants. <i>Organic Electronics</i> , 2013, 14, 1629-1635.	1.4	29
86	Enhanced carrier mobility and photon-harvesting property by introducing Au nano-particles in bulk heterojunction photovoltaic cells. <i>Organic Electronics</i> , 2013, 14, 1931-1938.	1.4	25
87	Enhanced stability in polymer solar cells by controlling the electrode work function via modification of indium tin oxide. <i>Solar Energy Materials and Solar Cells</i> , 2013, 115, 123-128.	3.0	26
88	An effect on the side chain position of A-type conjugated polymers with sp <sup>2</sup> -hybridized orbitals for organic photovoltaics. <i>Polymer Chemistry</i> , 2013, 4, 3225.	1.9	22
89	Conjugated polymer consisting of dibenzosilole and quinoxaline as donor materials for organic photovoltaics. <i>European Polymer Journal</i> , 2013, 49, 3261-3270.	2.6	26
90	Emission color tuning of copolymers containing polyfluorene, benzothiadiazole, porphyrin derivatives. <i>European Polymer Journal</i> , 2012, 48, 1485-1494.	2.6	18

#	ARTICLE	IF	CITATIONS
91	Synthesis and photovoltaic property of polymer semiconductor with phthalimide derivative as a promising electron withdrawing material. <i>European Polymer Journal</i> , 2012, 48, 532-540.	2.6	13
92	Fabrication of OPVs by introducing a conductivity-enhanced hybrid buffer layer. <i>Solar Energy Materials and Solar Cells</i> , 2012, 101, 295-302.	3.0	17
93	Study on the antimony tin oxide as a hole injection layer for polymer light emitting diodes. <i>Thin Solid Films</i> , 2012, 520, 4068-4073.	0.8	7
94	Study on the wet processable antimony tin oxide (ATO) transparent electrode for PLEDs. <i>Journal of Industrial and Engineering Chemistry</i> , 2012, 18, 312-316.	2.9	8
95	Synthesis and photovoltaic property of donor-acceptor type conjugated polymer containing carbazole and 4,7-dithiazolylbenzothiadiazole moiety utilized as a promising electron withdrawing unit. <i>Synthetic Metals</i> , 2011, 161, 2434-2440.	2.1	27
96	The synthesis and electroluminescent properties of dithienylquinacridone-based copolymers for white light-emitting diodes. <i>Synthetic Metals</i> , 2011, 161, 2451-2459.	2.1	19
97	Development of DA-type polymers with phthalimide derivatives as electron withdrawing units and a promising strategy for the enhancement of photovoltaic properties. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 3377-3384.	3.0	34
98	Synthesis and investigation of photovoltaic properties for polymer semiconductors based on porphyrin compounds as light-harvesting units. <i>European Polymer Journal</i> , 2011, 47, 1686-1693.	2.6	42
99	Synthesis of novel triphenylene-based discotic liquid crystals with naphthalene moiety in the side chains for photo-polymerisation. <i>Journal of Industrial and Engineering Chemistry</i> , 2011, 17, 445-449.	2.9	3
100	Synthesis and characterization of fluorine-thiophene-based $\pi$ -conjugated polymers using coupling reaction. <i>Journal of Industrial and Engineering Chemistry</i> , 2008, 14, 810-817.	2.9	25
101	Synthesis of Random Copolymers of Pyrrole and Aniline by Chemical Oxidative Polymerization. <i>Molecular Crystals and Liquid Crystals</i> , 2007, 464, 177/[759]-185/[767].	0.4	14