

Bridget A Robinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2147442/publications.pdf>

Version: 2024-02-01

87
papers

4,457
citations

136740

32
h-index

106150

65
g-index

88
all docs

88
docs citations

88
times ranked

6921
citing authors

#	ARTICLE	IF	CITATIONS
1	Rindopemimut with temozolomide for patients with newly diagnosed, EGFRvIII-expressing glioblastoma (ACT IV): a randomised, double-blind, international phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1373-1385.	5.1	776
2	Capecitabine, Bevacizumab, and Mitomycin in First-Line Treatment of Metastatic Colorectal Cancer: Results of the Australasian Gastrointestinal Trials Group Randomized Phase III MAX Study. <i>Journal of Clinical Oncology</i> , 2010, 28, 3191-3198.	0.8	370
3	Optimal Duration and Timing of Adjuvant Chemotherapy After Definitive Surgery for Ductal Adenocarcinoma of the Pancreas: Ongoing Lessons From the ESPAC-3 Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 504-512.	0.8	351
4	First-line selective internal radiotherapy plus chemotherapy versus chemotherapy alone in patients with liver metastases from colorectal cancer (FOXFIRE, SIRFLOX, and FOXFIRE-Global): a combined analysis of three multicentre, randomised, phase 3 trials. <i>Lancet Oncology</i> , The, 2017, 18, 1159-1171.	5.1	293
5	SIRFLOX: Randomized Phase III Trial Comparing First-Line mFOLFOX6 (Plus or Minus Bevacizumab) Versus mFOLFOX6 (Plus or Minus Bevacizumab) Plus Selective Internal Radiation Therapy in Patients With Metastatic Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2016, 34, 1723-1731.	0.8	289
6	The angiogenic switch for vascular endothelial growth factor (VEGF)-A, VEGF-B, VEGF-C, and VEGF-D in the adenoma-carcinoma sequence during colorectal cancer progression. <i>Journal of Pathology</i> , 2003, 200, 183-194.	2.1	191
7	Phase III Trial Comparing Three Doses of Docetaxel for Second-Line Treatment of Advanced Breast Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 4963-4970.	0.8	147
8	Clinical Pharmacokinetics and Dose Optimisation of Carboplatin. <i>Clinical Pharmacokinetics</i> , 1997, 33, 161-183.	1.6	126
9	Expression of the angiopoietins and their receptor Tie2 in human renal clear cell carcinomas; regulation by the von Hippel-Lindau gene and hypoxia. <i>Journal of Pathology</i> , 2002, 198, 502-510.	2.1	88
10	Cytomegalovirus and Epstein-Barr Virus in Breast Cancer. <i>PLoS ONE</i> , 2015, 10, e0118989.	1.1	73
11	Caspase Inhibition Protects against Reovirus-Induced Myocardial Injury In Vitro and In Vivo. <i>Journal of Virology</i> , 2004, 78, 11040-11050.	1.5	70
12	Cancer disparities in indigenous Polynesian populations: Māori, Native Hawaiians, and Pacific people. <i>Lancet Oncology</i> , The, 2008, 9, 473-484.	5.1	70
13	CYCLOSPORIN INTERACTION WITH KETOCONAZOLE AND MELPHALAN. <i>Lancet</i> , The, 1982, 320, 1342.	6.3	69
14	Immunohistochemical analysis of cancer stem cell markers in invasive breast carcinoma and associated ductal carcinoma in situ: relationships with markers of tumor hypoxia and microvasculature. <i>Human Pathology</i> , 2013, 44, 402-411.	1.1	68
15	Association of angiopoietin-2, C-reactive protein and markers of obesity and insulin resistance with survival outcome in colorectal cancer. <i>British Journal of Cancer</i> , 2011, 104, 51-59.	2.9	61
16	Relationships between serosal medium potassium concentration and sodium transport in toad urinary bladder. <i>Journal of Membrane Biology</i> , 1976, 26, 269-286.	1.0	58
17	VEGF-B expression in human primary breast cancers is associated with lymph node metastasis but not angiogenesis. <i>Journal of Pathology</i> , 2001, 193, 325-332.	2.1	55
18	Pharmacokinetic and anti-cancer properties of high dose ascorbate in solid tumours of ascorbate-dependent mice. <i>Free Radical Biology and Medicine</i> , 2016, 99, 451-462.	1.3	54

#	ARTICLE	IF	CITATIONS
19	Effect of Primary Tumor Side on Survival Outcomes in Untreated Patients With Metastatic Colorectal Cancer When Selective Internal Radiation Therapy Is Added to Chemotherapy: Combined Analysis of Two Randomized Controlled Studies. <i>Clinical Colorectal Cancer</i> , 2018, 17, e617-e629.	1.0	54
20	First and subsequent nonmelanoma skin cancers: incidence and predictors in a population of New Zealand renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 300-306.	0.4	52
21	Increased Tumor Ascorbate is Associated with Extended Disease-Free Survival and Decreased Hypoxia-Inducible Factor-1 Activation in Human Colorectal Cancer. <i>Frontiers in Oncology</i> , 2014, 4, 10.	1.3	52
22	Hodgkin's cells express CD83, a dendritic cell lineage associated antigen. <i>Pathology</i> , 1997, 29, 294-299.	0.3	51
23	Renal transplant recipients have elevated frequencies of circulating myeloid-derived suppressor cells. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 402-410.	0.4	49
24	Activation of the hypoxia pathway in breast cancer tissue and patient survival are inversely associated with tumor ascorbate levels. <i>BMC Cancer</i> , 2019, 19, 307.	1.1	48
25	Restoring physiological levels of ascorbate slows tumor growth and moderates HIF-1 pathway activity in Gulo ^{0/0} mice. <i>Cancer Medicine</i> , 2015, 4, 303-314.	1.3	46
26	Optimizing transfection of primary human umbilical vein endothelial cells using commercially available chemical transfection reagents. <i>Journal of Biomolecular Techniques</i> , 2010, 21, 66-72.	0.8	46
27	Relationships between serosal medium potassium concentration and sodium transport in toad urinary bladder. <i>Journal of Membrane Biology</i> , 1976, 26, 239-268.	1.0	42
28	Severe enteropathy among patients with stage II/III colon cancer treated on a randomized trial of bolus 5-fluorouracil/leucovorin plus or minus oxaliplatin. <i>Cancer</i> , 2007, 110, 1945-1950.	2.0	42
29	Pharmacokinetics and efficacy of rectal versus oral sustained-release morphine in cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 1992, 31, 251-254.	1.1	41
30	The regulation of cellular volume in liver slices. <i>Journal of Physiology</i> , 1974, 238, 279-294.	1.3	38
31	Caspase Recruitment Domain-Containing Protein 15 Mutations in Patients with Colorectal Cancer. <i>Cancer Research</i> , 2006, 66, 2532-2535.	0.4	37
32	Anti-vascular agent Combretastatin A-4-P modulates Hypoxia Inducible Factor-1 and gene expression. <i>BMC Cancer</i> , 2006, 6, 280.	1.1	33
33	Nonstructural Protein 1s Is a Determinant of Reovirus Virulence and Influences the Kinetics and Severity of Apoptosis Induction in the Heart and Central Nervous System. <i>Journal of Virology</i> , 2005, 79, 2743-2753.	1.5	30
34	Professional killer cell deficiencies and decreased survival in pulmonary arterial hypertension. <i>Respirology</i> , 2013, 18, 1271-1277.	1.3	30
35	Responding to Acute Care Needs of Patients With Cancer: Recent Trends Across Continents. <i>Oncologist</i> , 2016, 21, 301-307.	1.9	29
36	Relationships between serosal medium potassium concentration and sodium transport in toad urinary bladder. <i>Journal of Membrane Biology</i> , 1976, 26, 217-238.	1.0	26

#	ARTICLE	IF	CITATIONS
37	Improved survival for rectal cancer compared to colon cancer: the four cohort study. ANZ Journal of Surgery, 2018, 88, E114-E117.	0.3	25
38	Clinical implications of the genetics of sporadic colorectal cancer. ANZ Journal of Surgery, 2019, 89, 1224-1229.	0.3	25
39	Ascorbate modulates the hypoxic pathway by increasing intracellular activity of the HIF hydroxylases in renal cell carcinoma cells. Hypoxia (Auckland, N Z), 2019, Volume 7, 17-31.	1.9	24
40	A sequential Bayesian algorithm for dose individualisation of carboplatin. Cancer Chemotherapy and Pharmacology, 1997, 39, 317-326.	1.1	22
41	Phosphohistone H ³ outperforms Ki67 as a marker of outcome for breast cancer patients. Histopathology, 2015, 67, 538-547.	1.6	22
42	Adherence to Adjuvant Endocrine Therapy in Christchurch Women with Early Breast Cancer. Clinical Oncology, 2018, 30, e9-e15.	0.6	22
43	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. PLoS ONE, 2020, 15, e0229290.	1.1	22
44	Cytokeratin KRT8/18 expression differentiates distinct subtypes of grade 3 invasive ductal carcinoma of the breast. Cancer Genetics and Cytogenetics, 2007, 178, 94-103.	1.0	21
45	The Association Between Ascorbate and the Hypoxia-Inducible Factors in Human Renal Cell Carcinoma Requires a Functional Von Hippel-Lindau Protein. Frontiers in Oncology, 2018, 8, 574.	1.3	21
46	Critical Role for Death-Receptor Mediated Apoptotic Signaling in Viral Myocarditis. Journal of Cardiac Failure, 2010, 16, 901-910.	0.7	19
47	Hypofractionated radiation treatment following mastectomy in early breast cancer: The Christchurch experience. Journal of Medical Imaging and Radiation Oncology, 2015, 59, 243-247.	0.9	18
48	The Effect of Dihydropyrimidine Dehydrogenase Deficiency on Outcomes with Fluorouracil. Toxicological Reviews, 2002, 21, 1-16.	0.5	17
49	Marginal effects of glucose, insulin and insulin-like growth factor on chemotherapy response in endothelial and colorectal cancer cells. Oncology Letters, 2014, 7, 311-320.	0.8	16
50	Investigation of Experimental Factors That Underlie BRCA1/2 mRNA Isoform Expression Variation: Recommendations for Utilizing Targeted RNA Sequencing to Evaluate Potential Spliceogenic Variants. Frontiers in Oncology, 2018, 8, 140.	1.3	15
51	Vitamin C Administration by Intravenous Infusion Increases Tumor Ascorbate Content in Patients With Colon Cancer: A Clinical Intervention Study. Frontiers in Oncology, 2020, 10, 600715.	1.3	15
52	The Christchurch Tissue Bank to support cancer research. New Zealand Medical Journal, 2005, 118, U1735.	0.5	15
53	Angiogenesis and host immune response contribute to the aggressive character of non-melanoma skin cancers in renal transplant recipients. Histopathology, 2011, 58, 875-885.	1.6	14
54	A multicenter, randomized, open-label study to assess the steady-state pharmacokinetics of bevacizumab given with either XELOX or FOLFOX-4 in patients with metastatic colorectal cancer. Cancer Chemotherapy and Pharmacology, 2011, 68, 1199-1206.	1.1	14

#	ARTICLE	IF	CITATIONS
55	Colorectal multidisciplinary meeting audit to determine patient benefit. ANZ Journal of Surgery, 2017, 87, E173-E177.	0.3	12
56	Low Vitamin C Status in Patients with Cancer Is Associated with Patient and Tumor Characteristics. Nutrients, 2020, 12, 2338.	1.7	12
57	Association of chromosome band 8q22 copy number gain with high grade invasive breast carcinomas by assessment of core needle biopsies. Genes Chromosomes and Cancer, 2008, 47, 405-417.	1.5	11
58	Sustaining a Biobank Through a Series of Earthquake Swarms: Lessons Learned from our New Zealand Experience. Biopreservation and Biobanking, 2013, 11, 211-215.	0.5	11
59	Circadian pharmacokinetics of methotrexate. Cancer Chemotherapy and Pharmacology, 1989, 24, 397-9.	1.1	10
60	Dual-Color Fluorescence In Situ Hybridization Reveals an Association of Chromosome 8q22 but Not 8p21 Imbalance with High Grade Invasive Breast Carcinoma. PLoS ONE, 2013, 8, e70790.	1.1	10
61	Ischaemic heart disease following conventional and hypofractionated radiation treatment in a contemporary breast cancer series. Journal of Medical Imaging and Radiation Oncology, 2018, 62, 425-431.	0.9	10
62	Effects of exercise and anti-PD-1 on the tumour microenvironment. Immunology Letters, 2021, 239, 60-71.	1.1	9
63	Body Mass Index and Outcomes in Breast Cancer Treated With Breast Conservation. International Journal of Radiation Oncology Biology Physics, 2020, 106, 369-376.	0.4	8
64	Hemorrhagic lymphadenopathy as a presenting feature of primary al amyloidosis. Pathology, 2000, 32, 21-23.	0.3	7
65	Cardiac Cell-specific Apoptotic and Cytokine Responses to Reovirus Infection: Determinants of Myocarditic Phenotype. Journal of Cardiac Failure, 2009, 15, 529-539.	0.7	7
66	Influence of serum inflammatory cytokines on cytochrome P450 drug metabolising activity during breast cancer chemotherapy: a patient feasibility study. Scientific Reports, 2021, 11, 5648.	1.6	7
67	A profile of prognostic and molecular factors in European and Māori breast cancer patients. BMC Cancer, 2010, 10, 543.	1.1	6
68	Characterisation of enzyme prodrug gene therapy combinations in coated spheroids and vascular networks <i>in vitro</i> . Journal of Gene Medicine, 2012, 14, 62-74.	1.4	6
69	High-grade Glioma – A decade of care in Christchurch. Journal of Medical Imaging and Radiation Oncology, 2019, 63, 665-673.	0.9	4
70	Limited Association Between Ascorbate Concentrations and Vitamin C Transporters in Renal Cell Carcinoma Cells and Clinical Samples. Cellular Physiology and Biochemistry, 2021, 55, 553-568.	1.1	4
71	Body mass index (BMI): association with clinicopathological factors and outcome of women with newly diagnosed breast cancer in New Zealand. New Zealand Medical Journal, 2017, 130, 46-56.	0.5	4
72	Increased Ascorbate Content of Glioblastoma Is Associated With a Suppressed Hypoxic Response and Improved Patient Survival. Frontiers in Oncology, 2022, 12, 829524.	1.3	4

#	ARTICLE	IF	CITATIONS
73	Effect of immune modulation on the skeletal muscle mitochondrial exercise response: An exploratory study in mice with cancer. PLoS ONE, 2021, 16, e0258831.	1.1	3
74	Colorectal cancer treated at Christchurch Hospital, New Zealand: a comparison of 1993 and 1998 cohorts. New Zealand Medical Journal, 2005, 118, U1323.	0.5	3
75	Complications of curative radiation treatment for early prostate cancer. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e392-e398.	0.7	2
76	Is the immunogenicity of PD-1 blocking antibodies a confounding variable in murine studies?. Immunology Letters, 2021, 234, 13-15.	1.1	2
77	Hypofractionated radiation treatment in early breast cancer: Results in a New Zealand setting. Asia-Pacific Journal of Clinical Oncology, 2016, 12, 248-253.	0.7	1
78	Quantifying BRCA1 and BRCA2 mRNA Isoform Expression Levels in Single Cells. International Journal of Molecular Sciences, 2019, 20, 693.	1.8	1
79	Long-term results from a series of patients managed with breast conservation surgery and hypofractionated radiotherapy in Christchurch: What is the recurrence rate and how do we detect recurrences. Journal of Medical Imaging and Radiation Oncology, 2020, 64, 852-858.	0.9	1
80	Under-ascertainment of breast cancer susceptibility gene carriers in a cohort of New Zealand female breast cancer patients. Breast Cancer Research and Treatment, 2021, 185, 583-590.	1.1	0
81	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. , 2020, 15, e0229290.		0
82	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. , 2020, 15, e0229290.		0
83	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. , 2020, 15, e0229290.		0
84	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. , 2020, 15, e0229290.		0
85	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. , 2020, 15, e0229290.		0
86	Effect of post-implant exercise on tumour growth rate, perfusion and hypoxia in mice. , 2020, 15, e0229290.		0
87	Adjuvant nodal field radiation in resected Stage III melanoma: A single-centre retrospective study in Christchurch, New Zealand. Journal of Medical Imaging and Radiation Oncology, 0, , .	0.9	0