

Sai Yin Ho

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2147991/sai-yin-ho-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

13,383
citations

38
h-index

114
g-index

203
ext. papers

16,572
ext. citations

5.3
avg, IF

7.3
L-index

#	Paper	IF	Citations
183	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	4.0	2980
182	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396	4.0	2787
181	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	4.0	2039
180	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	4.0	1100
179	The impact of community psychological responses on outbreak control for severe acute respiratory syndrome in Hong Kong. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 857-63	5.1	292
178	Longitudinal assessment of community psychobehavioral responses during and after the 2003 outbreak of severe acute respiratory syndrome in Hong Kong. <i>Clinical Infectious Diseases</i> , 2005 , 40, 1713-20	11.6	236
177	Waist to stature ratio is more strongly associated with cardiovascular risk factors than other simple anthropometric indices. <i>Annals of Epidemiology</i> , 2003 , 13, 683-91	6.4	179
176	Obesity, physical activity, and mortality in a prospective chinese elderly cohort. <i>Archives of Internal Medicine</i> , 2006 , 166, 1498-504		116
175	A tale of two cities: community psychobehavioral surveillance and related impact on outbreak control in Hong Kong and Singapore during the severe acute respiratory syndrome epidemic. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 1033-41	2	116
174	The US National Cholesterol Education Programme Adult Treatment Panel III (NCEP ATP III) prevalence of the metabolic syndrome in a Chinese population. <i>Diabetes Research and Clinical Practice</i> , 2005 , 67, 251-7	7.4	113
173	Obesity and depressive symptoms in Chinese elderly. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 68-74	3.9	113
172	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
171	Electronic Cigarette Use and Respiratory Symptoms in Chinese Adolescents in Hong Kong. <i>JAMA Pediatrics</i> , 2016 , 170, 89-91	8.3	83
170	1399Associations of family wellbeing with face-to-face and instant messaging family communication amidst the COVID-19 pandemic. <i>International Journal of Epidemiology</i> , 2021 , 50,	7.8	78
169	Comprehensive smoke-free legislation and displacement of smoking into the homes of young children in Hong Kong. <i>Tobacco Control</i> , 2010 , 19, 129-33	5.3	77
168	Reliable and valid NEWS for Chinese seniors: measuring perceived neighborhood attributes related to walking. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 84	8.4	77
167	Health-related physical fitness and weight status in Hong Kong adolescents. <i>BMC Public Health</i> , 2010 , 10, 88	4.1	76

166	Impact of obesity and body fat distribution on cardiovascular risk factors in Hong Kong Chinese. <i>Obesity</i> , 2004 , 12, 1805-13		74
165	Prevalence and correlates of video and internet gaming addiction among Hong Kong adolescents: a pilot study. <i>Scientific World Journal, The</i> , 2014 , 2014, 874648	2.2	73
164	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. <i>Clinical Endocrinology</i> , 2007 , 66, 666-71	3.4	69
163	The Short Form-12 Health Survey was a valid instrument in Chinese adolescents. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1020-9	5.7	67
162	Exposure to suicide and suicidal behaviors among Hong Kong adolescents. <i>Social Science and Medicine</i> , 2005 , 61, 591-9	5.1	59
161	Factor structure of the Center for Epidemiological Studies Depression Scale in Hong Kong adolescents. <i>Journal of Personality Assessment</i> , 2008 , 90, 175-84	2.8	57
160	Is exercise protective against influenza-associated mortality?. <i>PLoS ONE</i> , 2008 , 3, e2108	3.7	54
159	Sleep and academic performance in Hong Kong adolescents. <i>Journal of School Health</i> , 2012 , 82, 522-7	2.1	51
158	Socioeconomic disparities in air pollution-associated mortality. <i>Environmental Research</i> , 2008 , 107, 237-49	4.9	51
157	Parental smoking, exposure to secondhand smoke at home, and smoking initiation among young children. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 827-32	4.9	50
156	Breakfast skipping and change in body mass index in young children. <i>International Journal of Obesity</i> , 2011 , 35, 899-906	5.5	49
155	Cost of tobacco-related diseases, including passive smoking, in Hong Kong. <i>Tobacco Control</i> , 2006 , 15, 125-30	5.3	48
154	Smoking, quitting and mortality in an elderly cohort of 56,000 Hong Kong Chinese. <i>Tobacco Control</i> , 2007 , 16, 182-9	5.3	48
153	Mortality associated with passive smoking in Hong Kong. <i>BMJ, The</i> , 2005 , 330, 287-8	5.9	48
152	Smoking and sleep disorders in Chinese adolescents. <i>Sleep Medicine</i> , 2010 , 11, 268-73	4.6	46
151	Perceived peer smoking prevalence and its association with smoking behaviours and intentions in Hong Kong Chinese adolescents. <i>Addiction</i> , 2004 , 99, 1195-205	4.6	45
150	Leisure time physical activity and mortality in Hong Kong: case-control study of all adult deaths in 1998. <i>Annals of Epidemiology</i> , 2004 , 14, 391-8	6.4	44
149	Depressive symptoms and smoking among Hong Kong Chinese adolescents. <i>Addiction</i> , 2005 , 100, 1003-16	4.6	44

148	Smoking of parents and best friend--independent and combined effects on adolescent smoking and intention to initiate and quit smoking. <i>Nicotine and Tobacco Research</i> , 2012 , 14, 1057-64	4.9	43
147	Cross-sectional and prospective associations between passive smoking and respiratory symptoms at the workplace. <i>Annals of Epidemiology</i> , 2007 , 17, 126-31	6.4	41
146	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
145	Does regular exercise protect against air pollution-associated mortality?. <i>Preventive Medicine</i> , 2007 , 44, 386-92	4.3	37
144	Soy consumption and mortality in Hong Kong: proxy-reported case-control study of all older adult deaths in 1998. <i>Preventive Medicine</i> , 2006 , 43, 20-6	4.3	37
143	Prevalence and correlates of alcohol use: a population-based study in Hong Kong. <i>Addiction</i> , 2003 , 98, 215-24	4.6	36
142	Suicidality and cultural values among Hong Kong adolescents. <i>Social Science and Medicine</i> , 2004 , 58, 487-98	5.8	35
141	Smoking is associated with poor self-rated health among adolescents in Hong Kong. <i>Nicotine and Tobacco Research</i> , 2012 , 14, 682-7	4.9	34
140	Smoking and depressive symptoms in Chinese elderly in Hong Kong. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 195-200	6.5	33
139	Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. <i>Tobacco Control</i> , 2021 , 30, 696-699	5.3	32
138	Neighbourhood food environment and dietary intakes in adolescents: sex and perceived family affluence as moderators. <i>Pediatric Obesity</i> , 2010 , 5, 420-7		31
137	Smoking and nasopharyngeal carcinoma mortality: a cohort study of 101,823 adults in Guangzhou, China. <i>BMC Cancer</i> , 2015 , 15, 906	4.8	30
136	Adolescents' physical activity: competition between perceived neighborhood sport facilities and home media resources. <i>Pediatric Obesity</i> , 2010 , 5, 169-76		30
135	Lifestyle and socioeconomic correlates of breakfast skipping in Hong Kong primary 4 schoolchildren. <i>Preventive Medicine</i> , 2011 , 52, 250-3	4.3	29
134	Smoking, drinking and colorectal cancer in Hong Kong Chinese: a case-control study. <i>International Journal of Cancer</i> , 2004 , 109, 587-97	7.5	29
133	Measuring walking within and outside the neighborhood in Chinese elders: reliability and validity. <i>BMC Public Health</i> , 2011 , 11, 851	4.1	28
132	Sociodemographic risk factors of alcohol drinking in Hong Kong adolescents. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 374-9	5.1	27
131	Electronic cigarette use and its association with smoking in Hong Kong Chinese adolescents. <i>Addictive Behaviors</i> , 2015 , 50, 124-7	4.2	27

130	Electronic cigarette use among adolescents: a cross-sectional study in Hong Kong. <i>BMC Public Health</i> , 2016 , 16, 202	4.1	27
129	Weight misperception and psychosocial health in normal weight Chinese adolescents. <i>Pediatric Obesity</i> , 2011 , 6, e381-9		26
128	Public opinion on smoke-free policies in restaurants and predicted effect on patronage in Hong Kong. <i>Tobacco Control</i> , 2002 , 11, 195-200	5.3	26
127	Smoking-cessation and adherence intervention among Chinese patients with erectile dysfunction. <i>American Journal of Preventive Medicine</i> , 2010 , 39, 251-8	6.1	25
126	Overestimation of peer smoking prevalence predicts smoking initiation among primary school students in Hong Kong. <i>Journal of Adolescent Health</i> , 2011 , 48, 418-20	5.8	24
125	Sociocultural influences on body dissatisfaction and dieting in Hong Kong girls. <i>European Eating Disorders Review</i> , 2009 , 17, 152-60	5.3	24
124	Childhood Obesity and Physical Activity-Friendly School Environments. <i>Journal of Pediatrics</i> , 2017 , 191, 110-116	3.6	22
123	The use of Stunkard's figure rating scale to identify underweight and overweight in Chinese adolescents. <i>PLoS ONE</i> , 2012 , 7, e50017	3.7	22
122	Who wants a slimmer body? The relationship between body weight status, education level and body shape dissatisfaction among young adults in Hong Kong. <i>BMC Public Health</i> , 2011 , 11, 835	4.1	22
121	Exposure to secondhand smoke and academic performance in non-smoking adolescents. <i>Journal of Pediatrics</i> , 2010 , 157, 1012-1017.e1	3.6	22
120	Smoking and perceived health in Hong Kong Chinese. <i>Social Science and Medicine</i> , 2003 , 57, 1761-70	5.1	22
119	Fish consumption and mortality in Hong Kong Chinese--the LIMOR study. <i>Annals of Epidemiology</i> , 2011 , 21, 164-9	6.4	21
118	Secondhand smoke and respiratory symptoms among adolescent current smokers. <i>Pediatrics</i> , 2009 , 124, 1306-10	7.4	20
117	Prospective effects of weight perception and weight comments on psychological health among Chinese adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009 , 98, 1959-64	3.1	20
116	Moderate alcohol use and mortality from ischaemic heart disease: a prospective study in older Chinese people. <i>PLoS ONE</i> , 2008 , 3, e2370	3.7	20
115	Electronic cigarette marketing tactics in mainland China. <i>Tobacco Control</i> , 2017 , 26, 230-232	5.3	19
114	Family structure, parent-child conversation time and substance use among Chinese adolescents. <i>BMC Public Health</i> , 2010 , 10, 503	4.1	19
113	Is height associated with cardiovascular risk in Chinese adults?. <i>Epidemiology</i> , 2007 , 18, 274-8	3.1	19

112	Alcohol consumption and sleep problems in Hong Kong adolescents. <i>Sleep Medicine</i> , 2013 , 14, 877-82	4.6	18
111	Prevalence of exercise and non-exercise physical activity in Chinese adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 3	8.4	18
110	Quality of diabetes care in public primary care clinics in Hong Kong. <i>Family Practice</i> , 2012 , 29, 196-202	1.9	18
109	Validation of the eating disorder diagnostic scale for use with Hong Kong adolescents. <i>International Journal of Eating Disorders</i> , 2007 , 40, 569-74	6.3	18
108	Childhood migration and cardiovascular risk. <i>International Journal of Epidemiology</i> , 2004 , 33, 1219-26	7.8	18
107	Reported alcohol drinking and mental health problems in Hong Kong Chinese adolescents. <i>Drug and Alcohol Dependence</i> , 2016 , 164, 47-54	4.9	18
106	Physical activity and constipation in Hong Kong adolescents. <i>PLoS ONE</i> , 2014 , 9, e90193	3.7	17
105	Smoking family, secondhand smoke exposure at home, and quitting in adolescent smokers. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 185-91	4.9	17
104	Association between television viewing and self-esteem in children. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2012 , 33, 479-85	2.4	17
103	Secondhand Smoke From Multiple Sources, Thirdhand Smoke and Respiratory Symptoms in Hong Kong Adolescents. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 192-198	4.9	16
102	Smoking family, secondhand smoke exposure at home, and nicotine addiction among adolescent smokers. <i>Addictive Behaviors</i> , 2012 , 37, 743-6	4.2	16
101	Short-term effects of particulate air pollution on male smokers and never-smokers. <i>Epidemiology</i> , 2007 , 18, 593-8	3.1	16
100	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 563-9	12.7	16
99	The Perceptions of Adolescents, Parents and Teachers on the Same Adolescent Health Issues. <i>School Psychology International</i> , 2005 , 26, 371-384	1.7	16
98	The association of problematic smartphone use with family well-being mediated by family communication in Chinese adults: A population-based study. <i>Journal of Behavioral Addictions</i> , 2019 , 8, 412-419	6.3	15
97	Longitudinal relations of perceived availability of neighborhood sport facilities with physical activity in adolescents: an analysis of potential moderators. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 581-7	2.5	15
96	Body dissatisfaction, maternal appraisal, and depressive symptoms in Hong Kong adolescents. <i>International Journal of Psychology</i> , 2010 , 45, 453-60	1.9	15
95	Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. <i>Tobacco Control</i> , 2020 , 29, 277-281	5.3	14

94	Exposure to particulate air pollution at different living locations and respiratory symptoms in Hong Kong--an application of satellite information. <i>International Journal of Environmental Health Research</i> , 2010 , 20, 219-30	3.6	14
93	Adolescents' experience of comments about their weight - prevalence, accuracy and effects on weight misperception. <i>BMC Public Health</i> , 2009 , 9, 271	4.1	14
92	Identification of factors differentially associated with isolated impaired fasting glucose and isolated post-load impaired glucose tolerance: the Hong Kong Cardiovascular Risk Factor Study. <i>European Journal of Endocrinology</i> , 2006 , 155, 623-32	6.5	14
91	Problematic Smartphone Use and Mental Health in Chinese Adults: A Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	13
90	Exposure to secondhand smoke from neighbours and respiratory symptoms in never-smoking adolescents in Hong Kong: a cross-sectional study. <i>BMJ Open</i> , 2015 , 5, e008607	3	13
89	Stage of change for general health promotion action and health-related lifestyle practices in Chinese adults. <i>Preventive Medicine</i> , 2004 , 38, 302-8	4.3	13
88	Perceived Benefits and Harms of the COVID-19 Pandemic on Family Well-Being and Their Sociodemographic Disparities in Hong Kong: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	13
87	Public Support for Electronic Cigarette Regulation in Hong Kong: A Population-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	12
86	A prospective study of stage of change for general health promotion action and health-related lifestyle practices among Chinese adults. <i>Social Science and Medicine</i> , 2006 , 63, 1846-56	5.1	12
85	Fear of COVID-19 and its associations with perceived personal and family benefits and harms in Hong Kong. <i>Translational Behavioral Medicine</i> , 2021 , 11, 793-801	3.2	12
84	Increasing socioeconomic disparities in sedentary behaviors in Chinese children. <i>BMC Public Health</i> , 2019 , 19, 754	4.1	11
83	Predictors of intention to quit smoking in Hong Kong secondary school children. <i>Journal of Public Health</i> , 2010 , 32, 360-71	3.5	11
82	Dietary habits and the short-term effects of air pollution on mortality in the Chinese population in Hong Kong. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 254-8	5.1	11
81	Does economic development contribute to sex differences in ischaemic heart disease mortality? Hong Kong as a natural experiment using a case-control study. <i>BMC Public Health</i> , 2008 , 8, 32	4.1	11
80	Diet synergies and mortality--a population-based case-control study of 32,462 Hong Kong Chinese older adults. <i>International Journal of Epidemiology</i> , 2006 , 35, 418-26	7.8	11
79	Changes in individual weight status based on body mass index and waist circumference in Hong Kong Chinese. <i>PLoS ONE</i> , 2015 , 10, e0119827	3.7	11
78	Adolescent Smoking in Hong Kong: Prevalence, Psychosocial Correlates, and Prevention. <i>Journal of Adolescent Health</i> , 2019 , 64, S19-S27	5.8	10
77	Waterpipe smoking among secondary school students in Hong Kong. <i>International Journal of Public Health</i> , 2016 , 61, 427-34	4	10

76	Location of breakfast consumption predicts body mass index change in young Hong Kong children. <i>International Journal of Obesity</i> , 2012 , 36, 925-30	5.5	10
75	Smoking and mortality in the oldest-old, evidence from a prospective cohort of 56,000 Hong Kong Chinese. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 2090-1	5.6	10
74	The relation of chronic cardiovascular diseases and diabetes mellitus to perceived health, and the moderating effects of sex and age. <i>Social Science and Medicine</i> , 2007 , 65, 1386-96	5.1	10
73	Smoking and mortality in 81,344 drivers in Guangzhou, China. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 135-8	2.1	10
72	The relationship of waterpipe use with cigarette smoking susceptibility and nicotine dependence: A cross-sectional study among Hong Kong adolescents. <i>Addictive Behaviors</i> , 2017 , 64, 123-128	4.2	9
71	Family Smoking, Exposure to Secondhand Smoke at Home and Family Unhappiness in Children. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 14557-70	4.6	9
70	The use of waist-to-stature ratio to identify underweight and overweight in adolescents. <i>Pediatric Obesity</i> , 2010 , 5, 390-5		9
69	The association between adolescents' depressive symptoms, maternal negative affect, and family relationships in Hong Kong: cross-sectional and longitudinal findings. <i>Journal of Family Psychology</i> , 2009 , 23, 636-45	2.7	9
68	Age- versus time-comparative self-rated health in Hong Kong Chinese older adults. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 729-39	3.9	9
67	Favourable Perceptions of Electronic Cigarettes Relative to Cigarettes and the Associations with Susceptibility to Electronic Cigarette Use in Hong Kong Chinese Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	9
66	School-level electronic cigarette use prevalence and student-level tobacco use intention and behaviours. <i>Scientific Reports</i> , 2019 , 9, 1690	4.9	8
65	Validity and test-retest reliability in assessing current body size with figure drawings in Chinese adolescents. <i>Pediatric Obesity</i> , 2011 , 6, e107-13		8
64	Alcohol and cardio-respiratory deaths in Chinese: a population-based case-control study of 32,462 older Hong Kong adults. <i>BMC Public Health</i> , 2009 , 9, 49	4.1	8
63	Sex differences in body satisfaction, feeling fat and pressure to diet among Chinese adolescents in Hong Kong. <i>European Eating Disorders Review</i> , 2002 , 10, 347-358	5.3	8
62	Smoking, occupational exposure and mortality in workers in Guangzhou, China. <i>Annals of Epidemiology</i> , 2002 , 12, 370-7	6.4	8
61	Mediating effects of body composition between physical activity and body esteem in Hong Kong adolescents: a structural equation modeling approach. <i>European Journal of Pediatrics</i> , 2016 , 175, 31-7	4.1	7
60	Associations of unhappiness with sociodemographic factors and unhealthy behaviours in Chinese adolescents. <i>European Journal of Public Health</i> , 2017 , 27, 518-524	2.1	7
59	Adolescent Support for Tobacco Control Policies and Associations with Tobacco Denormalization Beliefs and Harm Perceptions. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7

58	The reliability and validity of the Chinese Short Warwick-Edinburgh Mental Well-being Scale in the general population of Hong Kong. <i>Quality of Life Research</i> , 2019 , 28, 2813-2820	3.7	6
57	Milk Consumption Across Life Periods in Relation to Lower Risk of Nasopharyngeal Carcinoma: A Multicentre Case-Control Study. <i>Frontiers in Oncology</i> , 2019 , 9, 253	5.3	6
56	Hong Kong Chinese adolescents' self-reported smoking and perceptions of parenting styles. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 268-75	2.6	6
55	Test-retest reliability of a computer-assisted self-administered questionnaire on early life exposure in a nasopharyngeal carcinoma case-control study. <i>Scientific Reports</i> , 2018 , 8, 7052	4.9	6
54	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: the Hong Kong Cardiovascular Risk Factor Study. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 528-35	5.2	6
53	Tobacco Industry Denormalization Beliefs in Hong Kong Adolescents. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 949-954	4.9	5
52	Associations of perceived interparental relationship, family harmony and family happiness with smoking intention in never-smoking Chinese children and adolescents: a cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e017523	3	5
51	Correlates of pro-drinking practices in drinking parents of adolescents in Hong Kong. <i>PLoS ONE</i> , 2015 , 10, e0119554	3.7	5
50	Alcohol drinking and pro-drinking practices in parents of Hong Kong adolescents. <i>Alcohol and Alcoholism</i> , 2014 , 49, 668-74	3.5	5
49	Secondhand smoke exposure and health services use among adolescent current smokers. <i>PLoS ONE</i> , 2013 , 8, e64322	3.7	5
48	Subjective health and fibrinogen in a healthy Chinese cohort. <i>British Journal of Health Psychology</i> , 2004 , 9, 523-32	8.3	5
47	Infodemiology of alcohol use in Hong Kong mentioned on blogs: infoveillance study. <i>Journal of Medical Internet Research</i> , 2013 , 15, e192	7.6	5
46	Perceived family relationship quality and use of poly-tobacco products during early and late adolescence. <i>Addictive Behaviors</i> , 2018 , 85, 38-42	4.2	5
45	Mortality reduction from quitting smoking in Hong Kong: population-wide proportional mortality study. <i>International Journal of Epidemiology</i> , 2018 , 47, 752-759	7.8	4
44	Parental smoking, rejection of parental smoking, and smoking susceptibility and behaviors in Hong Kong adolescents. <i>Addictive Behaviors</i> , 2018 , 82, 19-22	4.2	4
43	Effect of prepaid and promised financial incentive on follow-up survey response in cigarette smokers: a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2019 , 19, 138	4.7	4
42	A Review of Life-Course Familial and Lifestyle Factors of Smoking Initiation and Cessation. <i>Current Cardiovascular Risk Reports</i> , 2013 , 7, 457-463	0.9	4
41	Adverse lifestyle leads to an annual excess of 2 million deaths in China. <i>PLoS ONE</i> , 2014 , 9, e89650	3.7	4

40	Solar Ultraviolet Radiation and Vitamin D Deficiency on Epstein-Barr Virus Reactivation: Observational and Genetic Evidence From a Nasopharyngeal Carcinoma-Endemic Population. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa426	1	4
39	Cross-sectional study on parental pro-drinking practices and adolescent alcohol drinking in Hong Kong. <i>BMJ Open</i> , 2016 , 6, e009804	3	4
38	Self-Reported Screen Time on Social Networking Sites Associated With Problematic Smartphone Use in Chinese Adults: A Population-Based Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 614061	5	4
37	Family E-Chat Group Use Was Associated with Family Wellbeing and Personal Happiness in Hong Kong Adults amidst the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
36	Reactions to Thirdhand Smoke are Associated with Openness to Smoking in Young Never Smoking Children. <i>Journal of Community Health</i> , 2016 , 41, 461-7	4	3
35	Underage alcohol drinking and medical services use in Hong Kong: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	3
34	Norms and demographic differences of the short form-12 health survey version 2 in Chinese adolescents. <i>Journal of Paediatrics and Child Health</i> , 2011 , 47, 173-82	1.3	3
33	Does smoking affect hospital use before death? A comparison of ever- and never-smokers in the last years of life. <i>Medical Care</i> , 2008 , 46, 614-9	3.1	3
32	Emerging tobacco hazards in China 1999 , 318, 1554-1554		3
31	Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. <i>Tobacco Induced Diseases</i> , 2019 , 17, 61	3.2	3
30	Exposure to e-cigarette advertising, attitudes, and use susceptibility in adolescents who had never used e-cigarettes or cigarettes. <i>BMC Public Health</i> , 2020 , 20, 1349	4.1	3
29	Physicians' very brief (30-sec) intervention for smoking cessation on 13 671 smokers in China: a pragmatic randomized controlled trial. <i>Addiction</i> , 2021 , 116, 1172-1185	4.6	3
28	First Report on Smoking and Infection Control Behaviours at Outdoor Hotspots during the COVID-19 Pandemic: An Unobtrusive Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
27	Dietary fiber intake from fresh and preserved food and risk of nasopharyngeal carcinoma: observational evidence from a Chinese population. <i>Nutrition Journal</i> , 2021 , 20, 14	4.3	3
26	Training to implement a community program has positive effects on health promoters: JC FAMILY Project. <i>Translational Behavioral Medicine</i> , 2018 , 8, 838-850	3.2	3
25	Epidemiology and Population Screening 2019 , 65-84		2
24	Carcinogens in a puff of smoking in Hong Kong movies. <i>Tobacco Control</i> , 2010 , 19, 518-9	5.3	2
23	Pro-smoking responses and attitudes due to point-of-sale tobacco displays in never smokers: A cross-sectional study in Hong Kong. <i>Tobacco Induced Diseases</i> , 2018 , 16, 32	3.2	2

22	Understanding longevity in Hong Kong: a comparative study with long-living, high-income countries. <i>Lancet Public Health, The</i> , 2021 , 6, e919-e931	22.4	2
21	Smoking and nasopharyngeal cancer: individual data meta-analysis of six prospective studies on 334935 men. <i>International Journal of Epidemiology</i> , 2021 , 50, 975-986	7.8	2
20	Digital inequalities in health information seeking behaviors and experiences in the age of web 2.0: A population-based study in Hong Kong. <i>PLoS ONE</i> , 2021 , 16, e0249400	3.7	2
19	Living with Smoker(s) and Smoking Cessation in Chinese Adult Smokers: Cross-Sectional and Prospective Evidence from Hong Kong Population Health Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	1
18	Assessment of weight-related factors of adolescents by private practitioners. <i>BMC Family Practice</i> , 2013 , 14, 141	2.6	1
17	Late-onset or chronic overweight/obesity predicts low self-esteem in early adolescence: a longitudinal cohort study.. <i>BMC Public Health</i> , 2022 , 22, 31	4.1	1
16	High Perceived Susceptibility to and Severity of COVID-19 in Smokers Are Associated with Quitting-Related Behaviors. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
15	A cluster randomized controlled trial of more appreciation and less criticism in Hong Kong parents. <i>Journal of Family Psychology</i> , 2020 , 34, 731-739	2.7	1
14	Skipping breakfast and eating breakfast away from home were prospectively associated with emotional and behavioral problems in 115,217 Chinese adolescents. <i>Journal of Epidemiology</i> , 2021 ,	3.4	1
13	Characterization of Respiratory Symptoms Among Youth Using Heated Tobacco Products in Hong Kong. <i>JAMA Network Open</i> , 2021 , 4, e2117055	10.4	1
12	Alcohol drinking, especially light drinking, and depressive symptoms in adolescents. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 108932	4.9	1
11	Changes in tobacco use at the early stage of the COVID-19 pandemic: Results of four cross-sectional surveys in Hong Kong.. <i>Tobacco Induced Diseases</i> , 2022 , 20, 26	3.2	1
10	Associations of Face-to-Face and Instant Messaging Family Communication and Their Contents With Family Wellbeing and Personal Happiness Amidst the COVID-19 Pandemic.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 780714	5	1
9	The role of weight status in the association between nut consumption and hypertension. <i>Clinical Nutrition</i> , 2009 , 28, 216; author reply 217	5.9	0
8	An Internet-Based Intervention to Promote Alcohol-Related Attitudinal and Behavioral Change Among Adolescents: Protocol of a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2016 , 5, e103	2	0
7	Use patterns of cigarettes and alternative tobacco products and socioeconomic correlates in Hong Kong secondary school students. <i>Scientific Reports</i> , 2021 , 11, 17253	4.9	0
6	Dose-Response Reduction in Risk of Nasopharyngeal Carcinoma From Smoking Cessation: A Multicenter Case-Control Study in Hong Kong, China. <i>Frontiers in Oncology</i> , 2021 , 11, 699241	5.3	0
5	Development and Evaluation of an Innovative Web-Based Training, Learning, and Sharing Platform for Social Workers (Hong Kong Jockey Club SMART Family-Link Project): Mixed Methods Evaluation Study.. <i>JMIR Formative Research</i> , 2022 , 6, e32894	2.5	0

4	Associations of Delay in Doctor Consultation With COVID-19 Related Fear, Attention to Information, and Fact-Checking.. <i>Frontiers in Public Health</i> , 2021 , 9, 797814	6	0
3	The Association Between Electronic Device Use During Family Time and Family Well-Being: Population-Based Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e20529	7.6	
2	Low vitamin D exposure and risk of nasopharyngeal carcinoma: Observational and genetic evidence from a multicenter case-control study. <i>Clinical Nutrition</i> , 2021 , 40, 5180-5188	5.9	
1	Worsening trends in self-rated health and correlates in Chinese adolescents in Hong Kong: a population-based panel study from 1999/2000 to 2014/15.. <i>BMJ Open</i> , 2022 , 12, e055842	3	