

# Lisa A Spencer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2148464/publications.pdf>

Version: 2024-02-01

27  
papers

2,222  
citations

394286

19  
h-index

526166

27  
g-index

29  
all docs

29  
docs citations

29  
times ranked

2667  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modulation of surface CD11c expression tracks plasticity in murine intestinal tissue eosinophils. <i>Journal of Leukocyte Biology</i> , 2022, 111, 943-952.	1.5	7
2	Heterogeneity of Intestinal Tissue Eosinophils: Potential Considerations for Next-Generation Eosinophil-Targeting Strategies. <i>Cells</i> , 2021, 10, 426.	1.8	19
3	Assessing Phenotypic Heterogeneity in Intestinal Tissue Eosinophils. <i>Methods in Molecular Biology</i> , 2021, 2241, 243-255.	0.4	3
4	Remote allergen exposure elicits eosinophil infiltration into allergen nonexposed mucosal organs and primes for allergic inflammation. <i>Mucosal Immunology</i> , 2020, 13, 777-787.	2.7	25
5	Climbing New Mountains: How Antibodies Blocking $\alpha 4 \beta 7$ Integrins Tamed Eosinophilic Inflammation of the Intestinal Tract. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2068-2071.	1.1	2
6	Charcot-Leyden Crystals in Eosinophilic Inflammation: Active Cytolysis Leads to Crystal Formation. <i>Current Allergy and Asthma Reports</i> , 2019, 19, 35.	2.4	50
7	Revisiting the NIH Taskforce on the Research needs of Eosinophil-Associated Diseases (RE-TREAD). <i>Journal of Leukocyte Biology</i> , 2018, 104, 69-83.	1.5	34
8	An algorithm for the classification of mRNA patterns in eosinophilic esophagitis: Integration of machine learning. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1354-1364.e9.	1.5	22
9	Resident intestinal eosinophils constitutively express antigen presentation markers and include two phenotypically distinct subsets of eosinophils. <i>Immunology</i> , 2018, 154, 298-308.	2.0	42
10	Charcot-Leyden crystal formation is closely associated with eosinophil extracellular trap cell death. <i>Blood</i> , 2018, 132, 2183-2187.	0.6	125
11	Single-Cell Analyses of Human Eosinophils at High Resolution to Understand Compartmentalization and Vesicular Trafficking of Interferon-Gamma. <i>Frontiers in Immunology</i> , 2018, 9, 1542.	2.2	15
12	Functions of tissue-resident eosinophils. <i>Nature Reviews Immunology</i> , 2017, 17, 746-760.	10.6	376
13	Eosinophil EToxis and DNA Traps: a New Look at Eosinophilic Inflammation. <i>Current Allergy and Asthma Reports</i> , 2016, 16, 54.	2.4	91
14	CD63 is tightly associated with intracellular, secretory events chaperoning piecemeal degranulation and compound exocytosis in human eosinophils. <i>Journal of Leukocyte Biology</i> , 2016, 100, 391-401.	1.5	52
15	Humoral Immunity Provides Resident Intestinal Eosinophils Access to Luminal Antigen via Eosinophil-Expressed Low-Affinity Fc $\gamma$ 3 Receptors. <i>Journal of Immunology</i> , 2016, 197, 3716-3724.	0.4	7
16	The transcription factor XBP1 is selectively required for eosinophil differentiation. <i>Nature Immunology</i> , 2015, 16, 829-837.	7.0	154
17	Eosinophil Secretion of Granule-Derived Cytokines. <i>Frontiers in Immunology</i> , 2014, 5, 496.	2.2	105
18	CCL11 elicits secretion of RNases from mouse eosinophils and their cell-free granules. <i>FASEB Journal</i> , 2012, 26, 2084-2093.	0.2	43

#	ARTICLE	IF	CITATIONS
19	Eosinophils in innate immunity: an evolving story. <i>Cell and Tissue Research</i> , 2011, 343, 57-83.	1.5	215
20	Eosinophils and Th2 immunity: contemporary insights. <i>Immunology and Cell Biology</i> , 2010, 88, 250-256.	1.0	150
21	Human eosinophils constitutively express multiple Th1, Th2, and immunoregulatory cytokines that are secreted rapidly and differentially. <i>Journal of Leukocyte Biology</i> , 2009, 85, 117-123.	1.5	216
22	Mature human eosinophils express functional Notch ligands mediating eosinophil autocrine regulation. <i>Blood</i> , 2009, 113, 3092-3101.	0.6	39
23	Mechanisms of eosinophil secretion: large vesiculotubular carriers mediate transport and release of granule-derived cytokines and other proteins. <i>Journal of Leukocyte Biology</i> , 2008, 83, 229-236.	1.5	101
24	Eosinophil granules function extracellularly as receptor-mediated secretory organelles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18478-18483.	3.3	120
25	Cytokine receptor-mediated trafficking of preformed IL-4 in eosinophils identifies an innate immune mechanism of cytokine secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 3333-3338.	3.3	119
26	Human Eosinophils Secrete Preformed, Granule-Stored Interleukin-4 Through Distinct Vesicular Compartments. <i>Traffic</i> , 2005, 6, 1047-1057.	1.3	87
27	A Gel-Based Dual Antibody Capture and Detection Method for Assaying of Extracellular Cytokine Secretion: <i>EliCell.</i> , 2005, 302, 297-314.		1