Srinivasa Rao Bakshi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2149027/srinivasa-rao-bakshi-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 4,174 34 g-index

91 4,720 4.5 ext. papers ext. citations avg, IF

5.87
L-index

#	Paper	IF	Citations
91	Effect of Nanocrystalline Structure on the Oxidation Behavior of Fe2OCrBAl Alloy at High Temperatures. <i>Oxidation of Metals</i> , 2022 , 97, 307	1.6	
90	Nanocrystalline structure remarkably enhances oxidation resistance of Fe-20Cr-5Al alloy. <i>Journal of Alloys and Compounds</i> , 2022 , 900, 163568	5.7	0
89	Surface integrity studies on ZrB2 and graphene reinforced ZrB2 ceramic matrix composite in EDM process. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2022 , 38, 401-413	3.4	3
88	Reactive spark plasma sintering of B4C composite at low temperature using mechanically milled B4CIIiB mixtures. <i>Ceramics International</i> , 2021 , 47, 26134-26143	5.1	3
87	Novel single phase (Ti0.2W0.2Ta0.2Mo0.2V0.2)C0.8 high entropy carbide using ball milling followed by reactive spark plasma sintering. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 6756-6762	6	4
86	Microstructural evolution and wear behavior of carbon added CoCrFeMnNi multi-component alloy fabricated by mechanical alloying and spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2021 , 883, 160879	5.7	2
85	Effect of Pin Length and Rotation Speed on the Microstructure and Mechanical Properties of Friction Stir Welded Lap Joints of AZ31B-H24 Mg Alloy and AA6061-T6 Al Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020 , 51, 6269-6282	2.3	7
84	Microstructure and high temperature mechanical properties of wire arc additively deposited Stellite 6 alloy. <i>Materialia</i> , 2020 , 12, 100724	3.2	4
83	Tensile properties of carbon nanotubes reinforced aluminum matrix composites: A review. <i>Carbon</i> , 2020 , 160, 14-44	10.4	60
82	Theoretical and experimental studies on thermal stability of nanocrystalline MgMo alloy. <i>Materialia</i> , 2020 , 14, 100933	3.2	1
81	Fabrication of W-Cu functionally graded composites using high energy ball milling and spark plasma sintering for plasma facing components. <i>Advanced Powder Technology</i> , 2020 , 31, 3657-3666	4.6	14
80	Microstructural and morphological changes during ball milling of Copper-Silver-Graphite flake mixtures. <i>Advanced Powder Technology</i> , 2019 , 30, 2759-2767	4.6	5
79	Effect of graphene nano-platelet addition on the microstructure and spark plasma sintering kinetics of zirconium diboride. <i>International Journal of Refractory Metals and Hard Materials</i> , 2019 , 84, 104979	4.1	6
78	Solidification and Liquation Cracking Behavior of Dual-Phase Steel DP600. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2019 , 50, 2029-2036	2.5	1
77	Effect of correction parameters on deposition characteristics in cold metal transfer welding. <i>Materials and Manufacturing Processes</i> , 2019 , 34, 1205-1216	4.1	12
76	Microstructure and Mechanical Properties of TiAlNitrtoffe-Based High-Entropy Alloys. <i>Transactions of the Indian Institute of Metals</i> , 2019 , 72, 1413-1416	1.2	1
75	Synthesis and mechanical properties of TiCx and Ti(C,N) reinforced Titanium matrix in situ composites by reactive spark plasma sintering. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 759, 30-39	5.3	10

74	Microstructure and mechanical properties of Ti-Al-Ni-Co-Fe based high entropy alloys prepared by powder metallurgy route. <i>Journal of Alloys and Compounds</i> , 2019 , 787, 123-132	5.7	21	
73	Comparison of microstructure, dilution and wear behavior of Stellite 21 hardfacing on H13 steel using cold metal transfer and plasma transferred arc welding processes. <i>Surface and Coatings Technology</i> , 2019 , 375, 383-394	4.4	10	
72	Transmission Electron Microscopy Studies of Plasma Arc-Welded DP600 Dual-Phase Steel in Keyhole Mode. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019 , 50, 5689-5699	2.3		
71	Effect of Post-Weld Heat Treatment on the Microstructure of Plasma Arc Welded DP600 Steel. <i>Metallography, Microstructure, and Analysis</i> , 2019 , 8, 848-860	1.1		
70	Microstructure and mechanical properties of keyhole plasma arc welded dual phase steel DP600. Journal of Materials Processing Technology, 2019 , 270, 28-36	5.3	15	
69	Microstructural Evolution of TiAlNi (Cr,Co,Fe)-Based High-Entropy Alloys Processed Through Mechanical Alloying. <i>Transactions of the Indian Institute of Metals</i> , 2019 , 72, 1427-1430	1.2	2	
68	Microstructure and mechanical properties of as-cast and T6 treated Sc modified A356-5TiB2 in-situ composite. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 739, 383-394	5.3	19	
67	Effect of graphene nano-platelet reinforcement on the mechanical properties of hot pressed boron carbide based composite. <i>Ceramics International</i> , 2018 , 44, 9830-9838	5.1	29	
66	Graphene nanoplatelets induce crystallographic texturing during reactive spark plasma sintering of titanium diboride. <i>Carbon</i> , 2018 , 133, 323-334	10.4	10	
65	Effect of C/Ti ratio on densification, microstructure and mechanical properties of TiCx prepared by reactive spark plasma sintering. <i>Ceramics International</i> , 2018 , 44, 484-494	5.1	34	
64	In-situ synthesis and densification of boron carbide and boron carbide-graphene nanoplatelet composite by reactive spark plasma sintering. <i>Ceramics International</i> , 2018 , 44, 21132-21137	5.1	14	
63	Microstructure and Mechanical Properties of NiTiCuFe Multi-component Alloy. <i>Transactions of the Indian Institute of Metals</i> , 2018 , 71, 2789-2793	1.2		
62	Microstructure and mechanical properties of oxide dispersion strengthened 18Cr-ferritic steel consolidated by spark plasma sintering. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing,</i> 2018 , 736, 137-147	5.3	12	
61	Fabrication of dense alumina layer on Ti alloy hybrid by cold metal transfer and micro-arc oxidation methods. <i>Journal of Materials Research</i> , 2017 , 32, 3415-3424	2.5	7	
60	Densification mechanisms during reactive spark plasma sintering of Titanium diboride and Zirconium diboride. <i>Philosophical Magazine</i> , 2017 , 97, 1588-1609	1.6	10	
59	In-situ formed graphene nanoribbon induced toughening and thermal shock resistance of spark plasma sintered carbon nanotube reinforced titanium carbide composite. <i>Composites Part B: Engineering</i> , 2017 , 123, 227-240	10	36	
58	Effect of carbon nano-filler addition on the degradation of epoxy adhesive joints subjected to hygrothermal aging. <i>Polymer Degradation and Stability</i> , 2017 , 140, 84-94	4.7	47	
57	Formation of TiCx during reactive spark plasma sintering of mechanically milled Ti/carbon nanotube mixtures. <i>Journal of Alloys and Compounds</i> , 2017 , 709, 829-841	5.7	43	

56	Effect of Coiling Temperature on the Microstructure and Mechanical Properties of Hot-Rolled TiNb Microalloyed Ultra High Strength Steel. <i>Transactions of the Indian Institute of Metals</i> , 2017 , 70, 1773-1781	1.2	10
55	Hardfacing of AISI H13 tool steel with Stellite 21 alloy using cold metal transfer welding process. Surface and Coatings Technology, 2017 , 326, 63-71	4.4	31
54	Processing and characterization of spark plasma sintered copper/carbon nanotube composites. <i>Materials Science & Discourse and Processing</i> , 2017 , 682, 229-237	5.3	37
53	Structural Evolution during Milling, Annealing, and Rapid Consolidation of Nanocrystalline Fe-10Cr-3Al Powder. <i>Materials</i> , 2017 , 10,	3.5	8
52	Controlled 3D Carbon Nanotube Structures by Plasma Welding. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500755	4.6	21
51	Effect of different carbon nano-fillers on rheological properties and lap shear strength of epoxy adhesive joints. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 82, 53-64	8.4	81
50	Carbon nanotube and in-situ titanium carbide reinforced titanium diboride matrix composites synthesized by reactive spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 663, 38-48	5.3	24
49	Low temperature synthesis of dense and ultrafine grained zirconium diboride compacts by reactive spark plasma sintering. <i>Scripta Materialia</i> , 2016 , 110, 78-81	5.6	21
48	Reactive Spark Plasma Sintering and Mechanical Properties of Zirconium Diboride Itanium Diboride Ultrahigh Temperature Ceramic Solid Solutions. <i>Technologies</i> , 2016 , 4, 30	2.4	5
47	Effect of different nano-carbon reinforcements on microstructure and properties of TiO2 composites prepared by spark plasma sintering. <i>Ceramics International</i> , 2016 , 42, 14266-14277	5.1	10
46	Synergistic effect of carbon nanotube as sintering aid and toughening agent in spark plasma sintered molybdenum disilicide-hafnium carbide composite. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 678, 299-307	5.3	17
45	Effect of Sc addition and T6 aging treatment on the microstructure modification and mechanical properties of A356 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 674, 438-450	5.3	43
44	Aluminum-Based Cast In Situ Composites: A Review. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 2185-2207	1.6	118
43	Effect of Sc addition on the microstructure and wear properties of A356 alloy and A356 in Situ composite. <i>Materials & Design</i> , 2015 , 78, 85-94		49
42	Low temperature synthesis of dense TiB2 compacts by reaction spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2015 , 48, 201-210	4.1	34
41	Densification and Mechanical Properties of ZrB2-TiB2 Ultra High Temperature Ceramic Composites. <i>Ceramic Engineering and Science Proceedings</i> , 2015 , 275-285	0.1	O
40	Surface Engineering for Extreme Conditions. <i>Jom</i> , 2015 , 67, 1526-1527	2.1	1
39	Effect of Carbon Nanotube Dispersion on Mechanical Properties of Aluminum-Silicon Alloy Matrix Composites. <i>Journal of Materials Engineering and Performance</i> , 2014 , 23, 1028-1037	1.6	10

(2010-2014)

38	Al-Si-Mn Alloy Coating on Aluminum Substrate Using Cold Metal Transfer (CMT) Welding Technique. <i>Jom</i> , 2014 , 66, 1061-1067	2.1	23
37	Ultrahigh-pressure consolidation and deformation of tantalum carbide at ambient and high temperatures. <i>Acta Materialia</i> , 2013 , 61, 4001-4009	8.4	31
36	Processing copperBarbon nanotube composite powders by high energy milling. <i>Materials Characterization</i> , 2013 , 84, 58-66	3.9	35
35	Recent Developments in Surface Engineering of Materials. <i>Jom</i> , 2013 , 65, 739-740	2.1	0
34	Processing of copperDarbon nanotube composites by vacuum hot pressing technique. <i>Materials Science & Microstructure and Processing</i> , 2013 , 560, 365-371	5.3	58
33	Graphene-induced strengthening in spark plasma sintered tantalum carbideflanotube composite. <i>Scripta Materialia</i> , 2013 , 68, 285-288	5.6	38
32	Advances in Surface Engineering: Alloyed and Composite Coatings. <i>Jom</i> , 2012 , 64, 680-681	2.1	
31	Ab-initio molecular modeling of interfaces in tantalum-carbon system. <i>Journal of Applied Physics</i> , 2012 , 111, 063521	2.5	7
30	Computational estimation of elastic properties of spark plasma sintered TaC by meshfree and finite element methods. <i>Computational Materials Science</i> , 2011 , 50, 2615-2620	3.2	9
29	In-situ synthesis of TiC/SiC/Ti3SiC2 composite coatings by spark plasma sintering. <i>Surface and Coatings Technology</i> , 2011 , 205, 3840-3846	4.4	26
28	An analysis of the factors affecting strengthening in carbon nanotube reinforced aluminum composites. <i>Carbon</i> , 2011 , 49, 533-544	10.4	352
27	Spark plasma sintered tantalum carbide: Effect of pressure and nano-boron carbide addition on microstructure and mechanical properties. <i>Materials Science & Diple Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1287-1295	5.3	74
26	Spark plasma sintered tantalum carbidellarbon nanotube composite: Effect of pressure, carbon nanotube length and dispersion technique on microstructure and mechanical properties. <i>Materials Science & Dispersion A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 ,	5.3	70
25	A comparison of mechanical and wear properties of plasma sprayed carbon nanotube reinforced aluminum composites at nano and macro scale. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3375-3384	5.3	64
24	Grain Growth Behavior of Aluminum Oxide Reinforced with Carbon Nanotube During Plasma Spraying and PostSpray Consolidation. <i>International Journal of Applied Ceramic Technology</i> , 2010 , 7, 846	6- 8 55	23
23	Carbon nanotube reinforced metal matrix composites - a review. <i>International Materials Reviews</i> , 2010 , 55, 41-64	16.1	1043
22	Thermal conductivity of carbon nanotube reinforced aluminum composites: A multi-scale study using object oriented finite element method. <i>Computational Materials Science</i> , 2010 , 50, 419-428	3.2	44
21	Microstructure and tribological behavior of spark plasma sintered iron-based amorphous coatings. Materials Science & Description of Science & Des	5.3	29

20	Nanoscratch behavior of carbon nanotube reinforced aluminum coatings. <i>Thin Solid Films</i> , 2010 , 518, 1703-1711	2.2	62
19	Correlation between nanoindentation and nanoscratch properties of carbon nanotube reinforced aluminum composite coatings. <i>Surface and Coatings Technology</i> , 2010 , 204, 2709-2715	4.4	56
18	Boron nitride nanotube reinforced polylactide-polycaprolactone copolymer composite: mechanical properties and cytocompatibility with osteoblasts and macrophages in vitro. <i>Acta Biomaterialia</i> , 2010 , 6, 3524-33	10.8	187
17	Nanomechanical behaviour of plasma sprayed PZT coatings. Surface Engineering, 2009, 25, 270-275	2.6	12
16	Microstructure and wear properties of aluminum/aluminumBilicon composite coatings prepared by cold spraying. <i>Surface and Coatings Technology</i> , 2009 , 204, 503-510	4.4	44
15	Aluminum composite reinforced with multiwalled carbon nanotubes from plasma spraying of spray dried powders. <i>Surface and Coatings Technology</i> , 2009 , 203, 1544-1554	4.4	146
14	Structural transformations in carbon nanotubes during thermal spray processing. <i>Surface and Coatings Technology</i> , 2009 , 203, 2193-2201	4.4	37
13	Dual strengthening mechanisms induced by carbon nanotubes in roll bonded aluminum composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 523, 263-270	5.3	79
12	Intersplat friction force and splat sliding in a plasma-sprayed aluminum alloy coating during nanoindentation and microindentation. <i>ACS Applied Materials & Distriction and Materials & Distriction &</i>	9.5	16
11	Interface in carbon nanotube reinforced aluminum silicon composites: Thermodynamic analysis and experimental verification. <i>Journal of Alloys and Compounds</i> , 2009 , 481, 207-213	5.7	76
10	Reaction synthesis of Ti3SiC2 phase in plasma sprayed coating. <i>Journal of Alloys and Compounds</i> , 2009 , 484, 113-117	5.7	61
9	Quantification of carbon nanotube distribution and property correlation in nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2009 , 40, 1311-1318	8.4	63
8	Deformation and damage mechanisms of multiwalled carbon nanotubes under high-velocity impact. <i>Scripta Materialia</i> , 2008 , 59, 499-502	5.6	37
7	Carbon nanotube reinforced aluminum composite coating via cold spraying. <i>Surface and Coatings Technology</i> , 2008 , 202, 5162-5169	4.4	175
6	Thermal Conductivity of Plasma-Sprayed Aluminum OxideMultiwalled Carbon Nanotube Composites. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 942-947	3.8	45
5	Effect of carrier gas on mechanical properties and fracture behaviour of cold sprayed aluminium coatings. <i>Surface Engineering</i> , 2007 , 23, 18-22	2.6	14
4	Role of powder treatment and carbon nanotube dispersion in the fracture toughening of plasma-sprayed aluminum oxide-carbon nanotube nanocomposite. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 3553-62	1.3	88
3	Synthesis and characterization of multiwalled carbon nanotube reinforced ultra high molecular weight polyethylene composite by electrostatic spraying technique. <i>Composites Part A: Applied Science and Manufacturina</i> , 2007 , 38, 2493-2499	8.4	87

LIST OF PUBLICATIONS

2	Effect of Graphene nanoplatelets (GNP) reinforcement on grindability of zirconium diboride ceramics. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> ,1-20	3.3	О

Friction Stir Lap Welding of AZ31B and AA6061 Alloys Using Tin as an Inter-Layer. *Metals and*2.4