

Susanna Sciomer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2149327/susanna-sciomer-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

2,068
citations

27
h-index

43
g-index

87
ext. papers

2,535
ext. citations

4
avg, IF

4.32
L-index

#	Paper	IF	Citations
80	"You can leave your mask on": effects on cardiopulmonary parameters of different airway protective masks at rest and during maximal exercise. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	18
79	Right Ventricular Strain Curve Morphology and Outcome in Idiopathic Pulmonary Arterial Hypertension. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 162-172	8.4	8
78	The Growing Role of Echocardiography in Pulmonary Arterial Hypertension Risk Stratification: The Missing Piece. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	6
77	Minute ventilation/carbon dioxide production in chronic heart failure. <i>European Respiratory Review</i> , 2021 , 30,	9.8	2
76	Recommendations for Physical Inactivity and Sedentary Behavior During the Coronavirus Disease (COVID-19) Pandemic. <i>Frontiers in Public Health</i> , 2020 , 8, 199	6	58
75	A new pathophysiology in heart failure patients. <i>Artificial Organs</i> , 2020 , 44, 1303-1305	2.6	1
74	Menopausal hormone therapy and breast cancer risk: the cardiological point of view. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 538-539	1.9	
73	Clinical implications of idiopathic pulmonary arterial hypertension phenotypes defined by cluster analysis. <i>Journal of Heart and Lung Transplantation</i> , 2020 , 39, 310-320	5.8	12
72	SARS-CoV-2 spread in Northern Italy: what about the pollution role?. <i>Environmental Monitoring and Assessment</i> , 2020 , 192, 325	3.1	23
71	Choosing among β blockers in heart failure patients according to β receptors location and functions in the cardiopulmonary system. <i>Pharmacological Research</i> , 2020 , 156, 104785	10.2	9
70	Sex-Specific Cut-Offs for High-Sensitivity Cardiac Troponin: Is Less More?. <i>Cardiovascular Therapeutics</i> , 2019 , 2019, 9546931	3.3	22
69	Isocapnic buffering period: From physiology to clinics. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1107-1114	3.9	9
68	Women-specific predictors of cardiovascular disease risk - new paradigms. <i>International Journal of Cardiology</i> , 2019 , 286, 190-197	3.2	26
67	Cardiovascular prevention in women: a narrative review from the Italian Society of Cardiology working groups on Cardiovascular Prevention, Hypertension and peripheral circulation and on Women Disease. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 575-583	1.9	30
66	Exercise performance, haemodynamics, and respiratory pattern do not identify heart failure patients who end exercise with dyspnoea from those with fatigue. <i>ESC Heart Failure</i> , 2018 , 5, 115-119	3.7	6
65	Surfactant proteins changes after acute hemodynamic improvement in patients with advanced chronic heart failure treated with Levosimendan. <i>Respiratory Physiology and Neurobiology</i> , 2018 , 252-253, 47-51	2.8	7
64	Multiparametric prognostic scores in chronic heart failure with reduced ejection fraction: a long-term comparison. <i>European Journal of Heart Failure</i> , 2018 , 20, 700-710	12.3	51

63	Influence of various therapeutic strategies on right ventricular morphology, function and hemodynamics in pulmonary arterial hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2018 , 37, 365-375	5.8	27
62	Dose-dependent efficacy of β blocker in patients with chronic heart failure and atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 273, 141-146	3.2	10
61	Gender related differences in treatment and response to statins in primary and secondary cardiovascular prevention: The never-ending debate. <i>Pharmacological Research</i> , 2017 , 117, 148-155	10.2	33
60	Prognostic role of β blocker selectivity and dosage regimens in heart failure patients. Insights from the MECKI score database. <i>European Journal of Heart Failure</i> , 2017 , 19, 904-914	12.3	19
59	Right ventricular dyssynchrony and exercise capacity in idiopathic pulmonary arterial hypertension. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	26
58	Letter to the editor about the paper "Right ventricular dyssynchrony predicts clinical outcomes in patients with pulmonary hypertension" by Murata et al. <i>International Journal of Cardiology</i> , 2017 , 234, 128	3.2	1
57	Lvad pump speed increase is associated with increased peak exercise cardiac output and vo, postponed anaerobic threshold and improved ventilatory efficiency. <i>International Journal of Cardiology</i> , 2017 , 230, 28-32	3.2	32
56	Prognostic relevance of right heart reverse remodeling in idiopathic pulmonary arterial hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2017 ,	5.8	22
55	Hidden in the heart: A peculiar type of left ventricular remodeling after acute myocardial infarction. <i>Echocardiography</i> , 2017 , 34, 1738-1739	1.5	1
54	Echocardiography Combined With Cardiopulmonary Exercise Testing for the Prediction of Outcome in Idiopathic Pulmonary Arterial Hypertension. <i>Chest</i> , 2016 , 150, 1313-1322	5.3	34
53	The alveolar to arterial oxygen partial pressure difference is associated with pulmonary diffusing capacity in heart failure patients. <i>Respiratory Physiology and Neurobiology</i> , 2016 , 233, 1-6	2.8	9
52	Cardiac Remodeling in Patients With Primary and Secondary Aldosteronism: A Tissue Doppler Study. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9,	3.9	34
51	Delayed Anaerobic Threshold in Heart Failure Patients With Atrial Fibrillation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016 , 36, 174-9	3.6	2
50	Right ventricular concentric hypertrophy and clinical worsening in idiopathic pulmonary arterial hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2016 , 35, 1321-1329	5.8	19
49	Right Intraventricular Dyssynchrony in Idiopathic, Heritable, and Anorexigen-Induced Pulmonary Arterial Hypertension: Clinical Impact and Reversibility. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 642-52	8.4	62
48	Impact of chronic obstructive pulmonary disease on exercise ventilatory efficiency in heart failure. <i>International Journal of Cardiology</i> , 2015 , 189, 134-40	3.2	52
47	Right ventricular remodeling in idiopathic pulmonary arterial hypertension: adaptive versus maladaptive morphology. <i>Journal of Heart and Lung Transplantation</i> , 2015 , 34, 395-403	5.8	41
46	Levosimendan improves exercise performance in patients with advanced chronic heart failure. <i>ESC Heart Failure</i> , 2015 , 2, 133-141	3.7	15

45	Effects of blood transfusion on exercise capacity in thalassemia major patients. <i>PLoS ONE</i> , 2015 , 10, e0137553	8	37
44	Right ventricular dyssynchrony in idiopathic pulmonary arterial hypertension: determinants and impact on pump function. <i>Journal of Heart and Lung Transplantation</i> , 2015 , 34, 381-9	5.8	40
43	KCNJ5 gene somatic mutations affect cardiac remodelling but do not preclude cure of high blood pressure and regression of left ventricular hypertrophy in primary aldosteronism. <i>Journal of Hypertension</i> , 2014 , 32, 1514-21; discussion 1522	1.9	32
42	Electrical and Myocardial Remodeling in Primary Aldosteronism. <i>Frontiers in Cardiovascular Medicine</i> , 2014 , 1, 7	5.4	5
41	Inside ventilatory regulation in pulmonary hypertension: several hidden data are still undiscovered. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 268-71	3.9	7
40	A non invasive estimate of dead space ventilation from exercise measurements. <i>PLoS ONE</i> , 2014 , 9, e87395	3.7	26
39	Multiparametric comparison of CARvedilol, vs. NEbivolol, vs. Bisoprolol in moderate heart failure: the CARNEBI trial. <i>International Journal of Cardiology</i> , 2013 , 168, 2134-40	3.2	40
38	Rationale for cardiopulmonary exercise test in the assessment of surgical risk. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 254-61	1.9	12
37	Primary aldosteronism in a patient who exhibited heart failure. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 566-8	2.3	3
36	Chronotropic incompetence and functional capacity in chronic heart failure: no role of β blockers and β blocker dose. <i>Cardiovascular Therapeutics</i> , 2012 , 30, 100-8	3.3	38
35	Effects of carvedilol on oxygen uptake and heart rate kinetics in patients with chronic heart failure at simulated altitude. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 444-51	3.9	1
34	Left atrial size predicts the onset of atrial fibrillation after major pulmonary resections. <i>European Journal of Cardio-thoracic Surgery</i> , 2012 , 41, 1094-7; discussion 1097	3	17
33	Pulmonary arterial dilatation in pulmonary hypertension: prevalence and prognostic relevance. <i>Cardiology</i> , 2012 , 121, 76-82	1.6	25
32	Speckle-tracking echocardiography: a new technique for assessing myocardial function. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 71-83	2.9	312
31	Neurofibromatosis type 1 (NF1) and pheochromocytoma: prevalence, clinical and cardiovascular aspects. <i>Archives of Dermatological Research</i> , 2011 , 303, 317-25	3.3	67
30	Real-time three dimensional transesophageal echocardiography: technical aspects and clinical applications. <i>Heart International</i> , 2010 , 5, e6	0.3	9
29	Adipokines and cardiometabolic profile in primary hyperaldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2391-8	5.6	74
28	Effects of beta-blockers on ventilation efficiency in heart failure. <i>American Heart Journal</i> , 2010 , 159, 1067-73	4.9	34

27	Echocardiography in patients with hypertrophic cardiomyopathy: usefulness of old and new techniques in the diagnosis and pathophysiological assessment. <i>Cardiovascular Ultrasound</i> , 2010 , 8, 7	2.4	40
26	Circulating plasma surfactant protein type B as biological marker of alveolar-capillary barrier damage in chronic heart failure. <i>Circulation: Heart Failure</i> , 2009 , 2, 175-80	7.6	26
25	Alveolar membrane conductance decreases as BNP increases during exercise in heart failure. Rationale for BNP in the evaluation of dyspnea. <i>Journal of Cardiac Failure</i> , 2009 , 15, 136-44	3.3	17
24	Assessment of cardiac resynchronization therapy response. <i>International Journal of Cardiology</i> , 2009 , 136, 240-2	3.2	10
23	Early impairment of myocardial function in young patients with beta-thalassemia major. <i>European Journal of Haematology</i> , 2008 , 80, 515-22	3.8	30
22	Venous endothelin-1 (ET-1) and brain natriuretic peptide (BNP) plasma levels during 6-month bosentan treatment for pulmonary arterial hypertension. <i>Regulatory Peptides</i> , 2008 , 151, 48-53		14
21	Mechanical dyssynchrony and functional mitral regurgitation: pathophysiology and clinical implications. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 461-9	1.9	8
20	Practical echocardiography in aortic valve stenosis. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 653-65	1.9	3
19	Increased QT variability in young asymptomatic patients with beta-thalassemia major. <i>European Journal of Haematology</i> , 2007 , 79, 322-9	3.8	27
18	Lung function with carvedilol and bisoprolol in chronic heart failure: is beta selectivity relevant?. <i>European Journal of Heart Failure</i> , 2007 , 9, 827-33	12.3	44
17	Long-term Doppler echocardiographic evaluation of the right heart after major lung resections. <i>European Journal of Cardio-thoracic Surgery</i> , 2007 , 32, 787-90	3	32
16	New echocardiographic technologies in the clinical management of hypertensive heart disease. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 997-1006	1.9	9
15	Non-invasive assessment of pulmonary hypertension: Doppler-echocardiography. <i>Pulmonary Pharmacology and Therapeutics</i> , 2007 , 20, 135-40	3.5	38
14	Asymptomatic intramyocardial mass: tissue characterization by cardiovascular magnetic resonance. <i>International Journal of Cardiology</i> , 2007 , 116, e63-4	3.2	1
13	Mid-term efficacy of beraprost, an oral prostacyclin analog, in the treatment of distal CTEPH: a case control study. <i>Cardiology</i> , 2006 , 106, 168-73	1.6	15
12	Plasma adrenomedullin and endothelin-1 concentration during low-dose dobutamine infusion: Relationship between pulmonary uptake and pulmonary vascular pressure/flow characteristics. <i>Regulatory Peptides</i> , 2006 , 136, 85-91		1
11	Increased plasma levels of adrenomedullin, a vasoactive peptide, in patients with end-stage pulmonary disease. <i>Regulatory Peptides</i> , 2005 , 124, 187-93		20
10	Pulmonary hypertension: echocardiographic assessment. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005 , 6, 840-5		6

9	Usefulness of 2D echo Doppler in the preoperative assessment of cystic fibrosis patients who are candidates for lung transplantation. <i>Transplantation Proceedings</i> , 2001 , 33, 1628-9	1.1	2
8	Clinical impact of echocardiography in prognostic stratification after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1998 , 81, 17G-20G	3	10
7	Clinical and prognostic usefulness of supine bicycle exercise echocardiography in the functional evaluation of patients undergoing elective percutaneous transluminal coronary angioplasty. <i>Circulation</i> , 1997 , 95, 1176-84	16.7	23
6	Stress echocardiography: comparison of exercise, dipyridamole and dobutamine in detecting and predicting the extent of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 18-25	15.1	133
5	Transesophageal dipyridamole echocardiography for diagnosis of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 765-70	15.1	55
4	Identification of coronary artery by-pass grafts: reliability of MRI in clinical practice. <i>International Journal of Cardiovascular Imaging</i> , 1992 , 8, 85-94		4
3	Painless versus painful myocardial ischemia: different left ventricular dysfunction detected by echocardiography. <i>International Journal of Cardiology</i> , 1989 , 22, 321-7	3.2	6
2	Left ventricular filling pattern in hypertensive patients after reversal of myocardial hypertrophy. <i>International Journal of Cardiology</i> , 1987 , 17, 177-85	3.2	7
1	Echocardiographic assessment of congenital mitral stenosis. <i>American Heart Journal</i> , 1984 , 108, 523-31	4.9	4