Bo R Rueda

List of Publications by Citations

Source: https://exaly.com/author-pdf/2150274/bo-r-rueda-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers5,274
citations39
h-index69
g-index119
ext. papers5,903
ext. citations6.3
avg, IF5.24
L-index

#	Paper	IF	Citations
115	Induction of interleukin-8 preserves the angiogenic response in HIF-1alpha-deficient colon cancer cells. <i>Nature Medicine</i> , 2005 , 11, 992-7	50.5	366
114	CD133 expression defines a tumor initiating cell population in primary human ovarian cancer. <i>Stem Cells</i> , 2009 , 27, 2875-83	5.8	331
113	Redefining the relevance of established cancer cell lines to the study of mechanisms of clinical anti-cancer drug resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18708-13	11.5	311
112	Leptin signaling promotes the growth of mammary tumors and increases the expression of vascular endothelial growth factor (VEGF) and its receptor type two (VEGF-R2). <i>Journal of Biological Chemistry</i> , 2006 , 281, 26320-8	5.4	181
111	Endometrial cancer in women 40 years old or younger. <i>Gynecologic Oncology</i> , 2001 , 83, 388-93	4.9	171
110	Caspase-3 gene knockout defines cell lineage specificity for programmed cell death signaling in the ovary. <i>Endocrinology</i> , 2001 , 142, 2468-80	4.8	135
109	The corpus luteum: an ovarian structure with maternal instincts and suicidal tendencies. <i>Frontiers in Bioscience - Landmark</i> , 2002 , 7, d1949-78	2.8	135
108	HIF-1alpha and HIF-2alpha have divergent roles in colon cancer. <i>International Journal of Cancer</i> , 2009 , 124, 763-71	7.5	126
107	Characterization of twenty-five ovarian tumour cell lines that phenocopy primary tumours. <i>Nature Communications</i> , 2015 , 6, 7419	17.4	125
106	Ovarian cancer stem cell markers: prognostic and therapeutic implications. <i>Cancer Letters</i> , 2012 , 322, 1-7	9.9	125
105	Leptin-signaling inhibition results in efficient anti-tumor activity in estrogen receptor positive or negative breast cancer. <i>Breast Cancer Research</i> , 2009 , 11, R36	8.3	123
104	Constitutive activation of Beta-catenin in uterine stroma and smooth muscle leads to the development of mesenchymal tumors in mice. <i>Biology of Reproduction</i> , 2009 , 81, 545-52	3.9	109
103	Increased bax and interleukin-1beta-converting enzyme messenger ribonucleic acid levels coincide with apoptosis in the bovine corpus luteum during structural regression. <i>Biology of Reproduction</i> , 1997 , 56, 186-93	3.9	104
102	Caspase-3 is a pivotal mediator of apoptosis during regression of the ovarian corpus luteum. <i>Endocrinology</i> , 2002 , 143, 1495-501	4.8	101
101	Decreased progesterone levels and progesterone receptor antagonists promote apoptotic cell death in bovine luteal cells. <i>Biology of Reproduction</i> , 2000 , 62, 269-76	3.9	98
100	Ovarian cancer stem cells: working towards the root of stemness. <i>Cancer Letters</i> , 2013 , 338, 147-57	9.9	94
99	Evidence for cancer stem cells in human endometrial carcinoma. <i>Cancer Research</i> , 2009 , 69, 8241-8	10.1	92

(2008-2009)

98	The current status of evidence for and against postnatal oogenesis in mammals: a case of ovarian optimism versus pessimism?. <i>Biology of Reproduction</i> , 2009 , 80, 2-12	3.9	85
97	Functional analyses of the cancer stem cell-like properties of human endometrial tumor initiating cells. <i>Cell Cycle</i> , 2008 , 7, 242-9	4.7	81
96	Endometrial cancer is a receptor-mediated target for Mullerian Inhibiting Substance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 111-6	11.5	78
95	Leptin regulation of proangiogenic molecules in benign and cancerous endometrial cells. <i>International Journal of Cancer</i> , 2008 , 123, 2782-90	7.5	77
94	Microvascular endothelial cells of the corpus luteum. <i>Reproductive Biology and Endocrinology</i> , 2003 , 1, 89	5	72
93	Loss of cables, a cyclin-dependent kinase regulatory protein, is associated with the development of endometrial hyperplasia and endometrial cancer. <i>Cancer Research</i> , 2004 , 64, 202-8	10.1	64
92	Prolonging the female reproductive lifespan and improving egg quality with dietary omega-3 fatty acids. <i>Aging Cell</i> , 2012 , 11, 1046-54	9.9	62
91	Prostaglandin F2alpha stimulates the expression and secretion of transforming growth factor B1 via induction of the early growth response 1 gene (EGR1) in the bovine corpus luteum. <i>Molecular Endocrinology</i> , 2008 , 22, 403-14		61
90	Notch signaling in serous ovarian cancer. <i>Journal of Ovarian Research</i> , 2014 , 7, 95	5.5	58
89	Signaling mechanisms in tumor necrosis factor alpha-induced death of microvascular endothelial cells of the corpus luteum. <i>Reproductive Biology and Endocrinology</i> , 2003 , 1, 17	5	52
88	CD95 rapidly clusters in cells of diverse origins. Cancer Biology and Therapy, 2003, 2, 392-5	4.6	51
87	Inhibition of Hedgehog signaling antagonizes serous ovarian cancer growth in a primary xenograft model. <i>PLoS ONE</i> , 2011 , 6, e28077	3.7	51
86	The Epidemiology and Genetics of Uterine Leiomyoma. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016 , 34, 3-12	4.6	48
85	Tissue-specific signatures of activating PIK3CA and RAS mutations in carcinosarcomas of gynecologic origin. <i>Gynecologic Oncology</i> , 2011 , 121, 212-7	4.9	48
84	Evidence for cancer stem cells contributing to the pathogenesis of ovarian cancer. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 368-92	2.8	47
83	Decreased survival in EGFR gene amplified vulvar carcinoma. <i>Gynecologic Oncology</i> , 2008 , 111, 289-97	4.9	46
82	Epigenetic regulation of CD133 and tumorigenicity of CD133 positive and negative endometrial cancer cells. <i>Reproductive Biology and Endocrinology</i> , 2010 , 8, 147	5	45
81	Ablation of leptin signaling disrupts the establishment, development, and maintenance of endometriosis-like lesions in a murine model. <i>Endocrinology</i> , 2008 , 149, 506-14	4.8	45

80	Multidrug resistance-linked gene signature predicts overall survival of patients with primary ovarian serous carcinoma. <i>Clinical Cancer Research</i> , 2012 , 18, 3197-206	12.9	41
79	Ultra-rapid vitrification of mouse oocytes in low cryoprotectant concentrations. <i>Reproductive BioMedicine Online</i> , 2010 , 20, 201-8	4	41
78	Inhibition of AKT with the orally active allosteric AKT inhibitor, MK-2206, sensitizes endometrial cancer cells to progestin. <i>PLoS ONE</i> , 2012 , 7, e41593	3.7	39
77	Utility of pre-operative serum CA-125 in the management of uterine papillary serous carcinoma. <i>Gynecologic Oncology</i> , 2008 , 110, 293-8	4.9	39
76	Putative role of the phosphatidylinositol 3-kinase-Akt signaling pathway in the survival of granulosa cells. <i>Endocrine</i> , 2000 , 12, 315-21		38
75	The Therapeutic Challenge of Targeting HER2 in Endometrial Cancer. <i>Oncologist</i> , 2015 , 20, 1058-68	5.7	36
74	The Cables1 Gene in Glucocorticoid Regulation of Pituitary Corticotrope Growth and Cushing Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 513-22	5.6	36
73	BRCA1-associated epigenetic regulation of p73 mediates an effector pathway for chemosensitivity in ovarian carcinoma. <i>Cancer Research</i> , 2010 , 70, 7155-65	10.1	36
72	Progesterone receptor membrane component 1 promotes survival of human breast cancer cells and the growth of xenograft tumors. <i>Cancer Biology and Therapy</i> , 2016 , 17, 262-71	4.6	34
71	Novel anti-Sialyl-Tn monoclonal antibodies and antibody-drug conjugates demonstrate tumor specificity and anti-tumor activity. <i>MAbs</i> , 2017 , 9, 615-627	6.6	33
70	Dendritic cells in the circulation of women with preeclampsia demonstrate a pro-inflammatory bias secondary to dysregulation of TLR receptors. <i>Journal of Reproductive Immunology</i> , 2012 , 94, 210-5	4.2	33
69	Prostaglandin F2alpha represses IGF-I-stimulated IRS1/phosphatidylinositol-3-kinase/AKT signaling in the corpus luteum: role of ERK and P70 ribosomal S6 kinase. <i>Molecular Endocrinology</i> , 2010 , 24, 632-4	13	33
68	Cooperative expression of monocyte chemoattractant protein 1 within the bovine corpus luteum: evidence of immune cell-endothelial cell interactions in a coculture system. <i>Biology of Reproduction</i> , 2005 , 72, 1169-76	3.9	33
67	Progesterone receptor membrane component 1 deficiency attenuates growth while promoting chemosensitivity of human endometrial xenograft tumors. <i>Cancer Letters</i> , 2015 , 356, 434-42	9.9	32
66	Inhibition of notch signaling in combination with Paclitaxel reduces platinum-resistant ovarian tumor growth. <i>Frontiers in Oncology</i> , 2014 , 4, 171	5.3	32
65	Characterization of extracellular DDX4- or Ddx4-positive ovarian cells. <i>Nature Medicine</i> , 2015 , 21, 1114-	6 50.5	31
64	Characterization of immune regulatory molecules B7-H4 and PD-L1 in low and high grade endometrial tumors. <i>Gynecologic Oncology</i> , 2017 , 145, 446-452	4.9	30
63	Minireview: stem cell contribution to ovarian development, function, and disease. <i>Endocrinology</i> , 2008 , 149, 4307-11	4.8	30

62	PARP Inhibition Induces Enrichment of DNA Repair-Proficient CD133 and CD117 Positive Ovarian Cancer Stem Cells. <i>Molecular Cancer Research</i> , 2019 , 17, 431-445	6.6	30
61	Assessing the efficacy of targeting the phosphatidylinositol 3-kinase/AKT/mTOR signaling pathway in endometrial cancer. <i>Gynecologic Oncology</i> , 2014 , 133, 346-52	4.9	29
60	Characterization and regulation of type A endothelin receptor gene expression in bovine luteal cell types. <i>Endocrinology</i> , 1999 , 140, 2110-6	4.8	29
59	A Human Papillomavirus-Independent Cervical Cancer Animal Model Reveals Unconventional Mechanisms of Cervical Carcinogenesis. <i>Cell Reports</i> , 2019 , 26, 2636-2650.e5	10.6	28
58	Prostaglandin F2alpha- and FAS-activating antibody-induced regression of the corpus luteum involves caspase-8 and is defective in caspase-3 deficient mice. <i>Reproductive Biology and Endocrinology</i> , 2003 , 1, 15	5	28
57	Genome wide DNA copy number analysis of serous type ovarian carcinomas identifies genetic markers predictive of clinical outcome. <i>PLoS ONE</i> , 2012 , 7, e30996	3.7	28
56	Enhanced Efficacy of Simultaneous PD-1 and PD-L1 Immune Checkpoint Blockade in High-Grade Serous Ovarian Cancer. <i>Cancer Research</i> , 2021 , 81, 158-173	10.1	27
55	The Cables gene on chromosome 18q is silenced by promoter hypermethylation and allelic loss in human colorectal cancer. <i>American Journal of Pathology</i> , 2007 , 171, 1509-19	5.8	27
54	Ovarian cancer stem cells: What progress have we made?. <i>International Journal of Biochemistry and Cell Biology</i> , 2019 , 107, 92-103	5.6	26
53	MicroRNAs in the development and pathobiology of uterine leiomyomata: does evidence support future strategies for clinical intervention?. <i>Human Reproduction Update</i> , 2014 , 20, 670-87	15.8	25
52	Integrated analysis of multiple microarray datasets identifies a reproducible survival predictor in ovarian cancer. <i>PLoS ONE</i> , 2011 , 6, e18202	3.7	25
51	HER2 over-expressing high grade endometrial cancer expresses high levels of p95HER2 variant. <i>Gynecologic Oncology</i> , 2015 , 137, 160-6	4.9	24
50	Dendritic cells attenuate the early establishment of endometriosis-like lesions in a murine model. <i>Reproductive Sciences</i> , 2014 , 21, 1228-36	3	23
49	Correlates of the preoperative level of CA125 at presentation of ovarian cancer. <i>Gynecologic Oncology</i> , 2010 , 119, 462-8	4.9	23
48	Loss of CABLES1, a cyclin-dependent kinase-interacting protein that inhibits cell cycle progression, results in germline expansion at the expense of oocyte quality in adult female mice. <i>Cell Cycle</i> , 2007 , 6, 2678-84	4.7	23
47	YAP1-LATS2 feedback loop dictates senescent or malignant cell fate to maintain tissue homeostasis. <i>EMBO Reports</i> , 2019 , 20,	6.5	22
46	Acid sphingomyelinase involvement in tumor necrosis factor alpha-regulated vascular and steroid disruption during luteolysis in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 7670-5	11.5	22
45	Overactive mTOR signaling leads to endometrial hyperplasia in aged women and mice. <i>Oncotarget</i> , 2017 , 8, 7265-7275	3.3	21

44	Loss of cables, a novel gene on chromosome 18q, in ovarian cancer. <i>Modern Pathology</i> , 2003 , 16, 863-8	9.8	20
43	Stress-induced mitogen-activated protein kinase signaling in the corpus luteum. <i>Molecular and Cellular Endocrinology</i> , 2000 , 164, 59-67	4.4	20
42	Humanized anti-Sialyl-Tn antibodies for the treatment of ovarian carcinoma. <i>PLoS ONE</i> , 2018 , 13, e0201	1 3 ₃ 1 7 4	19
41	Cables1 protects p63 from proteasomal degradation to ensure deletion of cells after genotoxic stress. <i>EMBO Reports</i> , 2010 , 11, 633-9	6.5	18
40	Upregulation of MUC4 in cervical squamous cell carcinoma: pathologic significance. <i>International Journal of Gynecological Pathology</i> , 2009 , 28, 127-33	3.2	17
39	Treatment of ovarian cancer by targeting the tumor stem cell-associated carbohydrate antigen, Sialyl-Thomsen-nouveau. <i>Oncotarget</i> , 2018 , 9, 23289-23305	3.3	17
38	The anti-inflammatory impact of omega-3 polyunsaturated Fatty acids during the establishment of endometriosis-like lesions. <i>American Journal of Reproductive Immunology</i> , 2014 , 72, 392-402	3.8	16
37	Dual HER2 targeting impedes growth of HER2 gene-amplified uterine serous carcinoma xenografts. <i>Clinical Cancer Research</i> , 2014 , 20, 6517-6528	12.9	15
36	Longitudinal expression of Toll-like receptors on dendritic cells in uncomplicated pregnancy and postpartum. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 445.e1-6	6.4	15
35	Adrenomedullin is a therapeutic target in colorectal cancer. <i>International Journal of Cancer</i> , 2014 , 134, 2041-50	7.5	15
34	Metformin therapy in a hyperandrogenic anovulatory mutant murine model with polycystic ovarian syndrome characteristics improves oocyte maturity during superovulation. <i>Journal of Ovarian Research</i> , 2011 , 4, 8	5.5	15
33	Inhibition of gamma-secretase activity impedes uterine serous carcinoma growth in a human xenograft model. <i>Gynecologic Oncology</i> , 2014 , 133, 607-15	4.9	14
32	Increased growth rate, delayed senescense and decreased serum dependence characterize cables-deficient cells. <i>Cancer Biology and Therapy</i> , 2005 , 4, 654-8	4.6	14
31	Defining the extent of cables loss in endometrial cancer subtypes and its effectiveness as an inhibitor of cell proliferation in malignant endometrial cells in vitro and in vivo. <i>Cancer Biology and Therapy</i> , 2005 , 4, 103-7	4.6	14
30	MicroRNA 21a-5p overexpression impacts mediators of extracellular matrix formation in uterine leiomyoma. <i>Reproductive Biology and Endocrinology</i> , 2018 , 16, 46	5	13
29	Mechanisms of Cables 1 gene inactivation in human ovarian cancer development. <i>Cancer Biology and Therapy</i> , 2008 , 7, 180-88	4.6	13
28	The Metabolic Inhibitor CPI-613 Negates Treatment Enrichment of Ovarian Cancer Stem Cells. <i>Cancers</i> , 2019 , 11,	6.6	12
27	Influence of a novel histone deacetylase inhibitor panobinostat (LBH589) on the growth of ovarian cancer. <i>Journal of Ovarian Research</i> , 2016 , 9, 58	5.5	11

(2019-2014)

26	The N-methyl-D-aspartate receptor, a precursor to N-methyl-D-aspartate receptor encephalitis, is found in the squamous tissue of ovarian teratomas. <i>International Journal of Gynecological Pathology</i> , 2014 , 33, 598-606	3.2	11
25	Mouse models of uterine corpus tumors: clinical significance and utility. <i>Frontiers in Bioscience - Elite</i> , 2010 , 2, 882-905	1.6	11
24	Understanding and Targeting Apoptotic Pathways in Ovarian Cancer. Cancers, 2019, 11,	6.6	10
23	MicroRNA-15b regulates reversion-inducing cysteine-rich protein with Kazal motifs (RECK) expression in human uterine leiomyoma. <i>Reproductive Biology and Endocrinology</i> , 2016 , 14, 45	5	9
22	Cytokeratin 18 expression inhibits cytokine-induced death of cervical cancer cells. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 1474-81	3.5	9
21	Transient commensal clonal interactions can drive tumor metastasis. <i>Nature Communications</i> , 2020 , 11, 5799	17.4	9
20	Mutant mouse models and their contribution to our knowledge of corpus luteum development, function and regression. <i>Reproductive Biology and Endocrinology</i> , 2003 , 1, 87	5	8
19	cables1 is required for embryonic neural development: molecular, cellular, and behavioral evidence from the zebrafish. <i>Molecular Reproduction and Development</i> , 2011 , 78, 22-32	2.6	6
18	Galectins and Ovarian Cancers. Cancers, 2020, 12,	6.6	5
17	Evaluation of anastomotic strength and drug safety after short-term sunitinib administration in rabbits. <i>Journal of Surgical Research</i> , 2014 , 187, 101-6	2.5	5
16	Exploiting the Prevalence of Homologous Recombination Deficiencies in High-Grade Serous Ovarian Cancer. <i>Cancers</i> , 2020 , 12,	6.6	4
15	Sunitinib reduces recurrent pelvic adhesions in a rabbit model. <i>Journal of Surgical Research</i> , 2012 , 178, 860-5	2.5	4
14	The impact of vitrification on murine germinal vesicle oocyte In vitro maturation and aurora kinase A protein expression. <i>Journal of Assisted Reproduction and Genetics</i> , 2014 , 31, 1695-702	3.4	3
13	Effect of sunitinib on functional reproductive outcome in a rabbit model. <i>Fertility and Sterility</i> , 2012 , 98, 496-502	4.8	3
12	Ovine prostaglandin F2alpha receptor: steroid influence on steady-state levels of luteal mRNA. <i>Endocrine</i> , 1999 , 10, 105-11		3
11	Targeting galectin-3 with a high-affinity antibody for inhibition of high-grade serous ovarian cancer and other MUC16/CA-125-expressing malignancies. <i>Scientific Reports</i> , 2021 , 11, 3718	4.9	3
10	Reprogramming of Ovarian Granulosa Cells by YAP1 Leads to Development of High-Grade Cancer with Mesenchymal Lineage and Serous Features. <i>Science Bulletin</i> , 2020 , 65, 1281-1296	10.6	2
9	CABLES1 Deficiency Impairs Quiescence and Stress Responses of Hematopoietic Stem Cells in Intrinsic and Extrinsic Manners. <i>Stem Cell Reports</i> , 2019 , 13, 274-290	8	2

8	Ridaforolimus improves the anti-tumor activity of dual HER2 blockade in uterine serous carcinoma in vivo models with HER2 gene amplification and PIK3CA mutation. <i>Gynecologic Oncology</i> , 2016 , 141, 570-579	4.9	2
7	No REST for fibroids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1980-1	11.5	1
6	Surgical debulking before or after chemotherapy: stemming the tide on ovarian cancer recurrence. <i>Onkologie</i> , 2010 , 33, 286-7		1
5	Molecular Targets in Gynecologic Cancers 2014 , 1-17		
4	Cables 1 Mediates Progesterone-Induced Inhibition of Endometrial Epithelial Cell Proliferation <i>Biology of Reproduction</i> , 2008 , 78, 129-129	3.9	
3	Defining the Antagonistic Role of Omega-3 Polyunsaturated Fatty Acid in the Establishment and Early Maintenance of Endometriosis-Like Lesions in a Murine Model <i>Biology of Reproduction</i> , 2011 , 85, 379-379	3.9	
2	Inhibition of gamma-secretase activity in combination with paclitaxel to reduce platinum-resistant ovarian tumor growth <i>Journal of Clinical Oncology</i> , 2013 , 31, 5578-5578	2.2	
1	Targeting the PI3K signaling cascade in PIK3CA mutated endometrial cancer in a primary human xenograft model <i>Journal of Clinical Oncology</i> , 2013 , 31, e13564-e13564	2.2	