

Koen Clays

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2150342/publications.pdf>

Version: 2024-02-01

410
papers

15,419
citations

15495

65
h-index

27389

106
g-index

423
all docs

423
docs citations

423
times ranked

9837
citing authors

#	ARTICLE	IF	CITATIONS
1	Design and synthesis of chromophores with enhanced electro-optic activities in both bulk and plasmonic organic hybrid devices. <i>Materials Horizons</i> , 2022, 9, 261-270.	6.4	34
2	Light-Addressable Nanocomposite Hydrogels Allow Plasmonic Actuation and In Situ Temperature Monitoring in 3D Cell Matrices. <i>Advanced Functional Materials</i> , 2022, 32, 2108234.	7.8	12
3	The wavelength-dependent non-linear absorption and refraction of Au ₂₅ and Au ₃₈ monolayer-protected clusters. <i>Nanoscale</i> , 2022, 14, 3618-3624.	2.8	3
4	Label-Free Imaging of Membrane Potentials by Intramembrane Field Modulation, Assessed by Second Harmonic Generation Microscopy. <i>Small</i> , 2022, 18, e2200205.	5.2	4
5	Highly efficient unbridged D-A+(D) chromophores based on the quinolininium cation for nonlinear optical (NLO) applications. <i>Dyes and Pigments</i> , 2022, 205, 110323.	2.0	2
6	Bis(4-dialkylaminophenyl)heteroaryl amino donor chromophores exhibiting exceptional hyperpolarizabilities. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2721-2728.	2.7	28
7	Solvent Role in the Self-Assembly of Poly(3-alkylthiophene): A Harmonic Light Scattering Study. <i>Macromolecules</i> , 2021, 54, 2477-2484.	2.2	9
8	Second-order NLO response in chiral ferroelectric liquid crystals: Molecular and bulk consideration. <i>Journal of Molecular Liquids</i> , 2021, 326, 115328.	2.3	6
9	Enhanced electric field sensitivity of quantum dot/rod two-photon fluorescence and its relevance for cell transmembrane voltage imaging. <i>Nanophotonics</i> , 2021, 10, 2407-2420.	2.9	6
10	Excited-State Dynamics and Nonlinear Optical Properties of Hyperpolarizable Chromophores Based on Conjugated Bis(terpyridyl)Ru(II) and Palladium and Platinum Porphyrinic Components: Impact of Heavy Metals upon Supramolecular Electro-Optic Properties. <i>Inorganic Chemistry</i> , 2021, 60, 15404-15412.	1.9	2
11	Electro-Optic Activity in Excess of 1000 pm V ⁻¹ Achieved via Theory-Guided Organic Chromophore Design. <i>Advanced Materials</i> , 2021, 33, e2104174.	11.1	49
12	Dual photonic bandgap hollow sphere colloidal photonic crystals for real-time fluorescence enhancement in living cells. <i>Biosensors and Bioelectronics</i> , 2021, 194, 113577.	5.3	3
13	Scattering Model for Composite Stereolithography to Enable Resin-Filler Selection and Cure Depth Control. <i>ACS Applied Polymer Materials</i> , 2021, 3, 6705-6712.	2.0	16
14	Unraveling the Supramolecular Organization Mechanism of Chiral Star-Shaped Poly(3-alkylthiophene). <i>Macromolecules</i> , 2020, 53, 9513-9520.	2.2	5
15	Advent of Plasmonic Behavior: Dynamically Tracking the Formation of Gold Nanoparticles through Nonlinear Spectroscopy. <i>Chemistry of Materials</i> , 2020, 32, 7327-7337.	3.2	5
16	Organometallic complexes for nonlinear optics. 66. Synthesis and quadratic nonlinear optical studies of trans-[Ru{C C ₂ ,5-C ₄ H ₂ S(E)-CH CH ₂ }-n-2,5-C ₄ H ₂ S(NO ₂)}Cl(dppe) ₂] (n = 0, 1, 2). <i>Journal of Organometallic Chemistry</i> , 2020, 919, 121306.	0.8	1
17	Quantum Dot-Functionalized Extracellular Matrices for In Situ Monitoring of Cardiomyocyte Activity. <i>ACS Applied Nano Materials</i> , 2020, 3, 6118-6126.	2.4	6
18	Fluorescence-free First Hyperpolarizability Values of Fluorescent Proteins and Channel Rhodopsins. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 400, 112658.	2.0	4

#	ARTICLE	IF	CITATIONS
19	Ultra-high Electro-Optic Coefficients, High Index of Refraction, and Long-Term Stability from Diels-Alder Cross-Linkable Binary Molecular Glasses. <i>Chemistry of Materials</i> , 2020, 32, 1408-1421.	3.2	98
20	Advances in high-performance hybrid electro-optics. , 2020, , .		3
21	Molecular understanding of label-free second harmonic imaging of microtubules. <i>Nature Communications</i> , 2019, 10, 3530.	5.8	36
22	Enhancement of Nonlinear Optical Scattering by Gold Nanoparticles through Aggregation-Induced Plasmon Coupling in the Near-Infrared. <i>ChemPhysChem</i> , 2019, 20, 1765-1774.	1.0	5
23	DANPY (dimethylaminonaphthylpyridinium): an economical and biocompatible fluorophore. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 3765-3780.	1.5	2
24	Harmonic light scattering study reveals structured clusters upon the supramolecular aggregation of regioregular poly(3-alkylthiophene). <i>Communications Chemistry</i> , 2019, 2, .	2.0	17
25	Molecular Origins of the Nonlinear Optical Responses of a Series of β -(X-2-Pyridylamino)- α -cresol Chromophores from Concerted X-ray Diffraction, Hyper-Rayleigh Scattering, and <i>Ab Initio</i> Calculations. <i>Journal of Physical Chemistry C</i> , 2019, 123, 665-676.	1.5	7
26	Next-generation materials for hybrid electro-optic systems (Conference Presentation). , 2019, , .		4
27	Hollow spheres: crucial building blocks for novel nanostructures and nanophotonics. <i>Nanophotonics</i> , 2018, 7, 693-713.	2.9	24
28	ONIOM Investigation of the Second-Order Nonlinear Optical Responses of Fluorescent Proteins. <i>Journal of Physical Chemistry B</i> , 2018, 122, 4993-5005.	1.2	18
29	Linear Optical, Quadratic and Cubic Nonlinear Optical, Electrochemical, and Theoretical Studies of α -Rigid-Bis-Alkynyl Ruthenium Complexes. <i>ChemPlusChem</i> , 2018, 83, 630-642.	1.3	11
30	Role of Donor and Acceptor Substituents on the Nonlinear Optical Properties of Gold Nanoclusters. <i>Journal of Physical Chemistry C</i> , 2018, 122, 4019-4028.	1.5	15
31	Octupolar organometallic Pt(II) NCN-pincer complexes; Synthesis, electronic, photophysical, and NLO properties. <i>Journal of Organometallic Chemistry</i> , 2018, 867, 246-252.	0.8	4
32	Instantaneous, Simple, and Reversible Revealing of Invisible Patterns Encrypted in Robust Hollow Sphere Colloidal Photonic Crystals. <i>Advanced Materials</i> , 2018, 30, e1707246.	11.1	159
33	Strong Light-Matter Coupling as a New Tool for Molecular and Material Engineering: Quantum Approach. <i>Advanced Quantum Technologies</i> , 2018, 1, 1800001.	1.8	41
34	Quadratic and Cubic Optical Nonlinearities of Y-Shaped and Distorted Y-Shaped Arylalkynylruthenium Complexes. <i>Chemistry - A European Journal</i> , 2018, 24, 16332-16341.	1.7	10
35	Fine-tuning polyoxometalate non-linear optical chromophores: a molecular electronic "Goldilocks" effect. <i>Dalton Transactions</i> , 2018, 47, 10415-10419.	1.6	18
36	Unexpected High Second-Order Nonlinear Optical Activity of Metal Complexes with Three-Branched Hexadentate 2,2'-Bipyridine Ligands. <i>Chemistry - A European Journal</i> , 2018, 24, 14901-14905.	1.7	1

#	ARTICLE	IF	CITATIONS
37	Ultrafast revealing of invisible patterns encrypted in colloidal photonic crystals. , 2018, , .		0
38	Development of molecular probes for cellular imaging combining second harmonic generation and two-photon fluorescence. , 2018, , .		0
39	Third-Harmonic Scattering for Fast and Sensitive Screening of the Second Hyperpolarizability in Solution. <i>Analytical Chemistry</i> , 2017, 89, 2964-2971.	3.2	26
40	Real-Time Fluorescence Detection in Aqueous Systems by Combined and Enhanced Photonic and Surface Effects in Patterned Hollow Sphere Colloidal Photonic Crystals. <i>Langmuir</i> , 2017, 33, 4840-4846.	1.6	23
41	Azonia aromatic heterocycles as a new acceptor unit in D- π -A + vs D-A + nonlinear optical chromophores. <i>Dyes and Pigments</i> , 2017, 144, 17-31.	2.0	11
42	Ferrocene chromophores continue to inspire. Fine-tuning and switching of the second-order nonlinear optical response. <i>Coordination Chemistry Reviews</i> , 2017, 343, 185-219.	9.5	71
43	Fluorescence-Free Spectral Dispersion of the Molecular First Hyperpolarizability of Bacteriorhodopsin. <i>Journal of Physical Chemistry C</i> , 2017, 121, 6909-6915.	1.5	13
44	Ferrocenyl helquats: unusual chiral organometallic nonlinear optical chromophores. <i>Dalton Transactions</i> , 2017, 46, 1052-1064.	1.6	19
45	Second-order nonlinear polarizability of ferrocene π -BODIPY donor π -acceptor adducts. Quantifying charge redistribution in the excited state. <i>Dalton Transactions</i> , 2017, 46, 1124-1133.	1.6	10
46	Push π -pull pyropheophorbides for nonlinear optical imaging. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 947-956.	1.5	28
47	Multifunctional geometrical isomers of ferrocene-benzo[1,2-b:4,5-b π^2]difuran-2,6-(3H,7H)-dione adducts: second-order nonlinear optical behaviour and charge transport in thin film OFET devices. <i>Journal of Materials Chemistry C</i> , 2017, 5, 697-708.	2.7	17
48	Chiral Side Groups Trigger Second Harmonic Generation Activity in 3D Octupolar Bipyrimidine π -Based Organic Liquid Crystals. <i>Angewandte Chemie</i> , 2017, 129, 9674-9678.	1.6	1
49	Chiral Side Groups Trigger Second Harmonic Generation Activity in 3D Octupolar Bipyrimidine π -Based Organic Liquid Crystals. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 9546-9550.	7.2	18
50	Organoimido-Polyoxometalate Nonlinear Optical Chromophores: A Structural, Spectroscopic, and Computational Study. <i>Inorganic Chemistry</i> , 2017, 56, 10181-10194.	1.9	31
51	Tunable Chiral Second-Order Nonlinear Optical Chromophores Based on Helquat Dications. <i>Journal of Physical Chemistry A</i> , 2017, 121, 5842-5855.	1.1	11
52	Colloidal photonic crystals: from lasing to microfluidics. , 2017, , .		0
53	Nonlinear optics near the fundamental limit: introduction. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, NOF1.	0.9	2
54	Relating the Structure of Geminal Amido Esters to their Molecular Hyperpolarizability. <i>Journal of Physical Chemistry C</i> , 2016, 120, 29439-29448.	1.5	6

#	ARTICLE	IF	CITATIONS
55	Large Hyperpolarizabilities at Telecommunication-Relevant Wavelengths in Donor–Acceptor–Donor Nonlinear Optical Chromophores. <i>ACS Central Science</i> , 2016, 2, 954-966.	5.3	48
56	Spectroscopic studies of the mechanism of reversible photodegradation of 1-substituted aminoanthraquinone-doped polymers. <i>Journal of Chemical Physics</i> , 2016, 144, 114902.	1.2	15
57	Direct Fabrication of Monodisperse Silica Nanorings from Hollow Spheres – A Template for Core–Shell Nanorings. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 10451-10458.	4.0	16
58	Symmetry breaking in ligand-protected gold clusters probed by nonlinear optics. <i>Nanoscale</i> , 2016, 8, 12123-12127.	2.8	31
59	Thermally stable ferrocene- π -cyanostilbenes as efficient materials for second order nonlinear optical polarizability. <i>RSC Advances</i> , 2016, 6, 50688-50696.	1.7	18
60	Direct fabrication of complex 3D hierarchical nanostructures by reactive ion etching of hollow sphere colloidal crystals. <i>Nanoscale</i> , 2016, 8, 15845-15849.	2.8	11
61	Synthetic, Optical and Theoretical Study of Alternating Ethylenedioxythiophene–Pyridine Oligomers: Evolution from Planar Conjugated to Helicoidal Structure towards a Chiral Configuration. <i>ChemPhysChem</i> , 2016, 17, 4090-4101.	1.0	6
62	Investigation of the second hyperpolarizability of Ru-alkynyl complexes by z-scan and nonlinear scattering. <i>Proceedings of SPIE</i> , 2016, , .	0.8	2
63	Synthesis, characterization and second-order nonlinear optical behaviour of ferrocene–diketopyrrolopyrrole dyads: the effect of alkene vs. alkyne linkers. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9717-9726.	2.7	13
64	First-order hyperpolarizabilities of chiral, polymer-wrapped single-walled carbon nanotubes. <i>Chemical Communications</i> , 2016, 52, 12206-12209.	2.2	6
65	Synthesis, structure and NLO properties of a 1,3,5-substituted tricationic cobaltocenium benzene complex. <i>Journal of Organometallic Chemistry</i> , 2016, 820, 125-129.	0.8	4
66	Fabrication of optomicrofluidics for real-time bioassays based on hollow sphere colloidal photonic crystals with wettability patterns. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7853-7858.	2.7	27
67	Rhenium(I) Tricarbonyl Complexes with Peripheral N-Coordination Sites: A Foundation for Heterotrimetallic Nonlinear Optical Chromophores. <i>Organometallics</i> , 2016, 35, 3014-3024.	1.1	19
68	Defect Mode Passband Lasing in Self-Assembled Photonic Crystal. <i>ACS Photonics</i> , 2016, 3, 2330-2337.	3.2	29
69	Bioinspired Robust Sealed Colloidal Photonic Crystals of Hollow Microspheres for Excellent Repellency against Liquid Infiltration and Ultrastable Photonic Band Gap. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600579.	1.9	19
70	Non-linear optical, electrochemical and spectroelectrochemical properties of amphiphilic inner salt porphyrinic systems. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016, 20, 1002-1015.	0.4	2
71	Phosphorescence emission from BALq by forced intersystem crossing in a colloidal photonic crystal. <i>Molecular Physics</i> , 2016, 114, 2248-2252.	0.8	3
72	Donor–acceptor organo-imido polyoxometalates: high transparency, high activity redox-active NLO chromophores. <i>Dalton Transactions</i> , 2016, 45, 2818-2822.	1.6	33

#	ARTICLE	IF	CITATIONS
73	Helquat Dyes: Helicene-like Push-Pull Systems with Large Second-Order Nonlinear Optical Responses. <i>Journal of Organic Chemistry</i> , 2016, 81, 1912-1920.	1.7	60
74	Extended Threefold-Symmetric Second-Harmonic-Generation Chromophores Based on 1,3,5-Trisubstituted Benzene Complexes. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, .	1.0	2
75	Prediction of first hyperpolarizability of fluorescent proteins. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	3
76	Experimental second-order nonlinear optics in molecular switching. , 2015, , .		0
77	Photoluminescence as a Probe of the Electrical Charge Dependence of Gold Nanoparticles. <i>Journal of Nanoscience and Nanotechnology</i> , 2015, 15, 9766-9771.	0.9	0
78	Concerted Mitigation of O-H and C-H Interactions Prospects Sixfold Gain in Optical Nonlinearity of Ionic Stilbazolium Derivatives. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 4693-4698.	4.0	21
79	Mesogenic, Luminescence, and Nonlinear Optical Properties of New Bipyrimidine-Based Multifunctional Octupoles. <i>Journal of Physical Chemistry C</i> , 2015, 119, 3697-3710.	1.5	21
80	Thiophene-based dyes for probing membranes. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 3792-3802.	1.5	41
81	Nonlinear Optical Chromophores with Two Ferrocenyl, Octamethylferrocenyl, or 4-(Diphenylamino)phenyl Groups Attached to Rhenium(I) or Zinc(II) Centers. <i>Organometallics</i> , 2015, 34, 1701-1715.	1.1	26
82	Stille Cross-Coupling Reaction with Cationic [(⁵ -Cp)(⁶ -C ₆ H ₆)Ru] ⁺ Complexes as Key for Ethynyl-Bridged Homo- and Heteronuclear Sandwich Compounds. <i>Organometallics</i> , 2015, 34, 1692-1700.	1.1	12
83	Introducing high-quality planar defects into colloidal crystals via self-assembly at the air/water interface. , 2015, , .		0
84	Synthesis, linear and nonlinear optical properties of thermally stable ferrocene-diketopyrrolopyrrole dyads. <i>RSC Advances</i> , 2015, 5, 84643-84656.	1.7	32
85	Expression-Enhanced Fluorescent Proteins Based on Enhanced Green Fluorescent Protein for Super-resolution Microscopy. <i>ACS Nano</i> , 2015, 9, 9528-9541.	7.3	82
86	Selective protein purification by PEG-IDA-functionalized iron oxide nanoparticles. <i>RSC Advances</i> , 2015, 5, 66549-66553.	1.7	9
87	Control of Photon Emission by Photonic Bandgap Engineering in Colloidal Crystals. , 2015, , 477-493.		0
88	Determinants of Second Harmonic Generation in live neurons. , 2015, , .		0
89	Fabrication of polymer inverse opals with linear and nonlinear optical functionalities using a sandwiching approach. , 2014, , .		1
90	Novel charged NLO chromophores based on quinolinium acceptor units. <i>Dyes and Pigments</i> , 2014, 101, 116-121.	2.0	27

#	ARTICLE	IF	CITATIONS
91	Green-to-Red Photoconvertible Dronpa Mutant for Multimodal Super-resolution Fluorescence Microscopy. ACS Nano, 2014, 8, 1664-1673.	7.3	87
92	Catechols as ligands for CdSe/ZnS quantum dots. RSC Advances, 2014, 4, 10208.	1.7	11
93	Highly cohesive dual nanoassemblies for complementary multiscale bioimaging. Journal of Materials Chemistry B, 2014, 2, 7747-7755.	2.9	13
94	Red Emitting Neutral Fluorescent Glycoconjugates for Membrane Optical Imaging. Bioconjugate Chemistry, 2014, 25, 773-787.	1.8	22
95	Synthesis, Structures, and Optical Properties of Ruthenium(II) Complexes of the Tris(1-pyrazolyl)methane Ligand. Inorganic Chemistry, 2014, 53, 3798-3811.	1.9	12
96	Sandwich Approach toward Inverse Opals with Linear and Nonlinear Optical Functionalities. ACS Applied Materials & Interfaces, 2014, 6, 3870-3878.	4.0	7
97	Record-high hyperpolarizabilities in conjugated polymers. Journal of Materials Chemistry C, 2014, 2, 4533-4538.	2.7	18
98	A facile way to introduce planar defects into colloidal photonic crystals for pronounced passbands. Journal of Materials Chemistry C, 2014, 2, 8829-8836.	2.7	17
99	Giant Faraday Rotation in Mesogenic Organic Molecules. Chemistry of Materials, 2013, 25, 1139-1143.	3.2	44
100	Wonders of colloidal assembly. Soft Matter, 2013, 9, 9072.	1.2	37
101	Computational de Novo Design and Characterization of a Protein That Selectively Binds a Highly Hyperpolarizable Abiological Chromophore. Journal of the American Chemical Society, 2013, 135, 13914-13926.	6.6	55
102	Synthesis of charged bis-heteroaryl donor-acceptor (D ⁺ A ⁺) NLO-phores coupling (I ⁻ -deficient/I ⁻ -excessive) heteroaromatic rings. Organic and Biomolecular Chemistry, 2013, 11, 7145.	1.5	9
103	Molecular Origins of the High-Performance Nonlinear Optical Susceptibility in a Phenolic Polyene Chromophore: Electron Density Distributions, Hydrogen Bonding, and ab Initio Calculations. Journal of Physical Chemistry C, 2013, 117, 9416-9430.	1.5	34
104	Organometallic complexes for nonlinear optics. 52. Syntheses, structural, spectroscopic, quadratic nonlinear optical, and theoretical studies of Ru(C ₂ C ₆ H ₄ R-4)(I ² -dppf)(I ⁵ -C ₅ H ₅) (R ^A =AH, NO ₂). Journal of Organometallic Chemistry, 2013, 730, 108-115.	0.8	7
105	Improving the Second-Order Nonlinear Optical Response of Fluorescent Proteins: The Symmetry Argument. Journal of the American Chemical Society, 2013, 135, 4061-4069.	6.6	54
106	Push-no-pull-porphyrins for second harmonic generation imaging. Chemical Science, 2013, 4, 2024.	3.7	28
107	Heptametallic, Octupolar Nonlinear Optical Chromophores with Six Ferrocenyl Substituents. Chemistry - A European Journal, 2013, 19, 6613-6629.	1.7	31
108	NLO chromophores containing dihydrobenzothiazolylidene and dihydroquinolinylidene donors with an azo linker: Synthesis and optical properties. Dyes and Pigments, 2013, 98, 82-92.	2.0	36

#	ARTICLE	IF	CITATIONS
109	Linear and Nonlinear Optical Properties of Ramified Hexaazatriphenylenes: Charge Transfer Contributions to the Octupolar Response. <i>Journal of Physical Chemistry C</i> , 2013, 117, 626-632.	1.5	18
110	Tuning the properties of colloidal magneto-photonic crystals by controlled infiltration with superparamagnetic magnetite nanoparticles. , 2012, , .		3
111	An all-optical protocol to determine the molecular origin of radiation damage/enhancement in electro-optic polymeric materials. , 2012, , .		1
112	Thermal study of the photonic band gap effect on a resonance energy transfer process. <i>Journal of Photonics for Energy</i> , 2012, 2, 021204.	0.8	1
113	Nonlinear optical properties of conjugated polymers. , 2012, , .		0
114	The role of the polymer host on reversible photodegradation in Disperse Orange 11 dye. <i>Proceedings of SPIE</i> , 2012, , .	0.8	7
115	Donor-(π -bridge)-azinium as D- π -A+ one-dimensional and D- π -A+ π -D multidimensional V-shaped chromophores. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 1659.	1.5	25
116	Strong Wavelength Dependence of Hyperpolarizability in the Near-Infrared Biological Window for Second-Harmonic Generation by Amphiphilic Porphyrins. <i>Journal of Physical Chemistry C</i> , 2012, 116, 13781-13787.	1.5	20
117	Dispersion Overwhelms Charge Transfer in Determining the Magnitude of the First Hyperpolarizability in Triindole Octupoles. <i>Journal of Physical Chemistry C</i> , 2012, 116, 12312-12321.	1.5	30
118	All Optical Determination of Microscopic and Macroscopic Structure of Chiral, Polar Microcrystals from Achiral, Nonpolar Molecules. <i>Journal of Physical Chemistry C</i> , 2012, 116, 12219-12225.	1.5	18
119	Thermally stable ferrocenyl "push" pull chromophores with tailorable and switchable second-order non-linear optical response: synthesis and structure"property relationship. <i>Journal of Materials Chemistry</i> , 2012, 22, 10597.	6.7	51
120	Enhanced Intramolecular Charge Transfer in New Type Donor"Acceptor Substituted Perylenes. <i>Journal of Physical Chemistry C</i> , 2012, 116, 22711-22719.	1.5	18
121	Nonlinear Optical Thin Film Device from a Chiral Octopolar Phenylacetylene Liquid Crystal. <i>Journal of Organic Chemistry</i> , 2012, 77, 10891-10896.	1.7	16
122	Testing Computational Models of Hyperpolarizability in a Merocyanine Dye Using Spectroscopic and DFT Methods. <i>Journal of Physical Chemistry A</i> , 2012, 116, 5453-5463.	1.1	37
123	Synthesis and optical properties of NLO chromophores containing an indoline donor and azo linker. <i>Dyes and Pigments</i> , 2012, 95, 455-464.	2.0	38
124	Novel cationic dye and crosslinkable surfactant for DNA biophotonics. <i>Proceedings of SPIE</i> , 2012, , .	0.8	2
125	Molecular engineering of chromophores for combined second-harmonic and two-photon fluorescence in cellular imaging. <i>Chemical Science</i> , 2012, 3, 984.	3.7	60
126	Linear and Nonlinear Optical Properties of Colloidal Photonic Crystals. <i>Chemical Reviews</i> , 2012, 112, 2268-2285.	23.0	158

#	ARTICLE	IF	CITATIONS
127	Organometallic Complexes for Non-Linear Optics. 51. Second- and Third-Order Non-Linear Optical Properties of Alkynylgold Complexes. Australian Journal of Chemistry, 2012, 65, 834.	0.5	5
128	Probing live samples in second-harmonic generation microscopy using specific markers and fluorescent proteins. Proceedings of SPIE, 2012, , .	0.8	1
129	DNA, sugars, and proteins at work in optics. Proceedings of SPIE, 2012, , .	0.8	0
130	Anisotropic oxygen plasma etching of colloidal particles in electrospun fibers. Chemical Communications, 2011, 47, 2429-2431.	2.2	16
131	Patterning and pixelation of colloidal photonic crystals for addressable integrated photonics. Journal of Materials Chemistry, 2011, 21, 11330.	6.7	31
132	Ferrocenyl Diquat Derivatives: Nonlinear Optical Activity, Multiple Redox States, and Unusual Reactivity. Organometallics, 2011, 30, 5731-5743.	1.1	33
133	Interchromophoric Interactions in Chiral X-type π -Conjugated Oligomers: A Linear and Nonlinear Optical Study. Journal of the American Chemical Society, 2011, 133, 1317-1327.	6.6	82
134	Why do we need three levels to understand the molecular optical response?. , 2011, , .		2
135	Incorporation of Amphiphilic Ruthenium(II) Ammine Complexes into Langmuir-Blodgett Thin Films with Switchable Quadratic Nonlinear Optical Behavior. Inorganic Chemistry, 2011, 50, 12886-12899.	1.9	25
136	The Roles of Molecular Structure and Effective Optical Symmetry in Evolving Dipolar Chromophoric Building Blocks to Potent Octopolar Nonlinear Optical Chromophores. Journal of the American Chemical Society, 2011, 133, 2884-2896.	6.6	54
137	Unexpected second-order nonlinear optical effects in conjugated polymers. Proceedings of SPIE, 2011, , .	0.8	0
138	Modeling the hyperpolarizability dispersion with the Thomas-Kuhn sum rules. Proceedings of SPIE, 2011, , .	0.8	0
139	Simultaneous SHG and 2PEF imaging using a new type of selective markers. , 2011, , .		1
140	Hyper-Rayleigh scattering as a screening tool for the optimization of piezoelectric polymers. , 2011, , .		0
141	Effect of the environment on tris(2-phenylpyridine) iridium molecules embedded in a polyvinyl carbazole matrix. Chemical Physics Letters, 2011, 517, 71-75.	1.2	2
142	Synthesis, linear & non linear optical (NLO) properties of some indoline based chromophores. Dyes and Pigments, 2011, 89, 177-187.	2.0	39
143	Synthesis, linear and quadratic nonlinear optical properties of ionic indoline and N,N-dimethylaniline based chromophores. Optical Materials, 2011, 33, 336-345.	1.7	28
144	Spontaneous chirality in an octupolar discotic crystal. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
145	Experimental verification of a self-consistent theory of the first-, second-, and third-order (non)linear optical response. <i>Physical Review A</i> , 2011, 84, .	1.0	14
146	Optimizing the second-order nonlinear optical response in some indoline-based chromophores at the molecular and macroscopic levels. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
147	Energy Transfer Enhancement by Localization of Light in a Sandwich-like Photonic Structure. , 2011, , .		0
148	Second-order nonlinear optical properties of zwitterionic chromophores. , 2010, , .		2
149	Conjugated polymers: a hyper-Rayleigh scattering study. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
150	Fabrication and Multiangular Optical Characterization of Ellipsoidal Photonic Crystal. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 7571-7573.	0.9	4
151	Combining Very Large Quadratic and Cubic Nonlinear Optical Responses in Extended, Tris-Chelate Metallochomophores with Six π -Conjugated Pyridinium Substituents. <i>Journal of the American Chemical Society</i> , 2010, 132, 3496-3513.	6.6	61
152	Heteroaromatic Cation-Based Chromophores: Synthesis and Nonlinear Optical Properties of Alkynylazinium Salts. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6323-6330.	1.2	11
153	Symmetrical and Nonsymmetrical Chromophores with Triangulene Base Skeleton: Chiroptical, Linear, and Quadratic Nonlinear Optical Properties—A Joint Theoretical and Experimental Study. <i>Chemistry - A European Journal</i> , 2010, 16, 8181-8190.	1.7	54
154	Synthesis, characterization, linear and non-linear optical (NLO) properties of some Schiff bases. <i>Optical Materials</i> , 2010, 32, 669-672.	1.7	21
155	The effect of solvent on the excited vibronic states and first hyperpolarizability of π -push-pull merocyanines. <i>Optical Materials</i> , 2010, 32, 1237-1243.	1.7	20
156	The synthesis of chiral, cationic nonlinear optical dyes based on the 1,1'-binaphthalenyl unit. <i>Dyes and Pigments</i> , 2010, 87, 22-29.	2.0	16
157	Analysis of the unusual wavelength dependence of the first hyperpolarizability of porphyrin derivatives. <i>Proceedings of SPIE</i> , 2010, , .	0.8	1
158	Designing organic molecules for terahertz radiation generation in robust crystals. , 2010, , .		0
159	NONLINEAR OPTICAL PROPERTIES OF mSTRAWBERRY AND mCHERRY FOR SECOND HARMONIC IMAGING. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2010, 19, 1-13.	1.1	10
160	Quadratic and Cubic Nonlinear Optical Properties of Salts of Diquat-Based Chromophores with Diphenylamino Substituents. <i>Journal of Physical Chemistry A</i> , 2010, 114, 12028-12041.	1.1	35
161	Syntheses and Properties of Two-Dimensional, Dicationic Nonlinear Optical Chromophores Based on Pyrazinyl Cores. <i>Journal of Organic Chemistry</i> , 2010, 75, 8550-8563.	1.7	30
162	Molding resonant energy transfer by colloidal crystal: Dexter transfer and electroluminescence. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
163	Towards a unifying theory for the first-, second-, and third-order molecular (non)linear optical response. , 2010, , .		0
164	Predicting the nonlinear optical response in the resonant region from the linear characterization: a self-consistent theory for the first-, second-, and third-order (non)linear optical response. Proceedings of SPIE, 2010, , .	0.8	0
165	Bio-inspired nano-engineering and genetic modification for nonlinear optical imaging. , 2010, , .		3
166	Predicting the Frequency Dispersion of Electronic Hyperpolarizabilities on the Basis of Absorption Data and Thomas-Kuhn Sum Rules. Journal of Physical Chemistry C, 2010, 114, 2349-2359.	1.5	56
167	Two-Dimensional, Pyrazine-Based Nonlinear Optical Chromophores with Ruthenium(II) Ammine Electron Donors. Inorganic Chemistry, 2010, 49, 10718-10726.	1.9	47
168	Diquat Derivatives: Highly Active, Two-Dimensional Nonlinear Optical Chromophores with Potential Redox Switchability. Journal of the American Chemical Society, 2010, 132, 10498-10512.	6.6	94
169	Synthesis and Nonlinear Optical Properties of Tetrahedral Octupolar Phthalocyanine-Based Systems. Journal of Physical Chemistry B, 2010, 114, 6309-6315.	1.2	32
170	Molecular Engineering of Benzothiazolium Salts with Large Quadratic Hyperpolarizabilities: Can Auxiliary Electron-Withdrawing Groups Enhance Nonlinear Optical Responses?. Journal of Physical Chemistry C, 2010, 114, 22289-22302.	1.5	111
171	Controlled Directionality of Ellipsoids in Monolayer and Multilayer Colloidal Crystals. Langmuir, 2010, 26, 11544-11549.	1.6	30
172	Bottom-Up Photonic Crystal Approach with Top-Down Defect and Heterostructure Fine-Tuning. Langmuir, 2010, 26, 4535-4539.	1.6	23
173	Evolution of Linear Absorption and Nonlinear Optical Properties in V-Shaped Ruthenium(II)-Based Chromophores. Journal of the American Chemical Society, 2010, 132, 1706-1723.	6.6	82
174	Dyes for biological second harmonic generation imaging. Physical Chemistry Chemical Physics, 2010, 12, 13484.	1.3	113
175	Faraday rotation in magnetic colloidal photonic crystals. , 2009, , .		3
176	Synthesis and Properties of Zwitterionic Chromophores Containing Substituents for Shape Control. , 2009, , .		5
177	Synthesis and Properties of Nonlinear Optical (NLO) Chromophores with Indoline Donors and Azo Linkers. , 2009, , .		0
178	FUNDAMENTAL LIMITS: DEVELOPING NEW TOOLS FOR A BETTER UNDERSTANDING OF SECOND-ORDER MOLECULAR NONLINEAR OPTICS. Journal of Nonlinear Optical Physics and Materials, 2009, 18, 401-440.	1.1	7
179	Fabrication of 3D Photonic Crystals of Ellipsoids: Convective Self-Assembly in Magnetic Field. Advanced Materials, 2009, 21, 1936-1940.	11.1	215
180	Charge-Transfer State and Large First Hyperpolarizability Constant in a Highly Electronically Coupled Zinc and Gold Porphyrin Dyad. Chemistry - A European Journal, 2009, 15, 9058-9067.	1.7	36

#	ARTICLE	IF	CITATIONS
181	Synthesis, Spectroscopy, Nonlinear Optics, and Theoretical Investigations of Thienylethynyl Octapoles with a Tunable Core. <i>Chemistry - A European Journal</i> , 2009, 15, 8223-8234.	1.7	14
182	Push-pull chromophores comprising benzothiazolium acceptor and thiophene auxiliary donor moieties: Synthesis, structure, linear and quadratic non-linear optical properties. <i>Dyes and Pigments</i> , 2009, 81, 203-210.	2.0	36
183	Investigation of the conformation of hyperbranched poly(arylene oxindole)s using hyper-Rayleigh scattering. <i>Journal of Polymer Science Part A</i> , 2009, 47, 3740-3747.	2.5	3
184	Strategies for optimising the second-order nonlinear optical response in zwitterionic merocyanine dyes. <i>Optical Materials</i> , 2009, 31, 575-582.	1.7	28
185	Engineering colloidal photonic crystals with magnetic functionalities. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009, 339, 13-19.	2.3	8
186	The syntheses, structures and nonlinear optical and related properties of salts with julolidinyl electron donor groups. <i>Dyes and Pigments</i> , 2009, 82, 171-186.	2.0	41
187	Photonic Crystals of Oblate Spheroids by Blown Film Extrusion of Prefabricated Colloidal Crystals. <i>Langmuir</i> , 2009, 25, 10218-10222.	1.6	34
188	Organometallic Complexes for Nonlinear Optics. 43. Quadratic Optical Nonlinearities of Dipolar Alkynylruthenium Complexes with Phenyleneethynylene/Phenylenevinylene Bridges. <i>Inorganic Chemistry</i> , 2009, 48, 3562-3572.	1.9	37
189	Syntheses and Properties of Salts of Chromophores with Ferrocenyl Electron Donor Groups and Quaternary Nitrogen Acceptors. <i>Organometallics</i> , 2009, 28, 6880-6892.	1.1	34
190	Amphiphilic Porphyrins for Second Harmonic Generation Imaging. <i>Journal of the American Chemical Society</i> , 2009, 131, 2758-2759.	6.6	134
191	Nonlinear Optical and Related Properties of Iron(II) Pentacyanide Complexes with Quaternary Nitrogen Electron Acceptor Units. <i>Inorganic Chemistry</i> , 2009, 48, 1370-1379.	1.9	44
192	Modulated Conjugation as a Means of Improving the Intrinsic Hyperpolarizability. <i>Journal of the American Chemical Society</i> , 2009, 131, 5084-5093.	6.6	70
193	Preparation and characterization of second order non-linear optical properties of new push-pull platinum complexes. <i>Dalton Transactions</i> , 2009, , 4538.	1.6	36
194	Controlling the photoluminescence of CdSe/ZnS quantum dots with a magnetic field. <i>Nanotechnology</i> , 2009, 20, 135203.	1.3	4
195	Second-order nonlinear optical properties of fluorescent proteins for second-harmonic imaging. <i>Journal of Materials Chemistry</i> , 2009, 19, 7514.	6.7	42
196	Length-Dependent Convergence and Saturation Behavior of Electrochemical, Linear Optical, Quadratic Nonlinear Optical, and Cubic Nonlinear Optical Properties of Dipolar Alkynylruthenium Complexes with Oligo(phenyleneethynylene) Bridges. <i>Journal of the American Chemical Society</i> , 2009, 131, 10293-10307.	6.6	80
197	Conformational Steering in Substituted Poly(3,6-phenanthrene)s: A Linear and Nonlinear Optical Study. <i>Macromolecules</i> , 2009, 42, 4282-4287.	2.2	27
198	Nonlinear optical properties of photoswitchable fluorescent proteins. <i>Proceedings of SPIE</i> , 2009, , .	0.8	2

#	ARTICLE	IF	CITATIONS
199	Electrochemically induced switching of the second-order nonlinear optical response. Proceedings of SPIE, 2009, , .	0.8	0
200	Nano-engineering of materials for nonlinear optical imaging. Proceedings of SPIE, 2009, , .	0.8	0
201	Nano-engineering of magnetic and ellipsoidal colloidal photonic crystals. , 2009, , .		2
202	In-situ Switching of the Second-Order Nonlinear Optical Response at the Molecular Level. , 2009, , .		0
203	Sum Rules: Applications to Nonlinear Optics at the Molecular Level. , 2009, , .		0
204	Role of the conjugated spacer in the optimization of second-order nonlinear chromophores. Proceedings of SPIE, 2009, , .	0.8	0
205	Trigonal-Pyramidal Tetra-Sandwich Complexes as 3D NLOphores. European Journal of Inorganic Chemistry, 2008, 2008, 1999-2006.	1.0	17
206	Molecular Symmetry and Solution-Phase Structure Interrogated by Hyper-Rayleigh Depolarization Measurements: Elaborating Highly Hyperpolarizable D_{2h} -Symmetric Chromophores. Angewandte Chemie - International Edition, 2008, 47, 2978-2981.	7.2	59
207	Organometallic complexes for nonlinear optics. 41: Syntheses and quadratic NLO properties of 4-{4-(4-nitrophenyl)diazophenyl}ethynylphenylethynyl complexes. Journal of Organometallic Chemistry, 2008, 693, 1605-1613.	0.8	12
208	Surface morphology changes on silica-coated gold colloids. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 322, 225-233.	2.3	43
209	Synthesis and nonlinear optical properties of linear and β -shaped pyranone-based chromophores. Tetrahedron, 2008, 64, 3772-3781.	1.0	24
210	Substituted 4,4'-Stilbenoid NCN-Pincer Platinum(II) Complexes. Luminescence and Tuning of the Electronic and NLO Properties and the Application in an OLED. Organometallics, 2008, 27, 1690-1701.	1.1	56
211	Enhanced poling efficiency in highly thermal and photostable nonlinear optical chromophores. Journal of Materials Chemistry, 2008, 18, 2141.	6.7	37
212	A new dipole-free sum-over-states expression for the second hyperpolarizability. Journal of Chemical Physics, 2008, 128, 084109.	1.2	37
213	Engineering Tuneable Light-Harvesting Systems with Oligothiophene Donors and Mono- or Bis-Bodipy Acceptors. Journal of Organic Chemistry, 2008, 73, 1563-1566.	1.7	55
214	Redox-Switching of Nonlinear Optical Behavior in Langmuir-Blodgett Thin Films Containing a Ruthenium(II) Ammine Complex. Journal of the American Chemical Society, 2008, 130, 3286-3287.	6.6	139
215	Ternary Inverse Opal System for Convenient and Reversible Photonic Bandgap Tuning. Langmuir, 2008, 24, 10519-10523.	1.6	34
216	Second-Harmonic Generation in GFP-like Proteins. Journal of the American Chemical Society, 2008, 130, 15713-15719.	6.6	66

#	ARTICLE	IF	CITATIONS
217	Organic materials for molecular switching. , 2008, , .		1
218	Benzathiazoliums and pyridiniums for second-order nonlinear optics. Proceedings of SPIE, 2008, , .	0.8	2
219	Tuning of spontaneous emission in photonic crystals by resonant energy transfer and magnetic fields. Proceedings of SPIE, 2008, , .	0.8	0
220	Hyper-Rayleigh scattering for solution phase structure determination. , 2008, , .		0
221	Sum-rules and quantum limits: nonlinear optics from first principles. , 2008, , .		0
222	Photonic crystals for improved light harvesting. , 2008, , .		0
223	Angular Dependence of Fluorescence Emission from Quantum Dots inside a Photonic Crystal. Research Letters in Nanotechnology, 2008, 2008, 1-4.	0.3	8
224	DEVELOPMENT OF MAGNETIC MATERIALS FOR PHOTONIC APPLICATIONS. Journal of Nonlinear Optical Physics and Materials, 2007, 16, 281-294.	1.1	8
225	SECOND-ORDER NONLINEAR OPTICAL PROPERTIES OF CHROMOPHORE-COATED PARTICLES: SYMMETRY CONSIDERATIONS. Journal of Nonlinear Optical Physics and Materials, 2007, 16, 27-35.	1.1	1
226	Combined molecular and supramolecular bottom-up nanoengineering for enhanced nonlinear optical response: Experiments, modeling, and approaching the fundamental limit. Journal of Chemical Physics, 2007, 126, 074705.	1.2	33
227	Nonexponential decay of spontaneous emission from an ensemble of molecules in photonic crystals. Physical Review B, 2007, 76, .	1.1	36
228	Modulated conjugation for record high intrinsic hyperpolarizabilities. , 2007, , .		0
229	Record-high intrinsic hyperpolarizabilities for polymeric electro-optic modulators. Proceedings of SPIE, 2007, , .	0.8	0
230	Modulated conjugation as a means for attaining a record high intrinsic hyperpolarizability. Optics Letters, 2007, 32, 59.	1.7	75
231	Photonic superlattices for photonic crystal lasers. Proceedings of SPIE, 2007, , .	0.8	0
232	Spectral narrowing of emission in self-assembled colloidal photonic superlattices. , 2007, , .		0
233	High "intrinsic" first hyperpolarizability by modulating the conjugation path between donor and acceptor. , 2007, , .		0
234	Î-Type Regioregular Oligothiophenes:Â Synthesis and Second-Order NLO Properties. Journal of Organic Chemistry, 2007, 72, 5855-5858.	1.7	39

#	ARTICLE	IF	CITATIONS
235	Quadratic Nonlinear Optical Response in Partially Charged Donor-Substituted Tetrathiafulvalene: A From a Computational Investigation to a Rational Synthetic Feasibility. <i>Chemistry of Materials</i> , 2007, 19, 805-815.	3.2	36
236	Controlling the Fluorescence Resonant Energy Transfer by Photonic Crystal Band Gap Engineering. <i>Chemistry of Materials</i> , 2007, 19, 5547-5552.	3.2	59
237	Using numerical optimization techniques and conjugation modulation to design the ultimate nonlinear-optical molecule. , 2007, , .		0
238	Alkynyl Expanded Donor-Acceptor Calixarenes: Geometry and Second-Order Nonlinear Optical Properties. <i>Chemistry - A European Journal</i> , 2007, 13, 7753-7761.	1.7	39
239	Theoretical investigation on bridged triarylamine helicenes: UV/visible and circular dichroism spectra. <i>Chemical Physics Letters</i> , 2007, 439, 213-218.	1.2	29
240	Pentacyanoiron(II) as an Electron Donor Group for Nonlinear Optics: A Medium-Responsive Properties and Comparisons with Related Pentaammineruthenium(II) Complexes. <i>Journal of the American Chemical Society</i> , 2006, 128, 12192-12204.	6.6	64
241	Syntheses and Quadratic Nonlinear Optical Properties of Salts Containing Benzothiazolium Electron-Acceptor Groups. <i>Chemistry of Materials</i> , 2006, 18, 5907-5918.	3.2	108
242	Characterization Techniques of Nonlinear Optical Materials. <i>Challenges and Advances in Computational Chemistry and Physics</i> , 2006, , 419-459.	0.6	8
243	Syntheses and Quadratic Optical Nonlinearities of Ruthenium(II) Complexes with Ethynyl-Connected N-Methylpyridinium Electron Acceptors. <i>Inorganic Chemistry</i> , 2006, 45, 1215-1227.	1.9	8
244	Proton-Triggered Octopolar NLO Chromophores. <i>Journal of Physical Chemistry A</i> , 2006, 110, 6271-6275.	1.1	45
245	First hyperpolarizabilities of hexa(ethynyl)benzene derivatives: effect of conjugation length. <i>Journal of Materials Chemistry</i> , 2006, 16, 2273.	6.7	24
246	Electronic Modulation of Hyperpolarizable (Porphinato)zinc(II) Chromophores Featuring Ethynylphenyl-, Ethynylthiophenyl-, Ethynylthiazolyl-, and Ethynylbenzothiazolyl-Based Electron-Donating and -Accepting Moieties. <i>Inorganic Chemistry</i> , 2006, 45, 9703-9712.	1.9	36
247	Electrochemical, Spectroelectrochemical, and Molecular Quadratic and Cubic Nonlinear Optical Properties of Alkynylruthenium Dendrimers 1. <i>Journal of the American Chemical Society</i> , 2006, 128, 10819-10832.	6.6	115
248	Photonic bandgap engineering for spectral narrowing of emission in self-assembled colloidal photonic crystals. , 2006, , .		0
249	Fluorophores-modified silica sphere as emission probe in photonic crystals. <i>Chemical Physics Letters</i> , 2006, 421, 1-4.	1.2	18
250	Tailoring planar defect in three-dimensional colloidal crystals. <i>Chemical Physics Letters</i> , 2006, 422, 251-255.	1.2	68
251	Organometallic complexes for nonlinear optics. Part 36. Quadratic and cubic optical nonlinearities of 4-fluorophenylethynyl- and 4-nitro-(E)-stilbenylethynylruthenium complexes. <i>Inorganica Chimica Acta</i> , 2006, 359, 998-1005.	1.2	28
252	X-Shaped Electro-optic Chromophore with Remarkably Blue-Shifted Optical Absorption. Synthesis, Characterization, Linear/Nonlinear Optical Properties, Self-Assembly, and Thin Film Microstructural Characteristics. <i>Journal of the American Chemical Society</i> , 2006, 128, 6194-6205.	6.6	131

#	ARTICLE	IF	CITATIONS
253	Coordination Compounds for Functional Nonlinear Optics: Enhancing and Switching the Second-Order Nonlinear Optical Responses. ACS Symposium Series, 2006, , 527-540.	0.5	5
254	Liquid Crystals from C ₃ -Symmetric Mesogens for Second-Order Nonlinear Optics. Angewandte Chemie - International Edition, 2006, 45, 4203-4206.	7.2	50
255	Synthesis, Crystal Structure, and Second-Order Nonlinear Optical Properties of Ruthenium(II) Complexes with Substituted Bipyridine and Phenylpyridine Ligands. European Journal of Inorganic Chemistry, 2006, 2006, 3105-3113.	1.0	30
256	Control and switching of first hyperpolarizability by pH. , 2006, , .		0
257	Spectral narrowing of emission in self-assembled colloidal photonic superlattices. Journal of Applied Physics, 2006, 100, 123112.	1.1	33
258	SPONTANEOUS EMISSION OF NANO-ENGINEERED FLUOROPHORES IN PHOTONIC CRYSTALS. Journal of Nonlinear Optical Physics and Materials, 2006, 15, 1-8.	1.1	6
259	Why experimental hyperpolarizabilities fall short of the fundamental limits and new approaches for breaking this barrier. , 2005, , .		0
260	First hyperpolarizabilities of dipolar, bis-dipolar, and octupolar molecules. Chemical Physics Letters, 2005, 403, 68-71.	1.2	8
261	Hyper-Rayleigh scattering of neutral and charged helicenes. Chemical Physics Letters, 2005, 412, 274-279.	1.2	53
262	Design, Synthesis, Linear, and Nonlinear Optical Properties of Conjugated (Porphinato)zinc(II)-Based Donor ⁺ Acceptor Chromophores Featuring Nitrothiophenyl and Nitrooligothiophenyl Electron-Accepting Moieties. Journal of the American Chemical Society, 2005, 127, 9710-9720.	6.6	192
263	Tetraalkynyl Calix[4]arenes with Advanced NLO Properties.. ChemInform, 2005, 36, no.	0.1	0
264	Switching of the first hyperpolarisability. , 2005, , .		0
265	Combined molecular and supramolecular bottom-up engineering for enhanced nonlinear optical response. , 2005, , .		0
266	Optical and nonlinear optical properties of self-assembled colloidal and biological photonic crystals. , 2005, , .		0
267	Three-Dimensional Nonlinear Optical Chromophores Based on Metal-to-Ligand Charge-Transfer from Ruthenium(II) or Iron(II) Centers. Journal of the American Chemical Society, 2005, 127, 13399-13410.	6.6	128
268	Syntheses and Properties of Two-Dimensional Charged Nonlinear Optical Chromophores Incorporating Redox-Switchable cis-Tetraammineruthenium(II) Centers. Journal of the American Chemical Society, 2005, 127, 4845-4859.	6.6	131
269	Interactions of twisted light with chiral molecules: An experimental investigation. Physical Review A, 2005, 71, .	1.0	97
270	Influence of Monomer Optical Purity on the Conformation and Properties of Chiral, Donor-Embedded Polybinaphthalenes for Nonlinear Optical Purposes. Chemistry of Materials, 2005, 17, 118-121.	3.2	48

#	ARTICLE	IF	CITATIONS
271	Tetraalkynyl calix[4]arenes with advanced NLO properties. <i>Chemical Communications</i> , 2005, , 2747.	2.2	35
272	Why hyperpolarizabilities fall short of the fundamental quantum limits. <i>Journal of Chemical Physics</i> , 2004, 121, 7932.	1.2	88
273	SYNTHESIS OF A NOVEL POLYURETHANE NLO POLYMER AND CHARACTERIZATION IN OPTICAL NONLINEARITY OF ITS DAS-TCF CHROMOPHORE. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2004, 13, 55-63.	1.1	4
274	Study on novel second-order NLO azo-based chromophores containing strong electron-withdrawing groups and different conjugated bridges. <i>Journal of Materials Science</i> , 2004, 39, 2335-2340.	1.7	57
275	Donating Strength of Azulene in Various Azulen-1-yl-Substituted Cationic Dyes: Application in Nonlinear Optics. <i>Chemistry of Materials</i> , 2004, 16, 3543-3551.	3.2	88
276	A Molecular Multiproperty Switching Array Based on the Redox Behavior of a Ferrocenyl Polychlorotriphenylmethyl Radical. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 5266-5268.	7.2	133
277	Theoretical Design of Substituted Tetrathia-[7]-Helicenes with Large Second-Order Nonlinear Optical Responses. <i>ChemPhysChem</i> , 2004, 5, 1438-1442.	1.0	58
278	Switching of molecular second-order polarisability in solution. <i>Journal of Materials Chemistry</i> , 2004, 14, 2831.	6.7	153
279	Syntheses and Spectroscopic and Quadratic Nonlinear Optical Properties of Extended Dipolar Complexes with Ruthenium(II) Ammine Electron Donor and N-Methylpyridinium Acceptor Groups. <i>Journal of the American Chemical Society</i> , 2004, 126, 3880-3891.	6.6	99
280	Tuning Octopolar NLO Chromophores: Synthesis and Spectroscopic Characterization of Persubstituted 1,3,5-Tris(ethynylphenyl)benzenes. <i>Journal of Organic Chemistry</i> , 2004, 69, 5077-5081.	1.7	47
281	Synthesis and linear/nonlinear optical properties of a new class of π -RHS TM NLO chromophore. <i>Journal of Materials Chemistry</i> , 2004, 14, 1321-1330.	6.7	78
282	Linear and Nonlinear Light Scattering by Emerging Materials. , 2004, , 379-393.		0
283	Quadratic Optical Nonlinearities of N-Methyl and N-Aryl Pyridinium Salts. <i>Advanced Functional Materials</i> , 2003, 13, 347-357.	7.8	161
284	A Convenient Procedure for the Synthesis of Tetrathia-[7]-helicene and the Selective β -Functionalization of Terminal Thiophene Ring.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
285	In situ reversible electrochemical switching of the molecular first hyperpolarizability. <i>Chemical Physics Letters</i> , 2003, 368, 408-411.	1.2	110
286	Experimental study of the second-order non-linear optical properties of tetrathia-[7]-helicene. <i>Chemical Physics Letters</i> , 2003, 372, 438-442.	1.2	57
287	Organometallic complexes for nonlinear optics. Part 29. Quadratic and cubic hyperpolarizabilities of stilbenylethynyl TM gold and -ruthenium complexes. <i>Inorganica Chimica Acta</i> , 2003, 350, 62-76.	1.2	46
288	A convenient procedure for the synthesis of tetrathia-[7]-helicene and the selective β -functionalisation of terminal thiophene ring. <i>Tetrahedron</i> , 2003, 59, 6481-6488.	1.0	81

#	ARTICLE	IF	CITATIONS
289	Two-dimensional ordering of StÄ¶ber silica particles at the air/water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003, 227, 77-83.	2.3	77
290	Insertion of a Two-Dimensional Cavity into a Self-Assembled Colloidal Crystal. <i>Langmuir</i> , 2003, 19, 4465-4468.	1.6	106
291	Highly Unusual Effects of π -Conjugation Extension on the Molecular Linear and Quadratic Nonlinear Optical Properties of Ruthenium(II) Ammine Complexes. <i>Journal of the American Chemical Society</i> , 2003, 125, 862-863.	6.6	133
292	Optical properties and orientation of arrays of polystyrene spheres deposited using convective self-assembly. <i>Journal of Chemical Physics</i> , 2003, 118, 10752-10757.	1.2	68
293	Design Strategies versus Limiting Theory for Engineering Large Second-Order Nonlinear Optical Polarizabilities in Charged Organic Molecules. <i>Chemistry of Materials</i> , 2003, 15, 642-648.	3.2	128
294	The fabrication of photonic band gap materials with a two-dimensional defect. <i>Applied Physics Letters</i> , 2003, 82, 3764-3766.	1.5	76
295	Molecular quadratic non-linear optical properties of dipolar trans-tetraammineruthenium(ii) complexes with pyridinium and thiocyanate ligands. <i>Dalton Transactions</i> , 2003, , 2335.	1.6	23
296	Utilizing coupled-oscillator photophysics to elaborate chromophores with exceptional molecular hyperpolarizabilities. , 2003, , .		0
297	MOLECULAR NONLINEAR OPTICS: FROM PARA-NITROANILINE TO ELECTROCHEMICAL SWITCHING OF THE HYPERPOLARIZABILITY. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2003, 12, 475-494.	1.1	23
298	Quadratic nonlinear optical properties of novel pyridinium salts. , 2003, , .		1
299	Quadratic nonlinear optical properties of transition metal quaterpyridyl complexes. , 2003, 5212, 341.		1
300	Experimental study of the second-order nonlinear scattering properties of a helicene molecule. , 2003, , .		0
301	Insertion of a two-dimensional defect into photonic bandgap materials. , 2003, , .		0
302	Effect of electronic structure on molecular first hyperpolarizabilities of highly conjugated (polypyridyl)metal-(porphinato)zinc(II) chromophores. , 2003, 5212, 360.		0
303	Insertion of a two-dimensional defect in a self-assembled three-dimensional colloidal crystal. , 2003, , .		0
304	Reversible switching of the second-order nonlinear response. , 2003, , .		0
305	ALTERNATIVE EXPERIMENTAL DETERMINATION OF WEAK LOCALIZATION OF LIGHT IN NANOSTRUCTURED MATERIALS. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2002, 11, 261-274.	1.1	2
306	Influence of the complex anion on the nonlinear optical properties of the hemicyanine cation. , 2002, , OTuB6.		0

#	ARTICLE	IF	CITATIONS
307	Reversible redox-switching of first hyperpolarizability studied by hyper-Rayleigh scattering. , 2002, , .		0
308	Hyper-Rayleigh scattering for symmetry fluctuation spectroscopy. , 2002, , .		0
309	Organometallic Complexes for Nonlinear Optics. 28.1 Dimensional Evolution of Quadratic and Cubic Optical Nonlinearities in Stilbenylethynylruthenium Complexes. <i>Organometallics</i> , 2002, 21, 2024-2026.	1.1	60
310	Ordering and optical properties of monolayers and multilayers of silica spheres deposited by the Langmuir-Blodgett method. <i>Journal of Materials Chemistry</i> , 2002, 12, 3268-3274.	6.7	148
311	Unusual Frequency Dispersion Effects of the Nonlinear Optical Response in Highly Conjugated (Polypyridyl)metal(II) (Porphinato)zinc(II) Chromophores. <i>Journal of the American Chemical Society</i> , 2002, 124, 13806-13813.	6.6	155
312	Quadratic Nonlinear Optical Properties of N-Aryl Stilbazolium Dyes. <i>Advanced Functional Materials</i> , 2002, 12, 110-116.	7.8	218
313	Nonlinear Light Scattering by Organic Molecules and Materials. <i>Advanced Functional Materials</i> , 2002, 12, 557-563.	7.8	14
314	Reversible switching of molecular second-order nonlinear optical polarizability through proton-transfer. <i>Chemical Physics Letters</i> , 2002, 364, 279-283.	1.2	71
315	Quadratic Nonlinear Optical Properties of N-Aryl Stilbazolium Dyes. , 2002, 12, 110.		2
316	Donor-acceptor complexes incorporating ferrocenes: spectroelectrochemical characterisation, quadratic hyperpolarisabilities and the effects of oxidising and reducing agents. <i>Dalton Transactions RSC</i> , 2001, , 3025-3038.	2.3	51
317	Azulenyl and guaiazulenyl cations as novel accepting moieties in extended sesquifulvalene type NLO chromophores. <i>Dalton Transactions RSC</i> , 2001, , 29-36.	2.3	62
318	Theoretical upper limits and experimental overestimates for molecular hyperpolarizabilities: a symbiosis. <i>Optics Letters</i> , 2001, 26, 1699.	1.7	23
319	Bacteriorhodopsin: a natural, efficient (nonlinear) photonic crystal. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2001, 18, 1474.	0.9	37
320	A comparison of the pentaammine(pyridyl)ruthenium(II) and 4-(dimethylamino)phenyl groups as electron donors for quadratic non-linear optics. <i>Chemical Communications</i> , 2001, , 1548-1549.	2.2	28
321	Hyper-rayleigh scattering. , 2001, , 229-266.		1
322	Molecular First Hyperpolarizability Data for Lanthanate Complexes Containing the Hemicyanine Chromophore. <i>Journal of Physical Chemistry B</i> , 2001, 105, 5169-5173.	1.2	27
323	Enhancing the accuracy and precision in hyper-Rayleigh scattering: frequency- and angle-resolved femtosecond nonlinear scattering. , 2001, 4461, 105.		0
324	Time-resolved transmission through a photonic crystal in the complete Fourier domain. , 2001, , .		0

#	ARTICLE	IF	CITATIONS
325	The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_2(\eta^1/4\text{-CO})(\eta^1/4\text{-C}\equiv\text{CH}_3)]^+[\text{BF}_4]^-$ and terthienyl spacers. Crystal structure of 2-[(E)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene. <i>Journal of Organometallic Chemistry</i> , 2001, 637-639, 435-444.	0.8	30
326	Reversible switching of the first hyperpolarisability of an NLO-active donor-acceptor molecule based on redox interconversion of the octamethylferrocene donor unit. <i>Chemical Communications</i> , 2001, , 49-50.	2.2	109
327	Hyper-Rayleigh scattering in the Fourier domain for higher precision: Correcting for multiphoton fluorescence with demodulation and phase data. <i>Review of Scientific Instruments</i> , 2001, 72, 3215-3220.	0.6	64
328	Novel functionalized oligo-vinylthiophene molecules with modulated second-order nonlinear optical response. <i>Journal of Molecular Structure</i> , 2000, 521, 221-230.	1.8	5
329	Application of hyper-Rayleigh scattering for the experimental determination of molecular structure in monomers and polymers. <i>Journal of Molecular Structure</i> , 2000, 521, 303-313.	1.8	10
330	Dynamic light scattering with femtosecond laser pulses: Potential and limitations toward quasielastic nonlinear light scattering. <i>Journal of Chemical Physics</i> , 2000, 113, 9706-9713.	1.2	5
331	Fourier analysis of the femtosecond hyper-Rayleigh scattering signal from ionic fluorescent hemicyanine dyes. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2000, 17, 256.	0.9	71
332	Improved fitting equation for frequency-resolved femtosecond hyper-Rayleigh scattering experiments. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2000, 17, 1867.	0.9	17
333	Bacteriorhodopsin: a natural (nonlinear) photonic bandgap material. <i>Optics Letters</i> , 2000, 25, 1391.	1.7	26
334	Fluorescence-free hyperpolarizability values by near-infrared, femtosecond hyper-Rayleigh scattering. <i>Synthetic Metals</i> , 2000, 115, 207-211.	2.1	16
335	Purple membrane suspensions: a natural random nonlinear photonic bandgap material. , 2000, , .		0
336	High-frequency demodulation of multi-photon fluorescence in hyper-Rayleigh scattering. <i>Optical Materials</i> , 1999, 12, 221-224.	1.7	14
337	Multiphoton fluorescence free hyperpolarizabilities of subphthalocyanines. <i>Chemical Physics Letters</i> , 1999, 308, 173-175.	1.2	33
338	Novel columnar mesogen with octupolar optical nonlinearities: synthesis, mesogenic behavior and multiphoton-fluorescence-free hyperpolarizabilities of subphthalocyanines with long aliphatic chains. <i>Chemical Communications</i> , 1999, , 1661-1662.	2.2	62
339	Synthesis and Second-Order Nonlinear Optical Properties of Donor-Acceptor π -Alkynyl and π -Enynyl Iridylruthenium(II) Complexes. X-ray Crystal Structures of $[\text{Ru}\{\text{C}(\text{CCHC}(\text{C}_6\text{H}_4\text{NO}_2\text{-3})_2)(\eta^5\text{-C}_9\text{H}_7)(\text{PPh}_3)_2]$ and $(\text{EE})\text{-}[\text{Ru}\{\text{C}(\text{CHCH}_2\text{-C}_6\text{H}_4\text{NO}_2\text{-4})(\eta^5\text{-C}_9\text{H}_7)(\text{PPh}_3)_2]$. <i>Organometallics</i> , 1999, 18, 582-597.	1.1	66
340	High-frequency demodulation of multiphoton fluorescence in long-wavelength hyper-Rayleigh scattering. <i>Optics Letters</i> , 1999, 24, 403.	1.7	93
341	Second-order off-diagonal hyperpolarizability tensor components of substituted carbazoles by hyper-Rayleigh scattering depolarization measurements. <i>Chemical Physics Letters</i> , 1998, 286, 101-106.	1.2	22
342	Difference in relaxation time between coherent and incoherent second-harmonic generation. <i>Chemical Physics Letters</i> , 1998, 288, 171-174.	1.2	3

#	ARTICLE	IF	CITATIONS
343	Enhancement of the molecular hyperpolarizability by a supramolecular amylose-dye inclusion complex, studied by hyper-Rayleigh scattering with fluorescence suppression. <i>Chemical Physics Letters</i> , 1998, 293, 337-342.	1.2	61
344	Nonlinear Optical Properties of Correlated Chromophores in Organic Mesoscopic Superstructures. <i>Advanced Materials</i> , 1998, 10, 643-655.	11.1	57
345	Spatial correlations between chromophores in thin films by femtosecond hyper-Rayleigh scattering. <i>Optical Materials</i> , 1998, 9, 313-315.	1.7	1
346	Versatile optical materials: fluorescence, non-linear optical and mesogenic properties of selected 2-pyrazoline derivatives. <i>Journal of Materials Chemistry</i> , 1998, 8, 1725-1730.	6.7	67
347	High-frequency demodulation of multi-photon fluorescence in hyper-Rayleigh scattering. <i>Review of Scientific Instruments</i> , 1998, 69, 2233-2241.	0.6	204
348	Hyper-Rayleigh Scattering in Isotropic Solution. <i>Accounts of Chemical Research</i> , 1998, 31, 675-683.	7.6	225
349	Suppression of Multiphoton Fluorescence in Hyper-Rayleigh Scattering. <i>Optics and Photonics News</i> , 1998, 9, 28.	0.4	3
350	Suppression of Multiphoton Fluorescence in Hyper-Rayleigh Scattering. <i>Optics and Photonics News</i> , 1998, 9, 28_1.	0.4	0
351	Study of domain formation and relaxation in thin polymeric films by femtosecond hyper-Rayleigh scattering. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1998, 15, 369.	0.9	11
352	Second-Order Nonlinear Optical Properties of the Four Tetranitrotetrapropoxycalix[4]arene Conformers. <i>Journal of the American Chemical Society</i> , 1998, 120, 7875-7883.	6.6	64
353	Novel Organometallic Compounds for Nonlinear Optics. <i>Journal of Nonlinear Optical Physics and Materials</i> , 1998, 07, 113-120.	1.1	11
354	High-frequency demodulation of multiphoton fluorescence in hyper-Raleigh scattering. , 1998, 3474, 103.		0
355	Correlation length relaxation times from hyper-Rayleigh scattering in thin films versus second-harmonic generation relaxation times. , 1998, , .		0
356	Hyper-Rayleigh scattering studies of an ionic species Solvent effect on hyperpolarizability of 1-anilinonaphthalene-8-sulfonic acid ammonium salt. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1997, 93, 3039-3044.	1.7	60
357	Second-order nonlinear optical materials: recent advances in chromophore design. <i>Journal of Materials Chemistry</i> , 1997, 7, 2175-2189.	6.7	584
358	Quadratic nonlinear optical properties of correlated chromophores: cyclic 6,6-dinitro-1,1'-binaphthyl-2,2'-ethers. <i>Chemical Physics Letters</i> , 1997, 270, 241-244.	1.2	44
359	Large Second-Order Nonlinear Optical Properties of Novel Organometallic (<i>if</i> -Aryl ^{en} ynyl)ruthenium Complexes. <i>Organometallics</i> , 1996, 15, 5266-5268.	1.1	82
360	Novel Chiral Bis-dipolar 6,6-Disubstituted Binaphthol Derivatives for Second-Order Nonlinear Optics: Synthesis and Linear and Nonlinear Optical Properties. <i>Journal of the American Chemical Society</i> , 1996, 118, 6841-6852.	6.6	118

#	ARTICLE	IF	CITATIONS
361	Large Second-Order Nonlinear Optical Properties of Organometallic Ruthenium π -Arylacetylide Complexes. , 1996, , .		0
362	Symmetry of functionalized poly(propylene imine) dendrimers probed with hyper-Rayleigh scattering. , 1996, 2852, 122.		0
363	New organometallic materials for nonlinear optics: metal π -arylacetylides. , 1996, , .		0
364	Probing of spatial orientational correlations between chromophores in polymer films by femtosecond hyper-Rayleigh scattering. Chemical Physics Letters, 1996, 253, 135-140.	1.2	18
365	Hyper-Rayleigh scattering investigation of nitrobenzyl pyridine model compounds for optical modulation of the hyperpolarisability. Chemical Physics Letters, 1996, 258, 485-489.	1.2	116
366	The symmetry of functionalized poly(propylene imine) dendrimers probed with hyper-Rayleigh scattering. Chemical Physics Letters, 1996, 260, 136-141.	1.2	36
367	Comparison between optical nonlinearity relaxation times from coherent second-order harmonic generation and from incoherent hyper-Rayleigh scattering. Applied Physics Letters, 1996, 69, 4145-4147.	1.5	14
368	High-resolution electric-field-induced second-order harmonic generation with ultrafast Ti:sapphire laser. Review of Scientific Instruments, 1996, 67, 3005-3009.	0.6	4
369	FEMTOSECOND HYPER-RAYLEIGH SCATTERING STUDY OF SPATIAL ORIENTATIONAL CORRELATIONS BETWEEN CHROMOPHORES. Journal of Nonlinear Optical Physics and Materials, 1996, 05, 59-71.	1.1	10
370	Evidence of Octopolar Symmetry in Bacteriorhodopsin Trimers by Hyper-Rayleigh Scattering from Purple Membrane Suspensions. The Journal of Physical Chemistry, 1996, 100, 19672-19680.	2.9	28
371	Evaluation of Hyperpolarizability of Nonlinear Optical Organic Molecules by Hyper-Rayleigh Scattering. Japanese Journal of Applied Physics, 1996, 35, 6074-6078.	0.8	2
372	Experimental and Theoretical Investigation of the Second-Order Optical Properties of the Chromophore Retinal and Its Derivatives. ACS Symposium Series, 1995, , 82-94.	0.5	11
373	<title>Femtosecond hyper-Rayleigh scattering study of spatial orientational correlations between chromophores</title>. , 1995, , .		0
374	<title>Nonlinear optical properties of bacteriorhodopsin, retinal, and related molecules</title>. , 1995, , .		0
375	<title>Optical materials: analysis of the first hyperpolarizability tensor by nonlinear scattering techniques</title>. , 1995, , .		0
376	Second-order nonlinear optics in isotropic liquids: Hyper-Rayleigh scattering in solution. Journal of Molecular Liquids, 1995, 67, 133-155.	2.3	50
377	Solvent Effects on the Second-Order Nonlinear Optical Response of π -Conjugated Molecules: A Combined Evaluation through Self-Consistent Reaction Field Calculations and Hyper-Rayleigh Scattering Measurements. Journal of the American Chemical Society, 1995, 117, 10127-10128.	6.6	110
378	Theoretical and experimental investigation of the second-order nonlinear optical properties of retinal and derivatives. Synthetic Metals, 1995, 71, 1697-1698.	2.1	6

#	ARTICLE	IF	CITATIONS
379	The Bacteriorhodopsin Chromophore Retinal and Derivatives: An Experimental and Theoretical Investigation of the Second-Order Optical Properties. <i>Journal of the American Chemical Society</i> , 1995, 117, 3547-3555.	6.6	143
380	Supramolecular Second-Order Nonlinearity of Polymers with Orientationally Correlated Chromophores. <i>Science</i> , 1995, 270, 966-969.	6.0	180
381	Experimental and theoretical investigations of the second-order nonlinear optical properties in retinal and related visual chromophores. , 1994, , .		0
382	Evaluation of $ \hat{\chi}^2 $ of stilbazolium p-toluenesulfonates by the hyper Rayleigh scattering method. , 1994, , .		31
383	Phase-matched second-harmonic generation in a four-layered polymeric waveguide. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1994, 11, 655.	0.9	20
384	Triphenylcarbinol Derivatives as Molecules for Second-Order Nonlinear Optics. <i>Chemistry of Materials</i> , 1994, 6, 412-417.	3.2	23
385	Characterization of nonlinear optical properties by hyper-scattering techniques. <i>Synthetic Metals</i> , 1994, 67, 31-38.	2.1	15
386	Investigations of the Hyperpolarizability in Organic Molecules from Dipolar to Octopolar Systems. <i>Journal of the American Chemical Society</i> , 1994, 116, 9320-9323.	6.6	208
387	Hyper-Rayleigh scattering in solution with tunable femtosecond continuous-wave laser source. <i>Review of Scientific Instruments</i> , 1994, 65, 2190-2194.	0.6	80
388	Highly ordered films of neat calix[4]arenes for second order nonlinear optics. <i>Advanced Materials</i> , 1993, 5, 925-930.	11.1	51
389	Blue and green Åerenkov-type second-harmonic generation in a polymeric Langmuir-Blodgett waveguide. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1993, 10, 886.	0.9	31
390	Determination of the hyperpolarizability of an octopolar molecular ion by hyper-Rayleigh scattering. <i>Optics Letters</i> , 1993, 18, 525.	1.7	90
391	Nonlinear Optical Properties of Proteins Measured by Hyper-Rayleigh Scattering in Solution. <i>Science</i> , 1993, 262, 1419-1422.	6.0	151
392	Characterization of polymeric nonlinear optical materials by hyper-Rayleigh scattering in solution. <i>Proceedings of SPIE</i> , 1993, 2025, 182.	0.8	1
393	Nonlinear optical properties of bacteriorhodopsin. , 1993, 1853, 233.		0
394	Investigations of the $\hat{\chi}^2$ -response in organic molecules from dipolar to octupolar systems. , 1993, , .		1
395	Hyper-Rayleigh Scattering (Hrs) In Isotropic Media. <i>Materials Research Society Symposia Proceedings</i> , 1993, 328, 565.	0.1	0
396	Blue light guiding in a polymeric nonlinear optical Langmuir-Blodgett waveguide. <i>Chemistry of Materials</i> , 1993, 5, 1032-1036.	3.2	18

#	ARTICLE	IF	CITATIONS
397	Hyper-Rayleigh scattering in solution. Review of Scientific Instruments, 1992, 63, 3285-3289.	0.6	471
398	Dispersion of the complex electro-optic coefficient and electrochromic effects in poled polymer films. Journal of the Optical Society of America B: Optical Physics, 1992, 9, 2274.	0.9	37
399	Photon random walk in the frequency domain. Optics Communications, 1992, 92, 6-11.	1.0	3
400	Interaction between virginiamycin S and ribosomes is partly provided by a salt bridge with a magnesium ion. Biochemistry, 1991, 30, 7277-7282.	1.2	12
401	A fluorescence lifetime study of virginiamycin S using multifrequency phase fluorometry. Biochemistry, 1991, 30, 7271-7276.	1.2	8
402	Hyper-Rayleigh scattering in solution. Physical Review Letters, 1991, 66, 2980-2983.	2.9	949
403	Large-Bowel Perforation. Urologia Internationalis, 1989, 44, 373-374.	0.6	4
404	Instrumental and analysis improvements in multifrequency phase fluorometry. Journal of Physics E: Scientific Instruments, 1989, 22, 297-305.	0.7	31
405	Reduction of phase instability in a mode-locked argon laser. Applied Optics, 1988, 27, 3601.	2.1	6
406	Low-cost 1 GHz resolution bandwidth spectrum analyzer in the 0.1-1000 MHz frequency range. Review of Scientific Instruments, 1988, 59, 2294-2296.	0.6	0
407	High-frequency demodulation of multiphoton fluorescence for hyper-Rayleigh scattering in solution. , 0, , .		1
408	Femtosecond incoherent second-order nonlinear light scattering: opportunities for molecular and device characterization. , 0, , .		0
409	Nonlinear optical relaxation times from incoherent and coherent second-harmonic generation. , 0, , .		0
410	Purple membrane suspensions: A natural random nonlinear photonic bandgap material. , 0, , .		0