

Xiang-Ming Zha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2150469/xiang-ming-zha-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

2,635
citations

20
h-index

47
g-index

47
ext. papers

2,899
ext. citations

5.3
avg, IF

4.72
L-index

#	Paper	IF	Citations
45	pH and proton-sensitive receptors in brain ischemia.. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022 , 271678X221089074	7.3	0
44	RNA-Seq analysis of knocking out the neuroprotective proton-sensitive GPR68 on basal and acute ischemia-induced transcriptome changes and signaling in mouse brain. <i>FASEB Journal</i> , 2021 , 35, e21461	0.9	5
43	GPR68 Contributes to Persistent Acidosis-Induced Activation of AGC Kinases and Tyrosine Phosphorylation in Organotypic Hippocampal Slices. <i>Frontiers in Neuroscience</i> , 2021 , 15, 692217	5.1	2
42	Time-dependent progression of hemorrhagic transformation after transient ischemia and its association with GPR68-dependent protection. <i>Brain Hemorrhages</i> , 2020 , 1, 185-191	2.1	3
41	Acid-Sensing Ion Channels Contribute to Type III Adenylyl Cyclase-Independent Acid Sensing of Mouse Olfactory Sensory Neurons. <i>Molecular Neurobiology</i> , 2020 , 57, 3042-3056	6.2	
40	G protein-coupled receptor 68 increases the number of B lymphocytes. <i>American Journal of Blood Research</i> , 2020 , 10, 15-21	1.6	2
39	GPR68 deletion impairs hippocampal long-term potentiation and passive avoidance behavior. <i>Molecular Brain</i> , 2020 , 13, 132	4.5	6
38	GPR68 Is a Neuroprotective Proton Receptor in Brain Ischemia. <i>Stroke</i> , 2020 , 51, 3690-3700	6.7	8
37	Histidine Residues Are Responsible for Bidirectional Effects of Zinc on Acid-Sensing Ion Channel 1a/3 Heteromeric Channels. <i>Biomolecules</i> , 2020 , 10,	5.9	3
36	Infection-induced endothelial amyloids impair memory. <i>FASEB Journal</i> , 2019 , 33, 10300-10314	0.9	8
35	Loss of Gpr68 Enhances Hematopoietic Stem Cell Function during Aging. <i>Blood</i> , 2019 , 134, 3719-3719	2.2	
34	The GPR68/BCL2 Axis Remodels Metabolism in AML By Relocating Calcium. <i>Blood</i> , 2019 , 134, 2661-2661	2.2	
33	Proton Sensor GPR68 Is Essential to Maintain Myeloid Malignancies. <i>Blood</i> , 2018 , 132, 1353-1353	2.2	
32	Human ASIC1a mediates stronger acid-induced responses as compared with mouse ASIC1a. <i>FASEB Journal</i> , 2018 , 32, 3832-3843	0.9	15
31	Region specific contribution of ASIC2 to acidosis-and ischemia-induced neuronal injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 528-540	7.3	21
30	infection liberates transmissible, cytotoxic prion amyloids. <i>FASEB Journal</i> , 2017 , 31, 2785-2796	0.9	18
29	miR-149 reduces while let-7 elevates ASIC1a expression in vitro. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2017 , 9, 147-152	3.4	4

28	Two di-leucine motifs regulate trafficking and function of mouse ASIC2a. <i>Molecular Brain</i> , 2016 , 9, 9	4.5	11
27	ASIC subunit ratio and differential surface trafficking in the brain. <i>Molecular Brain</i> , 2016 , 9, 4	4.5	27
26	Two aspects of ASIC function: Synaptic plasticity and neuronal injury. <i>Neuropharmacology</i> , 2015 , 94, 42-85.5		55
25	Protons are a neurotransmitter that regulates synaptic plasticity in the lateral amygdala. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 8961-6	11.5	154
24	Acid-sensing ion channels: trafficking and synaptic function. <i>Molecular Brain</i> , 2013 , 6, 1	4.5	100
23	Three distinct motifs within the C-terminus of acid-sensing ion channel 1a regulate its surface trafficking. <i>Neuroscience</i> , 2013 , 247, 321-7	3.9	8
22	N-glycosylation of acid-sensing ion channel 1a regulates its trafficking and acidosis-induced spine remodeling. <i>Journal of Neuroscience</i> , 2012 , 32, 4080-91	6.6	42
21	Inhibition of human acid-sensing ion channel 1b by zinc. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2012 , 4, 84-93	3.4	5
20	A kinase anchor protein 150 (AKAP150)-associated protein kinase A limits dendritic spine density. <i>Journal of Biological Chemistry</i> , 2011 , 286, 26496-506	5.4	21
19	The interaction between the first transmembrane domain and the thumb of ASIC1a is critical for its N-glycosylation and trafficking. <i>PLoS ONE</i> , 2011 , 6, e26909	3.7	18
18	PICK1 regulates the trafficking of ASIC1a and acidotoxicity in a BAR domain lipid binding-dependent manner. <i>Molecular Brain</i> , 2010 , 3, 39	4.5	27
17	Oxidant regulated inter-subunit disulfide bond formation between ASIC1a subunits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 3573-8	11.5	61
16	The cytoskeletal protein alpha-actinin regulates acid-sensing ion channel 1a through a C-terminal interaction. <i>Journal of Biological Chemistry</i> , 2009 , 284, 2697-2705	5.4	30
15	ASIC2 subunits target acid-sensing ion channels to the synapse via an association with PSD-95. <i>Journal of Neuroscience</i> , 2009 , 29, 8438-46	6.6	79
14	Role of Ca ²⁺ /calmodulin-dependent protein kinase II in dendritic spine remodeling during epileptiform activity in vitro. <i>Journal of Neuroscience Research</i> , 2009 , 87, 1969-79	4.4	16
13	ASIC2 Subunits Target Acid-Sensing Ion Channels to the Synapse via an Association with PSD-95. <i>FASEB Journal</i> , 2009 , 23, LB94	0.9	
12	Oxidant Regulated Intersubunit Disulfide Bond Formation between ASIC1a Subunits. <i>FASEB Journal</i> , 2009 , 23, LB226	0.9	
11	Acid-Sensing Ion Channels (ASICs) and pH in Synapse Physiology 2008 , 661-681		8

10	Targeting ASIC1a reduces innate fear and alters neuronal activity in the fear circuit. <i>Biological Psychiatry</i> , 2007 , 62, 1140-8	7.9	112
9	Acid-sensing ion channel 1a is a postsynaptic proton receptor that affects the density of dendritic spines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 16556-61	11.5	149
8	Synaptic activity and F-actin coordinately regulate CaMKIIalpha localization to dendritic postsynaptic sites in developing hippocampal slices. <i>Molecular and Cellular Neurosciences</i> , 2006 , 31, 37-51	4.8	18
7	Regulation of hippocampal synapse remodeling by epileptiform activity. <i>Molecular and Cellular Neurosciences</i> , 2005 , 29, 494-506	4.8	42
6	Immunoaffinity profiling of tyrosine phosphorylation in cancer cells. <i>Nature Biotechnology</i> , 2005 , 23, 94-101	44.5	1056
5	An extranuclear locus of cAMP-dependent protein kinase action is necessary and sufficient for promotion of spiral ganglion neuronal survival by cAMP. <i>Journal of Neuroscience</i> , 2003 , 23, 777-87	6.6	49
4	Ca ²⁺ /calmodulin-dependent protein kinases II and IV both promote survival but differ in their effects on axon growth in spiral ganglion neurons. <i>Journal of Neuroscience Research</i> , 2003 , 72, 169-84	4.4	60
3	Phosphoprotein analysis using antibodies broadly reactive against phosphorylated motifs. <i>Journal of Biological Chemistry</i> , 2002 , 277, 39379-87	5.4	209
2	BDNF synthesis in spiral ganglion neurons is constitutive and CREB-dependent. <i>Hearing Research</i> , 2001 , 156, 53-68	3.9	60
1	Multiple distinct signal pathways, including an autocrine neurotrophic mechanism, contribute to the survival-promoting effect of depolarization on spiral ganglion neurons in vitro. <i>Journal of Neuroscience</i> , 2001 , 21, 2256-67	6.6	123