

# Toshifumi Satoh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/215116/publications.pdf>

Version: 2024-02-01

334  
papers

8,599  
citations

44066

48  
h-index

102480

66  
g-index

342  
all docs

342  
docs citations

342  
times ranked

6041  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diphenyl Phosphate as an Efficient Cationic Organocatalyst for Controlled/Living Ring-Opening Polymerization of $\epsilon$ -Valerolactone and $\epsilon$ -Caprolactone. <i>Macromolecules</i> , 2011, 44, 1999-2005.	4.8	272
2	Diphenyl Phosphate as an Efficient Acidic Organocatalyst for Controlled/Living Ring-Opening Polymerization of Trimethylene Carbonates Leading to Block, End-Functionalized, and Macrocylic Polycarbonates. <i>Macromolecules</i> , 2013, 46, 1772-1782.	4.8	139
3	Synthesis and thermoresponsive property of end-functionalized poly(N-isopropylacrylamide) with pyrenyl group. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1117-1124.	2.3	117
4	Water-Resistant Efficient Stretchable Perovskite-Embedded Fiber Membranes for Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 2210-2215.	8.0	113
5	Enhanced dispersion stability of gold nanoparticles by the physisorption of cyclic poly(ethylene terephthalate) (PET) on the surface of gold nanoparticles. <i>Journal of Polymer Science Part A: Polymer Chemistry</i> , 2012, 50, 1285-1291.	12.8	105
6	Synthesis and Stereocomplex Formation of Star-Shaped Stereoblock Polylactides Consisting of Poly( <i>l</i> -lactide) and Poly( <i>d</i> -lactide) Arms. <i>Macromolecules</i> , 2013, 46, 8509-8518.	4.8	103
7	Recent progress in organocatalytic group transfer polymerization. <i>Polymer Chemistry</i> , 2013, 4, 4278.	3.9	100
8	Synthesis of Helical Poly(phenylacetylene)s with Amide Linkage Bearing <i>l</i> -Phenylalanine and <i>l</i> -Phenylglycine Ethyl Ester Pendants and Their Applications as Chiral Stationary Phases for HPLC. <i>Macromolecules</i> , 2013, 46, 8406-8415.	4.8	96
9	Synthesis of Well-Defined Macrocylic Poly( $\epsilon$ -valerolactone) by $\kappa$ -Click Cyclization. <i>Macromolecules</i> , 2009, 42, 5091-5096.	4.8	94
10	Sub-10 nm Nano-Organization in AB <sub>2</sub> - and AB <sub>3</sub> -Type Miktoarm Star Copolymers Consisting of Maltoheptaose and Polycaprolactone. <i>Macromolecules</i> , 2013, 46, 1461-1469.	4.8	90
11	Stretchable Conjugated Rod-Coil Poly(3-hexylthiophene)- <i>block</i> -poly(butyl acrylate) Thin Films for Field Effect Transistor Applications. <i>Macromolecules</i> , 2017, 50, 1442-1452.	4.8	83
12	Controlled/Living Ring-Opening Polymerization of $\epsilon$ -Valerolactone Using Triflylimide as an Efficient Cationic Organocatalyst. <i>Macromolecules</i> , 2010, 43, 7090-7094.	4.8	81
13	Synthesis of well-defined AB <sub>20</sub> -type star polymers with cyclodextrin-core by combination of NMP and ATRP. <i>Journal of Polymer Science Part A</i> , 2005, 43, 4271-4279.	2.3	80
14	High-Performance Nonvolatile Organic Photonic Transistor Memory Devices using Conjugated Rod-Coil Materials as a Floating Gate. <i>Advanced Materials</i> , 2020, 32, e2002638.	21.0	80
15	Atom Transfer Radical Polymerization of Methyl Methacrylate in Fluoroalcohol: Simultaneous Control of Molecular Weight and Tacticity. <i>Macromolecules</i> , 2005, 38, 1041-1043.	4.8	79
16	Synthesis of end-functionalized polyethers by phosphazene base-catalyzed ring-opening polymerization of 1,2-butylene oxide and glycidyl ether. <i>Journal of Polymer Science Part A</i> , 2012, 50, 1941-1952.	2.3	76
17	Synthesis of Linear, Cyclic, Figure-Eight-Shaped, and Tadpole-Shaped Amphiphilic Block Copolyethers via <i>t</i> -Bu-P <sub>4</sub> -Catalyzed Ring-Opening Polymerization of Hydrophilic and Hydrophobic Glycidyl Ethers. <i>Macromolecules</i> , 2014, 47, 2853-2863.	4.8	75
18	Unimolecular micelles based on hyperbranched polycarbohydrate cores. <i>Soft Matter</i> , 2009, 5, 1972.	2.7	74

#	ARTICLE	IF	CITATIONS
19	Organic Superbase as an Efficient Catalyst for Group Transfer Polymerization of Methyl Methacrylate. <i>Macromolecules</i> , 2011, 44, 4641-4647.	4.8	73
20	A Versatile Method for Adjusting Thermoresponsivity: Synthesis and "Click" Reaction of an Azido End-Functionalized Poly( <i>N</i> -isopropylacrylamide). <i>Macromolecular Rapid Communications</i> , 2008, 29, 1126-1133.	3.9	72
21	Synthesis of High Molecular Weight and End-Functionalized Poly(styrene oxide) by Living Ring-Opening Polymerization of Styrene Oxide Using the Alcohol/Phosphazene Base Initiating System. <i>Macromolecules</i> , 2011, 44, 9099-9107.	4.8	72
22	Efficient Colorimetric Anion Detection Based on Positive Allosteric System of Urea-Functionalized Poly(phenylacetylene) Receptor. <i>Macromolecules</i> , 2010, 43, 7406-7411.	4.8	71
23	High-Performance Nonvolatile Organic Transistor Memory Devices Using the Electrets of Semiconducting Blends. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 12780-12788.	8.0	71
24	Binaphthol-derived phosphoric acids as efficient chiral organocatalysts for the enantiomer-selective polymerization of rac-lactide. <i>Chemical Communications</i> , 2014, 50, 2883-2885.	4.1	67
25	Strong Brønsted Acid as a Highly Efficient Promoter for Group Transfer Polymerization of Methyl Methacrylate. <i>Macromolecules</i> , 2009, 42, 8747-8750.	4.8	65
26	Core-First Synthesis of Three-, Four-, and Six-Armed Star-Shaped Poly(methyl methacrylate)s by Group Transfer Polymerization Using Phosphazene Base. <i>Macromolecules</i> , 2011, 44, 9091-9098.	4.8	65
27	Glycoconjugated Polymer. 5. Synthesis and Characterization of a Seven-Arm Star Polystyrene with a $\beta$ -2-Cyclodextrin Core Based on TEMPO-Mediated Living Radical Polymerization. <i>Macromolecules</i> , 2003, 36, 3914-3920.	4.8	62
28	Synthesis, Branched Structure, and Solution Property of Hyperbranched d-Glucan and d-Galactan. <i>Macromolecules</i> , 2005, 38, 4202-4210.	4.8	61
29	Alkali Metal Carboxylate as an Efficient and Simple Catalyst for Ring-Opening Polymerization of Cyclic Esters. <i>Macromolecules</i> , 2018, 51, 689-696.	4.8	61
30	Size-Specific, Colorimetric Detection of Counteranions by Using Helical Poly(phenylacetylene) Conjugated to L-Leucine Groups through Urea Acceptors. <i>Chemistry - A European Journal</i> , 2008, 14, 10259-10266.	3.3	60
31	A unimolecular nanocapsule: Encapsulation property of amphiphilic polymer based on hyperbranched polythreitol. <i>Polymer</i> , 2007, 48, 4683-4690.	3.8	57
32	Synthesis of amphiphilic triblock copolymer of polystyrene and poly(4-vinylbenzyl glucoside) via TEMPO-mediated living radical polymerization. <i>Polymer</i> , 2002, 43, 4835-4840.	3.8	56
33	Synthesis of well-defined syndiotactic poly(methyl methacrylate) with low-temperature atom transfer radical polymerization in fluoroalcohol. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1436-1446.	2.3	56
34	Colorimetric Detection of Anions in Aqueous Solution Using Poly(phenylacetylene) with Sulfonamide Receptors Activated by Electron Withdrawing Group. <i>Macromolecules</i> , 2012, 45, 8221-8227.	4.8	56
35	Synthesis of Star- and Figure-Eight-Shaped Polyethers by <i>t</i> -Bu-P <sub>4</sub> -Catalyzed Ring-Opening Polymerization of Butylene Oxide. <i>Macromolecules</i> , 2013, 46, 3841-3849.	4.8	56
36	Chiroptical and Lectin Recognition Properties of Glycoconjugated Poly(phenylacetylene)s Featuring Variable Saccharide Functionalities. <i>Macromolecules</i> , 2007, 40, 8930-8937.	4.8	55

#	ARTICLE	IF	CITATIONS
37	Synthesis, thermomorphic characteristics, and fluorescent properties of poly[2,7-(9,9-dihexylfluorene)]-block-poly(N-isopropylacrylamide)-block-poly(N-hydroxyethylacrylamide) rod-coil-coil triblock copolymers. <i>Soft Matter</i> , 2009, 5, 3761.	2.7	55
38	10 nm Scale Cylinderâ€“Cubic Phase Transition Induced by Caramelization in Sugar-Based Block Copolymers. <i>ACS Macro Letters</i> , 2012, 1, 1379-1382.	4.8	55
39	Glycoconjugated Polymer. 3. Synthesis and Amphiphilic Property of Core-Glycoconjugated Star-Shaped Polystyrene. <i>Macromolecules</i> , 2002, 35, 699-705.	4.8	54
40	Metal-cation-induced chiroptical switching for poly(phenylacetylene) bearing a macromolecular ionophore as a graft chain. <i>Journal of Polymer Science Part A</i> , 2005, 43, 5855-5863.	2.3	54
41	Reactions of solvated electrons with imidazolium cations in ionic liquids. <i>Radiation Physics and Chemistry</i> , 2008, 77, 1239-1243.	2.8	53
42	Diphenyl phosphate/4-dimethylaminopyridine as an efficient binary organocatalyst system for controlled/living ring-opening polymerization of L-lactide leading to diblock and end-functionalized poly(L-lactide)s. <i>Journal of Polymer Science Part A</i> , 2014, 52, 1047-1054.	2.3	53
43	Organophosphate-catalyzed bulk ring-opening polymerization as an environmentally benign route leading to block copolyesters, end-functionalized polyesters, and polyester-based polyurethane. <i>Polymer Chemistry</i> , 2015, 6, 4374-4384.	3.9	53
44	Synthesis, Self-Assembly, and Thermal Caramelization of Maltoheptaose-Conjugated Polycaprolactones Leading to Spherical, Cylindrical, and Lamellar Morphologies. <i>Macromolecules</i> , 2013, 46, 8932-8940.	4.8	52
45	Sub-10 nm Scale Nanostructures in Self-Organized Linear Di- and Triblock Copolymers and Miktoarm Star Copolymers Consisting of Maltoheptaose and Polystyrene. <i>Macromolecules</i> , 2015, 48, 1509-1517.	4.8	51
46	Biosynthesis of a lactate (LA)-based polyester with a 96 mol% LA fraction and its application to stereocomplex formation. <i>Polymer Degradation and Stability</i> , 2011, 96, 499-504.	5.8	50
47	Facile Preparation of Cu/Ag Core/Shell Electrospun Nanofibers as Highly Stable and Flexible Transparent Conductive Electrodes for Optoelectronic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 10118-10127.	8.0	50
48	Group Transfer Polymerization of N,N-Dimethylacrylamide Using Nobel Efficient System Consisting of Dialkylamino Silyl Enol Ether as an Initiator and Strong Brønsted Acid as an Organocatalyst. <i>Macromolecules</i> , 2010, 43, 5589-5594.	4.8	49
49	Donorâ€“Acceptor Poly(3-hexylthiophene)-block-Pendent Poly(isoindigo) with Dual Roles of Charge Transporting and Storage Layer for High-Performance Transistorâ€“Type Memory Applications. <i>Advanced Functional Materials</i> , 2016, 26, 2695-2705.	14.9	49
50	Smart Access to Sequentially and Architecturally Controlled Block Polymers via a Simple Catalytic Polymerization System. <i>ACS Catalysis</i> , 2021, 11, 5999-6009.	11.2	49
51	Strict Size Specificity in Colorimetric Anion Detection Based on Poly(phenylacetylene) Receptor Bearing Second Generation Lysine Dendrons. <i>Macromolecules</i> , 2011, 44, 4249-4257.	4.8	48
52	Macromolecular Helicity Induction for Novel Optically Inactive Poly(phenyl isocyanate) Bearing Crown Ether Based on the Hostâ€“Guest Complexation. <i>Macromolecules</i> , 2003, 36, 3709-3713.	4.8	47
53	Helicity Induction of Polyisocyanate with a Crown Cavity on the Main Chain Synthesized by Cyclopolymerization of 1,5-Diisocyanate. <i>Macromolecules</i> , 2004, 37, 3996-4003.	4.8	47
54	Thermoresponsive Onâ€“Off Switching of Chiroptical Property Induced in Poly(4-ethynylbenzo-15-crown-5)/L-Alanine System. <i>Macromolecules</i> , 2006, 39, 4032-4037.	4.8	47

#	ARTICLE	IF	CITATIONS
55	Synthesis of unimolecular reversed micelle consisting of a poly(L-lactide) shell and hyperbranched D-mannan core. <i>Journal of Polymer Science Part A</i> , 2006, 44, 406-413.	2.3	47
56	Synthesis and characterization of Eu(III) complexes of modified cellulose and poly(N-isopropylacrylamide). <i>Carbohydrate Polymers</i> , 2013, 94, 77-81.	10.2	46
57	Stereoblock-like Brush Copolymers Consisting of Poly(L-lactide) and Poly(D-lactide) Side Chains along Poly(norbornene) Backbone: Synthesis, Stereocomplex Formation, and Structure-Property Relationship. <i>Macromolecules</i> , 2014, 47, 7118-7128.	4.8	46
58	Facile Fabrication of Stretchable Touch-Responsive Perovskite Light-Emitting Diodes Using Robust Stretchable Composite Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 14408-14415.	8.0	46
59	Encapsulation-release property of amphiphilic hyperbranched d-glucan as a unimolecular reverse micelle. <i>Polymer</i> , 2007, 48, 1237-1244.	3.8	44
60	Well-Defined Functional Linear Aliphatic Diblock Copolyethers: A Versatile Linear Aliphatic Polyether Platform for Selective Functionalizations and Various Nanostructures. <i>Advanced Functional Materials</i> , 2012, 22, 5194-5208.	14.9	43
61	Influence of stereoregularity and linkage groups on chiral recognition of poly(phenylacetylene) derivatives bearing L-leucine ethyl ester pendants as chiral stationary phases for HPLC. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2271-2278.	2.3	43
62	Synthesis of Well-Defined Three- and Four-Armed Cage-Shaped Polymers via Topological Conversion from Trefoil- and Quatrefoil-Shaped Polymers. <i>Macromolecules</i> , 2017, 50, 97-106.	4.8	43
63	Chemo-enzymatic synthesis of polyhydroxyalkanoate (PHA) incorporating 2-hydroxybutyrate by wild-type class I PHA synthase from <i>Ralstonia eutropha</i> . <i>Applied Microbiology and Biotechnology</i> , 2011, 92, 509-517.	3.6	42
64	Luminescent Coordination Glass: Remarkable Morphological Strategy for Assembled Eu(III) Complexes. <i>Inorganic Chemistry</i> , 2015, 54, 4364-4370.	4.0	42
65	Novel ultra-stable and highly luminescent white light-emitting diodes from perovskite quantum dots-Polymer nanofibers through biaxial electrospinning. <i>APL Materials</i> , 2019, 7, .	5.1	42
66	Stretchable OFET Memories: Tuning the Morphology and the Charge-Trapping Ability of Conjugated Block Copolymers through Soft Segment Branching. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 2932-2943.	8.0	42
67	Optical and Chiroptical Output of Anion Recognition Event Using Clustered Sulfonamide Groups Organized on Poly(phenylacetylene) Backbone. <i>Macromolecules</i> , 2009, 42, 3892-3897.	4.8	41
68	Chemo-Enzymatic Synthesis of Poly(lactate-co-(3-hydroxybutyrate)) by a Lactate-Polymerizing Enzyme. <i>Macromolecules</i> , 2009, 42, 1985-1989.	4.8	40
69	Synthesis of Homopolymers, Diblock Copolymers, and Multiblock Polymers by Organocatalyzed Group Transfer Polymerization of Various Acrylate Monomers. <i>Macromolecules</i> , 2015, 48, 511-519.	4.8	40
70	Controlled/Living Ring-Opening Polymerization of Glycidylamine Derivatives Using <i>t</i> -Bu-P <sub>4</sub> /Alcohol Initiating System Leading to Polyethers with Pendant Primary, Secondary, and Tertiary Amino Groups. <i>Macromolecules</i> , 2015, 48, 3217-3229.	4.8	40
71	High-performance stretchable resistive memories using donor-acceptor block copolymers with fluorene rods and pendent isoindigo coils. <i>NPG Asia Materials</i> , 2016, 8, e298-e298.	7.9	40
72	Cyclopolymerization. Chirality induction for the synthesis of chiroselective corand/ionophore ligands. <i>Macromolecular Chemistry and Physics</i> , 1995, 196, 2383-2416.	2.2	39

#	ARTICLE	IF	CITATIONS
73	Synthesis of Hyperbranched Polysaccharide by Thermally Induced Cationic Polymerization of 1,6-Anhydro- $\beta$ -D-mannopyranose. <i>Macromolecules</i> , 2003, 36, 6364-6370.	4.8	39
74	Synthesis of Well-Defined Amphiphilic Star-Block and Miktoarm Star Copolyethers via $\alpha$ -Bu-P <sub>4</sub> -Catalyzed Ring-Opening Polymerization of Glycidyl Ethers. <i>Macromolecules</i> , 2016, 49, 499-509.	4.8	39
75	One-step synthesis of sequence-controlled multiblock polymers with up to 11 segments from monomer mixture. <i>Nature Communications</i> , 2022, 13, 163.	12.8	37
76	Glycoconjugated Polymer. 4. Synthesis and Aggregation Property of Well-Defined End-Functionalized Polystyrene with $\beta$ -Cyclodextrin. <i>Macromolecules</i> , 2003, 36, 3909-3913.	4.8	36
77	Thermoresponsive Property Controlled by End-Functionalization of Poly(N-isopropylacrylamide) with Phenyl, Biphenyl, and Triphenyl Groups. <i>Polymer Journal</i> , 2006, 38, 306-310.	2.7	36
78	Effect of the Pendant Structure on Anion Signaling Property of Poly(phenylacetylene)s Conjugated to $\beta$ -Amino Acids through Urea Groups. <i>Macromolecules</i> , 2009, 42, 4430-4435.	4.8	36
79	Synthesis of block and end-functionalized polyesters by triflimide-catalyzed ring-opening polymerization of $\epsilon$ -caprolactone, 1,5-dioxepan-2-one, and rac-lactide. <i>Journal of Polymer Science Part A,2.3</i> 2013, 51, 2455-2463.		36
80	Well-defined and stable nanomicelles self-assembled from brush cyclic and tadpole copolymer amphiphiles: a versatile smart carrier platform. <i>NPG Asia Materials</i> , 2017, 9, e453-e453.	7.9	36
81	Highly Stretchable Semiconducting Polymers for Field-Effect Transistors through Branched Soft-Hard-Soft Type Triblock Copolymers. <i>Macromolecules</i> , 2020, 53, 7496-7510.	4.8	36
82	Controlled polymerization of methyl acrylate for high-molecular-weight polymers by pentafluorophenylbis(triflyl)methane-promoted group transfer polymerization using triisopropylsilyl ketene acetal. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3560-3566.	2.3	35
83	Synthesis of $\beta$ -, $\gamma$ - and $\delta$ -End-Functionalized Poly( <i>n</i> -butyl acrylate)s by Organocatalytic Group Transfer Polymerization Using Functional Initiator and Terminator. <i>Macromolecules</i> , 2014, 47, 5514-5525.	4.8	35
84	Facile and Efficient Modification of Polystyrene-block-poly(methyl methacrylate) for Achieving Sub-10 nm Feature Size. <i>Macromolecules</i> , 2018, 51, 8064-8072.	4.8	35
85	Enantiomer-Selective Radical Cyclopolymerization of rac-2,4-Pentanediyol Dimethacrylate Using ATRP Initiating System with Chiral Amine Ligand. <i>Macromolecules</i> , 2002, 35, 8255-8257.	4.8	34
86	Synthesis and Helicity Induction of Poly(phenylacetylene) Derivatives Bearing a Crown Cavity on the Main Chain. <i>Macromolecules</i> , 2005, 38, 9441-9447.	4.8	34
87	Poly(N-hydroxyethylacrylamide) Prepared by Atom Transfer Radical Polymerization as a Nonionic, Water-Soluble, and Hydrolysis-Resistant Polymer and/or Segment of Block Copolymer with a Well-Defined Molecular Weight. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 349-358.	2.2	34
88	Efficient Anion Recognition Property of Three Dimensionally Clustered Amide Groups Organized on a Poly(phenylacetylene) Backbone. <i>Macromolecules</i> , 2009, 42, 1476-1481.	4.8	34
89	Synthesis and characterization of Eu(III) complexes of modified D-glucosamine and poly(N-isopropylacrylamide). <i>Materials Science and Engineering C</i> , 2017, 78, 603-608.	7.3	34
90	Thermochemical transformation of glucose to 1,6-anhydroglucose in high-temperature steam. <i>Carbohydrate Research</i> , 2008, 343, 848-854.	2.3	33



#	ARTICLE	IF	CITATIONS
91	Synthesis of Hard-Soft Hard Triblock Copolymers, Poly(2-naphthyl glycidyl ether)- <i>block</i> -poly(2-naphthyl glycidyl ether), for Solid Electrolytes. <i>Macromolecules</i> , 2018, 51, 2293-2301.	4.8	33
92	Multicyclic Polymer Synthesis through Controlled/Living Cyclopolymerization of $\beta$ -Dinorbornenyl-Functionalized Macromonomers. <i>Macromolecules</i> , 2018, 51, 3855-3864.	4.8	33
93	Hierarchical Structures in Thin Films of Miktoarm Star Polymers: Poly( <i>n</i> -hexyl) <i>block</i> -poly( <i>n</i> -hexyl). <i>Macromolecules</i> , 2018, 51, 4966-4975.	4.8	32
94	Thermoresponsive properties of 3-, 4-, 6-, and 12-armed star-shaped poly[2-(dimethylamino)ethyl methacrylate]s prepared by core-first group transfer polymerization. <i>Polymer Chemistry</i> , 2014, 5, 4701-4709.	3.9	32
95	Control over Molecular Architectures of Carbohydrate-Based Block Copolymers for Stretchable Electrical Memory Devices. <i>Macromolecules</i> , 2018, 51, 4966-4975.	4.8	32
96	4-Nitrophenyl phosphate as an efficient organocatalyst for ring-opening polymerization of $\epsilon$ -butyrolactone leading to end-functionalized and diblock polyesters. <i>Journal of Polymer Science Part A</i> , 2014, 52, 2032-2039.	2.3	31
97	Synthesis of Hyperbranched Carbohydrate Polymers by Ring-Opening Multibranching Polymerization of Anhydro Sugar. <i>Macromolecular Bioscience</i> , 2007, 7, 999-1009.	4.1	30
98	Fluorescence Turn-On Sensing of Anions Based on Disassembly Process of Urea-Functionalized Poly(phenylenebutadiynylene) Aggregates. <i>Macromolecules</i> , 2012, 45, 4122-4127.	4.8	30
99	Regio- and Stereoselectivity in Cationic Cyclopolymerizations of 1,2:5,6-Dianhydro-3,4-di-O-methyl-D-mannitol and -L-iditol and the Synthesis of Poly[(1,6-dioxane-2,5-dithiolane)-2,5-anhydro-3,4-di-O-methyl-D-glucitol]. <i>Macromolecules</i> , 1995, 28, 5643-5648.	4.8	29
100	Syntheses of 3-arm and 4-arm star-branched polystyrene Ru(II) complexes by the click-to-chelate approach. <i>Journal of Polymer Science Part A</i> , 2011, 49, 746-753.	2.3	29
101	Self-Assembly of Maltoheptaose- <i>block</i> -polycaprolactone Copolymers: Carbohydrate-Decorated Nanoparticles with Tunable Morphology and Size in Aqueous Media. <i>Macromolecules</i> , 2016, 49, 4178-4194.	4.8	29
102	One-Step Production of Amphiphilic Nanofibrillated Cellulose Using a Cellulose-Producing Bacterium. <i>Biomacromolecules</i> , 2017, 18, 3432-3438.	5.4	29
103	Effect of a conjugated/elastic block sequence on the morphology and electronic properties of polythiophene based stretchable block copolymers. <i>Polymer Chemistry</i> , 2019, 10, 5452-5464.	3.9	29
104	Microphase separation of carbohydrate-based star-block copolymers with sub-10 nm periodicity. <i>Polymer Chemistry</i> , 2019, 10, 1119-1129.	3.9	29
105	Synthesis of Oligosaccharide-Based Block Copolymers with Pendent $\pi$ -Conjugated Oligofluorene Moieties and Their Electrical Device Applications. <i>Macromolecules</i> , 2015, 48, 3907-3917.	4.8	28
106	Unraveling the stress effects on the optical properties of stretchable rod-coil polyfluorene-poly( <i>n</i> -butyl acrylate) block copolymer thin films. <i>Polymer Chemistry</i> , 2018, 9, 3820-3831.	3.9	28
107	A versatile synthetic strategy for macromolecular cages: intramolecular consecutive cyclization of star-shaped polymers. <i>Chemical Science</i> , 2019, 10, 440-446.	7.4	28
108	Improving the performance of photonic transistor memory devices using conjugated block copolymers as a floating gate. <i>Journal of Materials Chemistry C</i> , 2021, 9, 1259-1268.	5.5	28

#	ARTICLE	IF	CITATIONS
109	Chiral discrimination of a helically organized crown ether array parallel to the helix axis of polyisocyanate. <i>Journal of Polymer Science Part A</i> , 2006, 44, 325-334.	2.3	27
110	Effect of chain architecture on the phase transition of star and cyclic poly(N-isopropylacrylamide) in water. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2059-2068.	2.1	27
111	Design and synthesis of thermoresponsive aliphatic polyethers with a tunable phase transition temperature. <i>Polymer Chemistry</i> , 2017, 8, 5698-5707.	3.9	27
112	Dynamic Changes of Intracellular Monomer Levels Regulate Block Sequence of Polyhydroxyalkanoates in Engineered <i>Escherichia coli</i> . <i>Biomacromolecules</i> , 2018, 19, 662-671.	5.4	27
113	Biodegradable Compatibilizers for Poly(hydroxyalkanoate)/Poly( $\epsilon$ -caprolactone) Blends through Click Reactions with End-Functionalized Microbial Poly(hydroxyalkanoate)s. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7969-7978.	6.7	27
114	Recyclable helical poly(phenylacetylene)-supported catalyst for asymmetric aldol reaction in aqueous media. <i>Journal of Polymer Science Part A</i> , 2019, 57, 1024-1031.	2.3	27
115	Synthesis of Hyperbranched Carbohydrate Polymer by Ring-Opening Multibranching Polymerization of 1,4-Anhydroerythritol and 1,4-Anhydro-l-threitol. <i>Macromolecules</i> , 2004, 37, 3113-3119.	4.8	26
116	Synthesis and thermoresponsive properties of four-arm star-shaped poly(N-isopropylacrylamide)s bearing covalent and non-covalent cores. <i>Polymer Chemistry</i> , 2015, 6, 3608-3616.	3.9	26
117	Polyacetylenes as Colorimetric and Fluorescent Chemosensor for Anions. <i>Polymer Reviews</i> , 2017, 57, 159-174.	10.9	26
118	Synthesis of (1,6-dioxo-2,5-Anhydro-3,4-di-O-methyl-D-glucitol via Highly Regio- and Stereospecific Cyclopolymerization of 1,2:5,6-Dianhydro-3,4-di-O-methyl-D-mannitol with Potassium tert-Butoxide. <i>Macromolecules</i> , 1995, 28, 4762-4764.	4.8	25
119	End-functionalization of polystyrene by malto-oligosaccharide generating aggregation-tunable polymeric reverse micelle. <i>Journal of Polymer Science Part A</i> , 2006, 44, 4864-4879.	2.3	25
120	Structural effect of a series of block copolymers consisting of poly(N-isopropylacrylamide) and poly(N-hydroxyethylacrylamide) on thermoresponsive behavior. <i>Reactive and Functional Polymers</i> , 2009, 69, 463-469.	4.1	25
121	Pendant structure governed anion sensing property for sulfonamide-functionalized poly(phenylacetylene)s bearing various $\alpha$ -amino acids. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1683-1689.	2.3	25
122	Synthesis, Characterization, and Lectin Recognition of Hyperbranched Polysaccharide Obtained from 1,6-Anhydro- $\alpha$ -D-galactopyranose. <i>Biomacromolecules</i> , 2011, 12, 1891-1899.	5.4	25
123	Synthesis of end-functionalized poly(N-isopropylacrylamide) with group of asymmetrical phthalocyanine via atom transfer radical polymerization and its photocatalytic oxidation of Rhodamine B. <i>Polymer Chemistry</i> , 2011, 2, 2590.	3.9	25
124	Synthesis and characterization of well-defined thermo- and light-responsive diblock copolymers by atom transfer radical polymerization and click chemistry. <i>Polymer Chemistry</i> , 2011, 2, 2068.	3.9	25
125	In vitro synthesis of polyhydroxyalkanoates using thermostable acetyl-CoA synthetase, CoA transferase, and PHA synthase from thermotolerant bacteria. <i>Journal of Bioscience and Bioengineering</i> , 2016, 122, 660-665.	2.2	25
126	Chain-End Functionalization with a Saccharide for 10 nm Microphase Separation: $\alpha$ -Classical PS- <i>b</i> -PMMA versus PS- <i>b</i> -PMMA-Saccharide. <i>Macromolecules</i> , 2018, 51, 8870-8877.	4.8	25



#	ARTICLE	IF	CITATIONS
127	Glycoconjugated Polymer II. Synthesis of Polystyrene-block-poly(4-vinylbenzyl glucoside) and Polystyrene-block-poly(4-vinylbenzyl maltohexaoside) via 2,2,6,6-Tetramethylpiperidine-1-oxyl-Mediated Living Radical Polymerization.. <i>Polymer Journal</i> , 2001, 33, 939-945.	2.7	25
128	Glycoconjugated polymer 6. Synthesis of poly[styrene- block -(styrene- graft -amylose)] via potato phosphorylase-catalyzed polymerization. <i>Polymer Bulletin</i> , 2003, 49, 405-410.	3.3	24
129	Synthesis of Hyperbranched 2,5-Anhydro-d-glucitol by Proton-Transfer Cyclopolymerization of 1,2:5,6-Dianhydro-d-mannitol. <i>Macromolecules</i> , 2003, 36, 6359-6363.	4.8	24
130	B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> -Catalyzed Group Transfer Polymerization of <i>n</i> -Butyl Acrylate with Hydrosilane through In Situ Formation of Initiator by 1,4-Hydrosilylation of <i>n</i> -Butyl Acrylate. <i>ACS Macro Letters</i> , 2014, 3, 1015-1019.	4.8	24
131	B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> -Catalyzed Group Transfer Polymerization of <i>N,N</i> -Disubstituted Acrylamide Using Hydrosilane: Effect of Hydrosilane and Monomer Structures, Polymerization Mechanism, and Synthesis of $\pm$ -End-Functionalized Polyacrylamides. <i>Macromolecules</i> , 2016, 49, 3049-3060.	4.8	24
132	Carbohydrates as Hard Segments for Sustainable Elastomers: Carbohydrates Direct the Self-Assembly and Mechanical Properties of Fully Bio-Based Block Copolymers. <i>Macromolecules</i> , 2020, 53, 5408-5417.	4.8	24
133	Emulsified Phosphatidylserine, Simple and Effective Peptide Carrier for Induction of Potent Epitope-Specific T Cell Responses. <i>PLoS ONE</i> , 2013, 8, e60068.	2.5	24
134	Enantiomer-selective radical cyclopolymerization of rac-2,4-pentanediyol dimethacrylate using a ruthenium-mediated chiral atom transfer radical polymerization initiating system. <i>Journal of Polymer Science Part A</i> , 2004, 42, 4563-4569.	2.3	23
135	Enantiomer-Selective Radical Polymerization of Bis(4-vinylbenzoate)s with Chiral Atom Transfer Radical Polymerization Initiating Systems. <i>Macromolecules</i> , 2007, 40, 9272-9278.	4.8	23
136	Chiroptical switching system based on the host-guest interaction between metal cations and poly(phenylacetylene)s bearing polycarbohydrate ionophore. <i>European Polymer Journal</i> , 2008, 44, 2971-2979.	5.4	23
137	Synthesis of various end-functionalized polyesters by controlled/living ring-opening polymerization of lactones using pentafluorophenylbis(triflyl)methane. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3769-3777.	2.3	23
138	Intramolecular olefin metathesis as a robust tool to synthesize single-chain nanoparticles in a size-controlled manner. <i>Polymer Chemistry</i> , 2016, 7, 4782-4792.	3.9	23
139	Highly Ordered Cylinder Morphologies with 10 nm Scale Periodicity in Biomass-Based Block Copolymers. <i>Macromolecules</i> , 2018, 51, 428-437.	4.8	23
140	Synthesis of Hyperbranched Polytetritol by Ring-Opening Multibranching Polymerizations of 2,3-Anhydroerythritol and 2,3-Anhydro-dl-threitol. <i>Macromolecules</i> , 2005, 38, 1648-1654.	4.8	22
141	Precise Synthesis of Clickable Poly( <i>n</i> -hexyl isocyanate). <i>Macromolecules</i> , 2012, 45, 3677-3686.	4.8	22
142	New macromolecular ionophore: enantioselective membrane transport of racemic amino acid by poly[(1- $\beta$ -D-2,5-anhydro-3,4-di-O-methyl-D-glucitol)]. <i>Polymer</i> , 1994, 35, 204-206.	3.8	21
143	Synthesis of syndiotactic-rich star-shaped poly(methyl methacrylate) by core-first group transfer polymerization using <i>N</i> -(trimethylsilyl)bis(trifluoromethanesulfonyl)imide. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3277-3285.	2.3	21
144	Rod-Like Amphiphile of Diblock Polyisocyanate Leading to Cylindrical Micelle and Spherical Vesicle in Water. <i>Macromolecules</i> , 2014, 47, 1699-1704.	4.8	21

#	ARTICLE	IF	CITATIONS
145	Synthesis and chiral recognition of helical poly(phenylacetylene)s bearing $\alpha$ -phenylglycinol and its phenylcarbamates as pendants. <i>Journal of Polymer Science Part A</i> , 2015, 53, 809-821.	2.3	21
146	B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> -catalyzed group transfer polymerization of alkyl methacrylates with dimethylphenylsilane through in situ formation of silyl ketene acetal by B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> -catalyzed 1,4-hydrosilylation of methacrylate monomer. <i>Polymer Chemistry</i> , 2015, 6, 3502-3511.	3.9	21
147	Regio- and Stereospecificity in Cationic Cyclopolymerization of 1,2:5,6-Dianhydro-D-mannitols and Synthesis of Poly[(1,6)-2,5-anhydro-3,4-di-O-ethyl-D-glucitol]. <i>Macromolecules</i> , 1995, 28, 4062-4066.	4.8	20
148	Asymmetric cyclization of meso-diepoxides using chiral (salen)Co(III)OAc catalyst forming optically active 1,4-anhydropentitols and 2,5-anhydrohexitols. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 3667-3669.	1.8	20
149	Enantiomer-selective polymerization of (RS)-(phenoxymethyl)thiirane with diethylzinc/L-amino acid. <i>Journal of Polymer Science Part A</i> , 2002, 40, 3443-3448.	2.3	20
150	Control of thermoresponsive property of urea end-functionalized poly(N-isopropylacrylamide) based on the hydrogen bond-assisted self-assembly in water. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6259-6268.	2.3	20
151	LCST-type liquid-liquid and liquid-solid phase transition behaviors of hyperbranched polyglycerol bearing imidazolium salt. <i>Journal of Polymer Science Part A</i> , 2009, 47, 7032-7042.	2.3	20
152	Precise synthesis of poly(1-adamantyl methacrylate) by atom transfer radical polymerization. <i>Polymer Journal</i> , 2010, 42, 626-631.	2.7	20
153	Helicity Inversion: Linkage Effects of Chiral Poly(n-hexyl isocyanate)s. <i>Macromolecules</i> , 2012, 45, 8961-8969.	4.8	20
154	Synthesis of star-shaped poly(N-isopropylacrylamide) via atom transfer radical polymerization and its photocatalytic oxidation of Rhodamine B. <i>Macromolecular Research</i> , 2012, 20, 508-514.	2.4	20
155	Synthesis of miktoarm star copolymer Ru(II) complexes by click-to-chelate approach. <i>Polymer Journal</i> , 2013, 45, 216-225.	2.7	20
156	Synthesis of end-functionalized poly(methyl methacrylate) by organocatalyzed group transfer polymerization using functional silyl ketene acetals and $\pm$ -phenylacrylates. <i>Polymer Chemistry</i> , 2015, 6, 1830-1837.	3.9	20
157	A Comparative Study of Dynamic Light and X-Ray Scatterings on Micelles of Topological Polymer Amphiphiles. <i>Polymers</i> , 2018, 10, 1347.	4.5	20
158	Cyclopolymerization of dianhydro sugar leading to novel carbohydrate polymers as macromolecular ionophores. <i>Progress in Polymer Science</i> , 2004, 29, 13-43.	24.7	19
159	Effect of Counter Anions on Kinetics and Stereoregularity for the Strong Brønsted Acid-Promoted Group Transfer Polymerization of N,N-Dimethylacrylamide. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 1604-1611.	2.2	19
160	Synthesis of water-soluble polyisocyanates with the oligo(ethylene glycol) side-chain as new thermoresponsive polymers. <i>Polymer Chemistry</i> , 2014, 5, 1057-1062.	3.9	19
161	Rapid access to discrete and monodisperse block co-oligomers from sugar and terpenoid toward ultrasmall periodic nanostructures. <i>Communications Chemistry</i> , 2020, 3, .	4.5	19
162	A Novel Polymeric Carbohydrate. Synthesis of (1 $\alpha$ )-2,5-Anhydro-d-glucitol by Regio- and Stereoselective Anionic Cyclopolymerization of 1,2:5,6-Dianhydro-d-mannitol. <i>Macromolecules</i> , 1996, 29, 3447-3452.	4.8	18

#	ARTICLE	IF	CITATIONS
163	Synthesis of polystyrene microgel with glucose as hydrophilic segment via controlled free-radical polymerization. <i>Polymer</i> , 2006, 47, 2269-2273.	3.8	18
164	Precise synthesis of a rod-coil type miktoarm star copolymer containing poly(n-hexyl isocyanate) and aliphatic polyester. <i>Polymer Chemistry</i> , 2014, 5, 588-599.	3.9	18
165	A Model Chiral Graft Copolymer Demonstrates Evidence of the Transmission of Stereochemical Information from the Side Chain to the Main Chain on a Nanometer Scale. <i>Macromolecules</i> , 2014, 47, 2796-2802.	4.8	18
166	Synthesis of star poly(N-isopropylacrylamide) with end-group of zinc-porphyrin via ATRP and its photocatalytic activity under visible light. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014, 283, 38-44.	3.9	18
167	Organic acids as efficient catalysts for group transfer polymerization of N,N-disubstituted acrylamide with silyl ketene acetal: polymerization mechanism and synthesis of diblock copolymers. <i>Polymer Chemistry</i> , 2015, 6, 6845-6856.	3.9	18
168	Novel Multifunctional Luminescent Electrospun Fluorescent Nanofiber Chemosensor-Filters and Their Versatile Sensing of pH, Temperature, and Metal Ions. <i>Polymers</i> , 2018, 10, 1259.	4.5	18
169	Organic-Inorganic Nanocomposite Film for High-Performance Stretchable Resistive Memory Device. <i>Macromolecular Rapid Communications</i> , 2020, 41, 1900542.	3.9	18
170	An organocatalytic ring-opening polymerization approach to highly alternating copolymers of lactic acid and glycolic acid. <i>Polymer Chemistry</i> , 2020, 11, 6365-6373.	3.9	18
171	Engineered $\mu$ -decalactone lipomers bypass the liver to selectively <i>in vivo</i> deliver mRNA to the lungs without targeting ligands. <i>Materials Horizons</i> , 2021, 8, 2251-2259.	12.2	18
172	Synthesis and characterization of novel thermoresponsive fluorescence complexes based on copolymers with rare earth ions. <i>Optical Materials</i> , 2013, 35, 2250-2256.	3.6	17
173	Synthesis of multifunctional poly(1-pyrenemethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 347 Td (methacrylate)-b-poly(N-isopropylacrylamide) nanofibers for metal ion sensory applications. <i>Polymer Chemistry</i> , 2015, 6, 2327-2336.	3.9	17
174	Sequential Mukaiyama-Michael reaction induced by carbon acids. <i>Chemical Communications</i> , 2016, 52, 3280-3283.	4.1	17
175	Immobilization of helical poly(phenylacetylene)s having l-phenylalanine ethyl ester pendants onto silica gel as chiral stationary phases for HPLC. <i>Polymer</i> , 2017, 131, 17-24.	3.8	17
176	Synthesis, Isolation, and Properties of All Head-to-Tail Cyclic Poly(3-hexylthiophene): Fully Delocalized Exciton over the Defect-Free Ring Polymer. <i>Macromolecules</i> , 2018, 51, 9284-9293.	4.8	17
177	Design of Self-Cross-Linkable Poly( <i>n</i> -butyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 Td (acrylate)-co-poly[ <i>N</i> -isopropylacrylamide] and Self-Healing Properties. <i>ACS Applied Polymer Materials</i> , 2020, 2, 5432-5443.	4.4	17
178	Facile one-pot synthesis of rod-coil bio-block copolymers and uncovering their role in forming the efficient stretchable touch-responsive light emitting diodes. <i>Chemical Engineering Journal</i> , 2021, 418, 129421.	12.7	17
179	Synthesis, Characterization, and Functionalization of Hyperbranched Poly(3,4-epoxycyclohexanemethanol). <i>Macromolecules</i> , 2007, 40, 9313-9321.	4.8	16
180	Synthesis, Structure, and Characteristics of Hyperbranched Polyterpene Alcohols. <i>Macromolecules</i> , 2008, 41, 5265-5271.	4.8	16

#	ARTICLE	IF	CITATIONS
181	Synthesis of novel hyperbranched polymer through cationic ring-opening multibranching polymerization of 2-hydroxymethyloxetane. <i>Journal of Polymer Science Part A</i> , 2011, 49, 2353-2365.	2.3	16
182	Influence of Helical Structure on Chiral Recognition of Poly(phenylacetylene)s Bearing Phenylcarbamate Residues of L-Phenylglycinol and Amide Linage as Pendants. <i>Chirality</i> , 2015, 27, 500-506.	2.6	16
183	Complex Thin Film Morphologies of Poly( <i>n</i> -hexyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td (isocyanate)(5k,10k) Macromolecules, 2015, 48, 5816-5833.	4.8	16
184	Influence of different sequences of L-proline dipeptide derivatives in the pendants on the helix of poly(phenylacetylene)s and their enantioseparation properties. <i>Polymer Chemistry</i> , 2019, 10, 4810-4817.	3.9	16
185	Facile 3D Boron Nitride Integrated Electrospun Nanofibrous Membranes for Purging Organic Pollutants. <i>Nanomaterials</i> , 2019, 9, 1383.	4.1	16
186	Micelle Structure Details and Stabilities of Cyclic Block Copolymer Amphiphile and Its Linear Analogues. <i>Polymers</i> , 2019, 11, 163.	4.5	16
187	Nanostructure- and Orientation-Controlled Resistive Memory Behaviors of Carbohydrate-block-Polystyrene with Different Molecular Weights via Solvent Annealing. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 23217-23224.	8.0	16
188	Anionic Cyclopolymerization of 1,2:5,6-Dianhydro-3,4-di-O-methyl-L-iditol Leading to (6 $\alpha$ '1)-2,5-Anhydro-3,4-di-O-methyl-D-glucitol. <i>Macromolecules</i> , 1996, 29, 6681-6684.	4.8	15
189	Synthesis and Cation-Binding Properties of (1 $\alpha$ '6)-2,5-Anhydro-D-glucitol with 3,4-Di-O-Pentyl and Decyl Groups by Cyclopolymerization of 1,2:5,6-Dianhydro-D-mannitols. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 1996, 33, 325-336.	2.2	15
190	Regio- and Stereoselective Cyclopolymerization of 1,2:5,6-Dranhydro-3,4-di-O-methyl-D-glucitol Leading to Polymers with 2,5-Anhydro-3,4-di-O-methyl-D-mannitol and/or -L-iditol Units. <i>Polymer Journal</i> , 1996, 28, 520-526.	2.7	15
191	Glycoconjugated polymer. I. Synthesis and characterization of amphiphilic polystyrenes with glucose, maltose, and maltohexaose as hydrophilic segments. <i>Journal of Polymer Science Part A</i> , 2001, 39, 4061-4067.	2.3	15
192	Glycoconjugated polymer: Synthesis and characterization of poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (saccharide)-block- Journal of Polymer Science Part A, 2006, 44, 3978-3985.	2.3	15
193	Formation kinetics of levoglucosan from glucose in high temperature water. <i>Chemical Engineering Journal</i> , 2009, 153, 170-174.	12.7	15
194	Reactions of excited-state benzophenone ketyl radical in a room-temperature ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 1963.	2.8	15
195	Synthesis, morphology, and electrical memory application of oligosaccharide-based block copolymers with $\pi$ -conjugated pyrene moieties and their supramolecules. <i>Polymer Chemistry</i> , 2016, 7, 1249-1263.	3.9	15
196	A facile strategy for manipulating micellar size and morphology through intramolecular cross-linking of amphiphilic block copolymers. <i>Polymer Chemistry</i> , 2017, 8, 3647-3656.	3.9	15
197	Synthesis of helical poly(phenylacetylene) derivatives bearing diastereomeric pendants for enantioseparation by HPLC. <i>New Journal of Chemistry</i> , 2019, 43, 3439-3446.	2.8	15
198	Facile synthesis of poly(trimethylene carbonate) by alkali metal carboxylate-catalyzed ring-opening polymerization. <i>Polymer Journal</i> , 2020, 52, 103-110.	2.7	15

#	ARTICLE	IF	CITATIONS
199	Suzukiâ€™Miyaura catalyst-transfer polycondensation of triolborate-type fluorene monomer: toward rapid access to polyfluorene-containing block and graft copolymers from various macroinitiators. <i>Polymer Chemistry</i> , 2020, 11, 6832-6839.	3.9	15
200	Sustainable Alternatives to Nondegradable Medical Plastics. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 4792-4806.	6.7	15
201	Synthesis of (1?)-2,5-anhydro-D-glucitol through cyclopolymerization of 3,4-di-O-allyl-1,2 : 5,6-dianhydro-D-mannitol and optical resolution ability of its derivative in HPLC. <i>Journal of Polymer Science Part A</i> , 1998, 36, 901-909.	2.3	14
202	Enantioseparation properties of (1?)-?D-glucofuranan and (1?)-?D-mannofuranan tris(phenylcarbamate)s as chiral stationary phases in HPLC. <i>Chirality</i> , 2002, 14, 498-502.	2.6	14
203	Oneâ€™pot synthesis of polyrotaxane by clipping and cyclopolymerization of Î±,Î±-diethynyl isophthalamide with pyridiniumdicarboxamide chloride. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3184-3192.	2.3	14
204	Downsizing feature of microphase-separated structures <i>via</i> intramolecular crosslinking of block copolymers. <i>Chemical Science</i> , 2019, 10, 3330-3339.	7.4	14
205	Bicyclic Topology Transforms Self-Assembled Nanostructures in Block Copolymer Thin Films. <i>Nano Letters</i> , 2020, 20, 6520-6525.	9.1	14
206	Macromolecular ionophores. 1. Chiral recognition properties of poly[(1?)-2,5-anhydro-D-glucitol] toward racemic amino acid ester. <i>Chirality</i> , 1995, 7, 136-139.	2.6	13
207	Regio- and Stereoselective Cyclopolymerization of 1,2:5,6-Dianhydroallitol and 1,2:5,6-Dianhydrogalactitol Leading to a Novel Carbohydrate Polymer of (2â€™)-1,5-Anhydro-dl-galactitol. <i>Macromolecules</i> , 1999, 32, 5755-5759.	4.8	13
208	Synthesis of Hyperbranched Polysaccharide by Thermally Induced Cationic Polymerization of 1,6-Anhydrohexopyranose. <i>Macromolecular Symposia</i> , 2004, 217, 39-46.	0.7	13
209	Copolymerization of ethylene and norbornene using cyclopentadienylzirconium trichloride activated by isobutylâ€™modified methylaluminoxane. <i>Journal of Polymer Science Part A</i> , 2008, 46, 7411-7418.	2.3	13
210	Hyperbranched 5,6-glucan as reducing sugar ball. <i>Polymer Chemistry</i> , 2010, 1, 82-92.	3.9	13
211	Synthesis of a novel one-handed helical poly(phenylacetylene) bearing poly(L-lactide) side chains. <i>European Polymer Journal</i> , 2011, 47, 1923-1930.	5.4	13
212	Synthesis and Characterization of Aminoporphyrinâ€™Functionalized Poly(N-isopropylacrylamide) with Photodynamic and Thermoresponsive Effects. <i>Chemistry - an Asian Journal</i> , 2014, 9, 1379-1387.	3.3	13
213	Temperature-Triggered Switchable Helix-Helix Inversion of Poly(phenylacetylene) Bearing L-Valine Ethyl Ester Pendants and Its Chiral Recognition Ability. <i>Molecules</i> , 2016, 21, 1583.	3.8	13
214	Synthesis of lactate (LA)-based poly(ester-urethane) using hydroxyl-terminated LA-based oligomers from a microbial secretion system. <i>Journal of Polymer Research</i> , 2017, 24, 1.	2.4	13
215	Programmed folding into spiro-multicyclic polymer topologies from linear and star-shaped chains. <i>Communications Chemistry</i> , 2020, 3, .	4.5	13
216	Oneâ€™shot Intra-block Crossâ€™Linking of Linear Diblock Copolymer to Realize Janusâ€™Shaped Singleâ€™Chain Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 18122-18128.	13.8	13



#	ARTICLE	IF	CITATIONS
217	Enantiomer-Selective Radical Polymerization of rac-2,4-Pentanediy Dimethacrylate by 2,2,2-Triazobisisobutyronitrile/Copper(II) Trifluoromethanesulfonate/Chiral Diamine as Asymmetric Reverse Atom Transfer Radical Polymerization Initiating System. <i>Polymer Journal</i> , 2003, 35, 84-87.	2.7	12
218	Vinyl addition polymerization of norbornene using cyclopentadienylzirconium trichloride activated by isobutyl-modified methylaluminoxane. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1185-1191.	2.3	12
219	Synthesis of Hyperbranched Polymer Using Slow Monomer Addition Method. <i>International Journal of Polymer Science</i> , 2012, 2012, 1-8.	2.7	12
220	Synthesis of 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 11-, and 12-armed star-shaped poly(styrene oxide) Ru( $\eta^5$ -Cp*) complexes by a click-to-chelate approach. <i>Polymer Chemistry</i> , 2014, 5, 4993-5001.	3.9	12
221	Nanoscale film morphology and property characteristics of dielectric polymers bearing monomeric and dimeric adamantane units. <i>Polymer</i> , 2019, 169, 225-233.	3.8	12
222	Trimethyl Glycine as an Environmentally Benign and Biocompatible Organocatalyst for Ring-Opening Polymerization of Cyclic Carbonate. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8868-8875.	6.7	12
223	Artificial polyhydroxyalkanoate poly[2-hydroxybutyrate-block-3-hydroxybutyrate] elastomer-like material. <i>Scientific Reports</i> , 2021, 11, 22446.	3.3	12
224	Living Nature in Anionic Cyclopolymerization of 1,2:5,6-Dianhydro-3,4-di-O-methyl-d-mannitol Using the Potassiumtert-Butoxide/18-Crown-6 Initiating System. <i>Macromolecules</i> , 1998, 31, 2889-2893.	4.8	11
225	Kinetic Salt Effects on an Ionic Reaction in Ionic Liquid/Methanol Mixtures: Viscosity and Coulombic Screening Effects. <i>Chemistry Letters</i> , 2009, 38, 236-237.	1.3	11
226	Synthesis and opto-electrical properties of carbazole functionalized quinoline based conjugated oligomer for luminescent devices. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2015, 28, 755-762.	0.3	11
227	Rod-coil type miktoarm star copolymers consisting of polyfluorene and polylactide: precise synthesis and structure-morphology relationship. <i>Polymer Chemistry</i> , 2015, 6, 6959-6972.	3.9	11
228	characterization of d-LA homo-oligomer degradation by the isolated strains. <i>Polymer Degradation and Stability</i> , 2020, 179, 109231.	5.8	11
229	Metallopolymer-block-oligosaccharide for sub-10 nm microphase separation. <i>Polymer Chemistry</i> , 2020, 11, 2995-3002.	3.9	11
230	Oxime-modified hierarchical self-assembly polyimide microspheres for high-efficient uranium recovery from wastewater. <i>Environmental Science: Nano</i> , 2022, 9, 1168-1179.	4.3	11
231	Improving the mechanical properties of polycaprolactone using functionalized nanofibrillated bacterial cellulose with high dispersibility and long fiber length as a reinforcement material. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 158, 106978.	7.6	11
232	Synthesis of Poly[(1 $\rightarrow$ 6)-2,5-Anhydro-D-Glucitol] by Cationic Cyclopolymerization of 3,4-Di-O-Allyl-1,2:5,6-Dianhydro-D-Mannitol. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 1995, 32, 1007-1018.	2.2	10
233	Enantioselective permeability of membranes prepared from polyacrylonitrile-graft-(1 $\rightarrow$ 6)-2,5-anhydro-d-glucitol. <i>Reactive and Functional Polymers</i> , 1998, 37, 293-298.	4.1	10
234	Star-shaped polystyrenes with glycoconjugated periphery and interior: Synthesis and entrapment of hydrophilic molecule. <i>Journal of Polymer Science Part A</i> , 2005, 43, 4373-4381.	2.3	10



#	ARTICLE	IF	CITATIONS
235	Host-guest complexation-triggered chiroptical change of poly(phenylacetylene)s bearing binaphthocrown ether moieties on the main chain. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1197-1206.	2.3	10
236	Synthesis, Thermal Properties, and Morphologies of Amphiphilic Brush Block Copolymers with Tacticity-Controlled Polyether Main Chain. <i>Macromolecules</i> , 2018, 51, 2939-2950.	4.8	10
237	Light Down-Converter Based on Luminescent Nanofibers from the Blending of Conjugated Rod-Coil Block Copolymers and Perovskite through Electrospinning. <i>Polymers</i> , 2020, 12, 84.	4.5	10
238	Chemically Controlled Volatile and Nonvolatile Resistive Memory Characteristics of Novel Oxygen-Based Polymers. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 28435-28445.	8.0	10
239	A convenient synthesis of functionalized alkoxyamines as initiators for living free radical polymerization. <i>Polymer Bulletin</i> , 2003, 49, 337-340.	3.3	9
240	Regio- and stereoselective cyclizations of dianhydro sugar alcohols catalyzed by a chiral (salen)Co(III) complex. <i>Carbohydrate Research</i> , 2005, 340, 2677-2681.	2.3	9
241	Polystyrene Microgel Amphiphiles with Maltohexaose. Synthesis, Characterization, and Potential Applications. <i>Biomacromolecules</i> , 2006, 7, 1496-1501.	5.4	9
242	Synthesis and Photocrosslinking Reaction of N-Allylcarbamoylmethyl Cellulose Leading to Hydrogel. <i>Polymer Bulletin</i> , 2006, 56, 137-143.	3.3	9
243	A hydrophilic unimolecular nanocapsule with cyclodextrin moieties in the core: chemically triggered on-demand release and pH-response. <i>Soft Matter</i> , 2011, 7, 6422.	2.7	9
244	Diphenyl Phosphate-Catalyzed Ring-Opening Polymerization of 1,5-Dioxepan-2-one. <i>Macromolecular Symposia</i> , 2015, 349, 74-84.	0.7	9
245	Synthesis of AB block and A <sub>2</sub> B <sub>2</sub> and A <sub>3</sub> B <sub>3</sub> miktoarm star-shaped copolymers using $\pi$ -end-functionalized poly(methyl methacrylate) with a hydroxyl group prepared by organocatalyzed group transfer polymerization. <i>Polymer Chemistry</i> , 2015, 6, 7841-7850.	3.9	9
246	Detailed Structural Analyses of Nanofibrillated Bacterial Cellulose and Its Application as Binder Material for a Display Device. <i>Biomacromolecules</i> , 2020, 21, 581-588.	5.4	9
247	A theoretical study on the alkali metal carboxylate-promoted $\epsilon$ -lactide polymerization. <i>Journal of Computational Chemistry</i> , 2020, 41, 2197-2202.	3.3	9
248	Topologically controlled phase transitions and nanoscale film self-assemblies of cage poly( $\mu$ -caprolactone) and its counterparts. <i>Polymer Chemistry</i> , 2021, 12, 744-758.	3.9	9
249	Highly Ordered Nanoscale Film Morphologies of Block Copolymers Governed by Nonlinear Topologies. <i>ACS Macro Letters</i> , 2021, 10, 811-818.	4.8	9
250	PEGylation of silver nanoparticles by physisorption of cyclic poly(ethylene glycol) for enhanced dispersion stability, antimicrobial activity, and cytotoxicity. <i>Nanoscale Advances</i> , 2022, 4, 532-545.	4.6	9
251	Self-assembly of carbohydrate-based block copolymer systems: glyconanoparticles and highly nanostructured thin films. <i>Polymer Journal</i> , 2022, 54, 455-464.	2.7	9
252	Synthesis of end-functionalized (1- $\beta$ -D-2,5-anhydro-D-glucitol) via anionic cyclopolymerization of 1,2:5,6-dianhydro-3,4-di-O-methyl-D-mannitol for preparing graft copolymers. <i>Macromolecular Rapid Communications</i> , 1997, 18, 1041-1048.	3.9	8

#	ARTICLE	IF	CITATIONS
253	Regio- and stereoselective cyclopolymerization of 1,2 : 4,5-dianhydro-3-O-methyl-xylitol leading to a novel polycarbohydrate of (2 $\hat{a}$ + $\hat{5}$ )-1,4-anhydro-3-O-methyl-pentitol. <i>Macromolecular Rapid Communications</i> , 1999, 20, 55-58.	3.9	8
254	A Novel Ladder Polymer. Two-Step Polymerization of Oxetanyl Oxirane Leading to a $\hat{a}$ €Fused 15-Crown-4 Polymer $\hat{a}$ €Having a High Li+ $\hat{a}$ ~Binding Ability. <i>Macromolecules</i> , 2003, 36, 1522-1525.	4.8	8
255	Size $\hat{a}$ €Selective Encapsulation Property of Unimolecular Reverse Micelle Consisting of Hyperbranched $\langle$ scp>D $\langle$ /scp> $\hat{a}$ €Glucan Core and $\langle$ scp>L $\langle$ /scp> $\hat{a}$ €Leucine Ethyl Ether Shell. <i>Macromolecular Symposia</i> , 2009, 279, 145-150.	0.7	8
256	Sub-20 nm Microphase-Separated Structures in Hybrid Block Copolymers Consisting of Polycaprolactone and Maltoheptaose. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2015, 28, 635-642.	0.3	8
257	Advanced functionalization of polyhydroxyalkanoate via the UV-initiated thiol-ene click reaction. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 4375-4383.	3.6	8
258	Synthesis and characterization of Eu(III)-based coordination complexes of modified d-glucosamine and poly(N-isopropylacrylamide). <i>Optical Materials</i> , 2017, 72, 115-121.	3.6	8
259	Competing Molecular Packing of Blocks in a Lamella-Forming Carbohydrate- $\langle$ i>block $\langle$ /i>-poly(3-hexylthiophene) Copolymer. <i>Macromolecules</i> , 2020, 53, 9054-9064.	4.8	8
260	Highly asymmetric lamellar nanostructures from nanoparticle $\hat{a}$ €linear hybrid block copolymers. <i>Nanoscale</i> , 2020, 12, 16526-16534.	5.6	8
261	Sweet Pluronic poly(propylene oxide)-b-oligosaccharide block copolymer systems: Toward sub-4 $\hat{A}$ m thin-film nanopattern resolution. <i>European Polymer Journal</i> , 2020, 134, 109831.	5.4	8
262	Enhanced Self-Assembly and Mechanical Properties of Cellulose-Based Triblock Copolymers: Comparisons with Amylose-Based Triblock Copolymers. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 9779-9788.	6.7	8
263	Membrane-active amino acid-coupled polyetheramine derivatives with high selectivity and broad-spectrum antibacterial activity. <i>Acta Biomaterialia</i> , 2022, 142, 136-148.	8.3	8
264	Cyclopolymerization of (2S,3S,4S,5S)-1,2:5,6-Diepithio-3,4-dimethoxy- hexane Leading to a Novel Polymer with a Cyclic Sulfide Unit Possessing High Ag+ and Cu2+-Binding Characteristics. <i>Macromolecules</i> , 1997, 30, 2802-2804.	4.8	7
265	Cyclopolymerization of 1,2:5,6-Diepithio-3,4- di-O-methyl-1,2,5,6-tetradeoxy-d-mannitol and -l-iditol Leading to a Novel Thiosugar Polymer. <i>Macromolecules</i> , 2000, 33, 5303-5307.	4.8	7
266	Synthesis and Characterization of Cellulose Carbamates Having $\hat{I}$ ±-Amino Acid Moieties. <i>Polymer Bulletin</i> , 2005, 55, 317-322.	3.3	7
267	Macromolecular [2]Rotaxanes Linked with Polystyrene: Properties and Nanoscale Film Morphologies. <i>Macromolecules</i> , 2019, 52, 5325-5336.	4.8	7
268	Trapping probabilities of multiple rings in end-linked gels. <i>Polymer</i> , 2022, 245, 124683.	3.8	7
269	Ring-Opening and Ring-Forming Polymerization of 1,2:5,6:9,10-Triepoxydecane Leading to a Highly Regioselective Polymer Consisting of Octahydrobifuranyl Unit. <i>Macromolecules</i> , 2000, 33, 246-247.	4.8	6
270	Synthesis and property study on Eu(III) complexes of modified poly(N-isopropylacrylamide). <i>Journal of Materials Science</i> , 2011, 46, 6396-6401.	3.7	6

#	ARTICLE	IF	CITATIONS
271	Synthesis and conformation effects of poly(phenylacetylene)s having chiral and racemic polylactide pendants. <i>Polymer International</i> , 2012, 61, 1158-1162.	3.1	6
272	Synthesis of 1/4-ABC Tricyclic Miktoarm Star Polymer via Intramolecular Click Cyclization. <i>Polymers</i> , 2018, 10, 877.	4.5	6
273	Metal-free anionic polymerization of n-hexyl isocyanate catalyzed by phosphazene bases. <i>Polymer Chemistry</i> , 2020, 11, 6073-6080.	3.9	6
274	Synthesis and bioactivities of new N-terminal dipeptide mimetics with aromatic amide moiety: Broad-spectrum antibacterial activity and high antineoplastic activity. <i>European Journal of Medicinal Chemistry</i> , 2022, 228, 113977.	5.5	6
275	Regio- and Stereoselectivity in Cyclopolymerization of (2S,5S)-1,2:5,6-Diepoxyhexane. <i>Macromolecules</i> , 1996, 29, 4490-4493.	4.8	5
276	Lymphocyte activation effect of (1 $\alpha$ '6)-2, 5-anhydro-d-glucitol and its derivatives with 3,4-di-O-methyl and sulfate groups. <i>International Journal of Biological Macromolecules</i> , 1996, 18, 147-148.	7.5	5
277	Macromolecular Ionophore II. Metal Cation-Binding Property of (1 $\alpha$ '6)-2,5-Anhydro-D-glucitol. <i>Polymer Journal</i> , 1999, 31, 293-295.	2.7	5
278	Synthesis of a novel polymeric carbohydrate via regio- and stereoselective cyclopolymerization of 1,2:5,6-dianhydrohexitol. <i>Macromolecular Symposia</i> , 2000, 157, 13-20.	0.7	5
279	Polymerization of 1,2:5,6-diepithio-3,4-di-O-methyl-D-mannitol, 1,2:5,6-diepithio-3,4-di-O-methyl-L-idoitol, and 1,2:5,6-diepithio-3,4-di-O-methyl-allitol using zinc complexes: The regio- and stereoselectivities and asymmetric synthesis of thiosugar polymers. <i>Journal of Polymer Science Part A</i> , 2005, 43, 4118-4125.	2.3	5
280	Formation of Anhydroglucose in Ionic Liquids by Microwave Heating: Temperature and Chloride Ion Effects. <i>Chemistry Letters</i> , 2009, 38, 1178-1179.	1.3	5
281	Synthesis of end-functionalized poly( <i>N</i> -isopropyl acrylamide) with zinc porphyrin and its photocatalytic activity under visible light. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	5
282	Installing a functional group into the inactive $\beta$ -chain end of PMMA and PS- <i>b</i> -PMMA by terminal-selective transesterification. <i>Polymer Chemistry</i> , 2019, 10, 3390-3398.	3.9	5
283	Influence of Topological Confinement on Nanoscale Film Morphologies of Tricyclic Block Copolymers. <i>Macromolecules</i> , 2021, 54, 4120-4127.	4.8	5
284	Organocatalytic Ring-Opening Polymerization of Cyclic Esters, Cyclic Carbonates, and Epoxides. Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry, 2013, 71, 706-715.	0.1	5
285	Densely Arrayed Cage-Shaped Polymer Topologies Synthesized via Cyclopolymerization of Star-Shaped Macromonomers. <i>Macromolecules</i> , 2021, 54, 9079-9090.	4.8	5
286	Bulk cyclopolymerization of 1,2:5,6-diepithio-3,4-di-O-methyl-1,2:5,6-tetra-deoxy-D-mannitol with quaternary ammonium salts leading to gel-free thiosugar polymer. <i>Journal of Polymer Science Part A</i> , 2002, 40, 965-970.	2.3	4
287	Asymmetric Atom Transfer Radical Polymerization: Enantiomer-Selective Cyclopolymerization of rac-2,4-Pentanediy Dimethacrylate Using Chiral ATRP Initiator. <i>ACS Symposium Series</i> , 2003, , 206-220.	0.5	4
288	Photoinduced <i>in situ</i> formation of various F-actin assemblies with a photoresponsive polycation. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 89A, 424-431.	4.0	4

#	ARTICLE	IF	CITATIONS
289	Selective synthesis of 1,6-anhydro- $\beta$ -D-mannopyranose and -mannofuranose using microwave-assisted heating. <i>Carbohydrate Research</i> , 2011, 346, 1747-1751.	2.3	4
290	Guest release and solution behavior of a hydrogen-bonding physical micelle during chemoresponsive shell disruption. <i>Polymer</i> , 2011, 52, 3405-3412.	3.8	4
291	End-Functionalized Poly(N-isopropylacrylamide) with d-Glucosamine through Different Initiator from C-1 and C-2 Positions via Atom Transfer Radical Polymerization. <i>Materials</i> , 2016, 9, 913.	2.9	4
292	Synthesis and asymmetric catalytic performance of one-handed helical poly(phenylacetylene)s bearing proline dipeptide pendants. <i>Reactive and Functional Polymers</i> , 2020, 146, 104392.	4.1	4
293	Carbohydrate-attached fullerene derivative for selective localization in ordered carbohydrate-block-poly(3-hexylthiophene) nanodomains. <i>Carbohydrate Polymers</i> , 2021, 255, 117528.	10.2	4
294	Correlations of nanoscale film morphologies and topological confinement of three-armed cage block copolymers. <i>Polymer Chemistry</i> , 2021, 12, 3451-3460.	3.9	4
295	Cyclization of PEG and Pluronic Surfactants and the Effects of the Topology on Their Interfacial Activity. <i>Langmuir</i> , 2021, 37, 6974-6984.	3.5	4
296	Cyclopolymerization of 1,2: 5,6-Dianhydrohexitol Leading to A Novel Poly-meric Carbohydrate.. Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry, 1997, 55, 290-300.	0.1	3
297	Synthesis of star-shaped polystyrenes with glucose- and maltohexaose-conjugated core through nitroxide-controlled free-radical polymerization. <i>Macromolecular Symposia</i> , 2002, 181, 95-100.	0.7	3
298	Precision synthesis of (1 $\beta$ )-D-glucopyranan by cationic ring-opening polymerization of 1,6-anhydro-2,3,4-tri-O-allyl- $\beta$ -D-glucopyranose. <i>Macromolecular Symposia</i> , 2002, 181, 101-106.	0.7	3
299	Influence of Degradation on Storage of Heat of Heat Storage Material with Crystal Transformation. <i>Netsu Bussei</i> , 2016, 29, 173-178.	0.1	3
300	Phase Transition Behaviors and Nanoscale Film Morphologies of Poly( $\epsilon$ -valerolactone) Axles Bearing Movable and Fixed Rotaxane Wheels. <i>Macromolecular Rapid Communications</i> , 2019, 40, 1900334.	3.9	3
301	Synthesis and characterization of cyclic P3HT as a donor polymer for organic solar cells. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2019, 57, 266-271.	2.1	3
302	Synthesis of poly(phenylacetylene)s containing chiral phenylethyl carbamate residues as coated $\alpha$ -type CSPs with high solvent tolerability. <i>Chirality</i> , 2020, 32, 547-555.	2.6	3
303	One-Shot Intrablock Cross-Linking of Linear Diblock Copolymer to Realize Janus-Shaped Single-Chain Nanoparticles. <i>Angewandte Chemie</i> , 2021, 133, 18270-18276.	2.0	3
304	Grazing Incidence Small-Angle X-ray Scattering Studies of the Thin Film Morphologies of Miktoarm Crystalline Star Polymers. <i>Science of Advanced Materials</i> , 2014, 6, 2526-2531.	0.7	3
305	Suzuki-Miyaura Catalyst-Transfer Polycondensation of Triolborate-Type Carbazole Monomers. <i>Polymers</i> , 2021, 13, 4168.	4.5	3
306	Precision Polymerization and Polymers I. Polymerizability in Anionic Cyclopolymerization of 1,2:5,6-Dianhydrohexitols.. <i>Kobunshi Ronbunshu</i> , 1997, 54, 710-715.	0.2	2

#	ARTICLE	IF	CITATIONS
307	Group Transfer Polymerization of Acrylic Monomers. , 2015, , 451-494.		2
308	Chirality Induction in Cyclopolymerization XVI. Synthesis of Optically Active Poly (methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td ( Having Chiral Pentanediol.. Polymer Journal, 2001, 33, 946-951.	2.7	2
309	CHIRAL RECOGNITION OF HELICAL POLY(PHENYLACETYLENE) DERIVATIVES BEARING L-AMINO ACID ETHYL ESTER PENDANTS. Acta Polymerica Sinica, 2013, 013, 811-816.	0.0	2
310	Unimodal and Well-Defined Nanomicelles Assembled by Topology-Controlled Bicyclic Block Copolymers. Macromolecules, 2022, 55, 862-872.	4.8	2
311	Topology-Dependent Interaction of Cyclic Poly(ethylene glycol) Complexed with Gold Nanoparticles against Bovine Serum Albumin for a Colorimetric Change. Langmuir, 2021, , .	3.5	2
312	Topology and Sequence-Dependent Micellization and Phase Separation of Pluronic L35, L64, 10R5, and 17R4: Effects of Cyclization and the Chain Ends. Polymers, 2022, 14, 1823.	4.5	2
313	Fabrication of Ultrafine, Highly Ordered Nanostructures Using Carbohydrate-Inorganic Hybrid Block Copolymers. Nanomaterials, 2022, 12, 1653.	4.1	2
314	Cyclopolymerization of $\hat{I}\pm, \hat{I}\odot$ -Diepoxide with Monoepoxy Comonomer. Synthesis and Cation-Binding Property of Copolymers with Dibenzo-19-Crown-6 Units. Journal of Macromolecular Science - Pure and Applied Chemistry, 1994, 31, 751-759.	2.2	1
315	Synthesis of Star-Shaped Polystyrenes with Glucose in the Chain-End and Core. Macromolecular Symposia, 2004, 217, 29-38.	0.7	1
316	Synthesis, Inversion, and Chiral Discrimination of Helical Polymers Based on the Host-guest Complexation. Kobunshi Ronbunshu, 2006, 63, 315-324.	0.2	1
317	Poly(cyclic olefin)s. , 2014, , 1-8.		1
318	Phosphazene Base-Catalyzed Living Ring-Opening Polymerization System for Substituted Epoxides. Kobunshi Ronbunshu, 2015, 72, 295-305.	0.2	1
319	Organocatalytic Polymerization. , 2014, , 1-14.		1
320	Post-polymerization modification of PS-b-PMMA for achieving directed self-assembly with sub-10nm feature size. , 2019, , .		1
321	Cyclopolymerization of Dianhydro Sugar Leading to Novel Carbohydrate Polymers as Macromolecular Ionophores. ChemInform, 2004, 35, no.	0.0	0
322	Enantiomer-Selective Radical Polymerization of 2,4-Pentanediyl Dimethacrylate Using Chiral Ruthenium Catalyst. Kobunshi Ronbunshu, 2004, 61, 269-274.	0.2	0
323	Chromatographic Application of 3,4-Di-O-alkyl-(1 $\hat{a}$ '6)-2,5-anhydro-D-glucitol for Separation of Alkali and Alkaline Earth Metal Ions. Polymer Journal, 2006, 38, 490-494.	2.7	0
324	Preparation and optical properties of reverse saturable absorption polymer with alkoxy phthalocyanine Pb. , 2006, 6028, 296.		0

#	ARTICLE	IF	CITATIONS
325	Formation of Anhydrosugars from Polysaccharides in Ionic Liquids by Microwave Irradiation. ACS Symposium Series, 2010, , 145-154.	0.5	0
326	Advanced Polymer Particles. International Journal of Polymer Science, 2012, 2012, 1-2.	2.7	0
327	Heat Storage Material without Phase-change for Micro and Nano Satellite. Transactions of the Japan Society for Aeronautical and Space Sciences Aerospace Technology Japan, 2014, 12, Po_4_1-Po_4_5.	0.2	0
328	Heat Storage and Release Tests of Heat Storage Material with Crystal Transformation. Transactions of the Japan Society for Aeronautical and Space Sciences Aerospace Technology Japan, 2016, 14, Pi_1-Pi_6.	0.2	0
329	SYNTHESIS AND CHARACTERIZATION OF OPTICALLY ACTIVE POLY(PHENYLACETYLENE) WITH POLYLACTIDE SIDE CHAINS. Acta Polymerica Sinica, 2012, 012, 365-373.	0.0	0
330	D131 Storage of Heat of Heat Storage Material with Crystal Transformation. The Proceedings of the Thermal Engineering Conference, 2013, 2013, 115-116.	0.0	0
331	F117 Heat Storage and Release Tests of Heat Storage Material with Crystal Transformation. The Proceedings of the Thermal Engineering Conference, 2014, 2014, _F117-1_-_F117-2_.	0.0	0
332	Poly(cyclic olefin)s. , 2015, , 1677-1683.		0
333	Organocatalytic Polymerization. , 2015, , 1485-1497.		0
334	Synthesis of (1 $\alpha$ '6) $\alpha$ -2,5-anhydro-D-glucitol through cyclopolymerization of 3,4-diacetyloxy-1,2 : 5,6-dianhydro-D-mannitol and optical resolution ability of its derivative in HPLC. Journal of Polymer Science Part A, 1998, 36, 901-909.	2.3	0