

Kayo Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2151328/publications.pdf>

Version: 2024-02-01

7
papers

289
citations

1477746

6
h-index

1719596

7
g-index

7
all docs

7
docs citations

7
times ranked

302
citing authors

#	ARTICLE	IF	CITATIONS
1	Markedly higher sFlt-1/PlGF ratio in a woman with acute fatty liver of pregnancy compared with HELLP syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 96-103.	0.6	12
2	Increased serum levels of sFlt-1/PlGF ratio in preeclamptic women with onset at ≤ 32 weeks compared with ≥ 32 weeks. <i>Pregnancy Hypertension</i> , 2018, 12, 96-103.	0.6	8
3	Prediction and prevention of hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2017, 40, 5-14.	1.5	31
4	Onset threshold of the plasma levels of soluble fms-like tyrosine kinase 1/placental growth factor ratio for predicting the imminent onset of preeclampsia within 4 weeks after blood sampling at 19-31 weeks of gestation. <i>Hypertension Research</i> , 2013, 36, 1073-1080.	1.5	39
5	Threshold of Soluble Fms-Like Tyrosine Kinase 1/Placental Growth Factor Ratio for the Imminent Onset of Preeclampsia. <i>Hypertension</i> , 2011, 58, 859-866.	1.3	40
6	Evaluation of a new and automated electrochemiluminescence immunoassay for plasma sFlt-1 and PlGF levels in women with preeclampsia. <i>Hypertension Research</i> , 2010, 33, 422-427.	1.5	81
7	Alterations in Placental Growth Factor Levels before and after the Onset of Preeclampsia Are More Pronounced in Women with Early Onset Severe Preeclampsia. <i>Hypertension Research</i> , 2007, 30, 151-159.	1.5	78