

Sebastian Poggio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2152379/sebastian-poggio-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

719
citations

14
h-index

26
g-index

33
ext. papers

853
ext. citations

4
avg, IF

3.36
L-index

#	Paper	IF	Citations
31	The periplasmic component of the DctPQM TRAP-transporter is part of the DctS/DctR sensory pathway in. <i>Microbiology (United Kingdom)</i> , 2021 , 167,	2.9	1
30	Five structural genes required for ceramide synthesis in <i>Caulobacter</i> and for bacterial survival. <i>Environmental Microbiology</i> , 2021 , 23, 143-159	5.2	3
29	The CtrA Regulon of <i>Rhodobacter sphaeroides</i> Favors Adaptation to a Particular Lifestyle. <i>Journal of Bacteriology</i> , 2020 , 202,	3.5	2
28	Characterization of FlgP, an Essential Protein for Flagellar Assembly in. <i>Journal of Bacteriology</i> , 2019 , 201,	3.5	1
27	Establishment of a Protein Concentration Gradient in the Outer Membrane Requires Two Diffusion-Limiting Mechanisms. <i>Journal of Bacteriology</i> , 2019 , 201,	3.5	1
26	Architecture of divergent flagellar promoters controlled by CtrA in <i>Rhodobacter sphaeroides</i> . <i>BMC Microbiology</i> , 2018 , 18, 129	4.5	4
25	A New Essential Cell Division Protein in <i>Caulobacter crescentus</i> . <i>Journal of Bacteriology</i> , 2017 , 199,	3.5	6
24	The Master Regulators of the Fla1 and Fla2 Flagella of <i>Rhodobacter sphaeroides</i> Control the Expression of Their Cognate CheY Proteins. <i>Journal of Bacteriology</i> , 2017 , 199,	3.5	6
23	Isolation of detergent-resistant membranes (DRMs) from <i>Escherichia coli</i> . <i>Analytical Biochemistry</i> , 2017 , 518, 1-8	3.1	8
22	The flagellar set Fla2 in <i>Rhodobacter sphaeroides</i> is controlled by the CckA pathway and is repressed by organic acids and the expression of Fla1. <i>Journal of Bacteriology</i> , 2015 , 197, 833-47	3.5	13
21	Localization of the outer membrane protein OmpA2 in <i>Caulobacter crescentus</i> depends on the position of the gene in the chromosome. <i>Journal of Bacteriology</i> , 2014 , 196, 2889-900	3.5	3
20	A distant homologue of the FlgT protein interacts with MotB and FliL and is essential for flagellar rotation in <i>Rhodobacter sphaeroides</i> . <i>Journal of Bacteriology</i> , 2013 , 195, 5285-96	3.5	10
19	Growth medium-dependent glycine incorporation into the peptidoglycan of <i>Caulobacter crescentus</i> . <i>PLoS ONE</i> , 2013 , 8, e57579	3.7	18
18	The evolution of new lipoprotein subunits of the bacterial outer membrane BAM complex. <i>Molecular Microbiology</i> , 2012 , 84, 832-44	4.1	46
17	A novel component of the <i>Rhodobacter sphaeroides</i> Fla1 flagellum is essential for motor rotation. <i>Journal of Bacteriology</i> , 2012 , 194, 6174-83	3.5	4
16	Evolutionary origin of the <i>Rhodobacter sphaeroides</i> specialized RpoN sigma factors. <i>FEMS Microbiology Letters</i> , 2012 , 327, 93-102	2.9	5
15	A protein critical for cell constriction in the Gram-negative bacterium <i>Caulobacter crescentus</i> localizes at the division site through its peptidoglycan-binding LysM domains. <i>Molecular Microbiology</i> , 2010 , 77, 74-89	4.1	43

14	A modular BAM complex in the outer membrane of the alpha-proteobacterium <i>Caulobacter crescentus</i> . <i>PLoS ONE</i> , 2010 , 5, e8619	3.7	49
13	MreB drives de novo rod morphogenesis in <i>Caulobacter crescentus</i> via remodeling of the cell wall. <i>Journal of Bacteriology</i> , 2010 , 192, 1671-84	3.5	87
12	The flagellar protein FliL is essential for swimming in <i>Rhodobacter sphaeroides</i> . <i>Journal of Bacteriology</i> , 2010 , 192, 6230-9	3.5	31
11	Molecular mechanisms of ethanol-induced pathogenesis revealed by RNA-sequencing. <i>PLoS Pathogens</i> , 2010 , 6, e1000834	7.6	122
10	Role of single-strand DNA 3b5bexonuclease ExoI and nuclease SbcCD in stationary-phase mutation in <i>Escherichia coli</i> K-12. <i>Archives of Microbiology</i> , 2009 , 191, 185-90	3	2
9	The reducible complexity of a mitochondrial molecular machine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 15791-5	11.5	57
8	Chemotactic control of the two flagellar systems of <i>Rhodobacter sphaeroides</i> is mediated by different sets of CheY and FliM proteins. <i>Journal of Bacteriology</i> , 2007 , 189, 8397-401	3.5	25
7	A complete set of flagellar genes acquired by horizontal transfer coexists with the endogenous flagellar system in <i>Rhodobacter sphaeroides</i> . <i>Journal of Bacteriology</i> , 2007 , 189, 3208-16	3.5	56
6	Transcriptional specificity of RpoN1 and RpoN2 involves differential recognition of the promoter sequences and specific interaction with the cognate activator proteins. <i>Journal of Biological Chemistry</i> , 2006 , 281, 27205-15	5.4	19
5	The flagellar hierarchy of <i>Rhodobacter sphaeroides</i> is controlled by the concerted action of two enhancer-binding proteins. <i>Molecular Microbiology</i> , 2005 , 58, 969-83	4.1	36
4	The four different sigma(54) factors of <i>Rhodobacter sphaeroides</i> are not functionally interchangeable. <i>Molecular Microbiology</i> , 2002 , 46, 75-85	4.1	35
3	The N terminus of FliM is essential to promote flagellar rotation in <i>Rhodobacter sphaeroides</i> . <i>Journal of Bacteriology</i> , 2001 , 183, 3142-8	3.5	2
2	sigma(54) Promoters control expression of genes encoding the hook and basal body complex in <i>Rhodobacter sphaeroides</i> . <i>Journal of Bacteriology</i> , 2000 , 182, 5787-92	3.5	14
1	The flagellar switch genes fliM and fliN of <i>Rhodobacter sphaeroides</i> are contained in a large flagellar gene cluster. <i>Journal of Bacteriology</i> , 1998 , 180, 3978-82	3.5	9