

Krish Sathian

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2152826/krish-sathian-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

6,031
citations

46
h-index

76
g-index

132
ext. papers

6,653
ext. citations

4.3
avg, IF

5.83
L-index

#	Paper	IF	Citations
116	Consistency and strength of grapheme-color associations are separable aspects of synesthetic experience. <i>Consciousness and Cognition</i> , 2021 , 91, 103137	2.6	2
115	Neural Basis of the Sound-Symbolic Crossmodal Correspondence Between Auditory Pseudowords and Visual Shapes. <i>Multisensory Research</i> , 2021 , 1-50	1.9	1
114	Visuo-haptic object perception 2020 , 157-178		1
113	Cross-Modal and Multisensory Interactions Between Vision and Touch 2020 , 324-332		
112	Model-based assessment and neural correlates of spatial memory deficits in mild cognitive impairment. <i>Neuropsychologia</i> , 2020 , 136, 107251	3.2	2
111	Audiovisual crossmodal correspondences 2020 , 239-258		2
110	Crossmodal Visuospatial Effects on Auditory Perception of Musical Contour. <i>Multisensory Research</i> , 2020 , 34, 113-127	1.9	1
109	Primary motor cortical activity during unimanual movements with increasing demand on precision. <i>Journal of Neurophysiology</i> , 2020 , 124, 728-739	3.2	6
108	Stimulus Parameters Underlying Sound-Symbolic Mapping of Auditory Pseudowords to Visual Shapes. <i>Cognitive Science</i> , 2020 , 44, e12883	2.2	5
107	Mnemonic strategy training increases neocortical activation in healthy older adults and patients with mild cognitive impairment. <i>International Journal of Psychophysiology</i> , 2020 , 154, 27-36	2.9	13
106	Neural basis of the crossmodal correspondence between auditory pitch and visuospatial elevation. <i>Neuropsychologia</i> , 2018 , 112, 19-30	3.2	14
105	Accounting for Non-Gaussian Sources of Spatial Correlation in Parametric Functional Magnetic Resonance Imaging Paradigms II: A Method to Obtain First-Level Analysis Residuals with Uniform and Gaussian Spatial Autocorrelation Function and Independent and Identically Distributed Time-Series. <i>Brain Connectivity</i> , 2018 , 8, 10-21	2.7	6
104	Accounting for Non-Gaussian Sources of Spatial Correlation in Parametric Functional Magnetic Resonance Imaging Paradigms I: Revisiting Cluster-Based Inferences. <i>Brain Connectivity</i> , 2018 , 8, 1-9	2.7	8
103	Diminished neural network dynamics in amnesic mild cognitive impairment. <i>International Journal of Psychophysiology</i> , 2018 , 130, 63-72	2.9	7
102	2334 Neural correlates of externally Versus internally guided dance-based therapies for people with Parkinson's disease. <i>Journal of Clinical and Translational Science</i> , 2018 , 2, 21-21	0.4	1
101	Neuroimaging somatosensory perception and masking. <i>Neuropsychologia</i> , 2017 , 94, 44-51	3.2	5
100	Enhanced verbal abilities in the congenitally blind. <i>Experimental Brain Research</i> , 2017 , 235, 1709-1718	2.3	9

99	Interactions Between Auditory Elevation, Auditory Pitch and Visual Elevation During Multisensory Perception. <i>Multisensory Research</i> , 2017 , 30, 287-306	1.9	16
98	Alterations of resting-state fMRI measurements in individuals with cervical dystonia. <i>Human Brain Mapping</i> , 2017 , 38, 4098-4108	5.9	32
97	Consciousness post corpus callosotomy. <i>Brain</i> , 2017 , 140, e38	11.2	1
96	Engagement of the left extrastriate body area during body-part metaphor comprehension. <i>Brain and Language</i> , 2017 , 166, 1-18	2.9	18
95	Translational MRI Volumetry with NeuroQuant: Effects of Version and Normative Data on Relationships with Memory Performance in Healthy Older Adults and Patients with Mild Cognitive Impairment. <i>Journal of Alzheimers Disease</i> , 2017 , 60, 1499-1510	4.3	15
94	Patterns of effective connectivity during memory encoding and retrieval differ between patients with mild cognitive impairment and healthy older adults. <i>NeuroImage</i> , 2016 , 124, 997-1008	7.9	34
93	Synesthesia strengthens sound-symbolic cross-modal correspondences. <i>European Journal of Neuroscience</i> , 2016 , 44, 2716-2721	3.5	22
92	Crossmodal and Multisensory Interactions Between Vision and Touch 2016 , 301-315		5
91	Haptic Object Recognition is View-Independent in Early Blind but not Sighted People. <i>Perception</i> , 2016 , 45, 337-45	1.2	2
90	Superior verbal abilities in congenital blindness. <i>IS&T International Symposium on Electronic Imaging</i> , 2016 , 2016, 1-4	1	2
89	A Functional Magnetic Resonance Imaging Study of Head Movements in Cervical Dystonia. <i>Frontiers in Neurology</i> , 2016 , 7, 201	4.1	24
88	Analysis of haptic information in the cerebral cortex. <i>Journal of Neurophysiology</i> , 2016 , 116, 1795-1806	3.2	44
87	Neural Substrates for Head Movements in Humans: A Functional Magnetic Resonance Imaging Study. <i>Journal of Neuroscience</i> , 2015 , 35, 9163-72	6.6	13
86	Structure-function correlations in stroke. <i>Neuron</i> , 2015 , 85, 887-9	13.9	8
85	CROSSMODAL AND MULTISENSORY INTERACTIONS BETWEEN VISION AND TOUCH. <i>Scholarpedia Journal</i> , 2015 , 10, 7957	1.5	7
84	Oscillatory activity in neocortical networks during tactile discrimination near the limit of spatial acuity. <i>NeuroImage</i> , 2014 , 91, 300-10	7.9	34
83	Spatial imagery in haptic shape perception. <i>Neuropsychologia</i> , 2014 , 60, 144-58	3.2	35
82	Loss of form vision impairs spatial imagery. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 159	3.3	6

81	Visuo-haptic multisensory object recognition, categorization, and representation. <i>Frontiers in Psychology</i> , 2014 , 5, 730	3.4	54
80	Differential patterns of cortical reorganization following constraint-induced movement therapy during early and late period after stroke: A preliminary study. <i>NeuroRehabilitation</i> , 2014 , 35, 415-26	2	34
79	Neural changes with tactile learning reflect decision-level reweighting of perceptual readout. <i>Journal of Neuroscience</i> , 2013 , 33, 5387-98	6.6	45
78	Spatial imagery is more associated with unfamiliar than familiar haptic shape perception: Activation and connectivity analyses. <i>Multisensory Research</i> , 2013 , 26, 162-163	1.9	
77	Visual Imagery in Haptic Shape Perception 2013 , 207-219		0
76	Metaphorically feeling: comprehending textural metaphors activates somatosensory cortex. <i>Brain and Language</i> , 2012 , 120, 416-21	2.9	127
75	Mnemonic strategy training partially restores hippocampal activity in patients with mild cognitive impairment. <i>Hippocampus</i> , 2012 , 22, 1652-8	3.5	112
74	Mnemonic strategy training improves memory for object location associations in both healthy elderly and patients with amnesic mild cognitive impairment: a randomized, single-blind study. <i>Neuropsychology</i> , 2012 , 26, 385-99	3.8	62
73	A rigorous approach for testing the constructionist hypotheses of brain function. <i>Behavioral and Brain Sciences</i> , 2012 , 35, 148-9	0.9	11
72	Dual pathways for haptic and visual perception of spatial and texture information. <i>NeuroImage</i> , 2011 , 57, 462-75	7.9	123
71	Art for reward's sake: visual art recruits the ventral striatum. <i>NeuroImage</i> , 2011 , 55, 420-33	7.9	168
70	Where did I put that? Patients with amnesic mild cognitive impairment demonstrate widespread reductions in activity during the encoding of ecologically relevant object-location associations. <i>Neuropsychologia</i> , 2011 , 49, 2349-61	3.2	41
69	Object and spatial imagery dimensions in visuo-haptic representations. <i>Experimental Brain Research</i> , 2011 , 213, 267-73	2.3	21
68	Multisensory object representation: insights from studies of vision and touch. <i>Progress in Brain Research</i> , 2011 , 191, 165-76	2.9	31
67	Activation and effective connectivity changes following explicit-memory training for face-name pairs in patients with mild cognitive impairment: a pilot study. <i>Neurorehabilitation and Neural Repair</i> , 2011 , 25, 210-22	4.7	106
66	Neurological principles and rehabilitation of action disorders: common clinical deficits. <i>Neurorehabilitation and Neural Repair</i> , 2011 , 25, 215-325	4.7	58
65	Representation of Object Form in Vision and Touch. <i>Frontiers in Neuroscience</i> , 2011 , 179-188		2
64	Representation of Object Form in Vision and Touch. <i>Frontiers in Neuroscience</i> , 2011 , 179-188		2

63	Are surface properties integrated into visuohaptic object representations?. <i>European Journal of Neuroscience</i> , 2010 , 31, 1882-8	3.5	17
62	Semantic confusion regarding the development of multisensory integration: a practical solution. <i>European Journal of Neuroscience</i> , 2010 , 31, 1713-20	3.5	90
61	Cross-modal plasticity of tactile perception in blindness. <i>Restorative Neurology and Neuroscience</i> , 2010 , 28, 271-81	2.8	57
60	Use of complex three-dimensional objects to assess visuospatial memory in healthy individuals and patients with unilateral amygdalohippocampectomy. <i>Epilepsy and Behavior</i> , 2010 , 18, 54-60	3.2	5
59	Object familiarity modulates effective connectivity during haptic shape perception. <i>NeuroImage</i> , 2010 , 49, 1991-2000	7.9	78
58	Object familiarity modulates the relationship between visual object imagery and haptic shape perception. <i>NeuroImage</i> , 2010 , 49, 1977-90	7.9	65
57	Effect of hemodynamic variability on Granger causality analysis of fMRI. <i>NeuroImage</i> , 2010 , 52, 884-96	7.9	143
56	Assessing and compensating for zero-lag correlation effects in time-lagged Granger causality analysis of FMRI. <i>IEEE Transactions on Biomedical Engineering</i> , 2010 , 57, 1446-56	5	80
55	Tactile shape discrimination recruits human lateral occipital complex during early perceptual processing. <i>Human Brain Mapping</i> , 2010 , 31, 1813-21	5.9	41
54	A putative model of multisensory object representation. <i>Brain Topography</i> , 2009 , 21, 269-74	4.3	139
53	Tactile co-activation improves detection of afferent spatial modulation. <i>Experimental Brain Research</i> , 2009 , 194, 409-17	2.3	1
52	Perceptual learning of view-independence in visuo-haptic object representations. <i>Experimental Brain Research</i> , 2009 , 198, 329-37	2.3	34
51	Changes in resting state effective connectivity in the motor network following rehabilitation of upper extremity poststroke paresis. <i>Topics in Stroke Rehabilitation</i> , 2009 , 16, 270-81	2.6	76
50	Cross-Modal Interactions Between Vision and Touch 2009 , 259-263		
49	Haptically evoked activation of visual cortex 2008 , 251-257		2
48	Effective connectivity during haptic perception: a study using Granger causality analysis of functional magnetic resonance imaging data. <i>NeuroImage</i> , 2008 , 40, 1807-14	7.9	155
47	Constraint-induced movement therapy results in increased motor map area in subjects 3 to 9 months after stroke. <i>Neurorehabilitation and Neural Repair</i> , 2008 , 22, 505-13	4.7	161
46	Neural processing underlying tactile microspatial discrimination in the blind: a functional magnetic resonance imaging study. <i>Journal of Vision</i> , 2008 , 8, 13.1-19	0.4	61

45	Selective visuo-haptic processing of shape and texture. <i>Human Brain Mapping</i> , 2008 , 29, 1123-38	5.9	148
44	Explicit memory training leads to improved memory for face-name pairs in patients with mild cognitive impairment: results of a pilot investigation. <i>Journal of the International Neuropsychological Society</i> , 2008 , 14, 883-9	3.1	77
43	Cross-Modal and Multisensory Interactions between Vision and Touch 2008 , 393-404		1
42	Cross-modal object recognition is viewpoint-independent. <i>PLoS ONE</i> , 2007 , 2, e890	3.7	51
41	Activity and effective connectivity of parietal and occipital cortical regions during haptic shape perception. <i>Neuropsychologia</i> , 2007 , 45, 476-83	3.2	136
40	January 16 Highlight and Commentary: Subspecialization within somatosensory cortex. <i>Neurology</i> , 2007 , 68, 167-167	6.5	2
39	Journeying beyond classical somatosensory cortex. <i>Canadian Journal of Experimental Psychology</i> , 2007 , 61, 254-64	0.8	30
38	January 16 highlight and commentary: subspecialization within somatosensory cortex. <i>Neurology</i> , 2007 , 68, 1955; author reply 1955-6	6.5	
37	Multifaceted functional specialization of somatosensory information processing. <i>Behavioral and Brain Sciences</i> , 2007 , 30, 219-220	0.9	1
36	Posteromedial parietal cortical activity and inputs predict tactile spatial acuity. <i>Journal of Neuroscience</i> , 2007 , 27, 11091-102	6.6	63
35	Vision and touch: multiple or multisensory representations of objects?. <i>Perception</i> , 2007 , 36, 1513-21	1.2	76
34	Cross-modal Involvement of Visual Cortex in Tactile Perception 2007 , 119-134		2
33	Mirror-image symmetry and search asymmetry: a comparison of their effects on visual search and a possible unifying explanation. <i>Vision Research</i> , 2006 , 46, 1263-81	2.1	4
32	Somatosensory processing is impaired in temporal lobe epilepsy. <i>Epilepsia</i> , 2005 , 46, 534-9	6.4	9
31	Tactile discrimination of grating orientation: fMRI activation patterns. <i>Human Brain Mapping</i> , 2005 , 25, 370-7	5.9	105
30	Visual cortical activity during tactile perception in the sighted and the visually deprived. <i>Developmental Psychobiology</i> , 2005 , 46, 279-86	3	128
29	Short-term visual deprivation alters neural processing of tactile form. <i>Experimental Brain Research</i> , 2005 , 166, 572-82	2.3	49
28	Modality, quo vadis?. <i>Behavioral and Brain Sciences</i> , 2004 , 27, 413-414	0.9	11

27	Task-specific recruitment of dorsal and ventral visual areas during tactile perception. <i>Neuropsychologia</i> , 2004 , 42, 1079-87	3.2	124
26	Multisensory cortical processing of object shape and its relation to mental imagery. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2004 , 4, 251-9	3.5	150
25	Neural networks active during tactile form perception: common and differential activity during macrospatial and microspatial tasks. <i>International Journal of Psychophysiology</i> , 2003 , 50, 41-9	2.9	88
24	Mental rotation of tactile stimuli. <i>Cognitive Brain Research</i> , 2002 , 14, 91-8		37
23	Feeling with the mind's eye: contribution of visual cortex to tactile perception. <i>Behavioural Brain Research</i> , 2002 , 135, 127-32	3.4	103
22	Temporal cues contribute to tactile perception of roughness. <i>Journal of Neuroscience</i> , 2001 , 21, 5289-966.6		127
21	Feeling with the mind's eye: the role of visual imagery in tactile perception. <i>Optometry and Vision Science</i> , 2001 , 78, 276-81	2.1	43
20	Tactile perception in blind Braille readers: a psychophysical study of acuity and hyperacuity using gratings and dot patterns. <i>Perception & Psychophysics</i> , 2000 , 62, 301-12		155
19	Doing it with mirrors: a case study of a novel approach to neurorehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2000 , 14, 73-6	4.7	150
18	Intermanual referral of sensation to anesthetic hands. <i>Neurology</i> , 2000 , 54, 1866-8	6.5	38
17	Neural evidence linking visual object enumeration and attention. <i>Journal of Cognitive Neuroscience</i> , 1999 , 11, 36-51	3.1	144
16	Involvement of visual cortex in tactile discrimination of orientation. <i>Nature</i> , 1999 , 401, 587-90	50.4	420
15	Tactile perception in developmental dyslexia: a psychophysical study using gratings. <i>Neuropsychologia</i> , 1999 , 37, 1201-11	3.2	49
14	Do the magnocellular and parvocellular visual pathways contribute differentially to subitizing and counting?. <i>Perception & Psychophysics</i> , 1998 , 60, 451-64		21
13	Perceptual learning in tactile hyperacuity: complete intermanual transfer but limited retention. <i>Experimental Brain Research</i> , 1998 , 118, 131-4	2.3	51
12	Tactile spatial acuity and roughness discrimination: impairments due to aging and Parkinson's disease. <i>Neurology</i> , 1997 , 49, 168-77	6.5	107
11	Feeling with the mind's eye. <i>NeuroReport</i> , 1997 , 8, 3877-81	1.7	215
10	Tactile learning is task specific but transfers between fingers. <i>Perception & Psychophysics</i> , 1997 , 59, 119-28		85

9	Tactile spatial acuity at the human fingertip and lip: bilateral symmetry and interdigit variability. <i>Neurology</i> , 1996 , 46, 1464-6	6.5	94
8	Motion perception in Alzheimer's disease. <i>Neurology</i> , 1995 , 45, 1633-4; author reply 1634-5	6.5	4
7	Neuronal responses in ventroposterolateral nucleus of thalamus in monkeys (<i>Macaca mulatta</i>) during active touch of gratings. <i>Somatosensory & Motor Research</i> , 1991 , 8, 293-300	1.2	10
6	The role of spatially selective attention in the tactile perception of texture. <i>Perception & Psychophysics</i> , 1991 , 50, 237-48		55
5	Altered responses to cutaneous stimuli in the second somatosensory cortex following lesions of the postcentral gyrus in infant and juvenile macaques. <i>Journal of Comparative Neurology</i> , 1990 , 291, 395-414	3.4	46
4	Perceived roughness of a grating: correlation with responses of mechanoreceptive afferents innervating the monkey's fingerpad. <i>Journal of Neuroscience</i> , 1989 , 9, 1273-9	6.6	85
3	Spatial and temporal factors determining afferent fiber responses to a grating moving sinusoidally over the monkey's fingerpad. <i>Journal of Neuroscience</i> , 1989 , 9, 1280-93	6.6	55
2	Tactile sensing of surface features. <i>Trends in Neurosciences</i> , 1989 , 12, 513-9	13.3	30
1	Neural Basis of the Sound-Symbolic Crossmodal Correspondence Between Auditory Pseudowords and Visual Shapes		3