Hans E Johansson

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2152988/hans-e-johansson-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29 1,616 22 38 g-index

38 1,805 9 4.05 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
29	Estrogen-induced transcription at individual alleles is independent of receptor level and active conformation but can be modulated by coactivators activity. <i>Nucleic Acids Research</i> , 2020 , 48, 1800-181	0 ^{20.1}	9
28	The S-phase-induced lncRNA promotes cell proliferation by controlling YAP1/Hippo signaling pathway. <i>ELife</i> , 2020 , 9,	8.9	10
27	Full-length mRNA sequencing uncovers a widespread coupling between transcription initiation and mRNA processing. <i>Genome Biology</i> , 2018 , 19, 46	18.3	59
26	Gene activation of SMN by selective disruption of lncRNA-mediated recruitment of PRC2 for the treatment of spinal muscular atrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E1509-E1518	11.5	63
25	Stellaris RNA Fluorescence In Situ Hybridization for the Simultaneous Detection of Immature and Mature Long Noncoding RNAs in Adherent Cells. <i>Methods in Molecular Biology</i> , 2016 , 1402, 119-134	1.4	27
24	Female Bias in Systemic Lupus Erythematosus is Associated with the Differential Expression of X-Linked Toll-Like Receptor 8. <i>Frontiers in Immunology</i> , 2015 , 6, 457	8.4	23
23	Simultaneous detection of nuclear and cytoplasmic RNA variants utilizing Stellaris RNA fluorescence in situ hybridization in adherent cells. <i>Methods in Molecular Biology</i> , 2014 , 1211, 189-99	1.4	20
22	Coactivators enable glucocorticoid receptor recruitment to fine-tune estrogen receptor transcriptional responses. <i>Nucleic Acids Research</i> , 2013 , 41, 4036-48	20.1	41
21	Depletion of cellular polyamines, spermidine and spermine, causes a total arrest in translation and growth in mammalian cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 2169-74	11.5	166
20	Post-translational modification by Elysylation is required for activity of Escherichia coli elongation factor P (EF-P). <i>Journal of Biological Chemistry</i> , 2012 , 287, 2579-90	5.4	48
19	BTI1, an azoreductase with pH-dependent substrate specificity. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 4223-5	4.8	22
18	Mutational analyses of human eIF5A-1identification of amino acid residues critical for eIF5A activity and hypusine modification. <i>FEBS Journal</i> , 2008 , 275, 44-58	5.7	42
17	Iron homeostasis during transfusional iron overload in beta-thalassemia and sickle cell disease: changes in iron regulatory protein, hepcidin, and ferritin expression. <i>Pediatric Hematology and Oncology</i> , 2007 , 24, 237-43	1.7	28
16	Methylotrophic Methanogens in the Water Column of an Upwelling Zone with a Strong Oxygen Gradient Off Central Chile. <i>Microbes and Environments</i> , 2007 , 22, 268-278	2.6	15
15	Differential expression of eIF5A-1 and eIF5A-2 in human cancer cells. FEBS Journal, 2006, 273, 1102-14	5.7	72
14	Identification and characterization of eukaryotic initiation factor 5A-2. FEBS Journal, 2003, 270, 4254-63		89
13	Human eIF5A2 on chromosome 3q25-q27 is a phylogenetically conserved vertebrate variant of eukaryotic translation initiation factor 5A with tissue-specific expression. <i>Genomics</i> , 2001 , 71, 101-9	4.3	99

LIST OF PUBLICATIONS

12	Cell cycle arrest in archaea by the hypusination inhibitor N(1)-guanyl-1,7-diaminoheptane. <i>Journal of Bacteriology</i> , 2000 , 182, 1158-61	3.5	60
11	Interactions of Escherichia coli RNA with bacteriophage MS2 coat protein: genomic SELEX. <i>Nucleic Acids Research</i> , 2000 , 28, E93	20.1	55
10	A thermodynamic analysis of the sequence-specific binding of RNA by bacteriophage MS2 coat protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 9244-	.g ^{11.5}	75
9	RNA Recognition by the MS2 Phage Coat Protein. Seminars in Virology, 1997, 8, 176-185		33
8	Secondary hyperparathyroidism: pathophysiology, histopathology, and medical and surgical management. <i>Surgery Today</i> , 1997 , 27, 787-92	3	19
7	The role of the 5Wintranslated region of eukaryotic messenger RNAs in translation and its investigation using antisense technologies. <i>Progress in Molecular Biology and Translational Science</i> , 1994 , 48, 181-238		14
6	Target-specific arrest of mRNA translation by antisense 2WD-alkyloligoribonucleotides. <i>Nucleic Acids Research</i> , 1994 , 22, 4591-8	20.1	58
5	Reverse transcription using nuclease resistant primers. <i>Nucleic Acids Research</i> , 1993 , 21, 2275-6	20.1	5
4	Translational control of 5-aminolevulinate synthase mRNA by iron-responsive elements in erythroid cells. <i>Journal of Biological Chemistry</i> , 1993 , 268, 5974-8	5.4	142
3	Bradykinin induces formation of inositol phosphates and causes an increase in cytoplasmic Ca2+ in the osteoblastic cell line MC3T3-E1. <i>Journal of Bone and Mineral Research</i> , 1991 , 6, 443-52	6.3	24
2	Identification of a novel iron-responsive element in murine and human erythroid delta-aminolevulinic acid synthase mRNA <i>EMBO Journal</i> , 1991 , 10, 1903-1909	13	244
1	Immune responses in Trichoplusia ni challenged with bacteria or baculoviruses. <i>Insect Biochemistry</i> , 1990 , 20, 537-543		28