

# Ulyses F J Pardiñas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2153447/publications.pdf>

Version: 2024-02-01

60  
papers

1,225  
citations

471509  
17  
h-index

552781  
26  
g-index

66  
all docs

66  
docs citations

66  
times ranked

822  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | New craniodental material of the extinct sigmodontine <i>Olympicomys</i> (Rodentia, Cricetidae) allows a discussion of its tribal affiliation. <i>Historical Biology</i> , 2022, 34, 72-84.                                  | 1.4 | 2         |
| 2  | »A new species of Mindomys (Rodentia, Cricetidae) with remarks on external traits as indicators of arboreality in sigmodontine rodents. <i>Evolutionary Systematics</i> , 2022, 6, 35-55.                                    | 0.7 | 2         |
| 3  | Expert range maps of global mammal distributions harmonised to three taxonomic authorities. <i>Journal of Biogeography</i> , 2022, 49, 979-992.  | 3.0 | 41        |
| 4  | Unlocking Andean sigmodontine diversity: five new species of <i>Chilomys</i> (Rodentia: Cricetidae) from the montane forests of Ecuador. <i>PeerJ</i> , 2022, 10, e13211.  | 2.0 | 7         |
| 5  | Tribal allocation and biogeographical significance of one of the largest sigmodontine rodent, the extinct Galápagos <i>Megaoryzomys</i> (Cricetidae). <i>Historical Biology</i> , 2021, 33, 1920-1932.                       | 1.4 | 7         |
| 6  | A unique cricetid experiment in the northern high-Andean Páramos deserves tribal recognition. <i>Journal of Mammalogy</i> , 2021, 102, 155-172.  | 1.3 | 5         |
| 7  | Morphological similarity and dental homologies in two sigmodontine rodents (Mammalia, Cricetidae) from different tribes: A topological analysis to explore convergence. <i>Journal of Morphology</i> , 2021, 282, 563-573.   | 1.2 | 1         |
| 8  | Taxonomy of <i>Ctenomys</i> (Rodentia: Ctenomyidae) in northwestern Patagonia, Argentina: the occurrence of the ‘mendocinus’ lineage. <i>Mammalia</i> , 2021, 85, 482-486.   | 0.7 | 4         |
| 9  | New radiometric $^{40}\text{Ar}/^{39}\text{Ar}$ dates and faunistic analyses refine evolutionary dynamics of Neogene vertebrate assemblages in southern South America. <i>Scientific Reports</i> , 2021, 11, 9830.           | 3.3 | 38        |
| 10 | Expanding the knowledge on a desert sigmodontine rodent in Central Argentina with remarks on its conservation status. <i>Mammalia</i> , 2021, 85, 568-573.   | 0.7 | 2         |
| 11 | New morphological data on the rare sigmodontine Mindomys hammondi (Rodentia, Cricetidae), an arboreal oryzomyine from north-western Andean montane forests. <i>Neotropical Biology and Conservation</i> , 2021, 16, 397-410. | 0.9 | 1         |
| 12 | Considering challenging insights from a taxonomic misidentification. <i>Zootaxa</i> , 2021, 5047, 192-194.   | 0.5 | 1         |
| 13 | Overlooked diversity in Argentine caviomorph rodents: the need to increase field efforts. <i>Mammalia</i> , 2021, 85, 287-290.   | 0.7 | 1         |
| 14 | Third upper molar enlargement in sigmodontine rodents (Cricetidae): morphological disparity and evolutionary convergence. <i>Mammalia</i> , 2020, 84, 278-282.   | 0.7 | 6         |
| 15 | Swimming behavior and performance of the marsh rat <i>Holochilus vulpinus</i> (Brants, 1827) (Cricetidae). <i>Taxon</i> , 2021, 70, 784-814.   | 0.7 | 1         |
| 16 | Discovery of a new genus record for Paraguay, the Atlantic Forest endemic rodent <i>Abrawayaomys</i> (Cricetidae, Sigmodontinae). <i>Mammalia</i> , 2020, 84, 366-371.   | 0.7 | 6         |
| 17 | A new species of crab-eating rat of the genus <i>Ichthyomys</i>, from Ecuador (Rodentia, Cricetidae). <i>Taxon</i> , 2021, 70, 784-814.  | 0.7 | 1         |
| 18 | Dramatic recent changes in small mammal assemblages from Northern Patagonia: A caution for paleoenvironmental reconstructions. <i>Holocene</i> , 2020, 30, 1579-1590.  | 1.7 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | A new fossil cricetid (Rodentia, Sigmodontinae) from northeastern Brazil with remarks on small mammal extinctions in the tropical Quaternary. <i>Journal of Mammalogy</i> , 2020, 101, 1133-1147.   | 1.3 | 4         |
| 20 | Morphological revision of <i>Copemys loxodon</i> , type species of the Miocene cricetid <i>Copemys</i> (Mammalia, Rodentia): a key to understanding the history of New World cricetids. <i>Journal of Vertebrate Paleontology</i> , 2020, 40, e1772273. | 1.0 | 6         |
| 21 | Gross stomach morphology in akodontine rodents (Cricetidae: Sigmodontinae: Akodontini): a reappraisal of its significance in a phylogenetic context. <i>Journal of Mammalogy</i> , 2020, 101, 835-857.  | 1.3 | 12        |
| 22 | Alpha-taxonomy in the cricetid rodent <i>Neomicroxus</i> , a first assessment. <i>Therya</i> , 2020, 11, 374-389.   | 0.4 | 4         |
| 23 | Micromamáferos, tafonomía y paleoambientes del cuaternario tardío en Tierra del Fuego: Los roedores de tres arroyos 1. <i>Magallania</i> , 2020, 48, 93-122.  | 0.1 | 5         |
| 24 | A new genus of oryzomyine rodents (Cricetidae, Sigmodontinae) with three new species from montane cloud forests, western Andean cordillera of Colombia and Ecuador. <i>PeerJ</i> , 2020, 8, e10247.   | 2.0 | 14        |
| 25 | Holocene small mammals hunted by owls and humans in southern Brazil: taphonomic evidence and biological significance. <i>Boreas</i> , 2019, 48, 953-965.  | 2.4 | 11        |
| 26 | A new nomenclatural system for the study of sigmodontine rodent molars: first step towards an integrative phylogeny of fossil and living cricetids. <i>Biological Journal of the Linnean Society</i> , 2019, 127, 224-244.                              | 1.6 | 16        |
| 27 | The oldest sigmodontine rodent revisited and the age of the first South American cricetids. <i>Journal of Paleontology</i> , 2019, 93, 368-384.   | 0.8 | 11        |
| 28 | &lt;p&gt;&lt;strong&gt;The availability, authorships and dates of tribal names in the Sigmodontinae (Rodentia, Cricetidae) current classification&lt;/strong&gt;&lt;/p&gt;. <i>Bionomina</i> , 2019, 15, 37-50.   | 0.4 | 7         |
| 29 | The Pleistocene record attributed to the cricetid genus <i>Nectomys</i> (Rodentia, Sigmodontinae): unexpected connections. <i>Mammalia</i> , 2018, 82, 201-206.   | 0.7 | 2         |
| 30 | Corrections and emendations to the description of <i>Deltamys araucaria</i> Quintela et al., 2017 (Rodentia, Tj ETQq0 0 0 rgBT /Overlock 10   | 0.5 | 10        |
| 31 | Phylogeny of the tribe Abrotrichini (Cricetidae, Sigmodontinae): integrating morphological and molecular evidence into a new classification. <i>Cladistics</i> , 2017, 33, 153-182.   | 3.3 | 28        |
| 32 | Taxonomic status of <i>Wiedomys marplatensis</i> , an enigmatic fossil cricetid (Rodentia, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T   | 0.7 | 1         |
| 33 | The Last Mystery of the Last Hope: On the Supposed Occurrence of "Megamys" (Mammalia: Rodentia) in Cueva Del Milodón. <i>Ameghiniana</i> , 2017, 54, 247.   | 0.7 | 1         |
| 34 | The taxonomic status of <i>Copemydon ecuadorensis</i> (Rodentia, Cricetidae), a supposedly extinct muroid from the Ecuadorean Quaternary. <i>Mammalia</i> , 2017, 82, 89-92.  | 0.7 | 3         |
| 35 | A matter of weight: Critical comments on the basic data analysed by Maestri et Al. (2016) in <i>Journal of Biogeography</i> , 43, 1192-1202. <i>Journal of Biogeography</i> , 2017, 44, 2673-2677.  | 3.0 | 2         |
| 36 | A Controversial Unit Within The Argentine Neogene: The "cœlrenean" Fauna. <i>Ameghiniana</i> , 2017, 54, 655.   | 0.7 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A new species of arboreal rat, genus <i>Oecomys</i> (Rodentia, Cricetidae) from Chaco. <i>Journal of Mammalogy</i> , 2016, 97, 1177-1196.  | 1.3 | 19        |
| 38 | Post-extinction discovery of a population of the highly endemic colonial tuco-tuco ( <i>Ctenomys</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 1.3 | 12        |
| 39 | Unraveling the patterns of small mammal species richness in the southernmost aridlands of South America. <i>Journal of Arid Environments</i> , 2016, 134, 136-144.   | 2.4 | 9         |
| 40 | A new genus of Sigmodontinae (Mammalia, Rodentia, Cricetidae) from the Pliocene of central Argentina. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1199557.  | 1.0 | 7         |
| 41 | New data on <i>Abrawayaomys chebezi</i> (Rodentia, Cricetidae), a poorly known South American sylvan rodent. <i>Mammalia</i> , 2016, 80, .   | 0.7 | 5         |
| 42 | A new genus of sigmodontine rodent from eastern Brazil and the origin of the tribe Phyllotini. <i>Journal of Mammalogy</i> , 2014, 95, 201-215.  | 1.3 | 35        |
| 43 | Last glacial maximum environments in northwestern Patagonia revealed by fossil small mammals. <i>Quaternary Research</i> , 2014, 82, 198-208.  | 1.7 | 16        |
| 44 | The phylogenetic position of the enigmatic Atlantic forest-endemic spiny mouse <i>Abrawayaomys</i> (Rodentia: Sigmodontinae). <i>Zoological Studies</i> , 2013, 52, .  | 0.3 | 15        |
| 45 | Dating an impressive Neotropical radiation: Molecular time estimates for the Sigmodontinae (Rodentia) provide insights into its historical biogeography. <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 960-968.     | 2.7 | 102       |
| 46 | A phylogenetic appraisal of Sigmodontinae (Rodentia, <scp>C</scp>ricetidae) with emphasis on phyllotine genera: systematics and biogeography. <i>Zoologica Scripta</i> , 2013, 42, 250-261.                                    | 1.7 | 64        |
| 47 | Mammalian Biogeography of Patagonia and Tierra Del Fuego. , 2012, , 379-398.   |     | 7         |
| 48 | Historia fÃ³sil de las ratas palustres de los gÃ©neros &lt;i&gt;Holochilus&lt;/i&gt; y &lt;i&gt;Lundomys&lt;/i&gt; (Cricetidae, Sigmodontinae) en el Cono Sur de AmÃ©rica del Sur. <i>Estudios Geologicos</i> , 2011, 67, 111. | 0.2 | 23        |
| 49 | The evolutionary history of sigmodontine rodents in Patagonia and Tierra del Fuego. <i>Biological Journal of the Linnean Society</i> , 2011, 103, 495-513.   | 1.6 | 55        |
| 50 | The Akodon boliviensis species group (Rodentia: Cricetidae: Sigmodontinae) in Argentina: species limits and distribution, with the description of a new entity. <i>Zootaxa</i> , 2010, 2409, 1.                                | 0.5 | 47        |
| 51 | Systematics of the southern Patagonian-Fuegian endemic <i>Abrothrix lanosus</i> (Rodentia:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 75, 122-137.   | 1.5 | 21        |
| 52 | Taxonomy and distribution of <i>Abrawayaomys</i> (Rodentia: Cricetidae), an Atlantic Forest endemic with the description of a new species. <i>Zootaxa</i> , 2009, 2128, 39-60.   | 0.5 | 22        |
| 53 | New data on the endemic Patagonian long-clawed mouse <i>Notiomys edwardsii</i> (Rodentia: Cricetidae). <i>Mammalia</i> , 2008, 72, .   | 0.7 | 11        |
| 54 | A New Genus of Oryzomyine Rodent (Cricetidae: Sigmodontinae) from the Pleistocene of Argentina. <i>Journal of Mammalogy</i> , 2008, 89, 1270-1278.   | 1.3 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A new species of the genus <i>Oxymycterus</i> (Mammalia: Rodentia: Cricetidae) from the vanishing Yungas of Argentina. <i>Zootaxa</i> , 2008, 1911, 31-51.                                   | 0.5 | 22        |
| 56 | Rediscovery of <i>Juliomys pictipes</i> (Rodentia: Cricetidae) in Argentina: emended diagnosis, geographic distribution, and insights on genetic structure. <i>Zootaxa</i> , 2008, 1758, 29. | 0.5 | 14        |
| 57 | <i>Reithrodon auritus</i> . <i>Mammalian Species</i> , 2001, 664, 1-8.   | 0.7 | 20        |
| 58 | A NEW FOSSIL PHYLLOTINE (RODENTIA: MURIDAE) FROM NORTHWESTERN ARGENTINA AND RELATIONSHIPS OF THEREITHRODONGROUP. <i>Journal of Mammalogy</i> , 2000, 81, 37-51.                              | 1.3 | 21        |
| 59 | Two new fossil muroids (Sigmodontinae: Phyllotini) from the early Pleistocene of Argentina: phylogeny and paleoecology. <i>Journal of Vertebrate Paleontology</i> , 1998, 18, 640-649.       | 1.0 | 21        |
| 60 | Fossil rodents in Mylodon Cave as indicators of late Pleistocene-Holocene environmental evolution in southern Chile. <i>Quaternary Research</i> , 0, , 1-17.                                 | 1.7 | 3         |