

Fumihiko Sato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2153875/publications.pdf>

Version: 2024-02-01

238
papers

10,018
citations

28190

55
h-index

48187

88
g-index

245
all docs

245
docs citations

245
times ranked

7806
citing authors

#	ARTICLE	IF	CITATIONS
1	PGP4, an ATP Binding Cassette P-Glycoprotein, Catalyzes Auxin Transport in Arabidopsis thaliana Roots. <i>Plant Cell</i> , 2005, 17, 2922-2939.	3.1	328
2	Microbial production of plant benzyloquinoline alkaloids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7393-7398.	3.3	307
3	Involvement of CjMDR1, a plant multidrug-resistance-type ATP-binding cassette protein, in alkaloid transport in <i>Coptis japonica</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 751-756.	3.3	256
4	A bacterial platform for fermentative production of plant alkaloids. <i>Nature Communications</i> , 2011, 2, 326.	5.8	241
5	Nitrogen Recycling and Remobilization Are Differentially Controlled by Leaf Senescence and Development Stage in Arabidopsis under Low Nitrogen Nutrition. <i>Plant Physiology</i> , 2008, 147, 1437-1449.	2.3	237
6	High berberine-producing cultures of <i>coptis japonica</i> cells. <i>Phytochemistry</i> , 1984, 23, 281-285.	1.4	222
7	The role of chloroplastic NAD(P)H dehydrogenase in photoprotection. <i>FEBS Letters</i> , 1999, 457, 5-8.	1.3	210
8	Molecular Characterization of the S-Adenosyl-L-methionine:3- β -Hydroxy-N-methylcoclaurine 4- β -O-Methyltransferase Involved in Isoquinoline Alkaloid Biosynthesis in <i>Coptis japonica</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 23398-23405.	1.6	181
9	Roles of miR319 and TCP Transcription Factors in Leaf Development. <i>Plant Physiology</i> , 2017, 175, 874-885.	2.3	175
10	PsbP Protein, But Not PsbQ Protein, Is Essential for the Regulation and Stabilization of Photosystem II in Higher Plants. <i>Plant Physiology</i> , 2005, 139, 1175-1184.	2.3	171
11	Molecular Cloning and Characterization of CYP719, a Methylenedioxy Bridge-forming Enzyme That Belongs to a Novel P450 Family, from cultured <i>Coptis japonica</i> Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 38557-38565.	1.6	170
12	Unusual P450 reactions in plant secondary metabolism. <i>Archives of Biochemistry and Biophysics</i> , 2011, 507, 194-203.	1.4	165
13	Total biosynthesis of opiates by stepwise fermentation using engineered <i>Escherichia coli</i> . <i>Nature Communications</i> , 2016, 7, 10390.	5.8	160
14	Identification of a WRKY Protein as a Transcriptional Regulator of Benzyloquinoline Alkaloid Biosynthesis in <i>Coptis japonica</i> . <i>Plant and Cell Physiology</i> , 2007, 48, 8-18.	1.5	153
15	Molecular Cloning and Characterization of CoclaurineN-Methyltransferase from Cultured Cells of <i>Coptis japonica</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 830-835.	1.6	146
16	The DNA-binding protease, CND41, and the degradation of ribulose-1,5-bisphosphate carboxylase/oxygenase in senescent leaves of tobacco. <i>Planta</i> , 2004, 220, 97-104.	1.6	138
17	Distinct Functions for the Two PsbP-Like Proteins PPL1 and PPL2 in the Chloroplast Thylakoid Lumen of Arabidopsis. <i>Plant Physiology</i> , 2007, 145, 668-679.	2.3	134
18	Geranyl Diphosphate:4-Hydroxybenzoate Geranyltransferase from <i>Lithospermum erythrorhizon</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 6240-6246.	1.6	133

#	ARTICLE	IF	CITATIONS
19	From The Cover: Differential use of two cyclic electron flows around photosystem I for driving CO ₂ -concentration mechanism in C ₄ photosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16898-16903.	3.3	132
20	Molecular Cloning and Characterization of CYP80G2, a Cytochrome P450 That Catalyzes an Intramolecular C=C Phenol Coupling of (S)-Reticuline in Magnoflorine Biosynthesis, from Cultured <i>Coptis japonica</i> Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 8810-8821.	1.6	130
21	Crystal structure of tobacco PR-5d protein at 1.8 Å... resolution reveals a conserved acidic cleft structure in antifungal thaumatin-like proteins 1 Edited by R. Huber. <i>Journal of Molecular Biology</i> , 1999, 286, 1137-1145.	2.0	126
22	Metabolic engineering of plant alkaloid biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 367-72.	3.3	124
23	Functional Analysis of Norcochlorine Synthase in <i>Coptis japonica</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 6274-6282.	1.6	118
24	Characterization of Vacuolar Transport of the Endogenous Alkaloid Berberine in <i>Coptis japonica</i> . <i>Plant Physiology</i> , 2005, 138, 1939-1946.	2.3	115
25	A novel protein with DNA binding activity from tobacco chloroplast nucleoids.. <i>Plant Cell</i> , 1997, 9, 1673-1682.	3.1	112
26	Knockdown of berberine bridge enzyme by RNAi accumulates (S)-reticuline and activates a silent pathway in cultured California poppy cells. <i>Transgenic Research</i> , 2007, 16, 363-375.	1.3	107
27	Molecular cloning and characterization of methylenedioxy bridge-forming enzymes involved in stylophine biosynthesis in <i>Eschscholzia californica</i> . <i>FEBS Journal</i> , 2007, 274, 1019-1035.	2.2	104
28	A Regulatory Cascade Involving Class II ETHYLENE RESPONSE FACTOR Transcriptional Repressors Operates in the Progression of Leaf Senescence. <i>Plant Physiology</i> , 2013, 162, 991-1005.	2.3	103
29	Crystal structure of the PsbP protein of photosystem II from <i>Nicotiana tabacum</i> . <i>EMBO Reports</i> , 2004, 5, 362-367.	2.0	99
30	Ethylene-Induced Gene Expression of Osmotin-Like Protein, a Neutral Isoform of Tobacco PR-5, is Mediated by the AGCCGCC cis-Sequence. <i>Plant and Cell Physiology</i> , 1996, 37, 249-255.	1.5	91
31	Overexpression of <i>Coptis japonica</i> Norcochlorine 6-O-Methyltransferase Overcomes the Rate-Limiting Step in Benzylisoquinoline Alkaloid Biosynthesis in Cultured <i>Eschscholzia californica</i> . <i>Plant and Cell Physiology</i> , 2007, 48, 252-262.	1.5	88
32	Post-translational regulation of CND41 protease activity in senescent tobacco leaves. <i>Planta</i> , 2005, 222, 643-651.	1.6	86
33	CYP719A subfamily of cytochrome P450 oxygenases and isoquinoline alkaloid biosynthesis in <i>Eschscholzia californica</i> . <i>Plant Cell Reports</i> , 2009, 28, 123-133.	2.8	85
34	Three novel subunits of Arabidopsis chloroplastic NAD(P)H dehydrogenase identified by bioinformatic and reverse genetic approaches. <i>Plant Journal</i> , 2009, 57, 207-219.	2.8	82
35	Molecular cloning of columbamine O-methyltransferase from cultured <i>Coptis japonica</i> cells. <i>FEBS Journal</i> , 2002, 269, 5659-5667.	0.2	81
36	Purification and Characterization of S-adenosyl-l-methionine:norcochlorine 6-O-Methyltransferase from Cultured <i>Coptis japonica</i> Cells. <i>FEBS Journal</i> , 1994, 225, 125-131.	0.2	80

#	ARTICLE	IF	CITATIONS
37	Functional dissection of two Arabidopsis PsbO proteins. FEBS Journal, 2005, 272, 2165-2175.	2.2	80
38	Functional Analysis of Arabidopsis Ethylene-Responsive Element Binding Protein Conferring Resistance to Bax and Abiotic Stress-Induced Plant Cell Death. Plant Physiology, 2005, 138, 1436-1445.	2.3	80
39	Protease activity of CND41, a chloroplast nucleoid DNA-binding protein, isolated from cultured tobacco cells. FEBS Letters, 2000, 468, 15-18.	1.3	79
40	Characterization of an Arabidopsis thaliana mutant with impaired psbO, one of two genes encoding extrinsic 33-kDa proteins in photosystem II. FEBS Letters, 2002, 523, 138-142.	1.3	74
41	Isoquinoline Alkaloid Biosynthesis is Regulated by a Unique bHLH-Type Transcription Factor in Coptis japonica. Plant and Cell Physiology, 2011, 52, 1131-1141.	1.5	74
42	Characterization of Coptis japonica CjABCB2, an ATP-binding cassette protein involved in alkaloid transport. Phytochemistry, 2013, 91, 109-116.	1.4	71
43	Three PsbQ-Like Proteins are Required for the Function of the Chloroplast NAD(P)H Dehydrogenase Complex in Arabidopsis. Plant and Cell Physiology, 2010, 51, 866-876.	1.5	70
44	Limonene production in tobacco with Perilla limonene synthase cDNA. Journal of Experimental Botany, 2003, 54, 2635-2642.	2.4	67
45	Metabolic Engineering in Isoquinoline Alkaloid Biosynthesis. Current Pharmaceutical Biotechnology, 2007, 8, 211-218.	0.9	66
46	Characterization of berberine transport into Coptis japonica cells and the involvement of ABC protein. Journal of Experimental Botany, 2002, 53, 1879-1886.	2.4	65
47	Molecular functions of PsbP and PsbQ proteins in the photosystem II supercomplex. Journal of Photochemistry and Photobiology B: Biology, 2011, 104, 158-164.	1.7	64
48	Molecular cloning and characterization of a cytochrome P450 in sanguinarine biosynthesis from Eschscholzia californica cells. Phytochemistry, 2013, 91, 100-108.	1.4	64
49	Structure, function, and evolution of the PsbP protein family in higher plants. Photosynthesis Research, 2008, 98, 427-437.	1.6	63
50	A Novel Dark-Inducible Protein, LeDI-2, and Its Involvement in Root-Specific Secondary Metabolism in Lithospermum erythrorhizon. Plant Physiology, 2001, 125, 1831-1841.	2.3	61
51	Engineering of ubiquinone biosynthesis using the yeast coq2 gene confers oxidative stress tolerance in transgenic tobacco. Plant Journal, 2004, 40, 734-743.	2.8	58
52	A Role of TCP1 in the Longitudinal Elongation of Leaves in Arabidopsis. Bioscience, Biotechnology and Biochemistry, 2010, 74, 2145-2147.	0.6	58
53	Asymmetric synthesis of tetrahydroisoquinolines by enzymatic Pictet-Spengler reaction. Bioscience, Biotechnology and Biochemistry, 2014, 78, 701-707.	0.6	58
54	(R,S)-Tetrahydropapaveroline production by stepwise fermentation using engineered Escherichia coli. Scientific Reports, 2014, 4, 6695.	1.6	57

#	ARTICLE	IF	CITATIONS
55	Production of berberine in cultured cells of <i>Coptis japonica</i> . <i>Phytochemistry</i> , 1981, 20, 545-547.	1.4	56
56	FTIR Evidence That the PsbP Extrinsic Protein Induces Protein Conformational Changes around the Oxygen-Evolving Mn Cluster in Photosystem II. <i>Biochemistry</i> , 2009, 48, 6318-6325.	1.2	56
57	Molecular Functions of Oxygen-Evolving Complex Family Proteins in Photosynthetic Electron Flow. <i>Journal of Integrative Plant Biology</i> , 2010, 52, 723-734.	4.1	56
58	Differential electron flow around photosystem I by two C4-photosynthetic-cell-specific ferredoxins. <i>EMBO Journal</i> , 2000, 19, 5041-5050.	3.5	54
59	Knockdown of the PsbP protein does not prevent assembly of the dimeric PSII core complex but impairs accumulation of photosystem II supercomplexes in tobacco. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2009, 1787, 873-881.	0.5	53
60	NDH-Mediated Cyclic Electron Flow Around Photosystem I is Crucial for C ₄ Photosynthesis. <i>Plant and Cell Physiology</i> , 2016, 57, 2020-2028.	1.5	53
61	Shikonin biosynthesis in <i>Lithospermum erythrorhizon</i> . Light-induced negative regulation of secondary metabolism.. <i>Plant Biotechnology</i> , 1999, 16, 335-342.	0.5	51
62	Improved Salt Tolerance of Transgenic Tobacco Expressing Apoplastic Yeast-Derived Invertase. <i>Plant and Cell Physiology</i> , 2001, 42, 245-249.	1.5	49
63	The PsbQ protein stabilizes the functional binding of the PsbP protein to photosystem II in higher plants. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, 1346-1351.	0.5	48
64	Characterization of Accumulation of Tobacco PR-5 Proteins by IEF-Immunoblot Analysis. <i>Plant and Cell Physiology</i> , 1994, 35, 821-827.	1.5	46
65	Cross-linking Evidence for Multiple Interactions of the PsbP and PsbQ Proteins in a Higher Plant Photosystem II Supercomplex. <i>Journal of Biological Chemistry</i> , 2014, 289, 20150-20157.	1.6	45
66	Entrapment of <i>Lavandula vera</i> cells with synthetic resin prepolymers and its application to pigment production. <i>Applied Microbiology and Biotechnology</i> , 1986, 24, 266.	1.7	44
67	Selection of an atrazine-resistant tobacco cell line having a mutant psbA gene. <i>Molecular Genetics and Genomics</i> , 1988, 214, 358-360.	2.4	44
68	Characterization of Shikonin Derivative Secretion in <i>Lithospermum erythrorhizon</i> Hairy Roots as a Model of Lipid-Soluble Metabolite Secretion from Plants. <i>Frontiers in Plant Science</i> , 2016, 7, 1066.	1.7	44
69	Microbial production of novel sulphated alkaloids for drug discovery. <i>Scientific Reports</i> , 2018, 8, 7980.	1.6	44
70	Purification and characterization of coclaurine N-methyltransferase from cultured <i>Coptis japonica</i> cells. <i>Phytochemistry</i> , 2001, 56, 649-655.	1.4	43
71	Stable transformation of <i>Lithospermum erythrorhizon</i> by <i>Agrobacterium rhizogenes</i> and shikonin production of the transformants. <i>Plant Cell Reports</i> , 1998, 18, 214-219.	2.8	42
72	Importance of the N-terminal sequence of the extrinsic 23 kDa polypeptide in Photosystem II in ion retention in oxygen evolution. <i>BBA - Proteins and Proteomics</i> , 2001, 1546, 196-204.	2.1	42

#	ARTICLE	IF	CITATIONS
73	Ribosomal RNA processing and an RNase R family member in chloroplasts of Arabidopsis. <i>Plant Molecular Biology</i> , 2004, 55, 595-606.	2.0	42
74	Entrapment of <i>Lavandula vera</i> cells and production of pigments by entrapped cells. <i>Journal of Biotechnology</i> , 1985, 2, 107-117.	1.9	41
75	The Mechanism of Herbicide Resistance in Tobacco Cells with a New Mutation in the Q _B Protein. <i>Plant Physiology</i> , 1989, 89, 986-992.	2.3	41
76	A novel <i>Coptis japonica</i> multidrug-resistant protein preferentially expressed in the alkaloid-accumulating rhizome. <i>Journal of Experimental Botany</i> , 2001, 52, 877-879.	2.4	41
77	Mining of the Uncharacterized Cytochrome P450 Genes Involved in Alkaloid Biosynthesis in California Poppy Using a Draft Genome Sequence. <i>Plant and Cell Physiology</i> , 2018, 59, 222-233.	1.5	41
78	The function of <i>ETHYLENE RESPONSE FACTOR</i> genes in the light-induced anthocyanin production of <i>Arabidopsis thaliana</i> leaves. <i>Plant Biotechnology</i> , 2018, 35, 87-91.	0.5	41
79	Isolation of tobacco ubiquitin-conjugating enzyme cDNA in a yeast two-hybrid system with tobacco ERF3 as bait and its characterization of specific interaction. <i>Journal of Experimental Botany</i> , 2003, 54, 1175-1181.	2.4	40
80	Nucleotide Sequence of a cDNA for Osmotin-Like Protein from Cultured Tobacco Cells. <i>Plant Physiology</i> , 1991, 97, 844-846.	2.3	39
81	S-adenosyl-L-methionine: Scoulerine-9-O-methyltransferase from cultured <i>Coptis japonica</i> cells. <i>Phytochemistry</i> , 1993, 32, 659-664.	1.4	39
82	NDF6: A Thylakoid Protein Specific to Terrestrial Plants is Essential for Activity of Chloroplastic NAD(P)H Dehydrogenase in Arabidopsis. <i>Plant and Cell Physiology</i> , 2008, 49, 1066-1073.	1.5	39
83	<i>Listeria monocytogenes</i> Strain-Specific Impairment of the TetR Regulator Underlies the Drastic Increase in Cyclic di-AMP Secretion and Beta Interferon-Inducing Ability. <i>Infection and Immunity</i> , 2012, 80, 2323-2332.	1.0	39
84	Transcription Factors in Alkaloid Biosynthesis. <i>International Review of Cell and Molecular Biology</i> , 2013, 305, 339-382.	1.6	39
85	Heterologous Expression of a Mammalian ABC Transporter in Plant and its Application to Phytoremediation. <i>Plant Molecular Biology</i> , 2006, 61, 491-503.	2.0	37
86	A Truncated Mutant of the Extrinsic 23-kDa Protein that Absolutely Requires the Extrinsic 17-kDa Protein for Ca ²⁺ Retention in Photosystem II. <i>Plant and Cell Physiology</i> , 2002, 43, 1244-1249.	1.5	36
87	The Conserved His-144 in the PsbP Protein Is Important for the Interaction between the PsbP N-terminus and the Cyt b559 Subunit of Photosystem II. <i>Journal of Biological Chemistry</i> , 2012, 287, 26377-26387.	1.6	36
88	Generation of serrated and wavy petals by inhibition of the activity of TCP transcription factors in <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 697-699.	1.2	35
89	CjbHLH1 homologs regulate sanguinarine biosynthesis in <i>Eschscholzia californica</i> cells. <i>Plant and Cell Physiology</i> , 2015, 56, 1019-1030.	1.5	35
90	Expression of (s)-scoulerine 9-O-methyltransferase in <i>Coptis japonica</i> plants. <i>Phytochemistry</i> , 1993, 34, 949-954.	1.4	34

#	ARTICLE	IF	CITATIONS
91	Wounding activates immediate early transcription of genes for ERFs in tobacco plants. <i>Plant Molecular Biology</i> , 2002, 49, 473-482.	2.0	34
92	Functional Analysis of Four Members of the PsbP Family in Photosystem II in <i>Nicotiana tabacum</i> using Differential RNA Interference. <i>Plant and Cell Physiology</i> , 2005, 46, 1885-1893.	1.5	33
93	In Vivo ¹⁵ N-Enrichment of Metabolites in Suspension Cultured Cells and Its Application to Metabolomics. <i>Biotechnology Progress</i> , 2006, 22, 1003-1011.	1.3	33
94	Structure and function of the PsbP protein of Photosystem II from higher plants. <i>Photosynthesis Research</i> , 2005, 84, 251-255.	1.6	31
95	Bench-top fermentative production of plant benzylisoquinoline alkaloids using a bacterial platform. <i>Bioengineered</i> , 2012, 3, 49-53.	1.4	31
96	Accumulation of the components of cyclic electron flow around photosystem I in C4 plants, with respect to the requirements for ATP. <i>Photosynthesis Research</i> , 2016, 129, 261-277.	1.6	31
97	Unraveling Additional O-Methylation Steps in Benzylisoquinoline Alkaloid Biosynthesis in California Poppy (<i>Eschscholzia californica</i>). <i>Plant and Cell Physiology</i> , 2017, 58, 1528-1540.	1.5	31
98	A Novel Nuclear-Encoded Protein, NDH-Dependent Cyclic Electron Flow 5, is Essential for the Accumulation of Chloroplast NAD(P)H Dehydrogenase Complexes. <i>Plant and Cell Physiology</i> , 2008, 50, 383-393.	1.5	30
99	Characterization of Plant Functions Using Cultured Plant Cells, and Biotechnological Applications. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1-9.	0.6	30
100	Physiological Functions of PsbS-dependent and PsbS-independent NPQ under Naturally Fluctuating Light Conditions. <i>Plant and Cell Physiology</i> , 2014, 55, 1286-1295.	1.5	30
101	PGR5 and NDH Pathways in Photosynthetic Cyclic Electron Transfer Respond Differently to Sublethal Treatment with Photosystem-Interfering Herbicides. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 4083-4089.	2.4	30
102	A multidrug and toxic compound extrusion transporter mediates berberine accumulation into vacuoles in <i>Coptis japonica</i> . <i>Phytochemistry</i> , 2017, 138, 76-82.	1.4	30
103	Post-illumination Reduction of the Plastoquinone Pool in Chloroplast Transformants in which Chloroplastic NAD(P)H Dehydrogenase was Inactivated. <i>Bioscience, Biotechnology and Biochemistry</i> , 2002, 66, 2107-2111.	0.6	29
104	<i>Thalictrum minus</i> cell cultures and ABC-like transporter. <i>Phytochemistry</i> , 2003, 62, 483-489.	1.4	29
105	Stromal Over-reduction by High-light Stress as Measured by Decreases in P700 Oxidation by Far-red Light and its Physiological Relevance. <i>Plant and Cell Physiology</i> , 2005, 46, 775-781.	1.5	29
106	13-Methylberberine, a berberine analogue with stronger anti-adipogenic effects on mouse 3T3-L1 cells. <i>Scientific Reports</i> , 2016, 6, 38129.	1.6	29
107	Sequence analysis of cDNA encoding phosphoenolpyruvate carboxylase from cultured tobacco cells. <i>Plant Molecular Biology</i> , 1991, 17, 535-539.	2.0	28
108	Synthesis and Secretion of Tobacco Neutral PR-5 Protein by Transgenic Tobacco and Yeast. <i>Biochemical and Biophysical Research Communications</i> , 1995, 211, 909-913.	1.0	27

#	ARTICLE	IF	CITATIONS
109	Improvement of Reticuline Productivity from Dopamine by Using Engineered <i>Escherichia coli</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 2166-2168.	0.6	27
110	Tyrosine phosphorylation and protein degradation control the transcriptional activity of WRKY involved in benzylisoquinoline alkaloid biosynthesis. <i>Scientific Reports</i> , 2016, 6, 31988.	1.6	27
111	Inhibition of Photosystem II of Spinach by Lichen-derived Depsides. <i>Bioscience, Biotechnology and Biochemistry</i> , 1998, 62, 2023-2027.	0.6	26
112	Characterization of <i>Coptis japonica</i> cells with different alkaloid productivities. <i>Plant Cell, Tissue and Organ Culture</i> , 1994, 38, 249-256.	1.2	25
113	Selection and Characterization of Protoporphyrinogen Oxidase Inhibiting Herbicide (S23142) Resistant Photomixotrophic Cultured Cells of <i>Nicotiana tabacum</i> . <i>Journal of Plant Physiology</i> , 1995, 146, 693-698.	1.6	25
114	Molecular characterization of O-methyltransferases involved in isoquinoline alkaloid biosynthesis in <i>Coptis japonica</i> . <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2010, 86, 757-768.	1.6	25
115	Microbial production of isoquinoline alkaloids as plant secondary metabolites based on metabolic engineering research. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2013, 89, 165-182.	1.6	25
116	Basic helix-loop-helix transcription factors and regulation of alkaloid biosynthesis. <i>Plant Signaling and Behavior</i> , 2011, 6, 1627-1630.	1.2	24
117	Diurnal and Developmental Changes in Energy Allocation of Absorbed Light at PSII in Field-Grown Rice. <i>Plant and Cell Physiology</i> , 2014, 55, 171-182.	1.5	24
118	The N-terminal sequence of the extrinsic PsbP protein modulates the redox potential of Cyt b559 in photosystem II. <i>Scientific Reports</i> , 2016, 6, 21490.	1.6	24
119	A comparison of effects of several herbicides on photoautotrophic, photomixotrophic and heterotrophic cultured tobacco cells and seedlings. <i>Plant Cell Reports</i> , 1987, 6, 401-404.	2.8	24
120	An efficient method of selecting photoautotrophic cells from cultured heterogeneous cells. <i>Plant and Cell Physiology</i> , 1980, 21, 929-932.	1.5	23
121	Allocation of Absorbed Light Energy in PSII to Thermal Dissipations in the Presence or Absence of PsbS Subunits of Rice. <i>Plant and Cell Physiology</i> , 2011, 52, 1822-1831.	1.5	23
122	Chloroplastic NAD(P)H dehydrogenase complex and cyclic electron transport around photosystem I. <i>Molecules and Cells</i> , 2008, 25, 158-62.	1.0	23
123	A binding model for phenylurea herbicides based on analysis of a Thr264 mutation in the D-1 protein of tobacco. <i>Pesticide Biochemistry and Physiology</i> , 1989, 35, 33-41.	1.6	22
124	CND41, a chloroplast nucleoid protein that regulates plastid development, causes reduced gibberellin content and dwarfism in tobacco. <i>Physiologia Plantarum</i> , 2003, 117, 130-136.	2.6	22
125	Identification of the basic amino acid residues on the PsbP protein involved in the electrostatic interaction with photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 1447-1453.	0.5	21
126	Transcriptional activation of phosphoenolpyruvate carboxylase by phosphorus deficiency in tobacco. <i>Journal of Experimental Botany</i> , 2003, 54, 961-969.	2.4	20

#	ARTICLE	IF	CITATIONS
127	Transient RNA Silencing of Scoulerine 9-O-Methyltransferase Expression by Double Stranded RNA in <i>Coptis japonica</i> Protoplasts. <i>Bioscience, Biotechnology and Biochemistry</i> , 2005, 69, 63-70.	0.6	20
128	Improvement of Benzylisoquinoline Alkaloid Productivity by Overexpression of 3- ² -Hydroxy-N-methylcoclaurine 4- ² -O-Methyltransferase in Transgenic <i>Coptis japonica</i> Plants. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 650-659.	0.6	20
129	Pathway engineering of benzylisoquinoline alkaloid biosynthesis in transgenic California poppy cells with ectopic expression of tetrahydroberberine oxidase from <i>Coptis japonica</i> . <i>Plant Biotechnology</i> , 2012, 29, 473-481.	0.5	20
130	Overproduction of PGR5 enhances the electron sink downstream of photosystem I in a <i>C₄</i> plant, <i>Flaveria bidentis</i> . <i>Plant Journal</i> , 2020, 103, 814-823.	2.8	20
131	In Vivo Bioconversion of Tetrahydroisoquinoline by Recombinant Coclaurine N-Methyltransferase. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 939-941.	0.6	19
132	Structures of the three homoeologous loci of wheat benzoxazinone biosynthetic genes TaBx3 and TaBx4 and characterization of their promoter sequences. <i>Theoretical and Applied Genetics</i> , 2008, 116, 373-381.	1.8	19
133	Metabolic Diversification of Benzylisoquinoline Alkaloid Biosynthesis Through the Introduction of a Branch Pathway in <i>Eschscholzia californica</i> . <i>Plant and Cell Physiology</i> , 2010, 51, 949-959.	1.5	18
134	Light energy allocation at PSII under field light conditions: How much energy is lost in NPQ-associated dissipation?. <i>Plant Physiology and Biochemistry</i> , 2014, 81, 115-120.	2.8	18
135	Laboratory-scale production of (<i>S</i>)-reticuline, an important intermediate of benzylisoquinoline alkaloids, using a bacterial-based method. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 396-402.	0.6	18
136	Genome-wide identification of AP2/ERF transcription factor-encoding genes in California poppy (<i>Eschscholzia californica</i>) and their expression profiles in response to methyl jasmonate. <i>Scientific Reports</i> , 2020, 10, 18066.	1.6	18
137	Modulation of benzylisoquinoline alkaloid biosynthesis by heterologous expression of CjWRKY1 in <i>Eschscholzia californica</i> cells. <i>PLoS ONE</i> , 2017, 12, e0186953.	1.1	18
138	Electron transport activities of <i>Arabidopsis thaliana</i> mutants with impaired chloroplastic NAD(P)H dehydrogenase. <i>Journal of Plant Research</i> , 2008, 121, 521-526.	1.2	17
139	Engineering Formation of Medicinal Compounds in Cell Cultures. <i>Advances in Plant Biochemistry and Molecular Biology</i> , 2008, 1, 311-345.	0.5	17
140	Efficient microbial production of stylopine using a <i>Pichia pastoris</i> expression system. <i>Scientific Reports</i> , 2016, 6, 22201.	1.6	17
141	Bowmanâ€“Birk Proteinase Inhibitor Confers Heavy Metal and Multiple Drug Tolerance in Yeast. <i>Plant and Cell Physiology</i> , 2007, 48, 193-197.	1.5	16
142	Over-expression of Rate-Limiting Enzymes to Improve Alkaloid Productivity. <i>Methods in Molecular Biology</i> , 2010, 643, 95-109.	0.4	16
143	Characterization of the Promoter Region of Biosynthetic Enzyme Genes Involved in Berberine Biosynthesis in <i>Coptis japonica</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 1352.	1.7	16
144	Specific RNA Interference in psbP Genes Encoded by a Multigene Family in <i>Nicotiana tabacum</i> with a Short 3â€“Untranslated Sequence. <i>Bioscience, Biotechnology and Biochemistry</i> , 2003, 67, 107-113.	0.6	15

#	ARTICLE	IF	CITATIONS
145	Cyclic electron transport around photosystem I and its relationship to non-photochemical quenching in the unicellular green alga <i>Dunaliella salina</i> under nitrogen deficiency. <i>Journal of Plant Research</i> , 2013, 126, 179-186.	1.2	15
146	Genome-Wide Profiling of WRKY Genes Involved in Benzylisoquinoline Alkaloid Biosynthesis in California Poppy (<i>Eschscholzia californica</i>). <i>Frontiers in Plant Science</i> , 2021, 12, 699326.	1.7	15
147	Induction of pigment production by S-containing compounds in cultured <i>Lavandula vera</i> cells.. <i>Agricultural and Biological Chemistry</i> , 1985, 49, 533-534.	0.3	14
148	Isolation of Putative Glycoprotein Gene from Early Somatic Embryo of Carrot and its Possible Involvement in Somatic Embryo Development. <i>Plant and Cell Physiology</i> , 2004, 45, 1658-1668.	1.5	14
149	Transcription Factors in Alkaloid Engineering. <i>Biomolecules</i> , 2021, 11, 1719.	1.8	14
150	Influence of carbon source on pigment production by immobilized cultured cells of <i>Lavandula vera</i> . <i>Journal of Bioscience and Bioengineering</i> , 1989, 68, 330-333.	0.9	13
151	Photosynthetic Characteristics of Photoautotrophically Cultured Cells of Tobacco. <i>Plant and Cell Physiology</i> , 1989, 30, 885-891.	1.5	13
152	Constitutive expression of the neutral PR-5 (OLP, PR-5d) gene in roots and cultured cells of tobacco is mediated by ethylene-responsive cis -element AGCCGCC sequences. <i>Plant Cell Reports</i> , 1998, 18, 173-179.	2.8	13
153	Application of Vanadate-Induced Nucleotide Trapping to Plant Cells for Detection of ABC Proteins. <i>Plant and Cell Physiology</i> , 2003, 44, 198-200.	1.5	13
154	Inhibition of PSII in Atrazine-Tolerant Tobacco Cells by Barbatic Acid, a Lichen-Derived Depside. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 266-268.	0.6	13
155	Engineering the biosynthesis of low molecular weight metabolites for quality traits (essential) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.5	13
156	11-Hydroxylation of Protoberberine by the Novel Berberine-Utilizing Aerobic Bacterium <i>Sphingobium</i> sp. Strain BD3100. <i>Journal of Natural Products</i> , 2015, 78, 2880-2886.	1.5	12
157	Pigment synthesis by immobilized cultured cells of <i>Lavandula vera</i> and characterization of a component of the pigments.. <i>Agricultural and Biological Chemistry</i> , 1990, 54, 53-59.	0.3	11
158	Crystallization and preliminary crystallographic studies on the extrinsic 23 kDa protein in the oxygen-evolving complex of photosystem II. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003, 59, 1462-1463.	2.5	11
159	RNAi and functional genomics. <i>Plant Biotechnology</i> , 2005, 22, 431-442.	0.5	11
160	Enantiomeric separation of racemic 1-benzyl-N-methyltetrahydroisoquinolines on chiral columns and chiral purity determinations of the O-methylated metabolites in plant cell cultures by HPLC-CD on-line coupling in combination with HPLC-MS. <i>Phytochemistry</i> , 2009, 70, 198-206.	1.4	11
161	Dihydrosanguinarine Enhances Glucose Uptake in Mouse 3T3-L1 Cells. <i>ACS Omega</i> , 2017, 2, 6916-6925.	1.6	11
162	Cell Growth and Organ Differentiation in Cultured Tobacco Cells under Spaceflight Condition.. <i>Uchu Seibutsu Kagaku</i> , 1999, 13, 18-24.	1.0	10

#	ARTICLE	IF	CITATIONS
163	Metabolic Engineering in Alkaloid Biosynthesis: Case Studies in Tyrosine- and Putrescine-Derived Alkaloids. , 2007, , 145-173.		10
164	Lichen Photobionts Show Tolerance against Lichen Acids Produced by Lichen Mycobionts. Bioscience, Biotechnology and Biochemistry, 2008, 72, 3122-3127.	0.6	10
165	Molecular Cloning of an O-Methyltransferase from Adventitious Roots of Carapichea ipecacuanha. Bioscience, Biotechnology and Biochemistry, 2011, 75, 107-113.	0.6	10
166	Screening of Isoquinoline Alkaloids for Potent Lipid Metabolism Modulation with <i>Caenorhabditis elegans</i> . Bioscience, Biotechnology and Biochemistry, 2013, 77, 2405-2412.	0.6	10
167	Antimicrobial agent isolated from Coptidis rhizome extract incubated with <i>Rhodococcus</i> sp. strain BD7100. Journal of Antibiotics, 2019, 72, 71-78.	1.0	10
168	Comparative analysis using the draft genome sequence of California poppy (<i>Eschscholzia californica</i>) for exploring the candidate genes involved in benzyloisoquinoline alkaloid biosynthesis. Bioscience, Biotechnology and Biochemistry, 2021, 85, 851-859.	0.6	10
169	Transport engineering for improving the production and secretion of valuable alkaloids in <i>Escherichia coli</i> . Metabolic Engineering Communications, 2021, 13, e00184.	1.9	10
170	Lipid compositions of photomixotrophic green calluses and chlorophyll deficient leaves of tobacco.. Agricultural and Biological Chemistry, 1984, 48, 1699-1706.	0.3	9
171	Stimulation of photosynthesis and growth of photoautotrophically cultured plant cells by choline and its analogs. Plant Cell Reports, 1993, 12, 691-7.	2.8	9
172	Characterization of <i>Coptis japonica</i> cells with different alkaloid productivities. , 1994, , 249-256.		9
173	An improved medium for the photoautotrophic culture of <i>Cytisus scoparius</i> link cells.. Agricultural and Biological Chemistry, 1981, 45, 2463-2467.	0.3	9
174	Establishment of Rhizobium-mediated transformation of <i>Coptis japonica</i> and molecular analyses of transgenic plants. Plant Biotechnology, 2005, 22, 113-118.	0.5	9
175	Establishment of a co-culture system using <i>Escherichia coli</i> and <i>Pichia pastoris</i> (<i>Komagataella phaffii</i>) for valuable alkaloid production. Microbial Cell Factories, 2021, 20, 200.	1.9	9
176	Enhancement of pigment productivity of immobilized cultured <i>Lavandula vera</i> cells by limitation of nitrogen sources. Journal of Bioscience and Bioengineering, 1989, 67, 306-308.	0.9	8
177	Simple and Rapid Screening Method for Photosystem II Inhibitory Herbicides Using Photoautotrophically Cultured Plant Cells with Chlorophyll Fluorescence Monitoring. Bioscience, Biotechnology and Biochemistry, 1993, 57, 1389-1390.	0.6	8
178	Bioengineering of Isoquinoline Alkaloid Production in Microbial Systems. Advances in Botanical Research, 2013, , 183-203.	0.5	8
179	Transgenerational lipid-reducing activity of benzyloisoquinoline alkaloids in <i>Caenorhabditis elegans</i> . Genes To Cells, 2019, 24, 70-81.	0.5	8
180	Photosynthetic carbon metabolism in photoautotrophically and photomixotrophically cultured tobacco cells. Plant and Cell Physiology, 0, , .	1.5	7

#	ARTICLE	IF	CITATIONS
181	Induction of Pigment Production by S-Containing Compounds in Cultured <i>Lavandula vera</i> Cells. <i>Agricultural and Biological Chemistry</i> , 1985, 49, 533-534.	0.3	7
182	Characterization of Polypeptides in Cultured Rice Cells Differing in Cryoprotectability. <i>Journal of Plant Physiology</i> , 1992, 139, 443-447.	1.6	7
183	Expression of PR-5d and ERF Genes in Cultured Tobacco Cells and Their NaCl Stress-response. <i>Bioscience, Biotechnology and Biochemistry</i> , 2001, 65, 1270-1273.	0.6	7
184	Inhibition of Photosystem II of Spinach by the Respiration Inhibitors Piericidin A and Thenoyltrifluoroacetone. <i>Bioscience, Biotechnology and Biochemistry</i> , 2002, 66, 1925-1929.	0.6	7
185	In vivo system for analyzing the function of the PsbP protein using <i>Chlamydomonas reinhardtii</i> . <i>Photosynthesis Research</i> , 2017, 133, 117-127.	1.6	7
186	Continuous Production of Blue Pigments by Immobilized Plant Cells and Characterization of the Pigments. <i>Annals of the New York Academy of Sciences</i> , 1990, 613, 542-546.	1.8	6
187	Isolation of Herbicide-Resistant 4-Hydroxyphenylpyruvate Dioxygenase from Cultured <i>Coptis japonica</i> Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 3059-3062.	0.6	6
188	Common origin of methylenedioxy ring degradation and demethylation in bacteria. <i>Scientific Reports</i> , 2017, 7, 7422.	1.6	6
189	Phagocytosis in Plant Protoplasts. <i>Cell Structure and Function</i> , 1978, 3, 25-30.	0.5	5
190	Immobilized plant cell reactor for continuous production of blue pigments.. <i>Agricultural and Biological Chemistry</i> , 1989, 53, 3077-3078.	0.3	5
191	Synthesis of plant triosephosphate isomerase in <i>Escherichia coli</i> .. <i>Agricultural and Biological Chemistry</i> , 1990, 54, 2189-2191.	0.3	5
192	Cultured green cells of tobacco as a useful material for the study of chloroplast replication. <i>Cytotechnology</i> , 1999, 21, 149-154.	0.7	5
193	Improved Production of Plant Isoquinoline Alkaloids by Metabolic Engineering. <i>Advances in Botanical Research</i> , 2013, 68, 163-181.	0.5	5
194	Microbial Production of Plant Benzylisoquinoline Alkaloids. , 2013, , 3-24.		5
195	Two B-type ATP-binding cassette (ABC) transporters localize to the plasma membrane in <i>Thalictrum minus</i> . <i>Plant Biotechnology</i> , 2015, 32, 243-247.	0.5	5
196	Allocation of Absorbed Light Energy in Photosystem II in NPQ Mutants of <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2016, 57, pcw072.	1.5	5
197	Cloning and Characterization of Cheilanthifoline and Stylophine Synthase Genes from <i>Chelidonium majus</i> . <i>Plant and Cell Physiology</i> , 2017, 58, 1421-1430.	1.5	5
198	Pigment Synthesis by Immobilized Cultured Cells of <i>Lavandula vera</i> and Characterization of a Component of the Pigments. <i>Agricultural and Biological Chemistry</i> , 1990, 54, 53-59.	0.3	4

#	ARTICLE	IF	CITATIONS
199	Synthesis of Plant Triosephosphate Isomerase in <i>Escherichia coli</i> . Agricultural and Biological Chemistry, 1990, 54, 2189-2191.	0.3	4
200	Photoautotrophic Cultured Plant Cells: A Novel System to Survey New Photosynthetic Electron Transport Inhibitors. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1991, 46, 563-568.	0.6	4
201	Development of a simple non-freezing method to preserve cultured plant cells. Journal of Bioscience and Bioengineering, 1991, 72, 71-73.	0.9	4
202	Isolation and identification of berberine and berberrubine metabolites by berberine-utilizing bacterium <i>Rhodococcus</i> sp. strain BD7100. Bioscience, Biotechnology and Biochemistry, 2016, 80, 856-862.	0.6	4
203	Reconstitution of photosynthetic oxygen evolving activity with heterologous OEC23 protein expressed in <i>E. coli</i> . , 1998, , 1439-1442.		4
204	Bacterial Production and Purification of Phosphorylatable Phosphoenolpyruvate Carboxylase from Tobacco. Bioscience, Biotechnology and Biochemistry, 1996, 60, 2089-2091.	0.6	3
205	Functional Similarities of Recombinant OLP and Cytokinin-Binding Protein 2. Bioscience, Biotechnology and Biochemistry, 2001, 65, 2806-2810.	0.6	3
206	CRES-T for the Functional Analysis of Transcription Factors and Modification of Morphological Traits in Plants. Current Biotechnology, 2012, 1, 23-32.	0.2	3
207	Metabolic Engineering and Synthetic Biology for the Production of Isoquinoline Alkaloids. , 2013, , 327-343.		3
208	Knockdown of the NHR-8 nuclear receptor enhanced sensitivity to the lipid-reducing activity of alkaloids in <i>Caenorhabditis elegans</i> . Bioscience, Biotechnology and Biochemistry, 2014, 78, 2008-2013.	0.6	3
209	Secondary plant products from cultured hybrid cells.. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 1987, 63, 208-210.	1.6	2
210	Immobilized Plant Cell Reactor for Continuous Production of Blue Pigments. Agricultural and Biological Chemistry, 1989, 53, 3077-3078.	0.3	2
211	Genomic Structure and Promoter Analysis of Phosphoenolpyruvate Carboxylase in a C3 Plant, <i>Nicotiana glauca</i> . Bioscience, Biotechnology and Biochemistry, 2002, 66, 1691-1696.	0.6	2
212	Plant Alkaloid Engineering. , 2020, , 700-755.		2
213	Identification of Regulatory Protein Genes Involved in Alkaloid Biosynthesis Using a Transient RNAi System. Methods in Molecular Biology, 2010, 643, 33-45.	0.4	2
214	Functional Analysis of PsbP-Like Protein 1 (PPL1) in Arabidopsis. Advanced Topics in Science and Technology in China, 2013, , 415-417.	0.0	2
215	Photoautotrophic and Photomixotrophic Culture of Green Tobacco Cells in a Jar-Fermenter. Plant and Cell Physiology, 1981, , .	1.5	1
216	Application of the freeze-blast method to disruption of cultured plant cells. Journal of Bioscience and Bioengineering, 1990, 69, 132-134.	0.9	1

#	ARTICLE	IF	CITATIONS
217	Possibility of molecular protection of photosynthesis under salinity stress. <i>Studies in Surface Science and Catalysis</i> , 1998, 114, 249-254.	1.5	1
218	Microbial Expression of Alkaloid Biosynthetic Enzymes for Characterization of Their Properties. <i>Methods in Molecular Biology</i> , 2010, 643, 111-120.	0.4	1
219	Identification of a multi-component berberine 11-hydroxylase from <i>Burkholderia</i> sp. strain CJ1. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 1274-1284.	0.6	1
220	Transport engineering using tobacco transporter NtJAT1 enhances alkaloid production in <i>Escherichia coli</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2022, , .	0.6	1
221	An Improved Medium for the Photoautotrophic Culture of <i>Cytisus scoparius</i> Link Cells. <i>Agricultural and Biological Chemistry</i> , 1981, 45, 2463-2467.	0.3	0
222	Lipid Compositions of Photomixotrophic Green Calluses and Chlorophyll Deficient Leaves of Tobacco. <i>Agricultural and Biological Chemistry</i> , 1984, 48, 1699-1706.	0.3	0
223	Photoautotrophism and its application in cultured plant cells.. <i>Nippon Nogeikagaku Kaishi</i> , 1989, 63, 1855-1861.	0.0	0
224	Tolerance of Cultured <i>Amaranthus retroflexus</i> Cells to Atrazine. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993, 48, 275-277.	0.6	0
225	Chloroplast DNA Binding Proteins and Chloroplast Nucleoid. <i>Nippon Nogeikagaku Kaishi</i> , 1997, 71, 1173-1176.	0.0	0
226	Title is missing!. <i>Kagaku To Seibutsu</i> , 2009, 47, 528-530.	0.0	0
227	2L1524 Interaction and function of the PsbP extrinsic protein in the oxygen evolving center of photosystem II(Photobiology: Photosynthesis,The 48th Annual Meeting of the Biophysical Society of Tj ETQq1 1 0784314 rgb /Ove	0.0	0
228	Functional Analysis of PsbR in PsbP Binding to Photosystem II. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 423-426.	0.0	0
229	Data set of differentially expressed microRNAs in sanguinarine-treated <i>Caenorhabditis elegans</i> and its F3 progeny. <i>Data in Brief</i> , 2018, 21, 899-906.	0.5	0
230	Effects of PsbP Knockdown on the Photosynthetic Electron Transfer in <i>Nicotiana tabacum</i> . , 2008, , 605-608.		0
231	The Electron Transport in psbS-Silenced Rice. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 481-484.	0.0	0
232	Functional Roles of the Amino- and Carboxyl-Regions of PsbP Protein in Photosystem II. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 67-70.	0.0	0
233	Screening of Novel Subunits of Chloroplasmic NAD(P)H Dehydrogenase in <i>Arabidopsis</i> . <i>Advanced Topics in Science and Technology in China</i> , 2013, , 279-281.	0.0	0
234	Estimation of the Relative Sizes of the Two NPQ-Associated Dissipations in Rice. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 469-472.	0.0	0

#	ARTICLE	IF	CITATIONS
235	Structure and expression of phosphoenolpyruvate carboxylase genes in a C3 plant, <i>Nicotiana glauca</i> , 1992, , 531-534.		0
236	Photosystem II Inhibition by Pyran-enamine Derivatives. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993, 48, 163-167.	0.6	0
237	CND41; a novel chloroplast-nucleoid DNA-binding protein. , 1995, , 2515-2518.		0
238	Purification of CND41; Chloroplast Nucleoid Dna-Binding Protein with Proteolytic Activity. , 1998, , 3035-3038.		0