

# Johannes Prins, John Prins

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2154104/publications.pdf>

Version: 2024-02-01

140  
papers

13,947  
citations

28190

55  
h-index

20307

116  
g-index

141  
all docs

141  
docs citations

141  
times ranked

16891  
citing authors

#	ARTICLE	IF	CITATIONS
1	Congenital leptin deficiency is associated with severe early-onset obesity in humans. <i>Nature</i> , 1997, 387, 903-908.	13.7	2,664
2	Diabetic Cardiomyopathy: Evidence, Mechanisms, and Therapeutic Implications. <i>Endocrine Reviews</i> , 2004, 25, 543-567.	8.9	793
3	Adiponectin - a key adipokine in the metabolic syndrome. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 264-280.	2.2	543
4	The prevalence and impact of overweight and obesity in an Australian obstetric population. <i>Medical Journal of Australia</i> , 2006, 184, 56-59.	0.8	536
5	Activators of peroxisome proliferator-activated receptor gamma have depot-specific effects on human preadipocyte differentiation.. <i>Journal of Clinical Investigation</i> , 1997, 100, 3149-3153.	3.9	471
6	Modest weight loss and physical activity in overweight patients with chronic liver disease results in sustained improvements in alanine aminotransferase, fasting insulin, and quality of life. <i>Gut</i> , 2004, 53, 413-419.	6.1	382
7	Regulation of Adipose Cell Number in Man. <i>Clinical Science</i> , 1997, 92, 3-11.	1.8	349
8	Depot-related gene expression in human subcutaneous and omental adipocytes. <i>Diabetes</i> , 1998, 47, 1384-1391.	0.3	305
9	Tumor Necrosis Factor- $\alpha$ Induces Apoptosis of Human Adipose Cells. <i>Diabetes</i> , 1997, 46, 1939-1944.	0.3	271
10	Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C. <i>Gut</i> , 2002, 51, 89-94.	6.1	259
11	Inflammatory lipid mediators in adipocyte function and obesity. <i>Nature Reviews Endocrinology</i> , 2010, 6, 71-82.	4.3	240
12	Resveratrol Does Not Benefit Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 2092-2103.e6.	2.4	237
13	Fat as an Endocrine Organ: Relationship to the Metabolic Syndrome. <i>American Journal of the Medical Sciences</i> , 2005, 330, 280-289.	0.4	214
14	Oxidative and endoplasmic reticulum stress in $\beta$ -cell dysfunction in diabetes. <i>Journal of Molecular Endocrinology</i> , 2016, 56, R33-R54.	1.1	209
15	Glycemic control in diabetes is restored by therapeutic manipulation of cytokines that regulate beta cell stress. <i>Nature Medicine</i> , 2014, 20, 1417-1426.	15.2	208
16	Exercise prescription for patients with type 2 diabetes and pre-diabetes: A position statement from Exercise and Sport Science Australia. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 25-31.	0.6	183
17	Clinical review: Adiponectin biology and its role in inflammation and critical illness. <i>Critical Care</i> , 2011, 15, 221.	2.5	175
18	Determinants of Exercise Capacity in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 1643-1648.	4.3	164

#	ARTICLE	IF	CITATIONS
19	Adiponectin Multimerization Is Dependent on Conserved Lysines in the Collagenous Domain: Evidence for Regulation of Multimerization by Alterations in Posttranslational Modifications. <i>Molecular Endocrinology</i> , 2006, 20, 1673-1687.	3.7	162
20	In overweight patients with chronic hepatitis C, circulating insulin is associated with hepatic fibrosis: implications for therapy. <i>Journal of Hepatology</i> , 2003, 39, 1042-1048.	1.8	157
21	Genetic testing in familial isolated hyperparathyroidism: unexpected results and their implications. <i>Journal of Medical Genetics</i> , 2004, 41, 155-160.	1.5	152
22	Efficacy and safety of the dipeptidyl peptidase-4 inhibitor alogliptin in patients with type 2 diabetes inadequately controlled by glyburide monotherapy. <i>Diabetes, Obesity and Metabolism</i> , 2009, 11, 167-176.	2.2	146
23	The link between abdominal obesity and the metabolic syndrome. <i>Current Hypertension Reports</i> , 2008, 10, 156-164.	1.5	144
24	Regulation of tumour necrosis factor-alpha release from human adipose tissue in vitro. <i>Journal of Endocrinology</i> , 1999, 163, 33-38.	1.2	134
25	Depot- and sex-specific differences in human leptin mRNA expression: implications for the control of regional fat distribution. <i>Diabetes</i> , 1997, 46, 342-347.	0.3	134
26	Fibroblast Growth Factor 1: A Key Regulator of Human Adipogenesis. <i>Diabetes</i> , 2004, 53, 3097-3106.	0.3	131
27	Subclinical LV dysfunction and 10-year outcomes in type 2 diabetes mellitus. <i>Heart</i> , 2015, 101, 1061-1066.	1.2	130
28	Determinants of subclinical diabetic heart disease. <i>Diabetologia</i> , 2005, 48, 394-402.	2.9	129
29	Leptin and the risk of Barrett's oesophagus. <i>Gut</i> , 2007, 57, 448-454.	6.1	126
30	Screening for heart disease in diabetic subjects. <i>American Heart Journal</i> , 2005, 149, 349-354.	1.2	121
31	The health-promoting school: what role for nursing?. <i>Journal of Clinical Nursing</i> , 2006, 15, 264-271.	1.4	114
32	Human Preadipocytes Display a Depot-Specific Susceptibility to Apoptosis. <i>Diabetes</i> , 1998, 47, 1365-1368.	0.3	106
33	Metabolic syndrome in severe chronic kidney disease: Prevalence, predictors, prognostic significance and effects of risk factor modification. <i>Nephrology</i> , 2007, 12, 391-398.	0.7	102
34	Resveratrol " pills to replace a healthy diet?. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 27-38.	1.1	100
35	Update on incretin hormones. <i>Annals of the New York Academy of Sciences</i> , 2011, 1243, E55-74.	1.8	95
36	Arachidonic Acid Stimulates Glucose Uptake in 3T3-L1 Adipocytes by Increasing GLUT1 and GLUT4 Levels at the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2001, 276, 9149-9157.	1.6	94

#	ARTICLE	IF	CITATIONS
37	Adipose tissue as an endocrine organ. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2002, 16, 639-651.	2.2	90
38	Apoptosis of Human Adipocytes in Vitro. <i>Biochemical and Biophysical Research Communications</i> , 1994, 201, 500-507.	1.0	89
39	Quantitation of fibroblast activation protein (FAP)-specific protease activity in mouse, baboon and human fluids and organs. <i>FEBS Open Bio</i> , 2014, 4, 43-54.	1.0	89
40	Whole-body substrate metabolism is associated with disease severity in patients with non-alcoholic fatty liver disease. <i>Gut</i> , 2013, 62, 1625-1633.	6.1	87
41	Fibroblast growth factor receptor 1 is a key regulator of early adipogenic events in human preadipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E121-E131.	1.8	86
42	Changes in serum adiponectin concentrations in critical illness: a preliminary investigation. <i>Critical Care</i> , 2009, 13, R105.	2.5	81
43	Human Adipocyte Apoptosis Occurs in Malignancy. <i>Biochemical and Biophysical Research Communications</i> , 1994, 205, 625-630.	1.0	80
44	Variability of cortisol assays can confound the diagnosis of adrenal insufficiency in the critically ill population. <i>Intensive Care Medicine</i> , 2006, 32, 1901-1905.	3.9	77
45	Tumor necrosis factor-alpha induces apoptosis of human adipose cells. <i>Diabetes</i> , 1997, 46, 1939-1944.	0.3	77
46	Characterization of the transcriptional and functional effects of fibroblast growth factor-1 on human preadipocyte differentiation. <i>FASEB Journal</i> , 2006, 20, 2615-2617.	0.2	71
47	Prevalence of Insulin Resistance and Related Risk Factors for Cardiovascular Disease in Patients With Essential Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 106-111.	1.0	71
48	Glucose uptake and insulin action in human adipose tissue— influence of BMI, anatomical depot and body fat distribution. <i>International Journal of Obesity</i> , 2002, 26, 17-23.	1.6	69
49	Effects of exercise intervention on myocardial function in type 2 diabetes. <i>Heart</i> , 2009, 95, 1343-1349.	1.2	69
50	Biosimilarity and Interchangeability: Principles and Evidence: A Systematic Review. <i>BioDrugs</i> , 2018, 32, 27-52.	2.2	69
51	Patients With Type 2 Diabetes Have Exaggerated Brachial and Central Exercise Blood Pressure: Relation to Left Ventricular Relative Wall Thickness. <i>American Journal of Hypertension</i> , 2008, 21, 715-721.	1.0	67
52	Abnormal NF- $\kappa$ B Function Characterizes Human Type 1 Diabetes Dendritic Cells and Monocytes. <i>Journal of Immunology</i> , 2008, 180, 3166-3175.	0.4	62
53	Type 2 Diabetes Mellitus: Limitations of Conventional Therapies and Intervention with Nucleic Acid-Based Therapeutics. <i>Chemical Reviews</i> , 2015, 115, 4719-4743.	23.0	62
54	Olanzapine Treatment is Associated with Reduced High Molecular Weight Adiponectin in Serum. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 232-237.	0.7	59

#	ARTICLE	IF	CITATIONS
55	Identification of BMP and Activin Membrane-Bound Inhibitor (BAMBI) as a Potent Negative Regulator of Adipogenesis and Modulator of Autocrine/Paracrine Adipogenic Factors. <i>Diabetes</i> , 2012, 61, 124-136.	0.3	59
56	Incretin-based therapies – review of the physiology, pharmacology and emerging clinical experience. <i>Internal Medicine Journal</i> , 2011, 41, 299-307.	0.5	57
57	Thiazolidinediones and type 2 diabetes: new drugs for an old disease. <i>Medical Journal of Australia</i> , 2002, 176, 381-386.	0.8	56
58	High Molecular Weight Adiponectin Correlates with Insulin Sensitivity in Patients with Hepatitis C Genotype 3, But Not Genotype 1 Infection. <i>American Journal of Gastroenterology</i> , 2005, 100, 2717-2723.	0.2	52
59	Effect of Weight Loss Due to Lifestyle Intervention on Subclinical Cardiovascular Dysfunction in Obesity (Body Mass Index >30 kg/m <sup>2</sup> ). <i>American Journal of Cardiology</i> , 2006, 98, 1593-1598.	0.7	52
60	Metformin and serious adverse effects. <i>Medical Journal of Australia</i> , 2004, 180, 53-54.	0.8	51
61	Prevalence of osteoporosis in prostate cancer survivors: a meta-analysis. <i>Endocrine</i> , 2014, 45, 370-381.	1.1	51
62	Effects of rosiglitazone and linoleic acid on human preadipocyte differentiation. <i>European Journal of Clinical Investigation</i> , 2003, 33, 574-581.	1.7	49
63	Potential of Glucose Uptake in 3T3-L1 Adipocytes by PPAR $\alpha$ Agonists Is Maintained in Cells Expressing a PPAR $\alpha$ Dominant-Negative Mutant: Evidence for Selectivity in the Downstream Responses to PPAR $\alpha$ Activation. <i>Molecular Endocrinology</i> , 2001, 15, 1729-1738.	3.7	49
64	Should an Oral Glucose Tolerance Test Be Performed Routinely in All Renal Transplant Recipients?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 100-108.	2.2	48
65	TNF and TNF receptor expression and insulin sensitivity in human omental and subcutaneous adipose tissue – influence of BMI and adipose distribution. <i>Diabetes and Vascular Disease Research</i> , 2006, 3, 26-33.	0.9	48
66	Ageing Per Se Does Not Influence Glucose Homeostasis: In vivo and in vitro evidence. <i>Diabetes Care</i> , 2003, 26, 480-484.	4.3	47
67	An Inhibitor of Phospholipase A2 Group IIA Modulates Adipocyte Signaling and Protects Against Diet-Induced Metabolic Syndrome in Rats. <i>Diabetes</i> , 2012, 61, 2320-2329.	0.3	47
68	Familial isolated hyperparathyroidism is linked to a 1.7 Mb region on chromosome 2p13.3-14. <i>Journal of Medical Genetics</i> , 2005, 43, e12-e12.	1.5	45
69	IGF-I inhibits apoptosis induced by serum withdrawal, but potentiates TNF-alpha-induced apoptosis, in 3T3-L1 preadipocytes. <i>Journal of Endocrinology</i> , 2000, 167, 165-174.	1.2	44
70	Left Ventricular Mass in Patients With Type 2 Diabetes Is Independently Associated With Central but not Peripheral Pulse Pressure. <i>Diabetes Care</i> , 2005, 28, 937-939.	4.3	44
71	A report of a national mutation testing service for the MEN1 gene: clinical presentations and implications for mutation testing. <i>Journal of Medical Genetics</i> , 2005, 42, 69-74.	1.5	44
72	Evidence of altered cortisol metabolism in critically ill patients: a prospective study. <i>Intensive Care Medicine</i> , 2007, 33, 1746-1753.	3.9	44

#	ARTICLE	IF	CITATIONS
73	Determinants of changes in blood glucose response to short-term exercise training in patients with Type 2 diabetes. <i>Clinical Science</i> , 2008, 115, 273-281.	1.8	44
74	Sialic Acid Modification of Adiponectin Is Not Required for Multimerization or Secretion but Determines Half-Life in Circulation. <i>Molecular Endocrinology</i> , 2010, 24, 229-239.	3.7	43
75	Changes in serum prolactin, sex hormones and thyroid function with alternate nightly nocturnal home haemodialysis. <i>Nephrology</i> , 2012, 17, 42-47.	0.7	42
76	Free Fatty Acids Are Associated with Obesity, Insulin Resistance, and Atherosclerosis in Renal Transplant Recipients. <i>Transplantation</i> , 2005, 80, 937-944.	0.5	39
77	Autosomal Dominant Hypocalcemia: A Novel Activating Mutation (E604K) in the Cysteine-Rich Domain of the Calcium-Sensing Receptor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 605-610.	1.8	38
78	Variability in adherence to an unsupervised exercise prescription in obese women. <i>International Journal of Obesity</i> , 2008, 32, 837-844.	1.6	38
79	The risk of Barrett's esophagus associated with abdominal obesity in males and females. <i>International Journal of Cancer</i> , 2013, 132, 2192-2199.	2.3	37
80	Endocytosis of Uncleaved Tumor Necrosis Factor- $\alpha$ in Macrophages. <i>Laboratory Investigation</i> , 2001, 81, 107-117.	1.7	36
81	Association of Arterial Wave Properties and Diastolic Dysfunction in Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2007, 99, 844-848.	0.7	35
82	Insulin levels in insulin resistance: phantom of the metabolic opera?. <i>Medical Journal of Australia</i> , 2006, 185, 159-161.	0.8	32
83	Cardiorespiratory Fitness Is Related to Physical Inactivity, Metabolic Risk Factors, and Atherosclerotic Burden in Glucose-Intolerant Renal Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 1275-1283.	2.2	31
84	Tumor Necrosis Factor Induces Distinct Patterns of Caspase Activation in WEHI-164 Cells Associated with Apoptosis or Necrosis Depending on Cell Cycle Stage. <i>Biochemical and Biophysical Research Communications</i> , 1999, 261, 385-392.	1.0	30
85	Adrenocorticotrophic Hormone-Secreting Pituitary Tumor Associated with Pregnancy. <i>Neurosurgery</i> , 1992, 31, 953-956.	0.6	28
86	Depot-related and thiazolidinedione-responsive expression of uncoupling protein 2 (UCP2) in human adipocytes. <i>International Journal of Obesity</i> , 2000, 24, 585-592.	1.6	27
87	Regulation of Placental Growth Hormone Secretion in a Human Trophoblast Model—The Effects of Hormones and Adipokines. <i>Pediatric Research</i> , 2008, 63, 353-357.	1.1	27
88	Altered clot kinetics in patients with non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2009, 8, 331-338.	0.6	27
89	A putative role for endogenous FGF-2 in FGF-1 mediated differentiation of human preadipocytes. <i>Molecular and Cellular Endocrinology</i> , 2011, 339, 165-171.	1.6	27
90	Application of an Exercise Intervention on the Evolution of Diastolic Dysfunction in Patients With Diabetes Mellitus. <i>Circulation: Heart Failure</i> , 2011, 4, 441-449.	1.6	26

#	ARTICLE	IF	CITATIONS
91	Prevalence of osteoporosis in prostate cancer survivors II: a meta-analysis of men not on androgen deprivation therapy. <i>Endocrine</i> , 2015, 50, 344-354.	1.1	26
92	The role of 25-hydroxyvitamin D deficiency in promoting insulin resistance and inflammation in patients with Chronic Kidney Disease: a randomised controlled trial. <i>BMC Nephrology</i> , 2009, 10, 41.	0.8	25
93	Postprandial total and HMW adiponectin following a high-fat meal in lean, obese and diabetic men. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 377-384.	1.3	25
94	Vitamin D does not improve the metabolic health of patients with chronic kidney disease stage 3-4: A randomized controlled trial. <i>Nephrology</i> , 2013, 18, 26-35.	0.7	25
95	Longitudinal evaluation of the natural history of conservatively managed nonfunctioning pituitary adenomas. <i>Clinical Endocrinology</i> , 2016, 84, 222-228.	1.2	25
96	Thiazolidinedione exposure increases the expression of uncoupling protein 1 in cultured human preadipocytes. <i>Diabetes</i> , 1998, 47, 138-141.	0.3	25
97	Tumor Necrosis Factor-Induced Cytotoxicity is Not Related to Rates of Mitochondrial Morphological Abnormalities or Autophagy-Changes that can be Mediated by TNFR-I or TNFR-II. <i>Bioscience Reports</i> , 1998, 18, 329-340.	1.1	24
98	Body Mass Index-Related Human Adipocyte Agouti Expression Is Sex-Specific but Not Depot-Specific. <i>Obesity</i> , 2002, 10, 447-452.	4.0	23
99	The Effect of a High-Fat Meal on Postprandial Arterial Stiffness in Men with Obesity and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4455-4459.	1.8	21
100	Nutrient and immune sensing are obligate pathways in metabolism, immunity, and disease. <i>FASEB Journal</i> , 2015, 29, 3612-3625.	0.2	20
101	Acute response of blood glucose to short-term exercise training in patients with type 2 diabetes. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 238-242.	0.6	19
102	Living well after breast cancer randomized controlled trial protocol: evaluating a telephone-delivered weight loss intervention versus usual care in women following treatment for breast cancer. <i>BMC Cancer</i> , 2016, 16, 830.	1.1	19
103	Peroxisomal fatty acid metabolism, peroxisomal proliferator-activated receptors and non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 1335-1337.	1.4	18
104	Adipose depot-specific expression of cIAP2 in human preadipocytes and modulation of expression by serum factors and TNF. <i>International Journal of Obesity</i> , 2001, 25, 1027-1033.	1.6	17
105	The metabolic syndrome in critically ill patients. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2011, 25, 835-845.	2.2	17
106	Steroid hormones and adipose tissue. <i>European Journal of Clinical Investigation</i> , 1996, 26, 259-261.	1.7	16
107	Adiponectin is associated with cardiovascular disease in male renal transplant recipients: baseline results from the LANDMARK 2 study. <i>BMC Nephrology</i> , 2009, 10, 29.	0.8	16
108	Reduced phosphorylation of AS160 contributes to glucocorticoid-mediated inhibition of glucose uptake in human and murine adipocytes. <i>Molecular and Cellular Endocrinology</i> , 2009, 302, 33-40.	1.6	16

#	ARTICLE	IF	CITATIONS
109	Identification of carboxypeptidase X (CPX) as a positive regulator of adipogenesis. <i>FASEB Journal</i> , 2016, 30, 2528-2540.	0.2	16
110	Screening for coronary artery disease in patients with diabetes: A Bayesian strategy of clinical risk evaluation and exercise echocardiography. <i>American Heart Journal</i> , 2005, 150, 1074-1080.	1.2	15
111	8 Tumour necrosis factor induced autophagy and mitochondrial morphological abnormalities are mediated by TNFR-I and/or TNFR-II and do not invariably lead to cell death. <i>Biochemical Society Transactions</i> , 1998, 26, S314-S314.	1.6	14
112	Total body fat and the risk of Barrett's oesophagus – A bioelectrical impedance study. <i>Cancer Epidemiology</i> , 2014, 38, 266-272.	0.8	14
113	Effect of 1-h moderate-intensity aerobic exercise on intramyocellular lipids in obese men before and after a lifestyle intervention. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 1262-1268.	0.9	14
114	Blood glucose modulation and safety of efferent vagus nerve stimulation in a type 2 diabetic rat model. <i>Physiological Reports</i> , 2022, 10, e15257.	0.7	13
115	Raised alanine transaminase and decreased adiponectin are features of the metabolic syndrome in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2007, 9, 438-440.	2.2	12
116	The effect of 25-hydroxyvitamin D on insulin sensitivity in obesity: is it mediated via adiponectin?. <i>Canadian Journal of Physiology and Pharmacology</i> , 2013, 91, 496-501.	0.7	12
117	Should patients with type 2 diabetes and raised liver enzymes be referred for further evaluation of liver disease?. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, e10-e12.	1.1	11
118	Osteoporosis-Related Health Behaviors in Men With Prostate Cancer and Survivors. <i>American Journal of Men's Health</i> , 2017, 11, 13-23.	0.7	9
119	An "inside-out" approach to suramin analogues. <i>Tetrahedron</i> , 2009, 65, 3990-3997.	1.0	8
120	Inhibition of inosine monophosphate dehydrogenase reduces adipogenesis and diet-induced obesity. <i>Biochemical and Biophysical Research Communications</i> , 2009, 386, 351-355.	1.0	8
121	Thrombospondin-1 is a glucocorticoid responsive protein in humans. <i>European Journal of Endocrinology</i> , 2016, 174, 193-201.	1.9	8
122	Experimental and clinical pharmacology: Incretin mimetics and enhancers: mechanisms of action. <i>Australian Prescriber</i> , 2008, 31, 102-104.	0.5	8
123	Altered clot kinetics in patients with non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2009, 8, 331-8.	0.6	8
124	2: Recent advances in therapy of diabetes. <i>Medical Journal of Australia</i> , 2003, 179, 441-447.	0.8	6
125	Sex Differences in the Risk of Barrett's Esophagus Associated With the Metabolic Effects of Obesity. <i>Journal of Clinical Gastroenterology</i> , 2020, 54, 795-800.	1.1	6
126	Adipose tissue from pregnant women with and without gestational diabetes mellitus: Insulin-sensitive but resistant to hyperosmolarity. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 2017-2023.	0.7	5



#	ARTICLE	IF	CITATIONS
127	Random measurements of adiponectin and leptin may not be indicative of the 24h profile in critically ill patients. <i>Clinical Endocrinology</i> , 2013, 79, 892-898.	1.2	5
128	Independent effects of diet and exercise training on fat oxidation in non-alcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2016, 8, 1137.	0.8	5
129	Food, obesity and non-insulin-dependent diabetes: are there molecular links?. <i>Proceedings of the Nutrition Society</i> , 1997, 56, 889-898.	0.4	4
130	Effect of statin therapy on plasma adiponectin concentrations in patients with the sepsis syndrome: a preliminary investigation. <i>Intensive Care Medicine</i> , 2011, 37, 1388-1389.	3.9	4
131	The effect of glucocorticoids on Thrombospondin-1, Osteocalcin and the Thrombospondin-1:Osteocalcin ratio in humans. <i>Clinical Endocrinology</i> , 2019, 91, 728-736.	1.2	3
132	11 Tumour necrosis factor is trafficked to a mitochondrial tumour necrosis factor binding protein. <i>Biochemical Society Transactions</i> , 1998, 26, S316-S316.	1.6	2
133	Insulin intensification for people with type 2 diabetes: a practical approach. <i>Australasian Medical Journal</i> , 2010, , 808-813.	0.1	2
134	Changes in Antibiotic Distribution Due to Pancreatitis. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3008-3011.	1.4	2
135	<i>Adipose Tissue</i> . , 2001, , 173-187.		2
136	Strengthening the Case for Global Risk Assessment of Patients With High Blood Pressure. <i>American Journal of Hypertension</i> , 2009, 22, 9-9.	1.0	1
137	Rosiglitazone and cardiovascular disease revisited. <i>Medical Journal of Australia</i> , 2010, 193, 134-135.	0.8	1
138	Glucose uptake and insulin action in human adipose tissue— influence of BMI, anatomical depot and body fat distribution. , 0, .		1
139	Hirsutism due to late onset 3 $\alpha$ -hydroxysteroid dehydrogenase deficiency. <i>Australian and New Zealand Journal of Medicine</i> , 1992, 22, 384-384.	0.5	0
140	Acute and long-term effect of alpha-glucosidase inhibitor on dumping syndrome in a patient after a vagotomy and pyloric surgery.. <i>ANZ Journal of Surgery</i> , 2005, 75, 1124-1126.	0.3	0