

# Kyung Sik Kim

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2154278/kyung-sik-kim-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210  
papers

5,346  
citations

39  
h-index

62  
g-index

217  
ext. papers

5,980  
ext. citations

3.5  
avg, IF

5.15  
L-index

#	Paper	IF	Citations
210	The prognosis and survival outcome of intrahepatic cholangiocarcinoma following surgical resection: association of lymph node metastasis and lymph node dissection with survival. <i>Annals of Surgical Oncology</i> , <b>2009</b> , 16, 3048-56	3.1	219
209	Comparative study of resection and radiofrequency ablation in the treatment of solitary colorectal liver metastases. <i>American Journal of Surgery</i> , <b>2009</b> , 197, 728-36	2.7	170
208	Dynamic regulation of CFTR bicarbonate permeability by [Cl <sup>-</sup> ] <sub>i</sub> and its role in pancreatic bicarbonate secretion. <i>Gastroenterology</i> , <b>2010</b> , 139, 620-31	13.3	154
207	Usefulness of 18F-FDG PET in intrahepatic cholangiocarcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2003</b> , 30, 1467-72	8.8	142
206	Aberrant CpG island hypermethylation in dysplastic nodules and early HCC of hepatitis B virus-related human multistep hepatocarcinogenesis. <i>Journal of Hepatology</i> , <b>2011</b> , 54, 939-47	13.4	134
205	Solid pseudopapillary tumor of the pancreas suggesting malignant potential. <i>Pancreas</i> , <b>2006</b> , 32, 276-80	2.6	119
204	Can microvessel invasion of hepatocellular carcinoma be predicted by pre-operative MRI?. <i>European Radiology</i> , <b>2009</b> , 19, 1744-51	8	118
203	Prediction of microvascular invasion of hepatocellular carcinoma: usefulness of peritumoral hypointensity seen on gadoxetate disodium-enhanced hepatobiliary phase images. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 35, 629-34	5.6	105
202	Prediction of microvascular invasion before curative resection of hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 97, 246-52	2.8	94
201	Prognostic implications of PD-L1 expression in patients with soft tissue sarcoma. <i>BMC Cancer</i> , <b>2016</b> , 16, 434	4.8	93
200	Persistent hepatitis B viral replication affects recurrence of hepatocellular carcinoma after curative resection. <i>Liver International</i> , <b>2008</b> , 28, 393-401	7.9	91
199	The use of adjusted preoperative CA 19-9 to predict the recurrence of resectable pancreatic cancer. <i>Journal of Surgical Research</i> , <b>2007</b> , 140, 31-5	2.5	88
198	Human plasma carboxylesterase 1, a novel serologic biomarker candidate for hepatocellular carcinoma. <i>Proteomics</i> , <b>2009</b> , 9, 3989-99	4.8	77
197	Outcome after curative resection for a huge (>or=10 cm) hepatocellular carcinoma and prognostic significance of gross tumor classification. <i>American Journal of Surgery</i> , <b>2009</b> , 198, 693-701	2.7	77
196	High telomerase activity and long telomeres in advanced hepatocellular carcinomas with poor prognosis. <i>Laboratory Investigation</i> , <b>2008</b> , 88, 144-52	5.9	75
195	Early experiences of robotic-assisted laparoscopic liver resection. <i>Yonsei Medical Journal</i> , <b>2008</b> , 49, 632-8		72
194	Autologous bone marrow infusion activates the progenitor cell compartment in patients with advanced liver cirrhosis. <i>Cell Transplantation</i> , <b>2010</b> , 19, 1237-46	4	71

193	Analysis of gene expression profiles of hepatocellular carcinomas with regard to 18F-fluorodeoxyglucose uptake pattern on positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 1621-30	8.8	67
192	Prediction of postoperative hepatic insufficiency by liver stiffness measurement (FibroScan((R))) before curative resection of hepatocellular carcinoma: a pilot study. <i>Hepatology International</i> , <b>2008</b> , 2, 471-7	8.8	66
191	Surgical outcomes and predicting factors of curative resection in patients with hilar cholangiocarcinoma: 10-year single-institution experience. <i>Journal of Gastrointestinal Surgery</i> , <b>2012</b> , 16, 1672-9	3.3	65
190	Telomere shortening and telomerase reactivation in dysplastic nodules of human hepatocarcinogenesis. <i>Journal of Hepatology</i> , <b>2003</b> , 39, 786-92	13.4	62
189	Prognostic factors and optimal treatment strategy for intrahepatic nodular recurrence after curative resection of hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 618-29	3.1	60
188	Insulin-secreting cells from human eyelid-derived stem cells alleviate type I diabetes in immunocompetent mice. <i>Stem Cells</i> , <b>2009</b> , 27, 1999-2008	5.8	56
187	Laparoscopic major liver resection in Korea: a multicenter study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2013</b> , 20, 125-30	2.8	55
186	Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 4278-86	3.1	54
185	What is the best treatment modality for adrenal metastasis from hepatocellular carcinoma?. <i>Journal of Surgical Oncology</i> , <b>2007</b> , 96, 32-6	2.8	54
184	Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 2568-75	7.5	50
183	Revisiting the role of nonanatomic resection of small (Journal of Surgical Research, <b>2010</b> , 160, 81-9	2.5	49
182	Quantitative analysis of phosphopeptides in search of the disease biomarker from the hepatocellular carcinoma specimen. <i>Proteomics</i> , <b>2009</b> , 9, 3395-408	4.8	49
181	Surgical outcomes of hepatocellular carcinoma with bile duct tumor thrombus: a Korean multicenter study. <i>World Journal of Surgery</i> , <b>2013</b> , 37, 443-51	3.3	48
180	Factors influencing recurrence after curative resection for ampulla of Vater carcinoma. <i>Journal of Surgical Oncology</i> , <b>2007</b> , 95, 286-90	2.8	46
179	Current status of liver diseases in Korea: hepatocellular carcinoma. <i>The Korean Journal of Hepatology</i> , <b>2009</b> , 15 Suppl 6, S50-9		46
178	Practical guidelines for the surgical treatment of gallbladder cancer. <i>Journal of Korean Medical Science</i> , <b>2014</b> , 29, 1333-40	4.7	45
177	The survival outcome and prognostic factors for middle and distal bile duct cancer following surgical resection. <i>Journal of Surgical Oncology</i> , <b>2009</b> , 99, 335-42	2.8	45
176	Simple method for quantitative analysis of N-linked glycoproteins in hepatocellular carcinoma specimens. <i>Journal of Proteome Research</i> , <b>2010</b> , 9, 308-18	5.6	42

175	The actual five-year survival rate of hepatocellular carcinoma patients after curative resection. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 105-12	3	42
174	Surgical resection after down-staging of locally advanced hepatocellular carcinoma by localized concurrent chemoradiotherapy. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3646-53	3.1	41
173	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2013</b> , 28, 1384-90	4	41
172	A comparative analysis of hepatocellular carcinoma after hepatic resection in young versus elderly patients. <i>Journal of Gastrointestinal Surgery</i> , <b>2012</b> , 16, 1736-43	3.3	40
171	Robotic versus laparoscopic left lateral sectionectomy of liver. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2016</b> , 30, 4756-4764	5.2	39
170	Chromosomal instability, telomere shortening, and inactivation of p21(WAF1/CIP1) in dysplastic nodules of hepatitis B virus-associated multistep hepatocarcinogenesis. <i>Modern Pathology</i> , <b>2009</b> , 22, 1121-31	9.8	39
169	MR cholangiography in symptomatic gallstones: diagnostic accuracy according to clinical risk group. <i>Radiology</i> , <b>2002</b> , 224, 410-6	20.5	39
168	Risk stratification of gallbladder polyps (1-2 cm) for surgical intervention with 18F-FDG PET/CT. <i>Journal of Nuclear Medicine</i> , <b>2012</b> , 53, 353-8	8.9	38
167	Safety evaluation of self-expanding metallic biliary stents eluting gemcitabine in a porcine model. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 261-7	4	37
166	The monocyte chemoattractant protein-1 (MCP-1)/CCR2 system is involved in peritoneal dialysis-related epithelial-mesenchymal transition of peritoneal mesothelial cells. <i>Laboratory Investigation</i> , <b>2012</b> , 92, 1698-711	5.9	37
165	Biliary cystadenoma of the liver. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , <b>1998</b> , 5, 348-52		37
164	Surgery Alone Versus Surgery Followed by Chemotherapy and Radiotherapy in Resected Extrahepatic Bile Duct Cancer: Treatment Outcome Analysis of 336 Patients. <i>Cancer Research and Treatment</i> , <b>2016</b> , 48, 583-95	5.2	37
163	Gadoxetic acid-enhanced MRI findings of early hepatocellular carcinoma as defined by new histologic criteria. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 35, 393-8	5.6	36
162	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 1008-17	7.9	35
161	Gallbladder carcinoma associated with anomalous pancreaticobiliary duct junction. <i>Canadian Journal of Gastroenterology &amp; Hepatology</i> , <b>2007</b> , 21, 383-7		35
160	Is preoperative transarterial chemoembolization needed for a resectable hepatocellular carcinoma?. <i>World Journal of Surgery</i> , <b>2007</b> , 31, 2370-7	3.3	34
159	Laparoscopic cholecystectomy only could be an appropriate treatment for selected clinical R0 gallbladder carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2007</b> , 21, 1582-7	5.2	34
158	A case of robot-assisted excision of choledochal cyst, hepaticojejunostomy, and extracorporeal Roux-en-y anastomosis using the da Vinci surgical system. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2007</b> , 17, 538-41	1.3	34

157	Portal venous invasion: the single most independent risk factor for immediate postoperative recurrence of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2011</b> , 26, 1646-51	4	33
156	The role of preoperative [18F]fluorodeoxyglucose positron emission tomography in predicting early recurrence after curative resection of hepatocellular carcinomas. <i>Journal of Gastrointestinal Surgery</i> , <b>2011</b> , 15, 2044-52	3.3	33
155	Phase II study of gemcitabine and cisplatin in advanced biliary tract cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2006</b> , 21, 999-1003	4	32
154	Detection of liver metastases using gadoteric-enhanced dynamic and 10- and 20-minute delayed phase MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 35, 635-43	5.6	31
153	High glucose activates the p38 MAPK pathway in cultured human peritoneal mesothelial cells. <i>Kidney International</i> , <b>2003</b> , 63, 958-68	9.9	31
152	Efficacy and safety of transarterial chemoembolization in recurrent hepatocellular carcinoma after curative surgical resection. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>2009</b> , 32, 564-9	2.7	28
151	Central bisectionectomy for centrally located hepatocellular carcinoma. <i>British Journal of Surgery</i> , <b>2008</b> , 95, 990-5	5.3	28
150	Prognostic value of (18)F-fluorodeoxyglucose positron emission tomography/computed tomography in patients with Barcelona Clinic Liver Cancer stages 0 and A hepatocellular carcinomas: a multicenter retrospective cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 43, 1638-45	8.8	27
149	Liver resection for Bismuth type I and Type II hilar cholangiocarcinoma. <i>World Journal of Surgery</i> , <b>2013</b> , 37, 829-37	3.3	26
148	Combined measurement of preoperative Eftoprotein and des-Ecarboxy prothrombin predicts recurrence after curative resection in patients with hepatitis-B-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2332-41	7.5	26
147	Prognostic factors and 10-year survival in patients with hepatocellular carcinoma after curative hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , <b>2011</b> , 15, 598-607	3.3	26
146	Synaptic scaffolding molecule binds to and regulates vasoactive intestinal polypeptide type-1 receptor in epithelial cells. <i>Gastroenterology</i> , <b>2009</b> , 137, 607-17, 617.e1-4	13.3	26
145	Hepatic splenosis preoperatively diagnosed as hepatocellular carcinoma in a patient with chronic hepatitis B: a case report. <i>Journal of Korean Medical Science</i> , <b>2008</b> , 23, 336-41	4.7	26
144	Inhibition of tumour angiogenesis and growth by small hairpin HIF-1 and IL-8 in hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 632-42	7.9	25
143	Current status of laparoscopic liver resection in Korea. <i>Journal of Korean Medical Science</i> , <b>2012</b> , 27, 767-74	7.17	25
142	Clinicopathological characteristics in combined hepatocellular-cholangiocarcinoma: a single center study in Korea. <i>Yonsei Medical Journal</i> , <b>2011</b> , 52, 753-60	3	25
141	Detrimental effect of postoperative complications on oncologic efficacy of R0 pancreatectomy in ductal adenocarcinoma of the pancreas. <i>Journal of Gastrointestinal Surgery</i> , <b>2009</b> , 13, 907-14	3.3	25
140	Quantitative assessment of hTERT mRNA expression in dysplastic nodules of HBV-related hepatocarcinogenesis. <i>American Journal of Gastroenterology</i> , <b>2006</b> , 101, 831-8	0.7	25

139	Postoperative liver regeneration and complication in live liver donor after partial hepatectomy for living donor liver transplantation. <i>Yonsei Medical Journal</i> , <b>2003</b> , 44, 1069-77	3	25
138	Human liver carboxylesterase 1 outperforms alpha-fetoprotein as biomarker to discriminate hepatocellular carcinoma from other liver diseases in Korean patients. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 408-15	7.5	24
137	Preoperative serum CA 19-9 level as a predictive factor for recurrence after curative resection in biliary tract cancer. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 1651-6	3.1	24
136	Actual recurrence patterns and risk factors influencing recurrence after curative resection with stage II gallbladder carcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2007</b> , 11, 631-7	3.3	24
135	Prognostic impact of the tumor-infiltrating regulatory T-cell (Foxp3)/activated cytotoxic T lymphocyte (granzyme B) ratio on resected left-sided pancreatic cancer. <i>Oncology Letters</i> , <b>2016</b> , 12, 4477-4484 <sup>24</sup>	2.6	24
134	Comparison of the sixth and seventh editions of the AJCC TNM classification for gallbladder cancer. <i>Journal of Gastrointestinal Surgery</i> , <b>2013</b> , 17, 925-30	3.3	23
133	Does "clinical" R0 have validity in the choice of simple cholecystectomy for gallbladder carcinoma?. <i>Journal of Gastrointestinal Surgery</i> , <b>2007</b> , 11, 1309-16	3.3	23
132	Regulation of hepatocyte engraftment and proliferation after cytotoxic drug-induced perturbation of the rat liver. <i>Transplantation</i> , <b>2005</b> , 80, 653-9	1.8	23
131	IMP2/IGF2BP2 expression, but not IMP1 and IMP3, predicts poor outcome in patients and high tumor growth rate in xenograft models of gallbladder cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 89736-89745	3.3	23
130	Intraductal ultrasonography combined with percutaneous transhepatic cholangioscopy for the preoperative evaluation of longitudinal tumor extent in hilar cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 286-92	4	22
129	Preoperative radiologic and postoperative pathologic risk factors for early intra-hepatic recurrence in hepatocellular carcinoma patients who underwent curative resection. <i>Yonsei Medical Journal</i> , <b>2009</b> , 50, 789-95	3	22
128	The efficacy of hepatic resection after neoadjuvant transarterial chemoembolization (TACE) and radiation therapy in hepatocellular carcinoma greater than 5 cm in size. <i>Journal of Korean Medical Science</i> , <b>2009</b> , 24, 242-7	4.7	22
127	Prognostic Model to Predict Survival Outcome for Curatively Resected Liposarcoma: A Multi-Institutional Experience. <i>Journal of Cancer</i> , <b>2016</b> , 7, 1174-80	4.5	22
126	Patterns and relevant factors of tumor recurrence for extrahepatic bile duct carcinoma after radical resection. <i>Hepato-Gastroenterology</i> , <b>2004</b> , 51, 1612-8		22
125	Hepatocellular carcinoma during pregnancy: is hepatocellular carcinoma more aggressive in pregnant patients?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2011</b> , 18, 422-31	2.8	21
124	Therapeutic potential of bone-marrow-derived mesenchymal stem cells differentiated with growth-factor-free coculture method in liver-injured rats. <i>Tissue Engineering - Part A</i> , <b>2010</b> , 16, 2649-59	3.9	21
123	Expression of biliary antigen and its clinical significance in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , <b>1999</b> , 40, 472-7	3	20
122	Optimal assessment of lymph node status in gallbladder cancer. <i>European Journal of Surgical Oncology</i> , <b>2016</b> , 42, 205-10	3.6	19

121	The effect of statin on epithelial-mesenchymal transition in peritoneal mesothelial cells. <i>PLoS ONE</i> , <b>2014</b> , 9, e109628	3.7	19
120	Role of splenectomy in patients with hepatocellular carcinoma and hypersplenism. <i>ANZ Journal of Surgery</i> , <b>2013</b> , 83, 865-70	1	19
119	Immunohistochemical analysis of claudin expression in pancreatic cystic tumors. <i>Oncology Reports</i> , <b>2011</b> , 25, 971-8	3.5	19
118	The first korean experience of telemanipulative robot-assisted laparoscopic cholecystectomy using the da vinci system. <i>Yonsei Medical Journal</i> , <b>2007</b> , 48, 540-5	3	19
117	Bilateral thoracoscopic splanchnicectomy with sympathectomy for managing abdominal pain in cancer patients. <i>American Journal of Surgery</i> , <b>2007</b> , 194, 23-9	2.7	19
116	Oncologic Impact of Lymph Node Dissection for Intrahepatic Cholangiocarcinoma: a Propensity Score-Matched Study. <i>Journal of Gastrointestinal Surgery</i> , <b>2019</b> , 23, 538-544	3.3	18
115	Role of cholecystectomy and lymph node dissection in patients with T2 gallbladder cancer. <i>World Journal of Surgery</i> , <b>2013</b> , 37, 2635-40	3.3	18
114	Expression of Wnt target genes in solid pseudopapillary tumor of the pancreas: a pilot study. <i>Pancreas</i> , <b>2009</b> , 38, e53-9	2.6	18
113	Cetuximab in combination with 5-fluorouracil, leucovorin and irinotecan as a neoadjuvant chemotherapy in patients with initially unresectable colorectal liver metastases. <i>Oncology Research and Treatment</i> , <b>2007</b> , 30, 637-43	2.8	18
112	The efficacy of portal vein embolization prior to right extended hemihepatectomy for hilar cholangiocellular carcinoma: a retrospective cohort study. <i>European Journal of Surgical Oncology</i> , <b>2011</b> , 37, 237-44	3.6	16
111	Adjuvant hepatic arterial infusional chemotherapy with 5-fluorouracil and cisplatin after curative resection of hepatocellular carcinoma. <i>Oncology</i> , <b>2011</b> , 81, 184-91	3.6	16
110	Mangafodipir trisodium-enhanced MRI of hepatocellular carcinoma: correlation with histological characteristics. <i>Clinical Radiology</i> , <b>2008</b> , 63, 1195-204	2.9	16
109	Long-term follow-up of laparoscopic splenectomy in patients with immune thrombocytopenic purpura. <i>Journal of Korean Medical Science</i> , <b>2007</b> , 22, 420-4	4.7	16
108	The role of splenectomy in patients with hepatocellular carcinoma and secondary hypersplenism. <i>Yonsei Medical Journal</i> , <b>2003</b> , 44, 1053-8	3	16
107	Early predictor of mortality due to irreversible posthepatectomy liver failure in patients with hepatocellular carcinoma. <i>World Journal of Surgery</i> , <b>2013</b> , 37, 1028-33	3.3	15
106	Concurrent chemoradiotherapy shows long-term survival after conversion from locally advanced to resectable hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 1489-97	3	15
105	Pancreaticoduodenectomy of pancreatic ductal adenocarcinoma in the elderly. <i>Yonsei Medical Journal</i> , <b>2007</b> , 48, 488-94	3	15
104	Rhabdoid cholangiocarcinoma: a variant of cholangiocarcinoma with aggressive behavior. <i>Yonsei Medical Journal</i> , <b>2004</b> , 45, 543-6	3	15

103	Inflammatory pseudotumor of the liver treated by hepatic resection: a case report. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 140-3	3	15
102	Synergistic effects of simvastatin and bone marrow-derived mesenchymal stem cells on hepatic fibrosis. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 497, 264-271	3.4	14
101	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , <b>2010</b> , 28, 802-11	3.3	14
100	Lesson from 610 liver resections of hepatocellular carcinoma in a single center over 10 years. <i>World Journal of Surgical Oncology</i> , <b>2014</b> , 12, 192	3.4	13
99	MELD-based indices as predictors of mortality in chronic liver disease patients who undergo emergency surgery with general anesthesia. <i>Journal of Gastrointestinal Surgery</i> , <b>2011</b> , 15, 2029-35	3.3	13
98	Concurrent chemoradiotherapy with doxifluridine and paclitaxel for extrahepatic bile duct cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>2006</b> , 29, 240-5	2.7	13
97	Hepatic resection of metastatic tumor from serous cystadenocarcinoma of the ovary. <i>Journal of Korean Medical Science</i> , <b>2002</b> , 17, 415-8	4.7	13
96	Lethal hepatic injury by combined treatment of radiation plus chemotherapy in rats with thioacetamide-induced liver cirrhosis. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2003</b> , 57, 282-8	4	13
95	Experiences with nonfunctioning neuroendocrine neoplasms of the pancreas. <i>Digestive Surgery</i> , <b>2005</b> , 22, 453-8	2.5	13
94	Prognostic significance of and risk prediction model for lymph node metastasis in resectable intrahepatic cholangiocarcinoma: do all require lymph node dissection?. <i>Hpb</i> , <b>2020</b> , 22, 1411-1419	3.8	12
93	Prognostic Prediction Models for Resection of Large Hepatocellular Carcinoma: A Korean Multicenter Study. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 2579-2591	3.3	12
92	Prognostic implications of polycomb proteins ezh2, suz12, and eed1 and histone modification by H3K27me3 in sarcoma. <i>BMC Cancer</i> , <b>2018</b> , 18, 158	4.8	12
91	Efficacy of concurrent chemoradiotherapy with 5-fluorouracil or gemcitabine in locally advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2014</b> , 73, 191-8	3.5	12
90	Laparoscopic excision of ciliated hepatic foregut cyst: a first report in Korea. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2006</b> , 16, 255-8	1.3	12
89	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2013</b> , 19, 29-35	6.9	12
88	Comparison of CT and MRI for presurgical characterization of paraaortic lymph nodes in patients with pancreatico-biliary carcinoma. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 2208-12	5.6	12
87	Prognostic Value of Metabolic Tumor Volume and Total Lesion Glycolysis on Preoperative 18F-FDG PET/CT in Patients With Very Early and Early Hepatocellular Carcinoma. <i>Clinical Nuclear Medicine</i> , <b>2017</b> , 42, 34-39	1.7	11
86	Ideal sphere-forming culture conditions to maintain pluripotency in a hepatocellular carcinoma cell lines. <i>Cancer Cell International</i> , <b>2015</b> , 15, 95	6.4	11



85	Predictors of mortality in cirrhotic patients undergoing extrahepatic surgery: comparison of Child-Turcotte-Pugh and model for end-stage liver disease-based indices. <i>ANZ Journal of Surgery</i> , <b>2014</b> , 84, 832-6	1	11
84	Surgical experiences of functioning neuroendocrine neoplasm of the pancreas. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 833-9	3	11
83	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 33-44	6.9	11
82	Influencing factors on postoperative hospital stay after laparoscopic cholecystectomy. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2016</b> , 20, 12-6		10
81	Foam sclerotherapy using polidocanol (aethoxysklerol) for preoperative portal vein embolization in 16 patients. <i>CardioVascular and Interventional Radiology</i> , <b>2011</b> , 34, 1236-43	2.7	10
80	The preoperative positivity for serum hepatitis B e antigen did not affect overall survival after curative resection of hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 391-8	4	10
79	High glucose decreases collagenase expression and increases TIMP expression in cultured human peritoneal mesothelial cells. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 534-41	4.3	10
78	A survival benefit of major hepatectomy for hepatocellular carcinoma identified by preoperative [18F] fluorodeoxyglucose positron emission tomography in patients with well-preserved hepatic function. <i>European Journal of Surgical Oncology</i> , <b>2013</b> , 39, 964-73	3.6	9
77	High serum CA19-9 levels are associated with an increased risk of cholangiocarcinoma in patients with intrahepatic duct stones: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2013</b> , 27, 4210-6	5.2	9
76	What we learned from the experience of laparoscopic splenectomy in patients with idiopathic thrombocytopenic purpura (ITP)--single surgeon experiences. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2006</b> , 16, 151-5	1.3	9
75	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , <b>2019</b> , 96, 59-69	3.6	9
74	Feasibility of Preoperative FDG PET/CT Total Hepatic Glycolysis in the Remnant Liver for the Prediction of Postoperative Liver Function. <i>American Journal of Roentgenology</i> , <b>2017</b> , 208, 624-631	5.4	8
73	Efficient endodermal induction of human adipose stem cells using various concentrations of Activin A for hepatic differentiation. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 464, 1178-1184	3.4	8
72	The role of prophylactic antibiotics on surgical site infection in elective laparoscopic cholecystectomy. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2015</b> , 19, 188-93		8
71	Laparoscopic excision of intra-abdominal paragonimiasis. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2007</b> , 17, 556-8	1.3	8
70	β-Catenin activated hepatocellular adenoma: a report of three cases in Korea. <i>Gut and Liver</i> , <b>2014</b> , 8, 452-8	4.8	8
69	Subclassification of Microscopic Vascular Invasion in Hepatocellular Carcinoma. <i>Annals of Surgery</i> , <b>2021</b> , 274, e1170-e1178	7.8	8
68	Modulation of SIRT3 expression through CDK4/6 enhances the anti-cancer effect of sorafenib in hepatocellular carcinoma cells. <i>BMC Cancer</i> , <b>2020</b> , 20, 332	4.8	8

67	Different subtypes of epithelioid sarcoma and their clinical implication: long-term multi-institutional experience with a rare sarcoma. <i>Apmis</i> , <b>2017</b> , 125, 223-229	3.4	7
66	Leiomyosarcoma: investigation of prognostic factors for risk-stratification model. <i>International Journal of Clinical Oncology</i> , <b>2015</b> , 20, 1226-32	4.2	7
65	Role of common bile duct resection in T2 and T3 gallbladder cancer patients. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2018</b> , 22, 42-51	1.5	7
64	Differentiation between gallbladder cancer with acute cholecystitis: Considerations for surgeons during emergency cholecystectomy, a cohort study. <i>International Journal of Surgery</i> , <b>2017</b> , 45, 1-7	7.5	7
63	Pre-S mutations of hepatitis B virus affect genome replication and expression of surface antigens. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 843-50	4	7
62	Is close monitoring in the intensive care unit necessary after elective liver resection?. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , <b>2012</b> , 83, 155-61		7
61	A case of spleen-preserving laparoscopic distal pancreatectomy and concomitant cholecystectomy in male patient with solid pseudopapillary neoplasm of the pancreas and gallstone. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , <b>2008</b> , 18, 259-65	2.1	7
60	Prognostic implications of PIK3CA amplification in curatively resected liposarcoma. <i>Oncotarget</i> , <b>2016</b> , 7, 24549-58	3.3	7
59	Postoperative radiotherapy dose correlates with locoregional control in patients with extra-hepatic bile duct cancer. <i>Radiation Oncology Journal</i> , <b>2014</b> , 32, 7-13	2.5	7
58	Incidental detection of pancreatic hemangioma mimicking a metastatic tumor of renal cell carcinoma. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2016</b> , 20, 93-6		7
57	Major Laparoscopic Versus Open Resection for Hepatocellular Carcinoma: A Propensity Score-Matched Analysis Based on Surgeons' Learning Curve. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 447-458	3.1	7
56	Efficacy of Oxidized Regenerated Cellulose, SurgiGuard <sup>®</sup> , in Porcine Surgery. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 195-205	3	6
55	Exploration of Fluid Dynamics in Perioperative Patients Using Bioimpedance Analysis. <i>Journal of Gastrointestinal Surgery</i> , <b>2016</b> , 20, 1020-7	3.3	6
54	What are the most important predictive factors for clinically relevant posthepatectomy liver failure after right hepatectomy for hepatocellular carcinoma?. <i>Annals of Surgical Treatment and Research</i> , <b>2020</b> , 98, 62-71	2	6
53	Are Adipose-Derived Stem Cells From Liver Falciform Ligaments Another Possible Source of Mesenchymal Stem Cells?. <i>Cell Transplantation</i> , <b>2017</b> , 26, 855-866	4	5
52	Aggressive surgical resection for concomitant liver and lung metastasis in colorectal cancer. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2016</b> , 20, 110-5		5
51	Solitary extrahepatic intraabdominal metastasis from hepatocellular carcinoma after liver transplantation. <i>Yonsei Medical Journal</i> , <b>2011</b> , 52, 199-203	3	5
50	A new versatile peptide-based size exclusion chromatography platform for global profiling and quantitation of candidate biomarkers in hepatocellular carcinoma specimens. <i>Proteomics</i> , <b>2011</b> , 11, 1976-84	4.8	5

49	Laparoscopic enucleation of a nonfunctioning neuroendocrine tumor of the pancreas. <i>Yonsei Medical Journal</i> , <b>2008</b> , 49, 864-8	3	5
48	Clinical and survival outcomes after hepatectomy in patients with non-alcoholic fatty liver and hepatitis B-related hepatocellular carcinoma. <i>Hpb</i> , <b>2021</b> , 23, 1113-1122	3.8	4
47	Radiological-pathological correlation study of hepatocellular carcinoma undergoing local chemoradiotherapy and surgery. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 1619-17	4	4
46	Volume-reserving Surgery after Photodynamic Therapy for Biliary Papillomatosis: A Case Report. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2015</b> , 66, 55-8	0.6	4
45	Relationship between severity of liver dysfunction and the relative ratio of liver to aortic enhancement (RE) on MRI using hepatocyte-specific contrast. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 39, 24-30	5.6	4
44	Long-term outcome after liver resection and clinicopathological features in patients with small hepatocellular carcinoma. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2011</b> , 15, 199-205		4
43	Multimedia manuscript. Dual-scope guided (simultaneous thoraco-laparoscopic) transthoracic transdiaphragmatic intraoperative radiofrequency ablation for hepatocellular carcinoma located beneath the diaphragm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2008</b> , 22, 541	5.2	4
42	Preoperative chemoradiation and pancreaticoduodenectomy with portal vein resection for localized advanced pancreatic cancer. <i>Yonsei Medical Journal</i> , <b>2003</b> , 44, 551-6	3	4
41	Physical and Mechanical Modifications of Collagen Microfibers Using Ethanol-Based Dehydrating Conditions. <i>Macromolecular Materials and Engineering</i> , <b>2016</b> , 301, 1307-1312	3.9	3
40	Less Fibrotic Burden Differently Affects the Long-Term Outcomes of Hepatocellular Carcinoma after Curative Resection. <i>Oncology</i> , <b>2017</b> , 93, 224-232	3.6	3
39	Traumatic neuroma of the right hepatic duct undertaken right hemihepatectomy. <i>ANZ Journal of Surgery</i> , <b>2009</b> , 79, 91-2	1	3
38	Acute chylous peritonitis mimicking ovarian torsion in a patient with advanced gastric carcinoma. <i>Journal of Korean Medical Science</i> , <b>2007</b> , 22 Suppl, S164-6	4.7	3
37	Effects of Nutrition Consultation on Nutritional Status in Critically Ill Surgical Patients. <i>Journal of Clinical Nutrition</i> , <b>2015</b> , 7, 28-34	0.5	3
36	Stepwise development of laparoscopic liver resection skill using rubber traction technique. <i>Hpb</i> , <b>2020</b> , 22, 1174-1184	3.8	3
35	Comprehensive Immuno-Molecular Profiles for Liposarcoma: Roles of Programmed Death Ligand 1, Microsatellite Instability, and PIK3CA. <i>Oncology</i> , <b>2020</b> , 98, 817-826	3.6	3
34	Comparison of pancreaticoduodenectomy and bile duct resection for middle bile duct cancer: A multi-center collaborating study of Japan and Korea. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2020</b> , 27, 289-298	2.8	3
33	Ventral segment-preserving right hepatectomy in patients with hepatocellular carcinoma. <i>World Journal of Surgery</i> , <b>2015</b> , 39, 1034-43	3.3	2
32	Is Pancreaticoduodenectomy Feasible for Recurrent Remnant Bile Duct Cancer Following Bile Duct Segmental Resection?. <i>Journal of Gastrointestinal Surgery</i> , <b>2015</b> , 19, 2138-45	3.3	2

31	Gene Expression Profiling of Hepatocellular Carcinoma Derived Cancer Stem Like Cell under Hypoxia. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 925-933	3	2
30	Retinoic Acid-induced Differentiation of Rat Mesenchymal Stem Cells into ECell Lineage. <i>The Journal of the Korean Society for Transplantation</i> , <b>2015</b> , 29, 118	0.3	2
29	The optimal follow-up period in patients with above 5-year disease-free survival after curative liver resection for hepatocellular carcinoma. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , <b>2013</b> , 85, 269-74		2
28	Synchronous double primary cancers associated with a choledochal cyst and anomalous pancreaticobiliary ductal union. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , <b>2011</b> , 81, 281-6		2
27	Percutaneous cholecystostomy using a central venous catheter is effective for treating high-risk patients with acute cholecystitis. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2005</b> , 15, 202-8	1.3	2
26	The effect of preconditioning on liver regeneration after hepatic resection in cirrhotic rats. <i>The Korean Journal of Hepatology</i> , <b>2011</b> , 17, 139-47		2
25	Current Status of Therapeutic Choice and Feasibility for Patients with Hepatocellular Carcinoma Aged $\geq 70$ Years: A Nationwide Cancer Registry Analysis. <i>Journal of Hepatocellular Carcinoma</i> , <b>2021</b> , 8, 321-332	5.3	2
24	Extent of Lymph Node Dissection for Accurate Staging in Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2021</b> , 1	3.3	2
23	The effect of preoperative portal vein embolization on liver regeneration after extended hepatic resection. <i>Hepato-Gastroenterology</i> , <b>2011</b> , 58, 516-21		2
22	Toward angiogenesis of implanted bio-artificial liver using scaffolds with type I collagen and adipose tissue-derived stem cells. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2015</b> , 19, 47-58		1
21	Duodenum-preserving pancreatic head resection in benign and low-grade malignant pancreatic tumors. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2013</b> , 17, 126-30		1
20	Personal experience of pancreas reconstruction following pancreaticoduodenectomy. <i>ANZ Journal of Surgery</i> , <b>2006</b> , 76, 339-42	1	1
19	Current status of hepatic surgery in Korea. <i>The Korean Journal of Hepatology</i> , <b>2009</b> , 15 Suppl 6, S60-4		1
18	Central Venous Pressure and Its Effect on Blood Loss during Hepatic Lobectomy. <i>Daehan Macwiŋwa Haghoeji</i> , <b>2007</b> , 52, 663		1
17	Feasible Factors to Reduce Hospital Days after Laparoscopic Cholecystectomy. <i>Journal of Minimally Invasive Surgery</i> , <b>2014</b> , 17, 80-84	0.2	1
16	Multidisciplinary treatment of inferior vena cava leiomyosarcoma. <i>ANZ Journal of Surgery</i> , <b>2016</b> , 86, 104-5		1
15	Recommended Minimal Number of Harvested Lymph Nodes for Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2021</b> , 25, 1164-1171	3.3	1
14	Oncologic outcomes after radical surgery for periampullary cancer in octogenarians. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2018</b> , 22, 128-135	1.5	1

13	Anti-Cancer Effects of YAP Inhibitor (CA3) in Combination with Sorafenib against Hepatocellular Carcinoma (HCC) in Patient-Derived Multicellular Tumor Spheroid Models (MCTS). <i>Cancers</i> , <b>2022</b> , 14, 2733	6.6	1
12	Sequential Changes in Body Composition Using Bioelectrical Analysis during the Metabolic Response in Critically Ill Surgical Patients. <i>Surgical Metabolism and Nutrition</i> , <b>2017</b> , 8, 13-16	0.1	0
11	Chronological analysis of surgical and oncological outcomes after the treatment of perihilar cholangiocarcinoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2021</b> , 25, 62-70	1.5	0
10	The Effect of Mental Rotation on Surgical Pathological Diagnosis. <i>Yonsei Medical Journal</i> , <b>2018</b> , 59, 445-451	3.5	0
9	Immediately transcribed genes in various hepatic ischemia models. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , <b>2012</b> , 83, 298-306		
8	Enteral Nutrition in Liver Disease. <i>Surgical Metabolism and Nutrition</i> , <b>2017</b> , 8, 28-35	0.1	
7	Sphere-forming cultivation of liver cancer cell line in culture media without growth factors. <i>Korean Journal of Clinical Oncology</i> , <b>2015</b> , 11, 20-23	0.1	
6	The Usefulness of Critical Pathway in Laparoscopic Cholecystectomy. <i>Journal of Minimally Invasive Surgery</i> , <b>2016</b> , 19, 57-62	0.2	
5	Management of portal hypertension derived from uncommon causes. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2016</b> , 20, 81-4		
4	Efficacy evaluation of SurgiGuard <sup>®</sup> in partially hepatectomized pigs. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , <b>2016</b> , 20, 102-9		
3	Development of a nutritional index to evaluate the effectiveness of total parenteral nutrition during the early postoperative period after pancreaticoduodenectomy. <i>Gland Surgery</i> , <b>2021</b> , 10, 2622-2630	2.2	2.2
2	Identifying the patients who will benefit from lymph node dissection for incidental intrahepatic cholangiocarcinoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2022</b> , 26, S318-S318	1.5	
1	Detection of sarcopenia and prediction of long-term survival in patients with pancreatic cancer using preoperative computed tomography. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2022</b> , 26, S260-S260	1.5	1.5