

Enrique Lanuza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2154535/publications.pdf>

Version: 2024-02-01

81
papers

3,155
citations

126907

33
h-index

182427

51
g-index

84
all docs

84
docs citations

84
times ranked

2721
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural progression of Alzheimer's disease over decades: the MRI staging scheme. <i>Brain Communications</i> , 2022, 4, fcaac109.	3.3	35
2	Becoming a mother shifts the activity of the social and motivation brain networks in mice. <i>IScience</i> , 2022, 25, 104525.	4.1	2
3	Maternal Motivation: Exploring the Roles of Prolactin and Pup Stimuli. <i>Neuroendocrinology</i> , 2021, 111, 805-830.	2.5	12
4	Motherhood-induced gene expression in the mouse medial amygdala: Changes induced by pregnancy and lactation but not by pup stimuli. <i>FASEB Journal</i> , 2021, 35, e21806.	0.5	3
5	Integrating pheromonal and spatial information in the amygdalo-hippocampal network. <i>Nature Communications</i> , 2021, 12, 5286.	12.8	11
6	Toward a unified analysis of cerebellum maturation and aging across the entire lifespan: A MRI analysis. <i>Human Brain Mapping</i> , 2021, 42, 1287-1303.	3.6	19
7	Male-specific features are reduced in <i>Mecp2</i> -null mice: analyses of vasopressinergic innervation, pheromone production and social behaviour. <i>Brain Structure and Function</i> , 2020, 225, 2219-2238.	2.3	6
8	Pregnancy Changes the Response of the Vomeronasal and Olfactory Systems to Pups in Mice. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 593309.	3.7	11
9	pBrain: A novel pipeline for Parkinson related brain structure segmentation. <i>NeuroImage: Clinical</i> , 2020, 25, 102184.	2.7	11
10	Lifespan Changes of the Human Brain In Alzheimer's Disease. <i>Scientific Reports</i> , 2019, 9, 3998.	3.3	113
11	Lack of MeCP2 leads to region-specific increase of doublecortin in the olfactory system. <i>Brain Structure and Function</i> , 2019, 224, 1647-1658.	2.3	8
12	The maternal hormone in the male brain: Sexually dimorphic distribution of prolactin signalling in the mouse brain. <i>PLoS ONE</i> , 2018, 13, e0208960.	2.5	21
13	Evolution of vertebrate survival circuits. <i>Current Opinion in Behavioral Sciences</i> , 2018, 24, 113-123.	3.9	13
14	Tuning the brain for motherhood: prolactin-like central signalling in virgin, pregnant, and lactating female mice. <i>Brain Structure and Function</i> , 2017, 222, 895-921.	2.3	43
15	Afferent and efferent projections of the anterior cortical amygdaloid nucleus in the mouse. <i>Journal of Comparative Neurology</i> , 2017, 525, 2929-2954.	1.6	19
16	Synchronized Activity in The Main and Accessory Olfactory Bulbs and Vomeronasal Amygdala Elicited by Chemical Signals in Freely Behaving Mice. <i>Scientific Reports</i> , 2017, 7, 9924.	3.3	25
17	Towards a unified analysis of brain maturation and aging across the entire lifespan: A MRI analysis. <i>Human Brain Mapping</i> , 2017, 38, 5501-5518.	3.6	209
18	Glutamate and Opioid Antagonists Modulate Dopamine Levels Evoked by Innately Attractive Male Chemosignals in the Nucleus Accumbens of Female Rats. <i>Frontiers in Neuroanatomy</i> , 2017, 11, 8.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Afferent and Efferent Connections of the Cortex-Amygdala Transition Zone in Mice. <i>Frontiers in Neuroanatomy</i> , 2016, 10, 125.	1.7	26
20	Afferent projections to the different medial amygdala subdivisions: a retrograde tracing study in the mouse. <i>Brain Structure and Function</i> , 2016, 221, 1033-1065.	2.3	67
21	Distribution of oxytocin and co-localization with arginine vasopressin in the brain of mice. <i>Brain Structure and Function</i> , 2016, 221, 3445-3473.	2.3	45
22	Wired for motherhood: induction of maternal care but not maternal aggression in virgin female CD1 mice. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 197.	2.0	35
23	Avoidance and contextual learning induced by a kairomone, a pheromone and a common odorant in female CD1 mice. <i>Frontiers in Neuroscience</i> , 2015, 9, 336.	2.8	12
24	From sexual attraction to maternal aggression: When pheromones change their behavioural significance. <i>Hormones and Behavior</i> , 2015, 68, 65-76.	2.1	56
25	Amygdala. , 2015, , 441-490.		21
26	Sex pheromones are not always attractive: changes induced by learning and illness in mice. <i>Animal Behaviour</i> , 2014, 97, 265-272.	1.9	16
27	The vomeronasal cortex afferent and efferent projections of the posteromedial cortical nucleus of the amygdala in mice. <i>European Journal of Neuroscience</i> , 2014, 39, 141-158.	2.6	49
28	Focal lesions within the ventral striato-pallidum abolish attraction for male chemosignals in female mice. <i>Behavioural Brain Research</i> , 2014, 259, 292-296.	2.2	32
29	Extending the socio-sexual brain: arginine-vasopressin immunoreactive circuits in the telencephalon of mice. <i>Brain Structure and Function</i> , 2014, 219, 1055-1081.	2.3	31
30	Of Pheromones and Kairomones: What Receptors Mediate Innate Emotional Responses?. <i>Anatomical Record</i> , 2013, 296, 1346-1363.	1.4	90
31	Neural Substrate to Associate Odorants and Pheromones: Convergence of Projections from the Main and Accessory Olfactory Bulbs in Mice. , 2013, , 3-16.		11
32	Lesions of the dopaminergic innervation of the nucleus accumbens medial shell delay the generation of preference for sucrose, but not of sexual pheromones. <i>Behavioural Brain Research</i> , 2012, 226, 538-547.	2.2	20
33	Piriform Cortex and Amygdala. , 2012, , 140-172.		30
34	Differential efferent projections of the anterior, posteroventral, and posterodorsal subdivisions of the medial amygdala in mice. <i>Frontiers in Neuroanatomy</i> , 2012, 6, 33.	1.7	123
35	Cladistic Analysis of Olfactory and Vomeronasal Systems. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 3.	1.7	35
36	Amygdaloid projections to the ventral striatum in mice: direct and indirect chemosensory inputs to the brain reward system. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 54.	1.7	38

#	ARTICLE	IF	CITATIONS
37	Chemosensory Function of the Amygdala. <i>Vitamins and Hormones</i> , 2010, 83, 165-196.	1.7	37
38	Refining the dual olfactory hypothesis: Pheromone reward and odour experience. <i>Behavioural Brain Research</i> , 2009, 200, 277-286.	2.2	114
39	Role of nitric oxide in pheromone-mediated intraspecific communication in mice. <i>Physiology and Behavior</i> , 2009, 98, 608-613.	2.1	7
40	2074v Alpha1-Beta1 and Alpha6-Beta1-Integrin. , 2008, , 1-1.		0
41	Role of the vomeronasal system in intersexual attraction in female mice. <i>Neuroscience</i> , 2008, 153, 383-395.	2.3	45
42	Unconditioned stimulus pathways to the amygdala: Effects of lesions of the posterior intralaminar thalamus on foot-shock-induced c-Fos expression in the subdivisions of the lateral amygdala. <i>Neuroscience</i> , 2008, 155, 959-968.	2.3	66
43	Two interconnected functional systems in the amygdala of amniote vertebrates. <i>Brain Research Bulletin</i> , 2008, 75, 206-213.	3.0	48
44	Vomeronasal inputs to the rodent ventral striatum. <i>Brain Research Bulletin</i> , 2008, 75, 467-473.	3.0	38
45	Sexual pheromones and the evolution of the reward system of the brain: The chemosensory function of the amygdala. <i>Brain Research Bulletin</i> , 2008, 75, 460-466.	3.0	35
46	Sex versus sweet: Opposite effects of opioid drugs on the reward of sucrose and sexual pheromones.. <i>Behavioral Neuroscience</i> , 2008, 122, 416-425.	1.2	16
47	Have Sexual Pheromones Their Own Reward System in the Brain of Female Mice?. , 2008, , 261-270.		2
48	Effects of dopaminergic drugs on innate pheromone-mediated reward in female mice: A new case of dopamine-independent "liking.". <i>Behavioral Neuroscience</i> , 2007, 121, 920-932.	1.2	25
49	Evolution of the Amygdala in Vertebrates. , 2007, , 255-334.		36
50	Projections from the posterolateral olfactory amygdala to the ventral striatum: neural basis for reinforcing properties of chemical stimuli. <i>BMC Neuroscience</i> , 2007, 8, 103.	1.9	58
51	Selective dopaminergic lesions of the ventral tegmental area impair preference for sucrose but not for male sexual pheromones in female mice. <i>European Journal of Neuroscience</i> , 2006, 24, 885-893.	2.6	46
52	Intraspecific Communication Through Chemical Signals in Female Mice: Reinforcing Properties of Involatile Male Sexual Pheromones. <i>Chemical Senses</i> , 2006, 32, 139-148.	2.0	58
53	Attraction to sexual pheromones and associated odorants in female mice involves activation of the reward system and basolateral amygdala. <i>European Journal of Neuroscience</i> , 2005, 21, 2186-2198.	2.6	86
54	Chemoarchitecture and afferent connections of the "olfactostriatum", a specialized vomeronasal structure within the basal ganglia of snakes. <i>Journal of Chemical Neuroanatomy</i> , 2005, 29, 49-69.	2.1	12

#	ARTICLE	IF	CITATIONS
55	Efferent connections of the olfactory bulb: A specialized vomeronasal structure within the basal ganglia of snakes. <i>Journal of Chemical Neuroanatomy</i> , 2005, 29, 217-226.	2.1	14
56	The olfactory bulb of snakes: A basal ganglia vomeronasal structure in tetrapods. <i>Brain Research Bulletin</i> , 2005, 66, 337-340.	3.0	5
57	Distribution of corticotropin-releasing factor-immunoreactive neurons in the central nervous system of the domestic chicken and Japanese quail. <i>Journal of Comparative Neurology</i> , 2004, 469, 559-580.	1.6	47
58	Amygdalostriatal projections in reptiles: A tract tracing study in the lizard <i>Podarcis hispanica</i> . <i>Journal of Comparative Neurology</i> , 2004, 479, 287-308.	1.6	30
59	Attraction to male pheromones and sexual behaviour show different regulatory mechanisms in female mice. <i>Physiology and Behavior</i> , 2004, 81, 427-434.	2.1	39
60	Unconditioned stimulus pathways to the amygdala: effects of posterior thalamic and cortical lesions on fear conditioning. <i>Neuroscience</i> , 2004, 125, 305-315.	2.3	88
61	Retinal ganglion cells projecting to the optic tectum and visual thalamus of lizards. <i>Visual Neuroscience</i> , 2002, 19, 575-581.	1.0	6
62	The pallial amygdala of amniote vertebrates: evolution of the concept, evolution of the structure. <i>Brain Research Bulletin</i> , 2002, 57, 463-469.	3.0	121
63	Attractive properties of sexual pheromones in mice. <i>Physiology and Behavior</i> , 2002, 77, 167-176.	2.1	108
64	Distribution of PSA-NCAM expression in the amygdala of the adult rat. <i>Neuroscience</i> , 2002, 113, 479-484.	2.3	68
65	Neural substrates for processing chemosensory information in snakes. <i>Brain Research Bulletin</i> , 2002, 57, 543-546.	3.0	21
66	Striato-amygdaloid transition area lesions reduce the duration of tonic immobility in the lizard <i>Podarcis hispanica</i> . <i>Brain Research Bulletin</i> , 2002, 57, 537-541.	3.0	28
67	Understanding the basic circuitry of the cerebral hemispheres: the case of lizards and its implications in the evolution of the telencephalon. <i>Brain Research Bulletin</i> , 2002, 57, 471-473.	3.0	21
68	Distribution of calcitonin gene-related peptide-like immunoreactivity in the brain of the lizard <i>Podarcis hispanica</i> . <i>Journal of Comparative Neurology</i> , 2002, 447, 99-113.	1.6	16
69	Distribution of CGRP-like immunoreactivity in the chick and quail brain. , 2000, 421, 515-532.		41
70	Afferents to the red nucleus in the lizard <i>Podarcis hispanica</i> : Putative pathways for visuomotor integration. <i>Journal of Comparative Neurology</i> , 1999, 411, 35-55.	1.6	12
71	Organization of the ophidian amygdala: Chemosensory pathways to the hypothalamus. , 1999, 412, 51-68.		42
72	What is the amygdala? A comparative approach. <i>Trends in Neurosciences</i> , 1999, 22, 207.	8.6	14

#	ARTICLE	IF	CITATIONS
73	Septal complex of the telencephalon of lizards: III. Efferent connections and general discussion. <i>Journal of Comparative Neurology</i> , 1998, 401, 525-548.	1.6	43
74	Identification of the reptilian basolateral amygdala: an anatomical investigation of the afferents to the posterior dorsal ventricular ridge of the lizard <i>Podarcis hispanica</i> . <i>European Journal of Neuroscience</i> , 1998, 10, 3517-3534.	2.6	74
75	Efferents and Centrifugal Afferents of the Main and Accessory Olfactory Bulbs in the Snake <i>Thamnophis sirtalis</i> . <i>Brain, Behavior and Evolution</i> , 1998, 51, 1-22.	1.7	65
76	Ascending projections from the optic tectum in the lizard <i>Podarcis hispanica</i> . <i>Visual Neuroscience</i> , 1998, 15, 459-475.	1.0	14
77	A Lacertilian Dorsal Retinorecipient Thalamus: A Re-Investigation in the Old-World Lizard <i>Podarcis hispanica</i> ; (Part 1 of 2). <i>Brain, Behavior and Evolution</i> , 1997, 50, 313-323.	1.7	64
78	Septal complex of the telencephalon of the lizard <i>Podarcis hispanica</i> . II. afferent connections. <i>Journal of Comparative Neurology</i> , 1997, 383, 489-511.	1.6	37
79	Amygdalo-hypothalamic projections in the lizard <i>Podarcis hispanica</i> : A combined anterograde and retrograde tracing study. <i>Journal of Comparative Neurology</i> , 1997, 384, 537-555.	1.6	46
80	Afferent and efferent connections of the nucleus sphericus in the snake <i>Thamnophis sirtalis</i> : Convergence of olfactory and vomeronasal information in the lateral cortex and the amygdala. , 1997, 385, 627-640.		53
81	Catecholaminergic interplexiform cells in the retina of lizards. <i>Vision Research</i> , 1996, 36, 1349-1355.	1.4	6