

Anna Kristina Lindström

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2154733/anna-kristina-lindstrom-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

3,027

citations

31

h-index

54

g-index

63

ext. papers

3,533

ext. citations

3.9

avg, IF

5.24

L-index

#	Paper	IF	Citations
62	Phylogenetically diverse Bradyrhizobium genospecies nodulate Bambara groundnut (<i>Vigna subterranea</i> L. Verdc) and soybean (<i>Glycine max</i> L. Merrill) in the northern savanna zones of Ghana.. <i>FEMS Microbiology Ecology</i> , 2022 ,	4.3	1
61	Competition for electrons favours N O reduction in denitrifying Bradyrhizobium isolates. <i>Environmental Microbiology</i> , 2021 , 23, 2244-2259	5.2	5
60	Genetically diverse lentil- and faba bean-nodulating rhizobia are present in soils across Central and Southern Ethiopia. <i>FEMS Microbiology Ecology</i> , 2020 , 96,	4.3	4
59	Effectiveness of nitrogen fixation in rhizobia. <i>Microbial Biotechnology</i> , 2020 , 13, 1314-1335	6.3	94
58	Response of Soil Bacterial Community Diversity and Composition to Time, Fertilization, and Plant Species in a Sub-Boreal Climate. <i>Frontiers in Microbiology</i> , 2020 , 11, 1780	5.7	3
57	Rhizobial inoculation improves drought tolerance, biomass and grain yields of common bean (<i>Phaseolus vulgaris</i> L.) and soybean (<i>Glycine max</i> L.) at Halaba and Boricha in Southern Ethiopia. <i>Archives of Agronomy and Soil Science</i> , 2020 , 66, 488-501	2	11
56	Minimal standards for the description of new genera and species of rhizobia and agrobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1852-1863	2.2	94
55	Innovation platforms: a tool to enhance small-scale farmer potential through co-creation. <i>Development in Practice</i> , 2018 , 28, 999-1011	1.3	6
54	Microbial cooperation in the rhizosphere improves liquorice growth under salt stress. <i>Bioengineered</i> , 2017 , 8, 433-438	5.7	26
53	Grain Legume Production and Use in European Agricultural Systems. <i>Advances in Agronomy</i> , 2017 , 235-303	3.7	101
52	A synergistic interaction between salt-tolerant <i>Pseudomonas</i> and <i>Mesorhizobium</i> strains improves growth and symbiotic performance of liquorice (<i>Glycyrrhiza uralensis</i> Fish.) under salt stress. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 2829-41	5.7	55
51	Evolution and Taxonomy of Nitrogen-Fixing Organisms with Emphasis on Rhizobia 2015 , 21-38		21
50	Genomic features separating ten strains of <i>Neorhizobium galegae</i> with different symbiotic phenotypes. <i>BMC Genomics</i> , 2015 , 16, 348	4.5	9
49	Phylogeny of the Rhizobium-Allorhizobium-Agrobacterium clade supports the delineation of <i>Neorhizobium</i> gen. nov. <i>Systematic and Applied Microbiology</i> , 2014 , 37, 208-15	4.2	141
48	Soil mesocosm studies on atrazine bioremediation. <i>Journal of Environmental Management</i> , 2014 , 139, 208-16	7.9	42
47	Genome sequencing of two <i>Neorhizobium galegae</i> strains reveals a noeT gene responsible for the unusual acetylation of the nodulation factors. <i>BMC Genomics</i> , 2014 , 15, 500	4.5	22
46	<i>Mesorhizobium sangaii</i> sp. nov., isolated from the root nodules of <i>Astragalus luteolus</i> and <i>Astragalus ernestii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 2794-2799	2.2	23

45	Alleviation of salt stress of symbiotic <i>Galega officinalis</i> L. (goatwreue) by co-inoculation of Rhizobium with root-colonizing <i>Pseudomonas</i> . <i>Plant and Soil</i> , 2013 , 369, 453-465	4.2	98
44	Phylogeny and genetic diversity of native rhizobia nodulating common bean (<i>Phaseolus vulgaris</i> L.) in Ethiopia. <i>Systematic and Applied Microbiology</i> , 2012 , 35, 120-31	4.2	76
43	Phylogenetically diverse groups of Bradyrhizobium isolated from nodules of <i>Crotalaria</i> spp., <i>Indigofera</i> spp., <i>Erythrina brucei</i> and <i>Glycine max</i> growing in Ethiopia. <i>Molecular Phylogenetics and Evolution</i> , 2012 , 65, 595-609	4.1	43
42	The rhizospheres of traditional medicinal plants in Panxi, China, host a diverse selection of actinobacteria with antimicrobial properties. <i>Applied Microbiology and Biotechnology</i> , 2012 , 94, 1321-35	5.7	34
41	Biogeography of symbiotic and other endophytic bacteria isolated from medicinal <i>Glycyrrhiza</i> species in China. <i>FEMS Microbiology Ecology</i> , 2012 , 79, 46-68	4.3	83
40	<i>Enterococcus rivorum</i> sp. nov., from water of pristine brooks. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2169-2173	2.2	17
39	Horizontal Gene Transfer and Recombination Shape Mesorhizobial Populations in the Gene Center of the Host Plants <i>Astragalus Luteolus</i> and <i>Astragalus Ernestii</i> in Sichuan, China 2011 , 49-57		
38	The diversity and anti-microbial activity of endophytic actinomycetes isolated from medicinal plants in Panxi plateau, China. <i>Current Microbiology</i> , 2011 , 62, 182-90	2.4	132
37	The biodiversity of beneficial microbe-host mutualism: the case of rhizobia. <i>Research in Microbiology</i> , 2010 , 161, 453-63	4	96
36	Rhizobium and Other N-fixing Symbioses 2010 ,		8
35	Nitrogen-fixing bacteria associated with leguminous and non-leguminous plants. <i>Plant and Soil</i> , 2009 , 321, 35-59	4.2	458
34	Genetic characterisation of endophytic actinobacteria isolated from the medicinal plants in Sichuan. <i>Annals of Microbiology</i> , 2008 , 58, 597-604	3.2	18
33	The Diversity and Evolution of Rhizobia. <i>Microbiology Monographs</i> , 2007 , 3-41	0.8	15
32	Stability of short and long O-chain lipopolysaccharide types in <i>Rhizobium galegae</i> and their correlation with symbiotic properties and growth conditions, tolerance of low pH, aluminum and salt in the growth medium. <i>FEMS Microbiology Letters</i> , 2006 , 155, 17-22	2.9	
31	Genetic diversity and phylogeny of rhizobia isolated from agroforestry legume species in southern Ethiopia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005 , 55, 1439-1452	2.2	72
30	<i>Mesorhizobium septentrionale</i> sp. nov. and <i>Mesorhizobium temperatum</i> sp. nov., isolated from <i>Astragalus adsurgens</i> growing in the northern regions of China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 2003-2012	2.2	71
29	Metabolic and genomic diversity of rhizobia isolated from field standing native and exotic woody legumes in southern Ethiopia. <i>Systematic and Applied Microbiology</i> , 2004 , 27, 603-11	4.2	32
28	Evaluation of the roles of two compatible solutes, glycine betaine and trehalose, for the <i>Acacia senegal</i> /rhizobium symbiosis exposed to drought stress. <i>Plant and Soil</i> , 2004 , 260, 237-251	4.2	33

27	Diversity and compatibility of peanut (<i>Arachis hypogaea</i> L.) bradyrhizobia and their host plants. <i>Plant and Soil</i> , 2003 , 255, 605-617	4.2	15
26	Persistence, population dynamics and competitiveness for nodulation of marker gene-tagged <i>Rhizobium galegae</i> strains in field lysimeters in the boreal climatic zone. <i>FEMS Microbiology Ecology</i> , 2003 , 46, 91-104	4.3	9
25	Symbiotic properties of sinorhizobia isolated from <i>Acacia</i> and <i>Prosopis</i> nodules in Sudan and Senegal. <i>Plant and Soil</i> , 2001 , 235, 193-210	4.2	30
24	Description of two biovars in the <i>Rhizobium galegae</i> species: biovar <i>orientalis</i> and biovar <i>officinalis</i> . <i>Systematic and Applied Microbiology</i> , 2001 , 24, 192-205	4.2	33
23	Genetic diversity of rhizobia isolated from <i>Astragalus adsurgens</i> growing in different geographical regions of China. <i>Journal of Biotechnology</i> , 2001 , 91, 155-68	3.7	65
22	AFLP fingerprinting as a tool to study the genetic diversity of <i>Rhizobium galegae</i> isolated from <i>Galega orientalis</i> and <i>Galega officinalis</i> . <i>Journal of Biotechnology</i> , 2001 , 91, 169-80	3.7	145
21	Extraction and purification of DNA in rhizosphere soil samples for PCR-DGGE analysis of bacterial consortia. <i>Journal of Microbiological Methods</i> , 2001 , 45, 155-65	2.8	148
20	Silver stained polyacrylamide gels and fluorescence-based automated capillary electrophoresis for detection of amplified fragment length polymorphism patterns obtained from white-rot fungi in the genus <i>Trametes</i> . <i>Journal of Microbiological Methods</i> , 2000 , 41, 161-72	2.8	19
19	<i>Sinorhizobium arboris</i> sp. nov. and <i>Sinorhizobium kostiense</i> sp. nov., isolated from leguminous trees in Sudan and Kenya. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999 , 49 Pt 4, 1359-68	2.2	105
18	Structure of the <i>Mesorhizobium huakuii</i> and <i>Rhizobium galegae</i> Nod factors: a cluster of phylogenetically related legumes are nodulated by rhizobia producing Nod factors with alpha,beta-unsaturated N-acyl substitutions. <i>Molecular Microbiology</i> , 1999 , 34, 227-37	4.1	51
17	<i>Agrobacterium</i> bv. 1 Strains Isolated from Nodules of Tropical Legumes. <i>Systematic and Applied Microbiology</i> , 1999 , 22, 119-132	4.2	83
16	Phylogeny and diversity of <i>Bradyrhizobium</i> strains isolated from the root nodules of peanut (<i>Arachis hypogaea</i>) in Sichuan, China. <i>Systematic and Applied Microbiology</i> , 1999 , 22, 378-86	4.2	37
15	Rhizobia Isolated from Root Nodules of Tropical Leguminous Trees Characterized Using DNA-DNA dot-blot Hybridisation and rep-PCR Genomic Fingerprinting. <i>Systematic and Applied Microbiology</i> , 1999 , 22, 287-299	4.2	56
14	Grouping of lignin degrading corticioid fungi based on RFLP analysis of 18S rDNA and ITS regions. <i>Mycological Research</i> , 1999 , 103, 990-996		8
13	Diversity of Partial 16S rRNA Sequences Among and Within Strains of African Rhizobia Isolated from <i>Acacia</i> and <i>Prosopis</i> . <i>Systematic and Applied Microbiology</i> , 1996 , 19, 352-359	4.2	40
12	Pulsed-field gel electrophoresis for genotypic comparison of <i>Rhizobium</i> bacteria that nodulate leguminous trees. <i>FEMS Microbiology Letters</i> , 1994 , 119, 215-220	2.9	16
11	Host range, morphology and dna restriction patterns of bacteriophage isolates infecting <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> . <i>Soil Biology and Biochemistry</i> , 1994 , 26, 429-437	7.5	12
10	Use of Repetitive Sequences and the Polymerase Chain Reaction to Fingerprint the Genomic DNA of <i>Rhizobium galegae</i> Strains and to Identify the DNA Obtained by Sonicating the Liquid Cultures and Root Nodules. <i>Systematic and Applied Microbiology</i> , 1994 , 17, 265-273	4.2	42

9	Lipopolysaccharide patterns in SDS-PAGE of rhizobia that nodulate leguminous trees. <i>FEMS Microbiology Letters</i> , 1993 , 107, 327-330	2.9	13
8	Properties of <i>Rhizobium galegae</i> and its Symbiosis with <i>Galega</i> sp.. <i>Journal of Plant Physiology</i> , 1988 , 132, 456-458	3.6	1
7	Sensitivity of red clover rhizobia to soil acidity factors in pure culture and in symbiosis. <i>Plant and Soil</i> , 1987 , 98, 353-362	4.2	23
6	Adaptation of red clover rhizobia to low temperatures. <i>Plant and Soil</i> , 1986 , 92, 55-62	4.2	18
5	Symbiotic nitrogen fixation of <i>Rhizobium</i> (<i>Galega</i>) in acid soils, and its survival in soil under acid and cold stress. <i>Plant and Soil</i> , 1985 , 87, 293-302	4.2	46
4	Effect of dinoseb on nitrogen fixation of red clover (<i>Trifolium pratense</i>). <i>Soil Biology and Biochemistry</i> , 1985 , 17, 865-869	7.5	9
3	Analysis of factors affecting in situ nitrogenase (C ₂ H ₂) activity of <i>Galega orientalis</i> , <i>Trifolium pratense</i> and <i>Medicago sativa</i> in temperate conditions. <i>Plant and Soil</i> , 1984 , 79, 329-341	4.2	32
2	Effect of various <i>Rhizobium trifolii</i> strains on nitrogenase (C ₂ H ₂) activity profiles of red clover (<i>Trifolium pratense</i> cv. Venla). <i>Plant and Soil</i> , 1984 , 80, 79-89	4.2	11
1	Identification of nodulation promoter (nod-box) regions of <i>Rhizobium galegae</i>		1