

Shogo Kikuchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2155122/shogo-kikuchi-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75 papers	3,073 citations	27 h-index	54 g-index
78 ext. papers	3,566 ext. citations	4.7 avg, IF	4.62 L-index

#	Paper	IF	Citations
75	Prevalence estimates of Helicobacter species infection in pancreatic and biliary tract cancers.. <i>Helicobacter</i> , 2022 , e12866	4.9	2
74	Lifetime incidence risk for gastric cancer in the Helicobacter pylori-infected and uninfected population in Japan: A Monte Carlo simulation study. <i>International Journal of Cancer</i> , 2022 , 150, 18-27	7.5	0
73	Relative risk of gastric cancer between those with and without infection history in Japan.. <i>JGH Open</i> , 2022 , 6, 166-170	1.8	
72	Effects of Helicobacter pylori eradication on gastric cancer incidence in the Japanese population: a systematic evidence review. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1158-1170	2.8	5
71	Gastric cancer deaths by age group in Japan: Outlook on preventive measures for elderly adults. <i>Cancer Science</i> , 2020 , 111, 3845-3853	6.9	13
70	Assessment of locomotive syndrome among older individuals: a confirmatory factor analysis of the 25-question Geriatric Locomotive Function Scale. <i>PeerJ</i> , 2020 , 8, e9026	3.1	4
69	Milk Intake and Stroke Mortality in the Japan Collaborative Cohort Study-A Bayesian Survival Analysis. <i>Nutrients</i> , 2020 , 12,	6.7	2
68	Serum Pepsinogen Values in Japanese Junior High School Students With Reference to Helicobacter Pylori Infection. <i>Journal of Epidemiology</i> , 2020 , 30, 30-36	3.4	4
67	Guidelines for the management of Helicobacter pylori infection in Japan: 2016 Revised Edition. <i>Helicobacter</i> , 2019 , 24, e12597	4.9	70
66	Rapidly decreasing prevalence of Helicobacter pylori among Japanese children and adolescents. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 526-530	2.2	8
65	Comparison of the detection of Helicobacter pylori infection by commercially available serological testing kits and the C-urea breath test. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 769-773	2.2	6
64	Helicobacter pylori Infection in Children and Adolescents. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1149, 107-120	3.6	22
63	Metronidazole for Helicobacter pylori eradication therapy among children and adolescents in Japan: Overcoming controversies and concerns. <i>Helicobacter</i> , 2019 , 24, e12575	4.9	10
62	A Helicobacter pylori screening and treatment program to eliminate gastric cancer among junior high school students in Saga Prefecture: a preliminary report. <i>Journal of Gastroenterology</i> , 2019 , 54, 699-707	6.9	22
61	Optimal Criteria and Diagnostic Ability of Serum Pepsinogen Values for Helicobacter pylori Infection. <i>Journal of Epidemiology</i> , 2019 , 29, 147-154	3.4	10
60	Randomized controlled trial: PPI-based triple therapy containing metronidazole versus clarithromycin as first-line treatment for Helicobacter pylori in adolescents and young adults in Japan. <i>Journal of Infection and Chemotherapy</i> , 2018 , 24, 538-543	2.2	18
59	Influence of Intestinal Indigenous Microbiota on Intrafamilial Infection by in Japan. <i>Frontiers in Immunology</i> , 2018 , 9, 287	8.4	14

58	Nationwide survey of <i>Helicobacter pylori</i> treatment for children and adolescents in Japan. <i>Pediatrics International</i> , 2017 , 59, 57-61	1.2	33
57	Esophageal cancer in high-risk areas of China: research progress and challenges. <i>Annals of Epidemiology</i> , 2017 , 27, 215-221	6.4	104
56	Rapid urine antibody test for <i>Helicobacter pylori</i> infection in adolescents. <i>Pediatrics International</i> , 2017 , 59, 798-802	1.2	6
55	Changing trends in the prevalence of <i>H. pylori</i> infection in Japan (1908-2003): a systematic review and meta-regression analysis of 170,752 individuals. <i>Scientific Reports</i> , 2017 , 7, 15491	4.9	39
54	<i>Helicobacter pylori</i> infection and its related factors in junior high school students in Nagano Prefecture, Japan. <i>Helicobacter</i> , 2017 , 22, e12363	4.9	20
53	Diagnostic accuracy of urine <i>Helicobacter pylori</i> antibody test in junior and senior high school students in Japan. <i>Helicobacter</i> , 2017 , 22, e12329	4.9	15
52	Low prevalence and incidence of <i>Helicobacter pylori</i> infection in children: a population-based study in Japan. <i>Helicobacter</i> , 2015 , 20, 133-8	4.9	49
51	Association between shift work and the risk of death from biliary tract cancer in Japanese men. <i>BMC Cancer</i> , 2015 , 15, 757	4.8	8
50	Prevalence of <i>Helicobacter pylori</i> infection by birth year and geographic area in Japan. <i>Helicobacter</i> , 2014 , 19, 105-10	4.9	64
49	Diagnostic accuracy of the E-plate serum antibody test kit in detecting <i>Helicobacter pylori</i> infection among Japanese children. <i>Journal of Epidemiology</i> , 2014 , 24, 47-51	3.4	30
48	Association between variations in the fat mass and obesity-associated gene and pancreatic cancer risk: a case-control study in Japan. <i>BMC Cancer</i> , 2013 , 13, 337	4.8	37
47	A prospective cohort study of shift work and the risk of death from pancreatic cancer in Japanese men. <i>Cancer Causes and Control</i> , 2013 , 24, 1357-61	2.8	10
46	Multilocus sequence typing of DNA from faecal specimens for the analysis of intra-familial transmission of <i>Helicobacter pylori</i> . <i>Journal of Medical Microbiology</i> , 2013 , 62, 761-765	3.2	22
45	Diagnostic accuracy of urine-based kits for detection of <i>Helicobacter pylori</i> antibody in children. <i>Pediatrics International</i> , 2013 , 55, 337-41	1.2	21
44	Cohort profile of the Japan Collaborative Cohort Study at final follow-up. <i>Journal of Epidemiology</i> , 2013 , 23, 227-32	3.4	95
43	Comparative epidemiology of gastric cancer between Japan and China. <i>World Journal of Gastroenterology</i> , 2011 , 17, 4421-8	5.6	135
42	Reduced serum vascular endothelial growth factor receptor-2 (sVEGFR-2) and sVEGFR-1 levels in gastric cancer patients. <i>Cancer Science</i> , 2011 , 102, 866-9	6.9	15
41	Impact of smoking and other lifestyle factors on life expectancy among Japanese: findings from the Japan Collaborative Cohort (JACC) Study. <i>Journal of Epidemiology</i> , 2010 , 20, 370-6	3.4	19

40	Healthy lifestyle and preventable death: findings from the Japan Collaborative Cohort (JACC) Study. <i>Preventive Medicine</i> , 2009 , 48, 486-92	4.3	75
39	Lack of association between risk of biliary tract cancer and circulating IGF (Insulin-like Growth Factor) -I, IGF-II or IGFBP-3 (IGF-binding Protein-3): A nested case-control study in a large scale cohort study in Japan. <i>Asian Pacific Journal of Cancer Prevention</i> , 2009 , 10 Suppl, 63-7	1.7	
38	Effect of eradication of <i>Helicobacter pylori</i> on incidence of metachronous gastric carcinoma after endoscopic resection of early gastric cancer: an open-label, randomised controlled trial. <i>Lancet, The</i> , 2008 , 372, 392-7	4.0	891
37	Cigarette smoking, alcohol drinking and the risk of gallbladder cancer death: a prospective cohort study in Japan. <i>International Journal of Cancer</i> , 2008 , 122, 924-9	7.5	33
36	When does gastric atrophy develop in Japanese children?. <i>Helicobacter</i> , 2008 , 13, 278-81	4.9	19
35	A nested case-control study of stomach cancer incidence and serum superoxide dismutase activity in the Japan Collaborative Cohort study in Japan. <i>Cancer Detection and Prevention</i> , 2007 , 31, 431-5		1
34	Personal past history and mortality in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007 , 8 Suppl, 9-20	1.7	3
33	Family history and mortality in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007 , 8 Suppl, 21-4	1.7	
32	Serum levels of transforming growth factor beta1 are significantly correlated with venous invasion in patients with gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 432-7	4	26
31	Highly salted food and mountain herbs elevate the risk for stomach cancer death in a rural area of Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 1681-6	4	28
30	Risk Factors for Total Mortality in Centenarians in Aichi Prefecture, Japan. <i>Annals of the New York Academy of Sciences</i> , 2006 , 928, 380-380	6.5	
29	Design and planned analyses of an ongoing randomized trial assessing the preventive effect of <i>Helicobacter pylori</i> eradication on occurrence of new gastric carcinomas after endoscopic resection. <i>Helicobacter</i> , 2006 , 11, 147-51	4.9	20
28	Serum transforming growth factor-beta1 levels and pancreatic cancer risk: a nested case-control study (Japan). <i>Cancer Causes and Control</i> , 2006 , 17, 1077-82	2.8	15
27	Alcohol consumption and mortality among middle-aged and elderly Japanese men and women. <i>Annals of Epidemiology</i> , 2005 , 15, 590-7	6.4	77
26	Cigarette smoking and mortality due to stomach cancer: findings from the JACC Study. <i>Journal of Epidemiology</i> , 2005 , 15 Suppl 2, S113-9	3.4	18
25	Serum levels of insulin-like growth factor I, II, and binding protein 3, transforming growth factor beta-1, soluble fas ligand and superoxide dismutase activity in stomach cancer cases and their controls in the JACC Study. <i>Journal of Epidemiology</i> , 2005 , 15 Suppl 2, S120-5	3.4	9
24	Serum pepsinogen values and <i>Helicobacter pylori</i> status among control subjects of a nested case-control study in the JACC study. <i>Journal of Epidemiology</i> , 2005 , 15 Suppl 2, S126-33	3.4	18
23	Overview of epidemiology of bile duct and gallbladder cancer focusing on the JACC Study. <i>Journal of Epidemiology</i> , 2005 , 15 Suppl 2, S150-6	3.4	20

22	Epidemiology of <i>Helicobacter pylori</i> Infection. <i>Helicobacter</i> , 2005 , 10 Suppl 1, 1-4	4.9	44
21	Serum midkine concentrations and gastric cancer. <i>Cancer Science</i> , 2005 , 96, 54-6	6.9	45
20	Prospective study of alcohol consumption and breast cancer risk in Japanese women. <i>International Journal of Cancer</i> , 2005 , 116, 779-83	7.5	20
19	Bowel movement frequency, medical history and the risk of gallbladder cancer death: a cohort study in Japan. <i>Cancer Science</i> , 2004 , 95, 674-8	6.9	24
18	Seroconversion and seroreversion of <i>Helicobacter pylori</i> antibodies over a 9-year period and related factors in Japanese adults. <i>Helicobacter</i> , 2004 , 9, 335-41	4.9	17
17	Trends in the incidence of gastric cancer in Japan and their associations with <i>Helicobacter pylori</i> infection and gastric mucosal atrophy. <i>Gastric Cancer</i> , 2004 , 7, 233-9	7.6	39
16	Diagnostic accuracy of serological kits for <i>Helicobacter pylori</i> infection with the same assay system but different antigens in a Japanese patient population. <i>Journal of Medical Microbiology</i> , 2003 , 52, 889-892	3.2	25
15	<i>Helicobacter pylori</i> risk associated with childhood home environment. <i>Cancer Science</i> , 2003 , 94, 914-8	6.9	37
14	Epidemiology of <i>Helicobacter pylori</i> and gastric cancer. <i>Gastric Cancer</i> , 2002 , 5, 6-15	7.6	63
13	Serum copper/zinc superoxide dismutase (Cu/Zn SOD) and gastric cancer risk: a case-control study. <i>Japanese Journal of Cancer Research</i> , 2002 , 93, 1071-5		24
12	U-shaped effect of drinking and linear effect of smoking on risk for stomach cancer in Japan. <i>Japanese Journal of Cancer Research</i> , 2002 , 93, 953-9		26
11	A prospective cohort study of cigarette smoking and pancreatic cancer in Japan. <i>Cancer Causes and Control</i> , 2002 , 13, 249-54	2.8	61
10	Long-term effect of smoking on serum pepsinogen values. <i>Journal of Epidemiology</i> , 2002 , 12, 351-6	3.4	4
9	An Epidemiological Overview of Environmental and Genetic Risk Factors of Pancreatic Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2001 , 2, 271-280	1.7	9
8	Relationship between <i>Helicobacter pylori</i> infection and smoking and drinking habits. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 271-6	4	78
7	Long-term effect of <i>Helicobacter pylori</i> infection on serum pepsinogens. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 471-6		23
6	Effect of age on the relationship between gastric cancer and <i>Helicobacter pylori</i> . Tokyo Research Group of Prevention for Gastric Cancer. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 774-9		37
5	Insufficient diagnostic accuracy of imported serological kits for <i>Helicobacter pylori</i> infection in Japanese population. <i>Diagnostic Microbiology and Infectious Disease</i> , 2000 , 36, 95-9	2.9	38

4	Helicobacter pylori risk associated with sibship size and family history of gastric diseases in Japanese adults. <i>Japanese Journal of Cancer Research</i> , 1998 , 89, 1109-12		32
3	Serum anti-Helicobacter pylori antibody and gastric carcinoma among young adults. Research Group on Prevention of Gastric Carcinoma among Young Adults. <i>Cancer</i> , 1995 , 75, 2789-93	6.4	194
2	Serum pepsinogen as a new marker for gastric carcinoma among young adults. Research Group on Prevention of Gastric Carcinoma among Young Adults. <i>Cancer</i> , 1994 , 73, 2695-702	6.4	44
1	Should Age, Sex, Subjective Symptoms in the Stomach and Past History of Peptic Ulcer be Regarded in the Evaluation of Efficacy of Serum Pepsinogen Values for Use in Gastric Cancer Mass-screening ?. <i>Journal of Epidemiology</i> , 1993 , 3, 71-76	3.4	4