

Francisco X Real

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2155825/francisco-x-real-publications-by-citations.pdf>
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

303 papers	18,551 citations	76 h-index	122 g-index
326 ext. papers	21,322 ext. citations	10 avg, IF	6.03 L-index

#	Paper	IF	Citations
303	NAT2 slow acetylation, GSTM1 null genotype, and risk of bladder cancer: results from the Spanish Bladder Cancer Study and meta-analyses. <i>Lancet, The</i> , 2005 , 366, 649-59	40	483
302	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012 , 44, 651-8	36.3	409
301	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010 , 42, 978-84	36.3	408
300	Bladder cancer and exposure to water disinfection by-products through ingestion, bathing, showering, and swimming in pools. <i>American Journal of Epidemiology</i> , 2007 , 165, 148-56	3.8	382
299	Comprehensive Transcriptional Analysis of Early-Stage Urothelial Carcinoma. <i>Cancer Cell</i> , 2016 , 30, 27-42	24.3	325
298	Preliminary observations on the effect of recombinant leukocyte A interferon in homosexual men with Kaposi's sarcoma. <i>New England Journal of Medicine</i> , 1983 , 308, 1071-6	59.2	313
297	A Consensus Molecular Classification of Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2020 , 77, 420-433	10.2	309
296	A renewed model of pancreatic cancer evolution based on genomic rearrangement patterns. <i>Nature</i> , 2016 , 538, 378-382	50.4	304
295	Anti-Hu antibodies in patients with small-cell lung cancer: association with complete response to therapy and improved survival. <i>Journal of Clinical Oncology</i> , 1997 , 15, 2866-72	2.2	302
294	Genetic profile of 22 pancreatic carcinoma cell lines. Analysis of K-ras, p53, p16 and DPC4/Smad4. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001 , 439, 798-802	5.1	278
293	Addressing the challenges of pancreatic cancer: future directions for improving outcomes. <i>Pancreatology</i> , 2015 , 15, 8-18	3.8	277
292	Prospective study of FGFR3 mutations as a prognostic factor in nonmuscle invasive urothelial bladder carcinomas. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3664-71	2.2	256
291	P53 as a prognostic marker for bladder cancer: a meta-analysis and review. <i>Lancet Oncology, The</i> , 2005 , 6, 678-86	21.7	244
290	MUC6 apomucin shows a distinct normal tissue distribution that correlates with Lewis antigen expression in the human stomach. <i>Gastroenterology</i> , 1995 , 109, 723-34	13.3	240
289	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , 2014 , 46, 994-1000	36.3	226
288	Comparative analysis of mutations in the p53 and K-ras genes in pancreatic cancer. <i>International Journal of Cancer</i> , 1994 , 58, 185-91	7.5	209
287	Postzygotic HRAS and KRAS mutations cause nevus sebaceous and Schimmelpenning syndrome. <i>Nature Genetics</i> , 2012 , 44, 783-7	36.3	208

286	Epidemiology of urinary bladder cancer: from tumor development to patient death. <i>World Journal of Urology</i> , 2007 , 25, 285-95	4	203
285	Genomic DNA hypomethylation as a biomarker for bladder cancer susceptibility in the Spanish Bladder Cancer Study: a case-control study. <i>Lancet Oncology, The</i> , 2008 , 9, 359-66	21.7	193
284	Recurrent inactivation of STAG2 in bladder cancer is not associated with aneuploidy. <i>Nature Genetics</i> , 2013 , 45, 1464-9	36.3	186
283	Notch inhibits Ptf1 function and acinar cell differentiation in developing mouse and zebrafish pancreas. <i>Development (Cambridge)</i> , 2004 , 131, 4213-24	6.6	182
282	A degradation-sensitive anionic trypsinogen (PRSS2) variant protects against chronic pancreatitis. <i>Nature Genetics</i> , 2006 , 38, 668-73	36.3	181
281	Vectorial targeting of apical and basolateral plasma membrane proteins in a human adenocarcinoma epithelial cell line. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 9313-7	11.5	180
280	Exocrine pancreatic cancer: symptoms at presentation and their relation to tumour site and stage. <i>Clinical and Translational Oncology</i> , 2005 , 7, 189-97	3.6	179
279	PIK3CA mutations are an early genetic alteration associated with FGFR3 mutations in superficial papillary bladder tumors. <i>Cancer Research</i> , 2006 , 66, 7401-4	10.1	175
278	Oncogenic PIK3CA mutations occur in epidermal nevi and seborrheic keratoses with a characteristic mutation pattern. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13450-4	11.5	169
277	Telomerase reverse transcriptase promoter mutations in bladder cancer: high frequency across stages, detection in urine, and lack of association with outcome. <i>European Urology</i> , 2014 , 65, 360-6	10.2	166
276	Gene expression signatures predict outcome in non-muscle-invasive bladder carcinoma: a multicenter validation study. <i>Clinical Cancer Research</i> , 2007 , 13, 3545-51	12.9	164
275	Polymorphisms in GSTT1, GSTZ1, and CYP2E1, disinfection by-products, and risk of bladder cancer in Spain. <i>Environmental Health Perspectives</i> , 2010 , 118, 1545-50	8.4	162
274	Cerebellar GABAergic progenitors adopt an external granule cell-like phenotype in the absence of Ptf1a transcription factor expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 5193-8	11.5	157
273	Expression of epidermal growth factor receptor in human cultured cells and tissues: relationship to cell lineage and stage of differentiation. <i>Cancer Research</i> , 1986 , 46, 4726-31	10.1	157
272	Altered expression of MUC2, MUC4, and MUC5 mucin genes in pancreas tissues and cancer cell lines. <i>Gastroenterology</i> , 1994 , 106, 1054-61	13.3	149
271	Serum concentrations of organochlorine compounds and K-ras mutations in exocrine pancreatic cancer. PANKRAS II Study Group. <i>Lancet, The</i> , 1999 , 354, 2125-9	40	146
270	Differential apomucin expression in normal and neoplastic human gastrointestinal tissues. <i>Gastroenterology</i> , 1994 , 107, 160-72	13.3	137
269	Bladder Cancer Molecular Taxonomy: Summary from a Consensus Meeting. <i>Bladder Cancer</i> , 2016 , 2, 37-47		134

268	In situ hybridization shows distinct patterns of mucin gene expression in normal, benign, and malignant pancreas tissues. <i>Gastroenterology</i> , 1995 , 109, 953-64	13.3	130
267	Genetic variation in the nucleotide excision repair pathway and bladder cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 536-42	4	128
266	Phenotypic heterogeneity of melanoma. Relation to the differentiation program of melanoma cells. <i>Journal of Experimental Medicine</i> , 1987 , 165, 812-29	16.6	128
265	Genetic Alterations in the Molecular Subtypes of Bladder Cancer: Illustration in the Cancer Genome Atlas Dataset. <i>European Urology</i> , 2017 , 72, 354-365	10.2	126
264	GATA6 regulates EMT and tumour dissemination, and is a marker of response to adjuvant chemotherapy in pancreatic cancer. <i>Gut</i> , 2017 , 66, 1665-1676	19.2	125
263	Smoking and bladder cancer in Spain: effects of tobacco type, timing, environmental tobacco smoke, and gender. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1348-54	4	121
262	Identification of a Three-Biomarker Panel in Urine for Early Detection of Pancreatic Adenocarcinoma. <i>Clinical Cancer Research</i> , 2015 , 21, 3512-21	12.9	120
261	Key contribution of CPEB4-mediated translational control to cancer progression. <i>Nature Medicine</i> , 2011 , 18, 83-90	50.5	113
260	Treatment of Kaposi's sarcoma and thrombocytopenia with vincristine in patients with the acquired immunodeficiency syndrome. <i>Annals of Internal Medicine</i> , 1985 , 102, 200-2	8	112
259	Surface antigens of melanomas and melanocytes defined by mouse monoclonal antibodies: specificity analysis and comparison of antigen expression in cultured cells and tissues. <i>Cancer Research</i> , 1985 , 45, 4401-11	10.1	110
258	Epidemiology of bladder cancer. <i>Hematology/Oncology Clinics of North America</i> , 2015 , 29, 177-89, vii	3.1	109
257	Large-scale evaluation of candidate genes identifies associations between VEGF polymorphisms and bladder cancer risk. <i>PLoS Genetics</i> , 2007 , 3, e29	6	109
256	Genetic variation in the base excision repair pathway and bladder cancer risk. <i>Human Genetics</i> , 2007 , 121, 233-42	6.3	107
255	FGFR3 and Tp53 mutations in T1G3 transitional bladder carcinomas: independent distribution and lack of association with prognosis. <i>Clinical Cancer Research</i> , 2005 , 11, 5444-50	12.9	106
254	Quantitative analysis of antibody localization in human metastatic colon cancer: a phase I study of monoclonal antibody A33. <i>Journal of Clinical Oncology</i> , 1990 , 8, 1894-906	2.2	105
253	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <i>Nature Communications</i> , 2018 , 9, 556	17.4	103
252	Mosaic uniparental disomies and aneuploidies as large structural variants of the human genome. <i>American Journal of Human Genetics</i> , 2010 , 87, 129-38	11	100
251	The transcription factor GATA6 enables self-renewal of colon adenoma stem cells by repressing BMP gene expression. <i>Nature Cell Biology</i> , 2014 , 16, 695-707	23.4	94

250	Intermediate filaments as differentiation markers of normal pancreas and pancreas cancer. <i>American Journal of Pathology</i> , 1992 , 140, 559-68	5.8	92
249	Mosaic loss of chromosome Y is associated with common variation near TCL1A. <i>Nature Genetics</i> , 2016 , 48, 563-8	36.3	87
248	Intratumour heterogeneity in urologic cancers: from molecular evidence to clinical implications. <i>European Urology</i> , 2015 , 67, 729-37	10.2	86
247	Adult pancreatic acinar cells dedifferentiate to an embryonic progenitor phenotype with concomitant activation of a senescence programme that is present in chronic pancreatitis. <i>Gut</i> , 2011 , 60, 958-66	19.2	86
246	A "catastrophic hypothesis" for pancreas cancer progression. <i>Gastroenterology</i> , 2003 , 124, 1958-64	13.3	86
245	Cystic fibrosis transmembrane regulator (CFTR) DeltaF508 mutation and 5T allele in patients with chronic pancreatitis and exocrine pancreatic cancer. PANKRAS II Study Group. <i>Gut</i> , 2001 , 48, 70-4	19.2	86
244	Resection of pancreatic cancer in Europe and USA: an international large-scale study highlighting large variations. <i>Gut</i> , 2019 , 68, 130-139	19.2	86
243	Mucins in normal and neoplastic human gastrointestinal tissues. <i>Critical Reviews in Oncology/Hematology</i> , 1994 , 17, 153-80	7	85
242	Pancreatic ductal adenocarcinoma and acinar cells: a matter of differentiation and development?. <i>Gut</i> , 2012 , 61, 449-58	19.2	84
241	GalNAc-alpha-O-benzyl inhibits NeuAcalpha2-3 glycosylation and blocks the intracellular transport of apical glycoproteins and mucus in differentiated HT-29 cells. <i>Journal of Cell Biology</i> , 1998 , 141, 1311-22	7.3	84
240	Evaluation of genetic variation in the double-strand break repair pathway and bladder cancer risk. <i>Carcinogenesis</i> , 2007 , 28, 1788-93	4.6	83
239	Polymorphisms at PRSS1-PRSS2 and CLDN2-MORC4 loci associate with alcoholic and non-alcoholic chronic pancreatitis in a European replication study. <i>Gut</i> , 2015 , 64, 1426-33	19.2	82
238	A genome-wide association study of bladder cancer identifies a new susceptibility locus within SLC14A1, a urea transporter gene on chromosome 18q12.3. <i>Human Molecular Genetics</i> , 2011 , 20, 4282-9	5.6	82
237	Phacomatosis pigmentokeratotic is caused by a postzygotic HRAS mutation in a multipotent progenitor cell. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1998-2003	4.3	81
236	Immunological variables as predictors of prognosis in patients with Kaposi's sarcoma and the acquired immunodeficiency syndrome. <i>Cancer Research</i> , 1986 , 46, 417-25	10.1	80
235	Kaposi's sarcoma and the acquired immune deficiency syndrome. Treatment with recombinant interferon alpha and analysis of prognostic factors. <i>Cancer</i> , 1986 , 57, 1662-5	6.4	78
234	Somatic mosaicism: on the road to cancer. <i>Nature Reviews Cancer</i> , 2016 , 16, 43-55	31.3	77
233	Characterization of large structural genetic mosaicism in human autosomes. <i>American Journal of Human Genetics</i> , 2015 , 96, 487-97	11	77

232	Keratinocytic epidermal nevi are associated with mosaic RAS mutations. <i>Journal of Medical Genetics</i> , 2012 , 49, 249-53	5.8	77
231	Characterization of a mucin cDNA clone isolated from HT-29 mucus-secreting cells. The 3' end of MUC5AC?. <i>Journal of Biological Chemistry</i> , 1995 , 270, 13665-73	5.4	77
230	Validation of a DNA Methylation-Mutation Urine Assay to Select Patients with Hematuria for Cystoscopy. <i>Journal of Urology</i> , 2017 , 197, 590-595	2.5	76
229	Bladder cancer risk and genetic variation in AKR1C3 and other metabolizing genes. <i>Carcinogenesis</i> , 2008 , 29, 1955-62	4.6	76
228	Loss of an HLA haplotype in pancreas cancer tissue and its corresponding tumor derived cell line. <i>Tissue Antigens</i> , 1996 , 47, 372-81		76
227	Mucins as differentiation markers in bronchial epithelium. Squamous cell carcinoma and adenocarcinoma display similar expression patterns. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001 , 24, 22-29	5.7	74
226	Differentiation antigens of melanocytes and melanoma: analysis of melanosome and cell surface markers of human pigmented cells with monoclonal antibodies. <i>Journal of Investigative Dermatology</i> , 1988 , 90, 459-66	4.3	72
225	Nr5a2 heterozygosity sensitises to, and cooperates with, inflammation in KRas(G12V)-driven pancreatic tumorigenesis. <i>Gut</i> , 2014 , 63, 647-55	19.2	71
224	Nicotine promotes initiation and progression of KRAS-induced pancreatic cancer via Gata6-dependent dedifferentiation of acinar cells in mice. <i>Gastroenterology</i> , 2014 , 147, 1119-33.e4	13.3	71
223	Multiple oncogenic mutations and clonal relationship in spatially distinct benign human epidermal tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 20780-5	11.5	71
222	Galectin-1 is a novel functional receptor for tissue plasminogen activator in pancreatic cancer. <i>Gastroenterology</i> , 2009 , 136, 1379-90, e1-5	13.3	71
221	Risk of bladder cancer associated with family history of cancer: do low-penetrance polymorphisms account for the increase in risk?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1595-600	4	70
220	p53-dependent regulation of growth, epithelial-mesenchymal transition and stemness in normal pancreatic epithelial cells. <i>Cell Cycle</i> , 2011 , 10, 1312-21	4.7	69
219	Common genetic variants in the PSCA gene influence gene expression and bladder cancer risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 4974-9	11.5	69
218	BPTF is required for c-MYC transcriptional activity and in vivo tumorigenesis. <i>Nature Communications</i> , 2016 , 7, 10153	17.4	68
217	Klf4 and Klf5 differentially inhibit mesoderm and endoderm differentiation in embryonic stem cells. <i>Nature Communications</i> , 2014 , 5, 3719	17.4	68
216	Pancreatic cancer risk and levels of trace elements. <i>Gut</i> , 2012 , 61, 1583-8	19.2	68
215	Role of fucosyltransferases in the association between apomucin and Lewis antigen expression in normal and malignant gastric epithelium. <i>Gut</i> , 2000 , 47, 349-56	19.2	67

214	Inflammatory biomarkers and bladder cancer prognosis: a systematic review. <i>European Urology</i> , 2014 , 66, 1078-91	10.2	66
213	Genetic and non-genetic predictors of LINE-1 methylation in leukocyte DNA. <i>Environmental Health Perspectives</i> , 2013 , 121, 650-6	8.4	66
212	Diabetes and exocrine pancreatic insufficiency in E2F1/E2F2 double-mutant mice. <i>Journal of Clinical Investigation</i> , 2004 , 113, 1398-1407	15.9	66
211	GATA6 activates Wnt signaling in pancreatic cancer by negatively regulating the Wnt antagonist Dickkopf-1. <i>PLoS ONE</i> , 2011 , 6, e22129	3.7	66
210	NOTCH pathway inactivation promotes bladder cancer progression. <i>Journal of Clinical Investigation</i> , 2015 , 125, 824-30	15.9	64
209	Blood group and blood-group-related antigens in normal pancreas and pancreas cancer: enhanced expression of precursor type 1, Tn and sialyl-Tn in pancreas cancer. <i>International Journal of Cancer</i> , 1991 , 47, 180-7	7.5	64
208	Cigarette smoking and K-ras mutations in pancreas, lung and colorectal adenocarcinomas: etiopathogenic similarities, differences and paradoxes. <i>Mutation Research - Reviews in Mutation Research</i> , 2009 , 682, 83-93	7	63
207	Tissue plasminogen activator induces pancreatic cancer cell proliferation by a non-catalytic mechanism that requires extracellular signal-regulated kinase 1/2 activation through epidermal growth factor receptor and annexin A2. <i>American Journal of Pathology</i> , 2007 , 170, 1573-84	5.8	63
206	Class 1 (unique) tumor antigens of human melanoma. Identification of a 90,000 dalton cell surface glycoprotein by autologous antibody. <i>Journal of Experimental Medicine</i> , 1984 , 160, 1219-33	16.6	63
205	Gata6 is required for complete acinar differentiation and maintenance of the exocrine pancreas in adult mice. <i>Gut</i> , 2013 , 62, 1481-8	19.2	60
204	Detection of the MUC2 apomucin tandem repeat with a mouse monoclonal antibody. <i>Gastroenterology</i> , 1993 , 104, 93-102	13.3	60
203	The UBC-40 Urothelial Bladder Cancer cell line index: a genomic resource for functional studies. <i>BMC Genomics</i> , 2015 , 16, 403	4.5	59
202	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016 , 7, 11843	17.4	59
201	The plasminogen activator system in pancreas cancer: role of t-PA in the invasive potential in vitro. <i>Oncogene</i> , 1998 , 16, 625-33	9.2	59
200	Activation of the urokinase plasminogen activator/urokinase plasminogen activator receptor system and redistribution of E-cadherin are associated with hepatocyte growth factor-induced motility of pancreas tumor cells overexpressing Met. <i>American Journal of Pathology</i> , 1998 , 153, 201-12	5.8	59
199	Ki-ras mutations in exocrine pancreatic cancer: association with clinico-pathological characteristics and with tobacco and alcohol consumption. PANK-ras I Project Investigators. <i>International Journal of Cancer</i> , 1997 , 70, 661-7	7.5	58
198	Transcriptional regulation by NR5A2 links differentiation and inflammation in the pancreas. <i>Nature</i> , 2018 , 554, 533-537	50.4	57
197	Permanent exposure of mucin-secreting HT-29 cells to benzyl-N-acetyl-alpha-D-galactosaminide induces abnormal O-glycosylation of mucins and inhibits constitutive and stimulated MUC5AC secretion. <i>Biochemical Journal</i> , 1998 , 334 (Pt 1), 283-95	3.8	57

196	The acinar regulator Gata6 suppresses KrasG12V-driven pancreatic tumorigenesis in mice. <i>Gut</i> , 2016 , 65, 476-86	19.2	56
195	HRAS mutation mosaicism causing urothelial cancer and epidermal nevus. <i>New England Journal of Medicine</i> , 2011 , 365, 1940-2	59.2	56
194	Host cell effect upon glycosylation and antigenicity of human respiratory syncytial virus G glycoprotein. <i>Virology</i> , 1996 , 221, 301-9	3.6	56
193	Serological response of melanoma patients to vaccines prepared from VSV lysates of autologous and allogeneic cultured melanoma cells. <i>Cancer</i> , 1985 , 55, 713-20	6.4	56
192	Genome-wide association study identifies inversion in the locus to modify risk for alcoholic and non-alcoholic chronic pancreatitis. <i>Gut</i> , 2018 , 67, 1855-1863	19.2	54
191	FGFR3, TERT and OTX1 as a Urinary Biomarker Combination for Surveillance of Patients with Bladder Cancer in a Large Prospective Multicenter Study. <i>Journal of Urology</i> , 2017 , 197, 1410-1418	2.5	53
190	Serum anti-p53 antibodies and prognosis of patients with small-cell lung cancer. <i>Journal of the National Cancer Institute</i> , 1997 , 89, 381-5	9.7	53
189	Total fluid and water consumption and the joint effect of exposure to disinfection by-products on risk of bladder cancer. <i>Environmental Health Perspectives</i> , 2007 , 115, 1569-72	8.4	53
188	Polymorphisms in one-carbon metabolism and trans-sulfuration pathway genes and susceptibility to bladder cancer. <i>International Journal of Cancer</i> , 2007 , 120, 2452-8	7.5	53
187	The p53 pathway and outcome among patients with T1G3 bladder tumors. <i>Clinical Cancer Research</i> , 2006 , 12, 6029-36	12.9	53
186	Genetic susceptibility to distinct bladder cancer subphenotypes. <i>European Urology</i> , 2010 , 57, 283-92	10.2	52
185	Expression of TAG-72 in normal colon, transitional mucosa, and colon cancer. <i>International Journal of Cancer</i> , 1989 , 44, 985-9	7.5	52
184	Prognostic Impact of a 12-gene Progression Score in Non-muscle-invasive Bladder Cancer: A Prospective Multicentre Validation Study. <i>European Urology</i> , 2017 , 72, 461-469	10.2	51
183	Synthetic lethality between the cohesin subunits and in diverse cancer contexts. <i>ELife</i> , 2017 , 6,	8.9	50
182	Unique mechanisms of growth regulation and tumor suppression upon Apc inactivation in the pancreas. <i>Development (Cambridge)</i> , 2007 , 134, 2719-25	6.6	50
181	Association between coffee drinking and K-ras mutations in exocrine pancreatic cancer. PANKRAS II Study Group. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 702-9	5.1	50
180	International Association of Pancreatology (IAP)/European Pancreatic Club (EPC) consensus review of guidelines for the treatment of pancreatic cancer. <i>Pancreatology</i> , 2016 , 16, 14-27	3.8	49
179	Integration Analysis of Three Omics Data Using Penalized Regression Methods: An Application to Bladder Cancer. <i>PLoS Genetics</i> , 2015 , 11, e1005689	6	49

178	Assessment of copy number variation using the Illumina Infinium 1M SNP-array: a comparison of methodological approaches in the Spanish Bladder Cancer/EPICURO study. <i>Human Mutation</i> , 2011 , 32, 240-8	4.7	49
177	Molecular Markers Increase Precision of the European Association of Urology Non-Muscle-Invasive Bladder Cancer Progression Risk Groups. <i>Clinical Cancer Research</i> , 2018 , 24, 1586-1593	12.9	48
176	Sirtuin-1 regulates acinar-to-ductal metaplasia and supports cancer cell viability in pancreatic cancer. <i>Cancer Research</i> , 2013 , 73, 2357-67	10.1	48
175	Occupation and bladder cancer in a hospital-based case-control study in Spain. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 347-53	2.1	48
174	Characterization of human Rab20 overexpressed in exocrine pancreatic carcinoma. <i>Human Pathology</i> , 2006 , 37, 256-63	3.7	48
173	Assessment of lifetime exposure to trihalomethanes through different routes. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 273-7	2.1	47
172	Protein p53 and inducer-mediated erythroleukemia cell commitment to terminal cell division. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 5919-22	11.5	47
171	The N-Terminal Phosphorylation of RB by p38 Bypasses Its Inactivation by CDKs and Prevents Proliferation in Cancer Cells. <i>Molecular Cell</i> , 2016 , 64, 25-36	17.6	45
170	Ki-ras mutations as a prognostic factor in extrahepatic bile system cancer. PANK-ras I Project Investigators. <i>Journal of Clinical Oncology</i> , 1995 , 13, 1679-86	2.2	45
169	The epigenetic regulators Bmi1 and Ring1B are differentially regulated in pancreatitis and pancreatic ductal adenocarcinoma. <i>Journal of Pathology</i> , 2009 , 219, 205-13	9.4	44
168	A single nucleotide polymorphism tags variation in the arylamine N-acetyltransferase 2 phenotype in populations of European background. <i>Pharmacogenetics and Genomics</i> , 2011 , 21, 231-6	1.9	44
167	PIK3CA gene alterations in bladder cancer are frequent and associate with reduced recurrence in non-muscle invasive tumors. <i>Molecular Carcinogenesis</i> , 2015 , 54, 566-76	5	43
166	Hair dye use is not associated with risk for bladder cancer: evidence from a case-control study in Spain. <i>European Journal of Cancer</i> , 2006 , 42, 1448-54	7.5	42
165	Gender-related differences in clinical and pathological characteristics and therapy of bladder cancer. <i>European Urology</i> , 2003 , 43, 53-62	10.2	42
164	Transforming growth factor (TGF)beta, fibroblast growth factor (FGF) and retinoid signalling pathways promote pancreatic exocrine gene expression in mouse embryonic stem cells. <i>Biochemical Journal</i> , 2004 , 379, 749-56	3.8	42
163	Human melanoma proteoglycan: expression in hybrids controlled by intrinsic and extrinsic signals. <i>Science</i> , 1986 , 231, 1281-4	33.3	42
162	ARID1A alterations are associated with FGFR3-wild type, poor-prognosis, urothelial bladder tumors. <i>PLoS ONE</i> , 2013 , 8, e62483	3.7	41
161	TGFB1 and TGFBR1 polymorphic variants in relationship to bladder cancer risk and prognosis. <i>International Journal of Cancer</i> , 2009 , 124, 608-13	7.5	41

160	Use of analgesics and nonsteroidal anti-inflammatory drugs, genetic predisposition, and bladder cancer risk in Spain. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1696-702	4	41
159	Ribonucleoprotein HNRNPA2B1 interacts with and regulates oncogenic KRAS in pancreatic ductal adenocarcinoma cells. <i>Gastroenterology</i> , 2014 , 147, 882-892.e8	13.3	40
158	Defective DNA mismatch repair in long-term (> or =3 years) survivors with pancreatic cancer. <i>Pancreatology</i> , 2005 , 5, 220-7; discussion 227-8	3.8	39
157	Vitamin D differentially regulates colon stem cells in patient-derived normal and tumor organoids. <i>FEBS Journal</i> , 2020 , 287, 53-72	5.7	39
156	DCC regulates cell adhesion in human colon cancer derived HT-29 cells and associates with ezrin. <i>European Journal of Cell Biology</i> , 2006 , 85, 769-83	6.1	38
155	Reduced risk of pancreatic cancer associated with asthma and nasal allergies. <i>Gut</i> , 2017 , 66, 314-322	19.2	37
154	Transcriptome analysis of pancreatic cancer reveals a tumor suppressor function for HNF1A. <i>Carcinogenesis</i> , 2014 , 35, 2670-8	4.6	37
153	Spectrum of FGFR3 mutations in multiple intraindividual seborrheic keratoses. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1883-5	4.3	36
152	Intermediate filaments as differentiation markers of exocrine pancreas. II. Expression of cytokeratins of complex and stratified epithelia in normal pancreas and in pancreas cancer. <i>International Journal of Cancer</i> , 1993 , 54, 720-7	7.5	35
151	Steroid-related development of Kaposi's sarcoma in a homosexual man with Burkitt's lymphoma. <i>American Journal of Medicine</i> , 1986 , 80, 119-22	2.4	35
150	Risk prediction scores for recurrence and progression of non-muscle invasive bladder cancer: an international validation in primary tumours. <i>PLoS ONE</i> , 2014 , 9, e96849	3.7	34
149	PTF1alpha/p48 transcription factor couples proliferation and differentiation in the exocrine pancreas [corrected]. <i>Gastroenterology</i> , 2004 , 127, 937-49	13.3	34
148	Cell surface expression of paraneoplastic encephalomyelitis/sensory neuronopathy-associated Hu antigens in small-cell lung cancers and neuroblastomas. <i>Neurology</i> , 1997 , 48, 735-41	6.5	33
147	Large-scale pathway-based analysis of bladder cancer genome-wide association data from five studies of European background. <i>PLoS ONE</i> , 2012 , 7, e29396	3.7	33
146	A genetic roadmap of pancreatic cancer: still evolving. <i>Gut</i> , 2017 , 66, 2170-2178	19.2	32
145	PanGen-Fam: Spanish registry of hereditary pancreatic cancer. <i>European Journal of Cancer</i> , 2015 , 51, 1911-7	7.5	32
144	Coffee consumption, genetic susceptibility and bladder cancer risk. <i>Cancer Causes and Control</i> , 2009 , 20, 121-7	2.8	32
143	Correcting serum concentrations of organochlorine compounds by lipids: alternatives to the organochlorine/total lipids ratio. <i>Environment International</i> , 2009 , 35, 1080-5	12.9	32

142	Diabetes and exocrine pancreatic insufficiency in E2F1/E2F2 double-mutant mice. <i>Journal of Clinical Investigation</i> , 2004 , 113, 1398-407	15.9	32
141	SPROUTY-2 represses the epithelial phenotype of colon carcinoma cells via upregulation of ZEB1 mediated by ETS1 and miR-200/miR-150. <i>Oncogene</i> , 2016 , 35, 2991-3003	9.2	31
140	Gene expression dynamics after murine pancreatitis unveils novel roles for Hnf1 β in acinar cell homeostasis. <i>Gut</i> , 2012 , 61, 1187-96	19.2	31
139	Validity of the hospital discharge diagnosis in epidemiologic studies of biliopancreatic pathology. PANKRAS II Study Group. <i>European Journal of Epidemiology</i> , 2000 , 16, 533-41	12.1	31
138	Transcriptional control of acinar development and homeostasis. <i>Progress in Molecular Biology and Translational Science</i> , 2010 , 97, 1-40	4	30
137	HLA class II genes in soybean epidemic asthma patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 156, 1394-8	10.2	30
136	Fibroblast growth factor receptor 3 mutations in epidermal nevi and associated low grade bladder tumors. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1664-6	4.3	30
135	From cancer genomes to cancer models: bridging the gaps. <i>EMBO Reports</i> , 2009 , 10, 359-66	6.5	29
134	Differential distribution of sialic acid in alpha2,3 and alpha2,6 linkages in the apical membrane of cultured epithelial cells and tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 2001 , 49, 501-10	3.4	29
133	CDK4/6 Inhibitor as a Novel Therapeutic Approach for Advanced Bladder Cancer Independently of Status. <i>Clinical Cancer Research</i> , 2019 , 25, 390-402	12.9	29
132	Urinary pH, cigarette smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2011 , 32, 843-7	4.6	28
131	Plasma 25-hydroxyvitamin D(3) and bladder cancer risk according to tumor stage and FGFR3 status: a mechanism-based epidemiological study. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 1897-904	9.7	28
130	MUC6 expression in breast tissues and cultured cells: abnormal expression in tumors and regulation by steroid hormones. <i>International Journal of Cancer</i> , 1998 , 77, 193-9	7.5	28
129	New insights into the tPA-annexin A2 interaction. Is annexin A2 CYS8 the sole requirement for this association?. <i>Journal of Biological Chemistry</i> , 2003 , 278, 5702-9	5.4	28
128	Intestinal brush-border-associated enzymes: co-ordinated expression in colorectal cancer. <i>International Journal of Cancer</i> , 1992 , 51, 173-81	7.5	28
127	Class 1 (unique) tumor antigens of human melanoma: identification of unique and common epitopes on a 90-kDa glycoprotein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988 , 85, 3965-9	11.5	28
126	Listeria monocytogenes bacteremia in the acquired immunodeficiency syndrome. <i>Annals of Internal Medicine</i> , 1984 , 101, 883	8	28
125	Analysis of molecular intra-patient variation and delineation of a prognostic 12-gene signature in non-muscle invasive bladder cancer; technology transfer from microarrays to PCR. <i>British Journal of Cancer</i> , 2012 , 107, 1392-8	8.7	27

124	Tissue plasminogen activator in murine exocrine pancreas cancer: selective expression in ductal tumors and contribution to cancer progression. <i>American Journal of Pathology</i> , 2004 , 165, 1129-39	5.8	27
123	Pancreatic cancer development and progression: remodeling the model. <i>Gastroenterology</i> , 2008 , 135, 724-8	13.3	26
122	Mucins, osmosensors in eukaryotic cells?. <i>Trends in Cell Biology</i> , 2007 , 17, 571-4	18.3	26
121	Molecular biology of bladder cancer. <i>Clinical and Translational Oncology</i> , 2007 , 9, 5-12	3.6	26
120	Family history of cancer and germline BRCA2 mutations in sporadic exocrine pancreatic cancer. <i>Gut</i> , 2002 , 50, 653-7	19.2	26
119	Does increased urination frequency protect against bladder cancer?. <i>International Journal of Cancer</i> , 2008 , 123, 1644-8	7.5	25
118	Keratin 8 sequence variants in patients with pancreatitis and pancreatic cancer. <i>Journal of Molecular Medicine</i> , 2006 , 84, 1015-22	5.5	25
117	Isolation of tissue-type plasminogen activator, cathepsin H, and non-specific cross-reacting antigen from SK-PC-1 pancreas cancer cells using subtractive hybridization. <i>FEBS Letters</i> , 1996 , 385, 72-6	3.8	25
116	A unique antigenic epitope of human melanoma is carried on the common melanoma glycoprotein gp95/p97. <i>Journal of Experimental Medicine</i> , 1989 , 169, 585-90	16.6	25
115	An integrated multi-omics analysis identifies prognostic molecular subtypes of non-muscle-invasive bladder cancer. <i>Nature Communications</i> , 2021 , 12, 2301	17.4	24
114	Modification of Occupational Exposures on Bladder Cancer Risk by Common Genetic Polymorphisms. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	23
113	An improved quantitative mass spectrometry analysis of tumor specific mutant proteins at high sensitivity. <i>Proteomics</i> , 2012 , 12, 1319-27	4.8	22
112	Pancreatic ductal adenocarcinoma: cellular origin, signaling pathways and stroma contribution. <i>Pancreatology</i> , 2008 , 8, 462-9	3.8	22
111	Food and nutrient intakes and K-ras mutations in exocrine pancreatic cancer. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 641-9	5.1	22
110	Lifetime history of tobacco consumption and K-ras mutations in exocrine pancreatic cancer. <i>Pancreas</i> , 2007 , 35, 135-41	2.6	22
109	The human PKP2/plakophilin-2 gene is induced by Wnt/ β -catenin in normal and colon cancer-associated fibroblasts. <i>International Journal of Cancer</i> , 2018 , 142, 792-804	7.5	21
108	LINE-1 methylation in granulocyte DNA and trihalomethane exposure is associated with bladder cancer risk. <i>Epigenetics</i> , 2014 , 9, 1532-9	5.7	21
107	Interaction between Hhex and SOX13 modulates Wnt/TCF activity. <i>Journal of Biological Chemistry</i> , 2010 , 285, 5726-37	5.4	21

106	Risk of pancreatic cancer associated with family history of cancer and other medical conditions by accounting for smoking among relatives. <i>International Journal of Epidemiology</i> , 2018 , 47, 473-483	7.8	20
105	A Multicenter Trial Defining a Serum Protein Signature Associated with Pancreatic Ductal Adenocarcinoma. <i>International Journal of Proteomics</i> , 2015 , 2015, 587250		20
104	GalNAc- α -O-benzyl inhibits sialylation of de Novo synthesized apical but not basolateral sialoglycoproteins and blocks lysosomal enzyme processing in a post-trans-Golgi network compartment. <i>Journal of Biological Chemistry</i> , 2000 , 275, 18785-93	5.4	20
103	The 18q21 region in colorectal and pancreatic cancer: independent loss of DCC and DPC4 expression. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2000 , 1502, 283-96	6.9	20
102	Diagnostic certainty and potential for misclassification in exocrine pancreatic cancer. PANKRAS I Project Investigations. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 1069-79	5.7	20
101	Cyclooxygenase-2 expression in bladder cancer and patient prognosis: results from a large clinical cohort and meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e45025	3.7	20
100	FGFR3 Mutation Status and FGFR3 Expression in a Large Bladder Cancer Cohort Treated by Radical Cystectomy: Implications for Anti-FGFR3 Treatment?. <i>European Urology</i> , 2020 , 78, 682-687	10.2	20
99	Framework for the Integration of Genomics, Epigenomics and Transcriptomics in Complex Diseases. <i>Human Heredity</i> , 2015 , 79, 124-36	1.1	19
98	Murine embryonic stem cell-derived pancreatic acinar cells recapitulate features of early pancreatic differentiation. <i>Gastroenterology</i> , 2008 , 135, 1301-1310, 1310.e1-5	13.3	19
97	A proteomic approach to the identification of new tPA receptors in pancreatic cancer cells. <i>Proteomics</i> , 2006 , 6 Suppl 1, S36-41	4.8	19
96	Urothelial organoids originating from Cd49f mouse stem cells display Notch-dependent differentiation capacity. <i>Nature Communications</i> , 2019 , 10, 4407	17.4	18
95	Bladder cancer and seroreactivity to BK, JC and Merkel cell polyomaviruses: the Spanish bladder cancer study. <i>International Journal of Cancer</i> , 2013 , 133, 597-603	7.5	18
94	Choline Kinase Alpha (CHK α) as a Therapeutic Target in Pancreatic Ductal Adenocarcinoma: Expression, Predictive Value, and Sensitivity to Inhibitors. <i>Molecular Cancer Therapeutics</i> , 2016 , 15, 323-33	6.1	17
93	Learning from case reports: diagnostic issues in an epidemiologic study of pancreatic cancer. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 1215-21	5.7	17
92	Incomplete overlapping of biological, clinical, and environmental information in molecular epidemiological studies: a variety of causes and a cascade of consequences. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 734-8	5.1	17
91	Recombinant leukocyte A interferon in Kaposi's sarcoma. <i>Annals of the New York Academy of Sciences</i> , 1984 , 437, 431-8	6.5	17
90	c-Myc downregulation is required for preacinar to acinar maturation and pancreatic homeostasis. <i>Gut</i> , 2018 , 67, 707-718	19.2	16
89	Deciphering the complex interplay between pancreatic cancer, diabetes mellitus subtypes and obesity/BMI through causal inference and mediation analyses. <i>Gut</i> , 2021 , 70, 319-329	19.2	16

88	HNF1A recruits KDM6A to activate differentiated acinar cell programs that suppress pancreatic cancer. <i>EMBO Journal</i> , 2020 , 39, e102808	13	16
87	LINE-1 methylation in leukocyte DNA, interaction with phosphatidylethanolamine N-methyltransferase variants and bladder cancer risk. <i>British Journal of Cancer</i> , 2014 , 110, 2123-30	8.7	16
86	PIM kinases as potential therapeutic targets in a subset of peripheral T cell lymphoma cases. <i>PLoS ONE</i> , 2014 , 9, e112148	3.7	16
85	Nuclear beta-catenin in colorectal tumors: to freeze or not to freeze? Colon Cancer Team at IMAS. <i>Journal of Histochemistry and Cytochemistry</i> , 1999 , 47, 1089-94	3.4	16
84	c-MYC partners with BPTF in human cancer. <i>Molecular and Cellular Oncology</i> , 2016 , 3, e1152346	1.2	16
83	Agnostic Pathway/Gene Set Analysis of Genome-Wide Association Data Identifies Associations for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 557-567	9.7	16
82	A systems approach identifies time-dependent associations of multimorbidities with pancreatic cancer risk. <i>Annals of Oncology</i> , 2017 , 28, 1618-1624	10.3	15
81	Pancreatic Cancer Risk in Relation to Lifetime Smoking Patterns, Tobacco Type, and Dose-Response Relationships. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1009-1018	4	15
80	Pancreas transcription factor 1alpha expression is regulated in pancreatitis. <i>European Journal of Clinical Investigation</i> , 2007 , 37, 791-801	4.6	15
79	Benzyl-N-acetyl-alpha-D-galactosaminide induces a storage disease-like phenotype by perturbing the endocytic pathway. <i>Journal of Biological Chemistry</i> , 2003 , 278, 12374-83	5.4	15
78	Transformation of human kidney proximal tubule cells by ras-containing retroviruses. Implications for tumor progression. <i>Journal of Experimental Medicine</i> , 1989 , 169, 953-72	16.6	15
77	Somatic Embryonic FGFR2 Mutations in Keratinocytic Epidermal Nevi. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1718-1721	4.3	15
76	Human colon adenocarcinomas express a MUC1-associated novel carbohydrate epitope on core mucin glycans defined by a monoclonal antibody (A10) raised against murine Ehrlich tumor cells. <i>Cancer Research</i> , 1999 , 59, 1061-70	10.1	15
75	Genome-wide CNV analysis replicates the association between GSTM1 deletion and bladder cancer: a support for using continuous measurement from SNP-array data. <i>BMC Genomics</i> , 2012 , 13, 326	4.5	14
74	In pancreatic ductal adenocarcinoma blood concentrations of some organochlorine compounds and coffee intake are independently associated with KRAS mutations. <i>Mutagenesis</i> , 2009 , 24, 513-21	2.8	14
73	In vitro differentiation of HT-29 M6 mucus-secreting colon cancer cells involves a trypanostatin A and p27(KIP1)-inducible transcriptional program of gene expression. <i>Journal of Cellular Physiology</i> , 2007 , 212, 42-50	7	14
72	Genetic variation in the TP53 pathway and bladder cancer risk. a comprehensive analysis. <i>PLoS ONE</i> , 2014 , 9, e89952	3.7	13
71	Keratin 7 promoter selectively targets transgene expression to normal and neoplastic pancreatic ductal cells in vitro and in vivo. <i>FASEB Journal</i> , 2009 , 23, 1366-75	0.9	13

70	The Wnt pathway is active in a small subset of pancreas cancer cell lines. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2006 , 1762, 73-9	6.9	13
69	Genetic unrelatedness of co-occurring pancreatic adenocarcinomas and IPMNs challenges current views of clinical management. <i>Gut</i> , 2018 , 67, 1561-1563	19.2	12
68	Application of multi-SNP approaches Bayesian LASSO and AUC-RF to detect main effects of inflammatory-gene variants associated with bladder cancer risk. <i>PLoS ONE</i> , 2013 , 8, e83745	3.7	12
67	Clinical validity of detecting K-ras mutations for the diagnosis of exocrine pancreatic cancer: a prospective study in a clinically-relevant spectrum of patients. <i>European Journal of Epidemiology</i> , 2011 , 26, 229-36	12.1	12
66	p/CAF modulates the activity of the transcription factor p48/Ptf1a involved in pancreatic acinar differentiation. <i>Biochemical Journal</i> , 2009 , 418, 463-73	3.8	12
65	Somatic oncogenic mutations, benign skin lesions and cancer progression: where to look next?. <i>Cell Cycle</i> , 2008 , 7, 2674-81	4.7	12
64	Mucin production by colon cancer cells cultured in serum-free medium. <i>International Journal of Cancer</i> , 1991 , 49, 787-95	7.5	12
63	Generalizing molecular results arising from incomplete biological samples: expected bias and unexpected findings. <i>Annals of Epidemiology</i> , 2002 , 12, 7-14	6.4	11
62	Surface antigens of human melanoma cells cultured in serum-free medium: induction of expression of major histocompatibility complex class II antigens. <i>Cancer Research</i> , 1988 , 48, 686-93	10.1	11
61	Mnk1 is a novel acinar cell-specific kinase required for exocrine pancreatic secretion and response to pancreatitis in mice. <i>Gut</i> , 2015 , 64, 937-47	19.2	10
60	Whole genome prediction of bladder cancer risk with the Bayesian LASSO. <i>Genetic Epidemiology</i> , 2014 , 38, 467-76	2.6	10
59	Bulky DNA adduct formation and risk of bladder cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2155-9	4	10
58	Viral-mediated coexpression of Pdx1 and p48 regulates exocrine pancreatic differentiation in mouse ES cells. <i>Cloning and Stem Cells</i> , 2007 , 9, 327-38		10
57	Low tumor cell density environment yields survival advantage of tumor cells exposed to MTX in vitro. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005 , 1721, 98-106	4	10
56	In vitro analysis of the role of DCC in mucus-secreting intestinal differentiation. <i>International Journal of Cancer</i> , 1999 , 81, 799-807	7.5	10
55	Expressed sequence tag (EST) phenotyping of HT-29 cells: cloning of ser/thr protein kinase EMK1, kinesin KIF3B, and of transcripts that include Alu repeated elements. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1999 , 1450, 254-64	4.9	10
54	Cytokines as adjuvants: effect on the immunogenicity of NeuAc alpha 2-6GalNAc alpha-O-Ser/Thr (sialyl-Tn). <i>International Journal of Cancer</i> , 1993 , 55, 148-52	7.5	10
53	Essential Roles of Cohesin STAG2 in Mouse Embryonic Development and Adult Tissue Homeostasis. <i>Cell Reports</i> , 2020 , 32, 108014	10.6	10

52	Combined MEK and PI3K/p110 α inhibition as a Novel Targeted Therapy for Malignant Mesothelioma Displaying Sarcomatoid Features. <i>Cancer Research</i> , 2020 , 80, 843-856	10.1	10
51	Biochemical characterization of soluble Tn glycoproteins from malignant effusions of patients with carcinomas. <i>Oncology Reports</i> , 2003 , 10, 1577-85	3.5	10
50	Lifetime history of alcohol consumption and K-ras mutations in pancreatic ductal adenocarcinoma. <i>Environmental and Molecular Mutagenesis</i> , 2009 , 50, 421-30	3.2	9
49	Past medical conditions and K-ras mutations in pancreatic ductal adenocarcinoma: a hypothesis-generating study. <i>Cancer Causes and Control</i> , 2009 , 20, 591-9	2.8	9
48	E-cadherin downregulation sensitizes PTEN-mutant tumors to PI3K β silencing. <i>Oncotarget</i> , 2016 , 7, 84054-84071	3.9	9
47	Asthma status is associated with decreased risk of aggressive urothelial bladder cancer. <i>International Journal of Cancer</i> , 2018 , 142, 470-476	7.5	8
46	Re: Yves Allorya, Willemien Beukers, Ana Sagrera, et al. Telomerase reverse transcriptase promoter mutations in bladder cancer: high frequency across stages, detection in urine, and lack of association with outcome. <i>Eur Urol</i> 2014;65:360-6: telomerase expression and stem cells: urologic epithelial perspective. <i>European Urology</i> , 2014 , 65, e85-6	10.2	8
45	CYP1B1 polymorphisms and k-ras mutations in patients with pancreatic ductal adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 1417-21	4	8
44	Methotrexate resistance in vitro is achieved by a dynamic selection process of tumor cell variants emerging during treatment. <i>International Journal of Cancer</i> , 2006 , 119, 1607-15	7.5	8
43	Detection of HuD transcripts by means of reverse transcriptase and polymerase chain reaction: implications for the detection of minimal residual disease in patients with small cell lung cancer. <i>Cancer Letters</i> , 2000 , 161, 157-64	9.9	8
42	Lysosomal alpha-glucosidase: cell-specific processing and altered maturation in HT-29 colon cancer cells. <i>Biochemical Journal</i> , 1996 , 314 (Pt 1), 33-40	3.8	8
41	A Consensus Molecular Classification of Muscle-Invasive Bladder Cancer. <i>SSRN Electronic Journal</i> ,	1	8
40	Immunohistochemistry-Based Taxonomical Classification of Bladder Cancer Predicts Response to Neoadjuvant Chemotherapy. <i>Cancers</i> , 2020 , 12,	6.6	7
39	Next-generation sequencing of urologic cancers: next is now. <i>European Urology</i> , 2014 , 66, 4-7	10.2	7
38	p53: it has it all, but will it make it to the clinic as a marker in bladder cancer?. <i>Journal of Clinical Oncology</i> , 2007 , 25, 5341-4	2.2	7
37	Inflammatory-Related Genetic Variants in Non-Muscle-Invasive Bladder Cancer Prognosis: A Multimarker Bayesian Assessment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1144-50	4	7
36	The GATA3 X308_Splice breast cancer mutation is a hormone context-dependent oncogenic driver. <i>Oncogene</i> , 2020 , 39, 5455-5467	9.2	6
35	FDG PET imaging of Ela1-myc mice reveals major biological differences between pancreatic acinar and ductal tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009 , 36, 1156-66	8.8	6

34	Relationships of hepatic and pancreatic biomarkers with the cholestatic syndrome and tumor stage in pancreatic cancer. <i>Biomarkers</i> , 2012 , 17, 557-65	2.6	6
33	The consensus molecular classification of muscle-invasive bladder cancer		6
32	Reply to Mosaic loss of chromosome Y in leukocytes matters <i>Nature Genetics</i> , 2019 , 51, 7-9	36.3	6
31	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. <i>Genome Medicine</i> , 2021 , 13, 15	14.4	6
30	ICAT is a novel Ptf1a interactor that regulates pancreatic acinar differentiation and displays altered expression in tumours. <i>Biochemical Journal</i> , 2013 , 451, 395-405	3.8	5
29	Bladder cancer and apoptosis: matters of life and death. <i>Lancet Oncology</i> , 2007 , 8, 91-2	21.7	5
28	RxFISH karyotype and MYC amplification in the HT-29 colon adenocarcinoma cell line. <i>Genes Chromosomes and Cancer</i> , 2003 , 36, 425-6	5	5
27	IFN-gamma-regulated expression of a differentiation antigen of human cells. <i>Journal of Immunology</i> , 1988 , 140, 1571-6	5.3	5
26	A faecal microbiota signature with high specificity for pancreatic cancer.. <i>Gut</i> , 2022 ,	19.2	5
25	Mutant Kras Dosage and Chromothripsis: The Right Ingredients for a Pancreatic Cancer Catastrophe. <i>Trends in Cancer</i> , 2018 , 4, 399-401	12.5	4
24	AID-expressing epithelium is protected from oncogenic transformation by an NKG2D surveillance pathway. <i>EMBO Molecular Medicine</i> , 2015 , 7, 1327-36	12	4
23	alpha GalNAc is essential for recognition of Exo-1 epithelial antigen by mouse monoclonal antibody Pa-G-14. <i>International Journal of Cancer</i> , 1993 , 55, 857-64	7.5	4
22	Loss of GATA4 causes ectopic pancreas in the stomach. <i>Journal of Pathology</i> , 2020 , 250, 362-373	9.4	4
21	A GATA6-centred gene regulatory network involving HNFs and Np63 controls plasticity and immune escape in pancreatic cancer. <i>Gut</i> , 2021 ,	19.2	4
20	Pancreatic cancer and autoimmune diseases: An association sustained by computational and epidemiological case-control approaches. <i>International Journal of Cancer</i> , 2019 , 144, 1540-1549	7.5	4
19	Plasma protein biomarkers for early detection of pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2021 , 148, 2048-2058	7.5	4
18	Epithelial Nr5a2 heterozygosity cooperates with mutant Kras in the development of pancreatic cystic lesions. <i>Journal of Pathology</i> , 2021 , 253, 174-185	9.4	3
17	Discovery and 3D imaging of a novel Np63-expressing basal cell type in human pancreatic ducts with implications in disease. <i>Gut</i> , 2021 ,	19.2	3

16	Epitope mapping of a mouse monoclonal anti-MUC2 antibody suggests the existence of an immunodominant region in the COOH terminus of the MUC2 tandem-repeat sequence. <i>International Journal of Cancer</i> , 1995 , 60, 146-8	7.5	2
15	STAG2 loss-of-function affects short-range genomic contacts and modulates the basal-luminal transcriptional program of bladder cancer cells. <i>Nucleic Acids Research</i> , 2021 , 49, 11005-11021	20.1	2
14	Bptf determines oncogenic addiction in aggressive B-cell lymphomas. <i>Oncogene</i> , 2020 , 39, 4884-4895	9.2	1
13	Genome-Wide Association Study Data Reveal Genetic Susceptibility to Chronic Inflammatory Intestinal Diseases and Pancreatic Ductal Adenocarcinoma Risk. <i>Cancer Research</i> , 2020 , 80, 4004-4013	10.1	1
12	Animal Modeling of Pancreatitis-to-Cancer Progression 2018 , 313-347		1
11	Mouse Models Shed Light on the SLIT/ROBO Pathway in Pancreatic Development and Cancer. <i>Trends in Cancer</i> , 2019 , 5, 145-148	12.5	1
10	Cell Lineage Infidelity in PDAC Progression and Therapy Resistance.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 795251	5.7	1
9	An integrated multi-omics analysis identifies clinically relevant molecular subtypes of non-muscle-invasive bladder cancer		1
8	Pancreatic duct ligation reduces premalignant pancreatic lesions in a Kras model of pancreatic adenocarcinoma in mice. <i>Scientific Reports</i> , 2020 , 10, 18344	4.9	1
7	The cis-regulatory switchboard of pancreatic ductal cancer. <i>EMBO Journal</i> , 2016 , 35, 558-60	13	1
6	A 584bp deletion in CTRB2 inhibits chymotrypsin B2 activity and secretion and confers risk of pancreatic cancer. <i>American Journal of Human Genetics</i> , 2021 , 108, 1852-1865	11	1
5	Editorial comment on: FGFR3 mutations indicate better survival in invasive upper urinary tract and bladder tumours. <i>European Urology</i> , 2009 , 55, 658	10.2	
4	Interferon in AIDS-related Kaposi's sarcoma. <i>Clinical Immunology Newsletter</i> , 1987 , 8, 70-72		
3	Animal Modeling of Pancreatitis-to-Cancer Progression 2018 , 1-35		
2	Mutations in Non-Tumoral Human Urothelium: Disease Prelude or Epilogue?. <i>Bladder Cancer</i> , 2020 , 6, 249-252		1
1	Gallbladder disease and pancreatic cancer risk: a multicentric case-control European study. <i>European Journal of Cancer Prevention</i> , 2021 , 30, 423-430		2