

# Ahmed Jamleh

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2157161/ahmed-jamleh-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40  
papers

286  
citations

9  
h-index

15  
g-index

46  
ext. papers

387  
ext. citations

2.9  
avg, IF

3.56  
L-index

#	Paper	IF	Citations
40	Scientometric evaluation of endodontic publications by Gulf Cooperation Council region in 21st century.. <i>Saudi Dental Journal</i> , <b>2022</b> , 34, 107-113	2.5	0
39	The Effect of Sealer Application Methods on Voids Volume after Aging of Three Calcium Silicate-Based Sealers: A Micro-Computed Tomography Study.. <i>Tomography</i> , <b>2022</b> , 8, 778-788	3.1	0
38	Evidence for reduced torsional resistance of rotary files under curved position. <i>Saudi Dental Journal</i> , <b>2021</b> , 33, 614-619	2.5	0
37	The Hormetic Effect of Arsenic Trioxide on Rat Pulpal Cells: An In Vitro Preliminary Study. <i>European Journal of Dentistry</i> , <b>2021</b> , 15, 222-227	2.6	1
36	Debris Extrusion Using Reciproc Blue and XP Endo Shaper Systems in Root Canal Retreatment. <i>International Journal of Dentistry</i> , <b>2021</b> , 2021, 6697587	1.9	2
35	Psychological Distress among Undergraduate Dental Students in Saudi Arabia and Its Coping Strategies-A Systematic Review. <i>Healthcare (Switzerland)</i> , <b>2021</b> , 9,	3.4	2
34	Influence of additional apical enlargement on microcrack formation in root dentine: a micro-computed tomography investigation. <i>Clinical Oral Investigations</i> , <b>2021</b> , 25, 4137-4143	4.2	4
33	The effect of reduced glutathione on the toxicity of silver diamine fluoride in rat pulpal cells. <i>Journal of Applied Oral Science</i> , <b>2021</b> , 29, e20200859	3.3	6
32	Evaluation of YouTube videos for patients' education on periradicular surgery. <i>PLoS ONE</i> , <b>2021</b> , 16, e0264309	3.7	0
31	Evaluation of microleakage in class-II bulk-fill composite restorations. <i>Journal of Dental Sciences</i> , <b>2020</b> , 15, 486-492	2.5	1
30	Shaping Ability of XP Endo Shaper File in Curved Root Canal Models. <i>International Journal of Dentistry</i> , <b>2020</b> , 2020, 4687045	1.9	8
29	Regenerative Endodontic Management of an Immature Molar Using Calcium Hydroxide and Triple Antibiotic Paste: a Two-Year Follow-Up. <i>Case Reports in Dentistry</i> , <b>2020</b> , 2020, 9025847	0.6	7
28	Analysis of Force and Torque with XP Shaper and OneCurve Systems During Shaping of Narrow Canals. <i>European Endodontic Journal</i> , <b>2020</b> , 5, 123-127	1.5	1
27	Incidence of postoperative pain after canal shaping by using Reciproc and Twisted File Adaptive systems: a prospective, randomized clinical trial. <i>Clinical Oral Investigations</i> , <b>2020</b> , 24, 2445-2450	4.2	5
26	Microcomputed tomography assessment of microcracks following temporary filling placement. <i>Clinical Oral Investigations</i> , <b>2020</b> , 24, 1387-1393	4.2	3
25	Detecting the Second Mesio Buccal Canal in Maxillary Molars in a Saudi Arabian Population: A Micro-CT Study. <i>Scanning</i> , <b>2019</b> , 2019, 9568307	1.6	6
24	Evaluation of the adaptation of dental polymers using cross-polarization optical coherence tomography. <i>Biomedical Physics and Engineering Express</i> , <b>2019</b> , 5, 025014	1.5	4

23	Cyclic Fatigue and Torsional Failure of EdgeTaper Platinum Endodontic Files at Simulated Body Temperature. <i>Journal of Endodontics</i> , <b>2019</b> , 45, 611-614	4.7	14
22	Bulk-fill composite marginal adaptation evaluated by cross-polarization optical coherence tomography. <i>Cogent Engineering</i> , <b>2019</b> , 6, 1643976	1.5	2
21	Torsional resistance of three ProTaper rotary systems. <i>BMC Oral Health</i> , <b>2019</b> , 19, 124	3.7	9
20	Recall Practice among Dental Practitioners in Riyadh, Kingdom of Saudi Arabia. <i>Journal of Contemporary Dental Practice</i> , <b>2019</b> , 20, 26-31	0.7	
19	Irrigation effectiveness of continuous ultrasonic irrigation system: An ex vivo study. <i>Dental Materials Journal</i> , <b>2018</b> , 37, 1-5	2.5	3
18	Vertical Force Induced with WaveOne and WaveOne Gold Systems during Canal Shaping. <i>Journal of Endodontics</i> , <b>2018</b> , 44, 1412-1415	4.7	4
17	Effects of Sodium Hypochlorite Concentration and Temperature on the Cyclic Fatigue Resistance of Heat-treated Nickel-titanium Rotary Instruments. <i>Journal of Endodontics</i> , <b>2018</b> , 44, 1563-1566	4.7	21
16	Optical Evaluation of Enamel Microleakage with One-Step Self-Etch Adhesives. <i>Photomedicine and Laser Surgery</i> , <b>2018</b> , 36, 589-594		9
15	The Antifungal Effect of Propolis Endodontic Irrigant with Three Other Irrigation Solutions in Presence and Absence of Smear Layer: An Study. <i>Iranian Endodontic Journal</i> , <b>2018</b> , 13, 234-239		4
14	Fracture of nickel titanium rotary instrument during root canal treatment and re-treatment: a 5-year retrospective study. <i>International Endodontic Journal</i> , <b>2018</b> , 51, 157-163	5.4	17
13	Time sensitivity associated with the application of water-based all-in-one adhesive system. <i>Cogent Engineering</i> , <b>2018</b> , 5, 1472052	1.5	1
12	Comparative SEM Observation of Silver-Nitrate at Resin-Dentin Interface: Nanoleakage Study <b>2017</b> , 2,		6
11	A comparison between two negative pressure irrigation techniques in simulated immature tooth: an ex vivo study. <i>Clinical Oral Investigations</i> , <b>2016</b> , 20, 125-31	4.2	7
10	Vertical Load Induced with Twisted File Adaptive System during Canal Shaping. <i>Journal of Endodontics</i> , <b>2016</b> , 42, 1811-1814	4.7	6
9	Performance of NiTi endodontic instrument under different temperatures. <i>Odontology / the Society of the Nippon Dental University</i> , <b>2016</b> , 104, 324-8	3.6	25
8	Apical Gutta-percha cone adaptation and degree of tug-back sensation after canal preparation. <i>Saudi Endodontic Journal</i> , <b>2016</b> , 6, 131	0.1	
7	Effect of nickel titanium file design on the root surface strain and apical microcracks. <i>Australian Endodontic Journal</i> , <b>2016</b> , 42, 25-31	1.7	12
6	Root surface strain during canal shaping and its influence on apical microcrack development: a preliminary investigation. <i>International Endodontic Journal</i> , <b>2015</b> , 48, 1103-11	5.4	41

5	Endodontic instruments after torsional failure: nanoindentation test. <i>Scanning</i> , <b>2014</b> , 36, 437-43	1.6	5
4	Nano-indentation testing of new and fractured nickel-titanium endodontic instruments. <i>International Endodontic Journal</i> , <b>2012</b> , 45, 462-8	5.4	13
3	Deflecting load of nickel titanium rotary instruments during cyclic fatigue. <i>Dental Materials Journal</i> , <b>2012</b> , 31, 389-93	2.5	11
2	Adhesion of Epiphany self-etch sealer to dentin treated with intracanal irrigating solutions. <i>Journal of Endodontics</i> , <b>2011</b> , 37, 228-30	4.7	21
1	Observance of proper mercury hygiene practices by Jordanian general dental practitioners. <i>International Journal of Occupational Medicine and Environmental Health</i> , <b>2010</b> , 23, 47-54	1.5	5