

Ingrid Dieset

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/215780/publications.pdf>

Version: 2024-02-01

50
papers

1,964
citations

257450

24
h-index

265206

42
g-index

51
all docs

51
docs citations

51
times ranked

3549
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Mortality in Schizophrenia Due to Cardiovascular Disease – A Non-Systematic Review of Epidemiology, Possible Causes, and Interventions. <i>Frontiers in Psychiatry</i> , 2014, 5, 137.	2.6	247
2	Oxytocin pathway gene networks in the human brain. <i>Nature Communications</i> , 2019, 10, 668.	12.8	200
3	Affective symptoms are associated with markers of inflammation and immune activation in bipolar disorders but not in schizophrenia. <i>Journal of Psychiatric Research</i> , 2011, 45, 1608-1616.	3.1	146
4	Interleukin 1 receptor antagonist and soluble tumor necrosis factor receptor 1 are associated with general severity and psychotic symptoms in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 145, 36-42.	2.0	118
5	Exploring the Wnt signaling pathway in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 55.	4.8	94
6	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. <i>Schizophrenia Research</i> , 2015, 165, 188-194.	2.0	85
7	Side effect burden of antipsychotic drugs in real life – Impact of gender and polypharmacy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 263-271.	4.8	77
8	Somatic Comorbidity in Schizophrenia: Some Possible Biological Mechanisms Across the Life Span. <i>Schizophrenia Bulletin</i> , 2016, 42, 1316-1319.	4.3	69
9	Childhood maltreatment severity is associated with elevated C-reactive protein and body mass index in adults with schizophrenia and bipolar diagnoses. <i>Brain, Behavior, and Immunity</i> , 2017, 65, 342-349.	4.1	67
10	Constructing the Immune Signature of Schizophrenia for Clinical Use and Research; An Integrative Review Translating Descriptives Into Diagnostics. <i>Frontiers in Psychiatry</i> , 2018, 9, 753.	2.6	58
11	Association between cytokine levels, verbal memory and hippocampus volume in psychotic disorders and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 53-62.	4.5	48
12	Relationship of suicide rates with climate and economic variables in Europe during 2000–2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	2.7	48
13	A Study of TNF Pathway Activation in Schizophrenia and Bipolar Disorder in Plasma and Brain Tissue. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw183.	4.3	47
14	Up-Regulation of <i>NOTCH4</i> Gene Expression in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2012, 169, 1292-1300.	7.2	44
15	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. <i>Psychological Medicine</i> , 2019, 49, 1749-1757.	4.5	40
16	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , 2016, 67, 189-197.	2.7	39
17	Cardiovascular risk factors during second generation antipsychotic treatment are associated with increased C-reactive protein. <i>Schizophrenia Research</i> , 2012, 140, 169-174.	2.0	38
18	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	3.3	37

#	ARTICLE	IF	CITATIONS
19	Altered systemic cortisol metabolism in bipolar disorder and schizophrenia spectrum disorders. <i>Journal of Psychiatric Research</i> , 2014, 52, 57-62.	3.1	36
20	Identification of shared genetic variants between schizophrenia and lung cancer. <i>Scientific Reports</i> , 2018, 8, 674.	3.3	33
21	Free thyroxine and thyroid-stimulating hormone in severe mental disorders: A naturalistic study with focus on antipsychotic medication. <i>Journal of Psychiatric Research</i> , 2018, 106, 74-81.	3.1	31
22	Cardiovascular risk remains high in schizophrenia with modest improvements in bipolar disorder during past decade. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 348-360.	4.5	31
23	Low vitamin D is associated with negative and depressive symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2016, 178, 44-49.	2.0	29
24	Oxytocin system dysfunction as a common mechanism underlying metabolic syndrome and psychiatric symptoms in schizophrenia and bipolar disorders. <i>Frontiers in Neuroendocrinology</i> , 2017, 45, 1-10.	5.2	26
25	Increase in serum HDL level is associated with less negative symptoms after one year of antipsychotic treatment in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 197, 253-260.	2.0	24
26	Association between altered brain morphology and elevated peripheral endothelial markers " Implications for psychotic disorders. <i>Schizophrenia Research</i> , 2015, 161, 222-228.	2.0	23
27	Persistent increase in TNF and IL-1 markers in severe mental disorders suggests trait-related inflammation: a one year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 400-408.	4.5	23
28	Metabolic dysfunctions in the kynurenine pathway, noradrenergic and purine metabolism in schizophrenia and bipolar disorders. <i>Psychological Medicine</i> , 2020, 50, 595-606.	4.5	23
29	Adipokine levels are associated with insulin resistance in antipsychotics users independently of BMI. <i>Psychoneuroendocrinology</i> , 2019, 103, 87-95.	2.7	20
30	Serum levels of second-generation antipsychotics are associated with cognitive function in psychotic disorders. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 471-482.	2.6	18
31	VRK2 gene expression in schizophrenia, bipolar disorder and healthy controls. <i>British Journal of Psychiatry</i> , 2016, 209, 114-120.	2.8	17
32	Association between serum lipid levels, osteoprotegerin and depressive symptomatology in psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 795-802.	3.2	17
33	Association between leptin levels and severity of suicidal behaviour in schizophrenia spectrum disorders. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 464-471.	4.5	15
34	Atherogenic Lipid Ratios Related to Myeloperoxidase and C-Reactive Protein Levels in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 672.	2.6	15
35	Reliability and validity of the self-report version of the apathy evaluation scale in first-episode Psychosis: Concordance with the clinical version at baseline and 12 months follow-up. <i>Psychiatry Research</i> , 2018, 267, 140-147.	3.3	13
36	Serum level of venlafaxine is associated with better memory in psychotic disorders. <i>Schizophrenia Research</i> , 2015, 169, 386-392.	2.0	10

#	ARTICLE	IF	CITATIONS
37	An association between <scp>YKL</scp>40 and type 2 diabetes in psychotic disorders. Acta Psychiatrica Scandinavica, 2019, 139, 37-45.	4.5	8
38	Patient satisfaction and acute psychiatric inpatient treatment. Nordic Journal of Psychiatry, 2020, 74, 577-584.	1.3	8
39	Serum concentrations of mood stabilizers are associated with memory, but not other cognitive domains in psychosis spectrum disorders; explorative analyses in a naturalistic setting. International Journal of Bipolar Disorders, 2016, 4, 24.	2.2	7
40	Lessons learned from a cross-sectional survey among patients and staff in an acute psychiatric unit during an ongoing pandemic outbreak. Psychiatry Research, 2021, 298, 113779.	3.3	6
41	Adiponectin Is Related to Cardiovascular Risk in Severe Mental Illness Independent of Antipsychotic Treatment. Frontiers in Psychiatry, 2021, 12, 623192.	2.6	6
42	Interleukin-18 signaling system links to agitation in severe mental disorders. Psychoneuroendocrinology, 2022, 140, 105721.	2.7	6
43	Cannabis Use Is Associated With Increased Levels of Soluble gp130 in Schizophrenia but Not in Bipolar Disorder. Frontiers in Psychiatry, 2020, 11, 642.	2.6	5
44	Genetic variants associated with cardiometabolic abnormalities during treatment with selective serotonin reuptake inhibitors: a genome-wide association study. Pharmacogenomics Journal, 2021, 21, 574-585.	2.0	5
45	Metabolic risk factors in schizophrenia and bipolar disorder: The effect of comedication with selective serotonin reuptake inhibitors and antipsychotics. European Psychiatry, 2018, 48, 71-78.	0.2	4
46	T8. ATHEROGENIC LIPID RATIOS RELATED TO MYELOPEROXIDASE AND C-REACTIVE PROTEIN LEVELS IN PSYCHOTIC DISORDERS. Schizophrenia Bulletin, 2019, 45, S206-S206.	4.3	3
47	Response to Li and Su Letter. American Journal of Psychiatry, 2013, 170, 561-561.	7.2	0
48	Selective serotonin reuptake inhibitors, anti-psychotics and metabolic risk factors in schizophrenia and bipolar disorder. European Psychiatry, 2017, 41, S752-S752.	0.2	0
49	F22. DYSLIPIDEMIA AND INFLAMMATORY MARKERS IN RELATION TO CLINICAL SYMPTOMATOLOGY IN PSYCHOTIC DISORDERS. Schizophrenia Bulletin, 2018, 44, S227-S227.	4.3	0
50	Response: Are thyroid abnormalities only related to antipsychotic treatment in patients with severe mental disorders?. Journal of Psychiatric Research, 2019, 117, 150.	3.1	0